



API Reference

AWS Elemental MediaConnect



API Version 2018-11-14

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Elemental MediaConnect: API Reference

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AddBridgeOutputs	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	5
Response Elements	5
Errors	6
See Also	7
AddBridgeSources	8
Request Syntax	8
URI Request Parameters	8
Request Body	9
Response Syntax	9
Response Elements	10
Errors	10
See Also	11
AddFlowMediaStreams	12
Request Syntax	12
URI Request Parameters	12
Request Body	13
Response Syntax	13
Response Elements	14
Errors	14
See Also	15
AddFlowOutputs	16
Request Syntax	16
URI Request Parameters	17
Request Body	17
Response Syntax	18
Response Elements	19
Errors	20
See Also	21

AddFlowSources	22
Request Syntax	22
URI Request Parameters	23
Request Body	23
Response Syntax	24
Response Elements	25
Errors	26
See Also	27
AddFlowVpcInterfaces	28
Request Syntax	28
URI Request Parameters	28
Request Body	28
Response Syntax	29
Response Elements	29
Errors	29
See Also	30
CreateBridge	32
Request Syntax	32
URI Request Parameters	33
Request Body	33
Response Syntax	34
Response Elements	36
Errors	36
See Also	38
CreateFlow	39
Request Syntax	39
URI Request Parameters	45
Request Body	45
Response Syntax	47
Response Elements	54
Errors	55
See Also	55
CreateGateway	57
Request Syntax	57
URI Request Parameters	57
Request Body	57

Response Syntax	58
Response Elements	58
Errors	59
See Also	60
DeleteBridge	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	61
Errors	62
See Also	63
DeleteFlow	64
Request Syntax	64
URI Request Parameters	64
Request Body	64
Response Syntax	64
Response Elements	64
Errors	65
See Also	66
DeleteGateway	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	67
Response Elements	67
Errors	68
See Also	69
DeregisterGatewayInstance	70
Request Syntax	70
URI Request Parameters	70
Request Body	70
Response Syntax	70
Response Elements	71
Errors	71
See Also	72

DescribeBridge	74
Request Syntax	74
URI Request Parameters	74
Request Body	74
Response Syntax	74
Response Elements	76
Errors	76
See Also	77
DescribeFlow	79
Request Syntax	79
URI Request Parameters	79
Request Body	79
Response Syntax	79
Response Elements	86
Errors	87
See Also	88
DescribeFlowSourceMetadata	89
Request Syntax	89
URI Request Parameters	89
Request Body	89
Response Syntax	89
Response Elements	90
Errors	91
See Also	92
DescribeFlowSourceThumbnail	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	93
Response Elements	94
Errors	94
See Also	95
DescribeGateway	96
Request Syntax	96
URI Request Parameters	96
Request Body	96

Response Syntax	96
Response Elements	97
Errors	97
See Also	98
DescribeGatewayInstance	100
Request Syntax	100
URI Request Parameters	100
Request Body	100
Response Syntax	100
Response Elements	101
Errors	101
See Also	102
DescribeOffering	103
Request Syntax	103
URI Request Parameters	103
Request Body	103
Response Syntax	103
Response Elements	104
Errors	104
See Also	105
DescribeReservation	106
Request Syntax	106
URI Request Parameters	106
Request Body	106
Response Syntax	106
Response Elements	107
Errors	107
See Also	108
GrantFlowEntitlements	109
Request Syntax	109
URI Request Parameters	109
Request Body	110
Response Syntax	110
Response Elements	111
Errors	111
See Also	112

ListBridges	113
Request Syntax	113
URI Request Parameters	113
Request Body	114
Response Syntax	114
Response Elements	114
Errors	115
See Also	115
ListEntitlements	117
Request Syntax	117
URI Request Parameters	117
Request Body	117
Response Syntax	118
Response Elements	118
Errors	118
See Also	119
ListFlows	121
Request Syntax	121
URI Request Parameters	121
Request Body	121
Response Syntax	122
Response Elements	122
Errors	123
See Also	123
ListGatewayInstances	125
Request Syntax	125
URI Request Parameters	125
Request Body	126
Response Syntax	126
Response Elements	126
Errors	127
See Also	127
ListGateways	129
Request Syntax	129
URI Request Parameters	129
Request Body	129

Response Syntax	130
Response Elements	130
Errors	130
See Also	131
ListOfferings	133
Request Syntax	133
URI Request Parameters	133
Request Body	133
Response Syntax	134
Response Elements	134
Errors	135
See Also	135
ListReservations	137
Request Syntax	137
URI Request Parameters	137
Request Body	137
Response Syntax	138
Response Elements	138
Errors	139
See Also	139
ListTagsForResource	141
Request Syntax	141
URI Request Parameters	141
Request Body	141
Response Syntax	141
Response Elements	141
Errors	142
See Also	142
PurchaseOffering	144
Request Syntax	144
URI Request Parameters	144
Request Body	144
Response Syntax	145
Response Elements	145
Errors	146
See Also	147

RemoveBridgeOutput	148
Request Syntax	148
URI Request Parameters	148
Request Body	148
Response Syntax	148
Response Elements	149
Errors	149
See Also	150
RemoveBridgeSource	151
Request Syntax	151
URI Request Parameters	151
Request Body	151
Response Syntax	151
Response Elements	152
Errors	152
See Also	153
RemoveFlowMediaStream	154
Request Syntax	154
URI Request Parameters	154
Request Body	154
Response Syntax	154
Response Elements	155
Errors	155
See Also	156
RemoveFlowOutput	157
Request Syntax	157
URI Request Parameters	157
Request Body	157
Response Syntax	157
Response Elements	158
Errors	158
See Also	159
RemoveFlowSource	160
Request Syntax	160
URI Request Parameters	160
Request Body	160

Response Syntax	160
Response Elements	161
Errors	161
See Also	162
RemoveFlowVpcInterface	163
Request Syntax	163
URI Request Parameters	163
Request Body	163
Response Syntax	163
Response Elements	164
Errors	164
See Also	165
RevokeFlowEntitlement	167
Request Syntax	167
URI Request Parameters	167
Request Body	167
Response Syntax	167
Response Elements	168
Errors	168
See Also	169
StartFlow	170
Request Syntax	170
URI Request Parameters	170
Request Body	170
Response Syntax	170
Response Elements	170
Errors	171
See Also	172
StopFlow	173
Request Syntax	173
URI Request Parameters	173
Request Body	173
Response Syntax	173
Response Elements	173
Errors	174
See Also	175

TagResource	176
Request Syntax	176
URI Request Parameters	176
Request Body	176
Response Syntax	177
Response Elements	177
Errors	177
See Also	177
UntagResource	179
Request Syntax	179
URI Request Parameters	179
Request Body	179
Response Syntax	179
Response Elements	179
Errors	179
See Also	180
UpdateBridge	181
Request Syntax	181
URI Request Parameters	181
Request Body	181
Response Syntax	182
Response Elements	184
Errors	184
See Also	185
UpdateBridgeOutput	187
Request Syntax	187
URI Request Parameters	187
Request Body	187
Response Syntax	188
Response Elements	188
Errors	189
See Also	190
UpdateBridgeSource	191
Request Syntax	191
URI Request Parameters	191
Request Body	192

Response Syntax	192
Response Elements	193
Errors	193
See Also	194
UpdateBridgeState	196
Request Syntax	196
URI Request Parameters	196
Request Body	196
Response Syntax	197
Response Elements	197
Errors	197
See Also	198
UpdateFlow	200
Request Syntax	200
URI Request Parameters	201
Request Body	201
Response Syntax	202
Response Elements	209
Errors	210
See Also	210
UpdateFlowEntitlement	212
Request Syntax	212
URI Request Parameters	212
Request Body	213
Response Syntax	214
Response Elements	214
Errors	215
See Also	216
UpdateFlowMediaStream	217
Request Syntax	217
URI Request Parameters	217
Request Body	218
Response Syntax	219
Response Elements	219
Errors	220
See Also	221

UpdateFlowOutput	222
Request Syntax	222
URI Request Parameters	223
Request Body	223
Response Syntax	227
Response Elements	229
Errors	229
See Also	230
UpdateFlowSource	232
Request Syntax	232
URI Request Parameters	233
Request Body	233
Response Syntax	237
Response Elements	239
Errors	239
See Also	240
UpdateGatewayInstance	241
Request Syntax	241
URI Request Parameters	241
Request Body	241
Response Syntax	242
Response Elements	242
Errors	242
See Also	243
Data Types	245
AddBridgeFlowSourceRequest	249
Contents	249
See Also	249
AddBridgeNetworkOutputRequest	251
Contents	251
See Also	252
AddBridgeNetworkSourceRequest	253
Contents	253
See Also	254
AddBridgeOutputRequest	255
Contents	255

See Also	255
AddBridgeSourceRequest	256
Contents	256
See Also	256
AddEgressGatewayBridgeRequest	257
Contents	257
See Also	257
AddIngressGatewayBridgeRequest	258
Contents	258
See Also	258
AddMaintenance	259
Contents	259
See Also	259
AddMediaStreamRequest	261
Contents	261
See Also	262
AddOutputRequest	263
Contents	263
See Also	266
AudioMonitoringSetting	268
Contents	268
See Also	268
BlackFrames	269
Contents	269
See Also	269
Bridge	270
Contents	270
See Also	272
BridgeFlowOutput	273
Contents	273
See Also	273
BridgeFlowSource	274
Contents	274
See Also	274
BridgeNetworkOutput	276
Contents	276

See Also	277
BridgeNetworkSource	278
Contents	278
See Also	279
BridgeOutput	280
Contents	280
See Also	280
BridgeSource	281
Contents	281
See Also	281
DestinationConfiguration	282
Contents	282
See Also	282
DestinationConfigurationRequest	284
Contents	284
See Also	284
EgressGatewayBridge	285
Contents	285
See Also	285
EncodingParameters	286
Contents	286
See Also	286
EncodingParametersRequest	287
Contents	287
See Also	287
Encryption	288
Contents	288
See Also	290
Entitlement	291
Contents	291
See Also	292
FailoverConfig	293
Contents	293
See Also	294
Flow	295
Contents	295

See Also	298
Fmtcp	299
Contents	299
See Also	300
FmtcpRequest	301
Contents	301
See Also	302
FrameResolution	303
Contents	303
See Also	303
FrozenFrames	304
Contents	304
See Also	304
Gateway	305
Contents	305
See Also	306
GatewayBridgeSource	307
Contents	307
See Also	307
GatewayInstance	308
Contents	308
See Also	309
GatewayNetwork	311
Contents	311
See Also	311
GrantEntitlementRequest	312
Contents	312
See Also	313
IngressGatewayBridge	314
Contents	314
See Also	314
InputConfiguration	315
Contents	315
See Also	315
InputConfigurationRequest	316
Contents	316

See Also	316
Interface	317
Contents	317
See Also	317
InterfaceRequest	318
Contents	318
See Also	318
ListedBridge	319
Contents	319
See Also	320
ListedEntitlement	321
Contents	321
See Also	321
ListedFlow	322
Contents	322
See Also	323
ListedGateway	324
Contents	324
See Also	324
ListedGatewayInstance	325
Contents	325
See Also	325
Maintenance	327
Contents	327
See Also	328
MediaStream	329
Contents	329
See Also	330
MediaStreamAttributes	331
Contents	331
See Also	331
MediaStreamAttributesRequest	332
Contents	332
See Also	332
MediaStreamOutputConfiguration	333
Contents	333

See Also	334
MediaStreamOutputConfigurationRequest	335
Contents	335
See Also	336
MediaStreamSourceConfiguration	337
Contents	337
See Also	337
MediaStreamSourceConfigurationRequest	339
Contents	339
See Also	339
MessageDetail	341
Contents	341
See Also	341
Messages	342
Contents	342
See Also	342
MonitoringConfig	343
Contents	343
See Also	343
MulticastSourceSettings	345
Contents	345
See Also	345
NdiConfig	346
Contents	346
See Also	346
NdiDiscoveryServerConfig	348
Contents	348
See Also	348
Offering	349
Contents	349
See Also	350
Output	351
Contents	351
See Also	354
Reservation	355
Contents	355

See Also	357
ResourceSpecification	359
Contents	359
See Also	359
SetGatewayBridgeSourceRequest	360
Contents	360
See Also	360
SetSourceRequest	361
Contents	361
See Also	364
SilentAudio	366
Contents	366
See Also	366
Source	367
Contents	367
See Also	370
SourcePriority	371
Contents	371
See Also	371
ThumbnailDetails	372
Contents	372
See Also	373
Transport	374
Contents	374
See Also	377
TransportMediaInfo	378
Contents	378
See Also	378
TransportStream	379
Contents	379
See Also	380
TransportStreamProgram	381
Contents	381
See Also	382
UpdateBridgeFlowSourceRequest	383
Contents	383

See Also	383
UpdateBridgeNetworkOutputRequest	384
Contents	384
See Also	385
UpdateBridgeNetworkSourceRequest	386
Contents	386
See Also	387
UpdateEgressGatewayBridgeRequest	388
Contents	388
See Also	388
UpdateEncryption	389
Contents	389
See Also	391
UpdateFailoverConfig	392
Contents	392
See Also	393
UpdateGatewayBridgeSourceRequest	394
Contents	394
See Also	394
UpdateIngressGatewayBridgeRequest	395
Contents	395
See Also	395
UpdateMaintenance	396
Contents	396
See Also	396
VideoMonitoringSetting	398
Contents	398
See Also	398
VpcInterface	399
Contents	399
See Also	400
VpcInterfaceAttachment	401
Contents	401
See Also	401
VpcInterfaceRequest	402
Contents	402

See Also	403
Common Parameters	404
Common Errors	407

Welcome

Welcome to the AWS Elemental MediaConnect API reference.

MediaConnect is a service that lets you ingest live video content into the cloud and distribute it to destinations all over the world, both inside and outside the AWS cloud. This API reference provides descriptions, syntax, and usage examples for each of the actions and data types that are supported by MediaConnect.

Use the following links to get started with the MediaConnect API:

- [Actions](#): An alphabetical list of all MediaConnect API operations.
- [Data types](#): An alphabetical list of all MediaConnect data types.
- [Common parameters](#): Parameters that all operations can use.
- [Common errors](#): Client and server errors that all operations can return.

This document was last published on July 18, 2025.

Actions

The following actions are supported:

- [AddBridgeOutputs](#)
- [AddBridgeSources](#)
- [AddFlowMediaStreams](#)
- [AddFlowOutputs](#)
- [AddFlowSources](#)
- [AddFlowVpcInterfaces](#)
- [CreateBridge](#)
- [CreateFlow](#)
- [CreateGateway](#)
- [DeleteBridge](#)
- [DeleteFlow](#)
- [DeleteGateway](#)
- [DeregisterGatewayInstance](#)
- [DescribeBridge](#)
- [DescribeFlow](#)
- [DescribeFlowSourceMetadata](#)
- [DescribeFlowSourceThumbnail](#)
- [DescribeGateway](#)
- [DescribeGatewayInstance](#)
- [DescribeOffering](#)
- [DescribeReservation](#)
- [GrantFlowEntitlements](#)
- [ListBridges](#)
- [ListEntitlements](#)
- [ListFlows](#)
- [ListGatewayInstances](#)
- [ListGateways](#)

- [ListOfferings](#)
- [ListReservations](#)
- [ListTagsForResource](#)
- [PurchaseOffering](#)
- [RemoveBridgeOutput](#)
- [RemoveBridgeSource](#)
- [RemoveFlowMediaStream](#)
- [RemoveFlowOutput](#)
- [RemoveFlowSource](#)
- [RemoveFlowVpcInterface](#)
- [RevokeFlowEntitlement](#)
- [StartFlow](#)
- [StopFlow](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateBridge](#)
- [UpdateBridgeOutput](#)
- [UpdateBridgeSource](#)
- [UpdateBridgeState](#)
- [UpdateFlow](#)
- [UpdateFlowEntitlement](#)
- [UpdateFlowMediaStream](#)
- [UpdateFlowOutput](#)
- [UpdateFlowSource](#)
- [UpdateGatewayInstance](#)

AddBridgeOutputs

Adds outputs to an existing bridge.

Request Syntax

```
POST /v1/bridges/bridgeArn/outputs HTTP/1.1
Content-type: application/json

{
  "outputsnetworkOutputipAddressnamenetworkNameportprotocolttl
```

URI Request Parameters

The request uses the following URI parameters.

[bridgeArn](#)

The Amazon Resource Name (ARN) of the bridge that you want to update.

Pattern: arn:.+:mediaconnect.+:bridge:.+

Required: Yes

Request Body

The request accepts the following data in JSON format.

outputs

The outputs that you want to add to this bridge.

Type: Array of [AddBridgeOutputRequest](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "bridgeArn": "string",
    "outputs": [
        {
            "flowOutput": {
                "flowArn": "string",
                "flowSourceArn": "string",
                "name": "string"
            },
            "networkOutput": {
                "ipAddress": "string",
                "name": "string",
                "networkName": "string",
                "port": number,
                "protocol": "string",
                "ttl": number
            }
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

bridgeArn

The ARN of the bridge that you added outputs to.

Type: String

outputs

The outputs that you added to this bridge.

Type: Array of [BridgeOutput](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AddBridgeSources

Adds sources to an existing bridge.

Request Syntax

```
POST /v1/bridges/bridgeArn/sources HTTP/1.1
Content-type: application/json

{
  "sourcesflowSourceflowArnstring",
        "flowVpcInterfaceAttachmentvpcInterfaceNamestring"
        },
        "namestring"
      },
      "networkSourcemulticastIpstring",
        "multicastSourceSettingsmulticastSourceIpstring"
        },
        "namestring",
        "networkNamestring",
        "portnumber,
        "protocolstring"
      }
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

bridgeArn

The Amazon Resource Name (ARN) of the bridge that you want to update.

Required: Yes

Request Body

The request accepts the following data in JSON format.

sources

The sources that you want to add to this bridge.

Type: Array of [AddBridgeSourceRequest](#) objects

Required: Yes

Response Syntax

HTTP/1.1 202

Content-type: application/json

```
{  
    "bridgeArn": "string",  
    "sources": [  
        {  
            "flowSource": {  
                "flowArn": "string",  
                "flowVpcInterfaceAttachment": {  
                    "vpcInterfaceName": "string"  
                },  
                "name": "string",  
                "outputArn": "string"  
            },  
            "networkSource": {  
                "multicastIp": "string",  
                "multicastSourceSettings": {  
                    "multicastSourceIp": "string"  
                },  
                "name": "string",  
                "networkName": "string",  
                "port": number,  
                "protocol": "string"  
            }  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[bridgeArn](#)

The ARN of the bridge that you added sources to.

Type: String

[sources](#)

The sources that you added to this bridge.

Type: Array of [BridgeSource](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AddFlowMediaStreams

Adds media streams to an existing flow. After you add a media stream to a flow, you can associate it with a source and/or an output that uses the ST 2110 JPEG XS or CDI protocol.

Request Syntax

```
POST /v1/flows/flowArn/mediaStreams HTTP/1.1
Content-type: application/json

{
  "mediaStreamsattributesfntpchannelOrderstring",
          "colorimetrystring",
          "exactFrameratestring",
          "parstring",
          "rangestring",
          "scanModestring",
          "tcsstring"
        },
        "langstring"
      },
      "clockRatenumber,
      "descriptionstring",
      "mediaStreamIdnumber,
      "mediaStreamNamestring",
      "mediaStreamTypestring",
      "videoFormatstring"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow.

Pattern: `arn:.+:mediaconnect.+:flow:.+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

mediaStreams

The media streams that you want to add to the flow.

Type: Array of [AddMediaStreamRequest](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "flowArn": "string",
  "mediaStreams": [
    {
      "attributes": {
        "fntp": {
          "channelOrder": "string",
          "colorimetry": "string",
          "exactFramerate": "string",
          "par": "string",
          "range": "string",
          "scanMode": "string",
          "tcs": "string"
        },
        "lang": "string"
      },
      "clockRate": number,
      "description": "string",
      "fmt": number,
      "mediaStreamId": number,
      "mediaStreamName": "string",
    }
  ]
}
```

```
        "mediaStreamType": "string",
        "videoFormat": "string"
    }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[flowArn](#)

The ARN of the flow that you added media streams to.

Type: String

[mediaStreams](#)

The media streams that you added to the flow.

Type: Array of [MediaStream](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AddFlowOutputs

Adds outputs to an existing flow. You can create up to 50 outputs per flow.

Request Syntax

```
POST /v1/flows/flowArn/outputs HTTP/1.1
Content-type: application/json

{
  "outputs": [
    {
      "cidrAllowList": [ "string" ],
      "description": "string",
      "destination": "string",
      "encryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
      },
      "maxLatency": number,
      "mediaStreamOutputConfigurations": [
        {
          "destinationConfigurations": [
            {
              "destinationIp": "string",
              "destinationPort": number,
              "interface": {
                "name": "string"
              }
            }
          ],
          "encodingName": "string",
          "encodingParameters": {
            "compressionFactor": number,
            "encoderProfile": "string"
          }
        },
        ...
      ]
    }
  ]
}
```

```
        "mediaStreamName": "string"
    }
],
"minLatency": number,
"name": "string",
"ndiProgramName": "string",
"ndiSpeedHqQuality": number,
"outputStatus": "string",
"port": number,
"protocol": "string",
"remoteId": "string",
"senderControlPort": number,
"smoothingLatency": number,
"streamId": "string",
"vpcInterfaceAttachment": {
    "vpcInterfaceName": "string"
}
}
]
}
```

URI Request Parameters

The request uses the following URI parameters.

[flowArn](#)

The Amazon Resource Name (ARN) of the flow that you want to add outputs to.

Pattern: arn:.+:mediaconnect.+:flow:.+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[outputs](#)

A list of outputs that you want to add to the flow.

Type: Array of [AddOutputRequest](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
    "flowArn": "string",
    "outputs": [
        {
            "bridgeArn": "string",
            "bridgePorts": [ number ],
            "dataTransferSubscriberFeePercent": number,
            "description": "string",
            "destination": "string",
            "encryption": {
                "algorithm": "string",
                "constantInitializationVector": "string",
                "deviceId": "string",
                "keyType": "string",
                "region": "string",
                "resourceId": "string",
                "roleArn": "string",
                "secretArn": "string",
                "url": "string"
            },
            "entitlementArn": "string",
            "listenerAddress": "string",
            "mediaLiveInputArn": "string",
            "mediaStreamOutputConfigurations": [
                {
                    "destinationConfigurations": [
                        {
                            "destinationIp": "string",
                            "destinationPort": number,
                            "interface": {
                                "name": "string"
                            },
                            "outboundIp": "string"
                        }
                    ],
                }
            ]
        }
    ]
}
```

```
        "encodingName": "string",
        "encodingParameters": {
            "compressionFactor": number,
            "encoderProfile": "string"
        },
        "mediaStreamName": "string"
    }
],
"name": "string",
"outputArn": "string",
"outputStatus": "string",
"peerIpAddress": "string",
"port": number,
"transport": {
    "cidrAllowList": [ "string" ],
    "maxBitrate": number,
    "maxLatency": number,
    "maxSyncBuffer": number,
    "minLatency": number,
    "ndiProgramName": "string",
    "ndiSpeedHqQuality": number,
    "protocol": "string",
    "remoteId": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "smoothingLatency": number,
    "sourceListenerAddress": "string",
    "sourceListenerPort": number,
    "streamId": "string"
},
"vpcInterfaceAttachment": {
    "vpcInterfaceName": "string"
}
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that these outputs were added to.

Type: String

outputs

The details of the newly added outputs.

Type: Array of [Output](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AddFlowOutputs420Exception

Exception raised by AWS Elemental MediaConnect when adding the flow output. See the error message for the operation for more information on the cause of this exception.

HTTP Status Code: 420

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AddFlowSources

Adds sources to a flow.

Request Syntax

```
POST /v1/flows/flowArn/source HTTP/1.1
Content-type: application/json

{
  "sourcesdecryptionalgorithmstring",
        "constantInitializationVectorstring",
        "deviceIdstring",
        "keyTypestring",
        "regionstring",
        "resourceIdstring",
        "roleArnstring",
        "secretArnstring",
        "urlstring"
      },
      "descriptionstring",
      "entitlementArnstring",
      "gatewayBridgeSourcebridgeArnstring",
        "vpcInterfaceAttachmentvpcInterfaceNamestring"
        }
      },
      "ingestPortnumber,
      "maxBitratenumber,
      "maxLatencynumber,
      "maxSyncBuffernumber,
      "mediaStreamSourceConfigurationsencodingNamestring",
          "inputConfigurationsinputPortnumber,
              "interfacenamestring"
              }
            }
          ]
        }
      ]
    }
  ]
}
```

```
        }
      ],
      "mediaStreamName": "string"
    },
    "minLatency": number,
    "name": "string",
    "protocol": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "sourceListenerAddress": "string",
    "sourceListenerPort": number,
    "streamId": "string",
    "vpcInterfaceName": "string",
    "whitelistCidr": "string"
  }
]
}
```

URI Request Parameters

The request uses the following URI parameters.

[flowArn](#)

The Amazon Resource Name (ARN) of the flow that you want to update.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[sources](#)

A list of sources that you want to add to the flow.

Type: Array of [SetSourceRequest](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
    "flowArn": "string",
    "sources": [
        {
            "dataTransferSubscriberFeePercent": number,
            "decryption": {
                "algorithm": "string",
                "constantInitializationVector": "string",
                "deviceId": "string",
                "keyType": "string",
                "region": "string",
                "resourceId": "string",
                "roleArn": "string",
                "secretArn": "string",
                "url": "string"
            },
            "description": "string",
            "entitlementArn": "string",
            "gatewayBridgeSource": {
                "bridgeArn": "string",
                "vpcInterfaceAttachment": {
                    "vpcInterfaceName": "string"
                }
            },
            "ingestIp": "string",
            "ingestPort": number,
            "mediaStreamSourceConfigurations": [
                {
                    "encodingName": "string",
                    "inputConfigurations": [
                        {
                            "inputIp": "string",
                            "inputPort": number,
                            "interface": {
                                "name": "string"
                            }
                        }
                    ]
                },
            ],
        }
    ]
}
```

```
        "mediaStreamName": "string"
    }
],
"name": "string",
"peerIpAddress": "string",
"senderControlPort": number,
"senderIpAddress": "string",
"sourceArn": "string",
"transport": {
    "cidrAllowList": [ "string" ],
    "maxBitrate": number,
    "maxLatency": number,
    "maxSyncBuffer": number,
    "minLatency": number,
    "ndiProgramName": "string",
    "ndiSpeedHqQuality": number,
    "protocol": "string",
    "remoteId": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "smoothingLatency": number,
    "sourceListenerAddress": "string",
    "sourceListenerPort": number,
    "streamId": "string"
},
"vpcInterfaceName": "string",
"whitelistCidr": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[flowArn](#)

The ARN of the flow that these sources were added to.

Type: String

sources

The details of the newly added sources.

Type: Array of [Source](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AddFlowVpcInterfaces

Adds VPC interfaces to a flow.

Request Syntax

```
POST /v1/flows/flowArn/vpcInterfaces HTTP/1.1
Content-type: application/json

{
  "vpcInterfacesnamestring",
      "networkInterfaceTypestring",
      "roleArnstring",
      "securityGroupIdsstring" ],
      "subnetIdstring"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to update.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

Request Body

The request accepts the following data in JSON format.

vpcInterfaces

A list of VPC interfaces that you want to add to the flow.

Type: Array of [VpcInterfaceRequest](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
    "flowArn": "string",
    "vpcInterfaces": [
        {
            "name": "string",
            "networkInterfaceIds": [ "string" ],
            "networkInterfaceType": "string",
            "roleArn": "string",
            "securityGroupIds": [ "string" ],
            "subnetId": "string"
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[flowArn](#)

The ARN of the flow that these VPC interfaces were added to.

Type: String

[vpcInterfaces](#)

The details of the newly added VPC interfaces.

Type: Array of [VpcInterface](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateBridge

Creates a new bridge. The request must include one source.

Request Syntax

```
POST /v1/bridges HTTP/1.1
Content-type: application/json

{
  "egressGatewayBridge": {
    "maxBitrate": number
  },
  "ingressGatewayBridge": {
    "maxBitrate": number,
    "maxOutputs": number
  },
  "name": "string",
  "outputs": [
    {
      "networkOutput": {
        "ipAddress": "string",
        "name": "string",
        "networkName": "string",
        "port": number,
        "protocol": "string",
        "ttl": number
      }
    }
  ],
  "placementArn": "string",
  "sourceFailoverConfig": {
    "failoverMode": "string",
    "recoveryWindow": number,
    "sourcePriority": {
      "primarySource": "string"
    },
    "state": "string"
  },
  "sources": [
    {
      "flowSource": {
        "flowArn": "string",
        "flowType": "string"
      }
    }
  ]
}
```

```
"flowVpcInterfaceAttachment": {  
    "vpcInterfaceName},  
    "name},  
"networkSource": {  
    "multicastIp": "string",  
    "multicastSourceSettings": {  
        "multicastSourceIp": "string"  
    },  
    "name": "string",  
    "networkName": "string",  
    "port": number,  
    "protocol": "string"  
}  
}  
}  
]  
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

egressGatewayBridge

An egress bridge is a cloud-to-ground bridge. The content comes from an existing MediaConnect flow and is delivered to your premises.

Type: [AddEgressGatewayBridgeRequest](#) object

Required: No

ingressGatewayBridge

An ingress bridge is a ground-to-cloud bridge. The content originates at your premises and is delivered to the cloud.

Type: [AddIngressGatewayBridgeRequest](#) object

Required: No

[name](#)

The name of the bridge. This name can not be modified after the bridge is created.

Type: String

Required: Yes

[outputs](#)

The outputs that you want to add to this bridge.

Type: Array of [AddBridgeOutputRequest](#) objects

Required: No

[placementArn](#)

The bridge placement Amazon Resource Number (ARN).

Type: String

Required: Yes

[sourceFailoverConfig](#)

The settings for source failover.

Type: [FailoverConfig](#) object

Required: No

[sources](#)

The sources that you want to add to this bridge.

Type: Array of [AddBridgeSourceRequest](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "bridge": {
```

```
"bridgeArn": "string",
"bridgeMessages": [
    {
        "code": "string",
        "message": "string",
        "resourceName": "string"
    }
],
"bridgeState": "string",
"egressGatewayBridge": {
    "instanceId": "string",
    "maxBitrate": number
},
"ingressGatewayBridge": {
    "instanceId": "string",
    "maxBitrate": number,
    "maxOutputs": number
},
"name": "string",
"outputs": [
    {
        "flowOutput": {
            "flowArn": "string",
            "flowSourceArn": "string",
            "name": "string"
        },
        "networkOutput": {
            "ipAddress": "string",
            "name": "string",
            "networkName": "string",
            "port": number,
            "protocol": "string",
            "ttl": number
        }
    }
],
"placementArn": "string",
"sourceFailoverConfig": {
    "failoverMode": "string",
    "recoveryWindow": number,
    "sourcePriority": {
        "primarySource": "string"
    },
    "state": "string"
```

```
},
"sources": [
  {
    "flowSource": {
      "flowArn": "string",
      "flowVpcInterfaceAttachment": {
        "vpcInterfaceName": "string"
      },
      "name": "string",
      "outputArn": "string"
    },
    "networkSource": {
      "multicastIp": "string",
      "multicastSourceSettings": {
        "multicastSourceIp": "string"
      },
      "name": "string",
      "networkName": "string",
      "port": number,
      "protocol": "string"
    }
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[bridge](#)

The name of the bridge that was created.

Type: [Bridge](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

CreateBridge420Exception

Exception raised by AWS Elemental MediaConnect when creating the bridge. See the error message for the operation for more information on the cause of this exception.

HTTP Status Code: 420

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateFlow

Creates a new flow. The request must include one source. The request optionally can include outputs (up to 50) and entitlements (up to 50).

Request Syntax

```
POST /v1/flows HTTP/1.1
Content-type: application/json

{
    "availabilityZone": "string",
    "entitlements": [
        {
            "dataTransferSubscriberFeePercent": number,
            "description": "string",
            "encryption": {
                "algorithm": "string",
                "constantInitializationVector": "string",
                "deviceId": "string",
                "keyType": "string",
                "region": "string",
                "resourceId": "string",
                "roleArn": "string",
                "secretArn": "string",
                "url": "string"
            },
            "entitlementStatus": "string",
            "name": "string",
            "subscribers": [ "string" ]
        }
    ],
    "flowSize": "string",
    "maintenance": {
        "maintenanceDay": "string",
        "maintenanceStartHour": "string"
    },
    "mediaStreams": [
        {
            "attributes": {
                "fmtp": {
                    "channelOrder": "string",
                    "colorimetry": "string",
                    "colorspace": "string"
                }
            }
        }
    ]
}
```

```
        "exactFramerate": "string",
        "par": "string",
        "range": "string",
        "scanMode": "string",
        "tcs": "string"
    },
    "lang": "string"
},
"clockRate": number,
"description": "string",
"mediaStreamId": number,
"mediaStreamName": "string",
"mediaStreamType": "string",
"videoFormat": "string"
}
],
"name": "string",
"ndiConfig": {
    "machineName": "string",
    "ndiDiscoveryServers": [
        {
            "discoveryServerAddress": "string",
            "discoveryServerPort": number,
            "vpcInterfaceAdapter": "string"
        }
    ],
    "ndiState": "string"
},
"outputs": [
{
    "cidrAllowList": [ "string" ],
    "description": "string",
    "destination": "string",
    "encryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
    }
},
]
```

```
"maxLatency": number,
"mediaStreamOutputConfigurations": [
    {
        "destinationConfigurations": [
            {
                "destinationIp": "string",
                "destinationPort": number,
                "interface": {
                    "name": "string"
                }
            }
        ],
        "encodingName": "string",
        "encodingParameters": {
            "compressionFactor": number,
            "encoderProfile": "string"
        },
        "mediaStreamName": "string"
    }
],
"minLatency": number,
"name": "string",
"ndiProgramName": "string",
"ndiSpeedHqQuality": number,
"outputStatus": "string",
"port": number,
"protocol": "string",
"remoteId": "string",
"senderControlPort": number,
"smoothingLatency": number,
"streamId": "string",
"vpcInterfaceAttachment": {
    "vpcInterfaceName": "string"
}
},
"source": {
    "decryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
    }
}
```

```
"roleArn": "string",
"secretArn": "string",
"url": "string"
},
"description": "string",
"entitlementArn": "string",
"gatewayBridgeSource": {
    "bridgeArn": "string",
    "vpcInterfaceAttachment": {
        "vpcInterfaceName": "string"
    }
},
"ingestPortmaxBitrate": number,
"maxLatency": number,
"maxSyncBuffer": number,
"mediaStreamSourceConfigurations": [
    {
        "encodingName": "string",
        "inputConfigurations": [
            {
                "inputPort": number,
                "interface": {
                    "name": "string"
                }
            }
        ],
        "mediaStreamName": "string"
    }
],
"minLatency": number,
"name": "string",
"protocol": "string",
"senderControlPort": number,
"senderIpAddress": "string",
"sourceListenerAddress": "string",
"sourceListenerPort": number,
"streamId": "string",
"vpcInterfaceName": "string",
"whitelistCidr": "string"
},
"sourceFailoverConfig": {
    "failoverMode": "string",
    "recoveryWindow": number,
```

```
"sourcePriority": {  
    "primarySource": "string"  
},  
    "state": "string"  
},  
"sourceMonitoringConfig": {  
    "audioMonitoringSettings": [  
        {  
            "silentAudio": {  
                "state": "string",  
                "thresholdSeconds": number  
            }  
        }  
    ],  
    "contentQualityAnalysisState": "string",  
    "thumbnailState": "string",  
    "videoMonitoringSettings": [  
        {  
            "blackFrames": {  
                "state": "string",  
                "thresholdSeconds": number  
            },  
            "frozenFrames": {  
                "state": "string",  
                "thresholdSeconds": number  
            }  
        }  
    ]  
},  
"sources": [  
    {  
        "decryption": {  
            "algorithm": "string",  
            "constantInitializationVector": "string",  
            "deviceId": "string",  
            "keyType": "string",  
            "region": "string",  
            "resourceId": "string",  
            "roleArn": "string",  
            "secretArn": "string",  
            "url": "string"  
        },  
        "description": "string",  
        "entitlementArn": "string",  
        "id": "string",  
        "input": "string",  
        "inputArn": "string",  
        "inputLocation": "string",  
        "inputPriority": 123,  
        "inputRegion": "string",  
        "inputRoleArn": "string",  
        "inputSessionId": "string",  
        "inputType": "string",  
        "lastModified": "string",  
        "name": "string",  
        "output": "string",  
        "outputArn": "string",  
        "outputLocation": "string",  
        "outputPriority": 123,  
        "outputRegion": "string",  
        "outputRoleArn": "string",  
        "outputSessionId": "string",  
        "outputType": "string",  
        "status": "string",  
        "tags": {  
            "string": "string"  
        }  
    }  
]
```

```
"gatewayBridgeSource": {  
    "bridgeArn": "string",  
    "vpcInterfaceAttachment": {  
        "vpcInterfaceName": "string"  
    }  
},  
"ingestPort": number,  
"maxBitrate": number,  
"maxLatency": number,  
"maxSyncBuffer": number,  
"mediaStreamSourceConfigurations": [  
    {  
        "encodingName": "string",  
        "inputConfigurations": [  
            {  
                "inputPort": number,  
                "interface": {  
                    "name": "string"  
                }  
            }  
        ],  
        "mediaStreamName": "string"  
    }  
],  
"minLatency": number,  
"name": "string",  
"protocol": "string",  
"senderControlPort": number,  
"senderIpAddress": "string",  
"sourceListenerAddress": "string",  
"sourceListenerPort": number,  
"streamId": "string",  
"vpcInterfaceName": "string",  
"whitelistCidr": "string"  
}  
],  
"vpcInterfaces": [  
    {  
        "name": "string",  
        "networkInterfaceType": "string",  
        "roleArn": "string",  
        "securityGroupIds": [ "string" ],  
        "subnetId": "string"  
    }  
]
```

```
]  
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

availabilityZone

The Availability Zone that you want to create the flow in. These options are limited to the Availability Zones within the current AWS Region.

Type: String

Required: No

entitlements

The entitlements that you want to grant on a flow.

Type: Array of [GrantEntitlementRequest](#) objects

Required: No

flowSize

Determines the processing capacity and feature set of the flow. Set this optional parameter to LARGE if you want to enable NDI outputs on the flow.

Type: String

Valid Values: MEDIUM | LARGE

Required: No

maintenance

The maintenance settings you want to use for the flow.

Type: [AddMaintenance](#) object

Required: No

mediaStreams

The media streams that you want to add to the flow. You can associate these media streams with sources and outputs on the flow.

Type: Array of [AddMediaStreamRequest](#) objects

Required: No

name

The name of the flow.

Type: String

Required: Yes

ndiConfig

Specifies the configuration settings for NDI outputs. Required when the flow includes NDI outputs.

Type: [NdiConfig](#) object

Required: No

outputs

The outputs that you want to add to this flow.

Type: Array of [AddOutputRequest](#) objects

Required: No

source

The settings for the source that you want to use for the new flow.

Type: [SetSourceRequest](#) object

Required: No

sourceFailoverConfig

The settings for source failover.

Type: [FailoverConfig](#) object

Required: No

sourceMonitoringConfig

The settings for source monitoring.

Type: [MonitoringConfig](#) object

Required: No

sources

The sources that are assigned to the flow.

Type: Array of [SetSourceRequest](#) objects

Required: No

vpcInterfaces

The VPC interfaces you want on the flow.

Type: Array of [VpcInterfaceRequest](#) objects

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "flow": {
    "availabilityZone": "string",
    "description": "string",
    "egressIp": "string",
    "entitlements": [
      {
        "dataTransferSubscriberFeePercent": number,
        "description": "string",
        "encryption": {
          "algorithm": "string",
          "constantInitializationVector": "string",
          "deviceId": "string",
          "keyType": "string",
          "region": "string",
          "resourceId": "string",
        }
      }
    ]
  }
}
```

```
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
    },
    "entitlementArn": "string",
    "entitlementStatus": "string",
    "name": "string",
    "subscribers": [ "string" ]
}
],
"flowArn": "string",
"flowSize": "string",
"maintenance": {
    "maintenanceDay": "string",
    "maintenanceDeadline": "string",
    "maintenanceScheduledDate": "string",
    "maintenanceStartHour": "string"
},
"mediaStreams": [
{
    "attributes": {
        "fmp": {
            "channelOrder": "string",
            "colorimetry": "string",
            "exactFramerate": "string",
            "par": "string",
            "range": "string",
            "scanMode": "string",
            "tcs": "string"
        },
        "lang": "string"
    },
    "clockRate": number,
    "description": "string",
    "fmt": number,
    "mediaStreamId": number,
    "mediaStreamName": "string",
    "mediaStreamType": "string",
    "videoFormat": "string"
}
],
"name": "string",
"ndiConfig": {
    "machineName": "string",

```

```
"ndiDiscoveryServers": [
    {
        "discoveryServerAddress": "string",
        "discoveryServerPort": number,
        "vpcInterfaceAdapter": "string"
    }
],
"ndiState": "string"
},
"outputs": [
{
    "bridgeArn": "string",
    "bridgePorts": [ number ],
    "dataTransferSubscriberFeePercent": number,
    "description": "string",
    "destination": "string",
    "encryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
    },
    "entitlementArn": "string",
    "listenerAddress": "string",
    "mediaLiveInputArn": "string",
    "mediaStreamOutputConfigurations": [
        {
            "destinationConfigurations": [
                {
                    "destinationIp": "string",
                    "destinationPort": number,
                    "interface": {
                        "name": "string"
                    },
                    "outboundIp": "string"
                }
            ],
            "encodingName": "string",
            "encodingParameters": {

```

```
        "compressionFactor": number,
        "encoderProfile": "string"
    },
    "mediaStreamName": "string"
}
],
"name": "string",
"outputArn": "string",
"outputStatus": "string",
"peerIpAddress": "string",
"port": number,
"transport": {
    "cidrAllowList": [ "string" ],
    "maxBitrate": number,
    "maxLatency": number,
    "maxSyncBuffer": number,
    "minLatency": number,
    "ndiProgramName": "string",
    "ndiSpeedHqQuality": number,
    "protocol": "string",
    "remoteId": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "smoothingLatency": number,
    "sourceListenerAddress": "string",
    "sourceListenerPort": number,
    "streamId": "string"
},
"vpcInterfaceAttachment": {
    "vpcInterfaceName": "string"
}
}
],
"source": {
    "dataTransferSubscriberFeePercent": number,
    "decryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
    }
}
```

```
"url": "string",
},
"description": "string",
"entitlementArn": "string",
"gatewayBridgeSource": {
    "bridgeArn": "string",
    "vpcInterfaceAttachment": {
        "vpcInterfaceName": "string"
    }
},
"ingestIp": "string",
"ingestPort": number,
"mediaStreamSourceConfigurations": [
    {
        "encodingName": "string",
        "inputConfigurations": [
            {
                "inputIp": "string",
                "inputPort": number,
                "interface": {
                    "name": "string"
                }
            }
        ],
        "mediaStreamName": "string"
    }
],
"name": "string",
"peerIpAddress": "string",
"senderControlPort": number,
"senderIpAddress": "string",
"sourceArn": "string",
"transport": {
    "cidrAllowList": [ "string" ],
    "maxBitrate": number,
    "maxLatency": number,
    "maxSyncBuffer": number,
    "minLatency": number,
    "ndiProgramName": "string",
    "ndiSpeedHqQuality": number,
    "protocol": "string",
    "remoteId": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "transportType": "string"
}
```

```
        "smoothingLatency": number,
        "sourceListenerAddress": "string",
        "sourceListenerPort": number,
        "streamId": "string"
    },
    "vpcInterfaceName": "string",
    "whitelistCidr": "string"
},
"sourceFailoverConfig": {
    "failoverMode": "string",
    "recoveryWindow": number,
    "sourcePriority": {
        "primarySource": "string"
    },
    "state": "string"
},
"sourceMonitoringConfig": {
    "audioMonitoringSettings": [
        {
            "silentAudio": {
                "state": "string",
                "thresholdSeconds": number
            }
        }
    ],
    "contentQualityAnalysisState": "string",
    "thumbnailState": "string",
    "videoMonitoringSettings": [
        {
            "blackFrames": {
                "state": "string",
                "thresholdSeconds": number
            },
            "frozenFrames": {
                "state": "string",
                "thresholdSeconds": number
            }
        }
    ]
},
"sources": [
    {
        "dataTransferSubscriberFeePercent": number,
        "decryption": {

```

```
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
    },
    "description": "string",
    "entitlementArn": "string",
    "gatewayBridgeSource": {
        "bridgeArn": "string",
        "vpcInterfaceAttachment": {
            "vpcInterfaceName": "string"
        }
    },
    "ingestIp": "string",
    "ingestPort": number,
    "mediaStreamSourceConfigurations": [
        {
            "encodingName": "string",
            "inputConfigurations": [
                {
                    "inputIp": "string",
                    "inputPort": number,
                    "interface": {
                        "name": "string"
                    }
                }
            ],
            "mediaStreamName": "string"
        }
    ],
    "name": "string",
    "peerIpAddress": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "sourceArn": "string",
    "transport": {
        "cidrAllowList": [ "string" ],
        "maxBitrate": number,
        "maxLatency": number,

```

```
        "maxSyncBuffer": number,
        "minLatency": number,
        "ndiProgramName": "string",
        "ndiSpeedHqQuality": number,
        "protocol": "string",
        "remoteId": "string",
        "senderControlPort": number,
        "senderIpAddress": "string",
        "smoothingLatency": number,
        "sourceListenerAddress": "string",
        "sourceListenerPort": number,
        "streamId": "string"
    },
    "vpcInterfaceName": "string",
    "whitelistCidr": "string"
}
],
"status": "string",
"vpcInterfaces": [
{
    "name": "string",
    "networkInterfaceIds": [ "string" ],
    "networkInterfaceType": "string",
    "roleArn": "string",
    "securityGroupIds": [ "string" ],
    "subnetId": "string"
}
]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[flow](#)

The flow that you created.

Type: [Flow object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

CreateFlow420Exception

Exception raised by AWS Elemental MediaConnect when creating the flow. See the error message for the operation for more information on the cause of this exception.

HTTP Status Code: 420

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateGateway

Creates a new gateway. The request must include at least one network (up to four).

Request Syntax

```
POST /v1/gateways HTTP/1.1
Content-type: application/json

{
  "egressCidrBlocksnamenetworkscidrBlockname
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

egressCidrBlocks

The range of IP addresses that are allowed to contribute content or initiate output requests for flows communicating with this gateway. These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: Array of strings

Required: Yes

name

The name of the gateway. This name can not be modified after the gateway is created.

Type: String

Required: Yes

networks

The list of networks that you want to add to the gateway.

Type: Array of [GatewayNetwork](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "gateway": {
    "egressCidrBlocks": [ "string" ],
    "gatewayArn": "string",
    "gatewayMessages": [
      {
        "code": "string",
        "message": "string",
        "resourceName": "string"
      }
    ],
    "gatewayState": "string",
    "name": "string",
    "networks": [
      {
        "cidrBlock": "string",
        "name": "string"
      }
    ]
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

gateway

The gateway that you created.

Type: [Gateway object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

CreateGateway420Exception

Exception raised by AWS Elemental MediaConnect when creating the gateway. See the error message for the operation for more information on the cause of this exception.

HTTP Status Code: 420

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteBridge

Deletes a bridge. Before you can delete a bridge, you must stop the bridge.

Request Syntax

```
DELETE /v1/bridges/bridgeArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[bridgeArn](#)

The Amazon Resource Name (ARN) of the bridge that you want to delete.

Pattern: arn:.+:mediaconnect.+:bridge:.+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "bridgeArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

bridgeArn

The ARN of the deleted bridge.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteFlow

Deletes a flow. Before you can delete a flow, you must stop the flow.

Request Syntax

```
DELETE /v1/flows/flowArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to delete.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "flowArn": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that was deleted.

Type: String

status

The status of the flow when the DeleteFlow process begins.

Type: String

Valid Values: STANDBY | ACTIVE | UPDATING | DELETING | STARTING | STOPPING | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteGateway

Deletes a gateway. Before you can delete a gateway, you must deregister its instances and delete its bridges.

Request Syntax

```
DELETE /v1/gateways/gatewayArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

gatewayArn

The Amazon Resource Name (ARN) of the gateway that you want to delete.

Pattern: arn:.+:mediaconnect.+:gateway:..+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "gatewayArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

gatewayArn

The ARN of the gateway that was deleted.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeregisterGatewayInstance

Deregisters an instance. Before you deregister an instance, all bridges running on the instance must be stopped. If you want to deregister an instance without stopping the bridges, you must use the --force option.

Request Syntax

```
DELETE /v1/gateway-instances/gatewayInstanceArn?force=force HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

force

Force the deregistration of an instance. Force will deregister an instance, even if there are bridges running on it.

gatewayInstanceArn

The Amazon Resource Name (ARN) of the gateway that contains the instance that you want to deregister.

Pattern: arn:.+:mediaconnect.+:gateway.+.+instance.+.+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "gatewayInstanceArn": "string",
  "instanceState": "string"
```

}

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[gatewayInstanceArn](#)

The ARN of the instance.

Type: String

[instanceState](#)

The status of the instance.

Type: String

Valid Values: REGISTERING | ACTIVE | Deregistering | Deregistered | Registration_Error | Deregistration_Error

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeBridge

Displays the details of a bridge.

Request Syntax

```
GET /v1/bridges/bridgeArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

bridgeArn

The Amazon Resource Name (ARN) of the bridge that you want to describe.

Pattern: arn:.+:mediaconnect.+:bridge:.+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "bridgebridgeArnstring",
    "bridgeMessagescodestring",
        "messagestring",
        "resourceNamestring"
      }
    ],
    "bridgeStatestring",
    "egressGatewayBridge
```

```
    "instanceId": "string",
    "maxBitrate": number
  },
  "ingressGatewayBridge": {
    "instanceId": "string",
    "maxBitrate": number,
    "maxOutputs": number
  },
  "name": "string",
  "outputs": [
    {
      "flowOutput": {
        "flowArn": "string",
        "flowSourceArn": "string",
        "name": "string"
      },
      "networkOutput": {
        "ipAddress": "string",
        "name": "string",
        "networkName": "string",
        "port": number,
        "protocol": "string",
        "ttl": number
      }
    }
  ],
  "placementArn": "string",
  "sourceFailoverConfig": {
    "failoverMode": "string",
    "recoveryWindow": number,
    "sourcePriority": {
      "primarySource": "string"
    },
    "state": "string"
  },
  "sources": [
    {
      "flowSource": {
        "flowArn": "string",
        "flowVpcInterfaceAttachment": {
          "vpcInterfaceName": "string"
        },
        "name": "string",
        "outputArn": "string"
      }
    }
  ]
}
```

```
        },
        "networkSource": {
            "multicastIp": "string",
            "multicastSourceSettings": {
                "multicastSourceIp": "string"
            },
            "name": "string",
            "networkName": "string",
            "port": number,
            "protocol": "string"
        }
    }
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[bridge](#)

The bridge that you requested a description of.

Type: [Bridge](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFlow

Displays the details of a flow. The response includes the flow Amazon Resource Name (ARN), name, and Availability Zone, as well as details about the source, outputs, and entitlements.

Request Syntax

```
GET /v1/flows/flowArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The ARN of the flow that you want to describe.

Pattern: arn: .+:mediaconnect.+:flow: .+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "flowavailabilityZonedescriptionegressIpentitlementsdataTransferSubscriberFeePercentdescriptionencryptionalgorithm
```

```
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
    },
    "entitlementArn": "string",
    "entitlementStatus": "string",
    "name": "string",
    "subscribers": [ "string" ]
}
],
"flowArn": "string",
"flowSize": "string",
"maintenance": {
    "maintenanceDay": "string",
    "maintenanceDeadline": "string",
    "maintenanceScheduledDate": "string",
    "maintenanceStartHour": "string"
},
"mediaStreams": [
{
    "attributes": {
        "fmp4": {
            "channelOrder": "string",
            "colorimetry": "string",
            "exactFramerate": "string",
            "par": "string",
            "range": "string",
            "scanMode": "string",
            "tcs": "string"
        },
        "lang": "string"
    },
    "clockRate": number,
    "description": "string",
    "fmt": number,
    "mediaStreamId": number,
    "mediaStreamName": "string",
    "mediaStreamType": "string",
    "videoFormat": "string"
}
```

```
        },
      ],
      "name": "string",
      "ndiConfig": {
        "machineName": "string",
        "ndiDiscoveryServers": [
          {
            "discoveryServerAddress": "string",
            "discoveryServerPort": number,
            "vpcInterfaceAdapter": "string"
          }
        ],
        "ndiState": "string"
      },
      "outputs": [
        {
          "bridgeArn": "string",
          "bridgePorts": [ number ],
          "dataTransferSubscriberFeePercent": number,
          "description": "string",
          "destination": "string",
          "encryption": {
            "algorithm": "string",
            "constantInitializationVector": "string",
            "deviceId": "string",
            "keyType": "string",
            "region": "string",
            "resourceId": "string",
            "roleArn": "string",
            "secretArn": "string",
            "url": "string"
          },
          "entitlementArn": "string",
          "listenerAddress": "string",
          "mediaLiveInputArn": "string",
          "mediaStreamOutputConfigurations": [
            {
              "destinationConfigurations": [
                {
                  "destinationIp": "string",
                  "destinationPort": number,
                  "interface": {
                    "name": "string"
                  }
                },
                ...
              ]
            }
          ]
        }
      ]
    }
  ]
}
```

```
        "outboundIp": "string"
    }
],
"encodingName": "string",
"encodingParameters": {
    "compressionFactor": number,
    "encoderProfile": "string"
},
"mediaStreamName": "string"
}
],
"name": "string",
"outputArn": "string",
"outputStatus": "string",
"peerIpAddress": "string",
"port": number,
"transport": {
    "cidrAllowList": [ "string" ],
    "maxBitrate": number,
    "maxLatency": number,
    "maxSyncBuffer": number,
    "minLatency": number,
    "ndiProgramName": "string",
    "ndiSpeedHqQuality": number,
    "protocol": "string",
    "remoteId": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "smoothingLatency": number,
    "sourceListenerAddress": "string",
    "sourceListenerPort": number,
    "streamId": "string"
},
"vpcInterfaceAttachment": {
    "vpcInterfaceName": "string"
}
}
],
"source": {
    "dataTransferSubscriberFeePercent": number,
    "decryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "key": "string"
    }
}
```

```
"keyTyperegionresourceIdroleArnsecretArnurldescriptionentitlementArngatewayBridgeSourcebridgeArnvpcInterfaceAttachmentvpcInterfaceNameingestIpingestPortmediaStreamSourceConfigurationsencodingNameinputConfigurationsinputIpinputPortinterfacenamemediaStreamNamenamepeerIpAddresssenderControlPortsenderIpAddresssourceArntransportcidrAllowListmaxBitratemaxLatencymaxSyncBufferminLatencyndiProgramName
```

```
"ndiSpeedHqQuality": number,
"protocol": "string",
"remoteId": "string",
"senderControlPort": number,
"senderIpAddress": "string",
"smoothingLatency": number,
"sourceListenerAddress": "string",
"sourceListenerPort": number,
"streamId": "string"
},
"vpcInterfaceName": "string",
"whitelistCidr": "string"
},
"sourceFailoverConfig": {
"failoverMode": "string",
"recoveryWindow": number,
"sourcePriority": {
"primarySource": "string"
},
"state": "string"
},
"sourceMonitoringConfig": {
"audioMonitoringSettings": [
{
"silentAudio": {
"state": "string",
"thresholdSeconds": number
}
}
],
"contentQualityAnalysisState": "string",
"thumbnailState": "string",
"videoMonitoringSettings": [
{
"blackFrames": {
"state": "string",
"thresholdSeconds": number
},
"frozenFrames": {
"state": "string",
"thresholdSeconds": number
}
}
]
}
```

```
},
"sources": [
  {
    "dataTransferSubscriberFeePercent": number,
    "decryption": {
      "algorithm": "string",
      "constantInitializationVector": "string",
      "deviceId": "string",
      "keyType": "string",
      "region": "string",
      "resourceId": "string",
      "roleArn": "string",
      "secretArn": "string",
      "url": "string"
    },
    "description": "string",
    "entitlementArn": "string",
    "gatewayBridgeSource": {
      "bridgeArn": "string",
      "vpcInterfaceAttachment": {
        "vpcInterfaceName": "string"
      }
    },
    "ingestIp": "string",
    "ingestPort": number,
    "mediaStreamSourceConfigurations": [
      {
        "encodingName": "string",
        "inputConfigurations": [
          {
            "inputIp": "string",
            "inputPort": number,
            "interface": {
              "name": "string"
            }
          }
        ],
        "mediaStreamName": "string"
      }
    ],
    "name": "string",
    "peerIpAddress": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "transportProtocol": "string"
  }
]
```

```
"sourceArn": "string",
"transport": {
    "cidrAllowList": [ "string" ],
    "maxBitrate": number,
    "maxLatency": number,
    "maxSyncBuffer": number,
    "minLatency": number,
    "ndiProgramName": "string",
    "ndiSpeedHqQuality": number,
    "protocol": "string",
    "remoteId": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "smoothingLatency": number,
    "sourceListenerAddress": "string",
    "sourceListenerPort": number,
    "streamId": "string"
},
"vpcInterfaceName": "string",
"whitelistCidr": "string"
},
],
"status": "string",
"vpcInterfaces": [
{
    "name": "string",
    "networkInterfaceIds": [ "string" ],
    "networkInterfaceType": "string",
    "roleArn": "string",
    "securityGroupIds": [ "string" ],
    "subnetId": "string"
}
],
},
"messages": {
    "errors": [ "string" ]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

flow

The flow that you requested a description of.

Type: [Flow](#) object

messages

Any errors that apply currently to the flow. If there are no errors, MediaConnect will not include this field in the response.

Type: [Messages](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFlowSourceMetadata

The `DescribeFlowSourceMetadata` API is used to view information about the flow's source transport stream and programs. This API displays status messages about the flow's source as well as details about the program's video, audio, and other data.

Request Syntax

```
GET /v1/flows/flowArn/source-metadata HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "flowArn": "string",
    "messages": [
        {
            "codestring",
            "message": "string",
            "resourceName": "string"
        }
    ],
    "timestamp": "string",
```

```
"transportMediaInfo    "programs        {  
            "pcrPidnumber,  
            "programNamestring",  
            "programNumbernumber,  
            "programPidnumber,  
            "streams                {  
                    "channelsnumber,  
                    "codecstring",  
                    "frameRatestring",  
                    "frameResolution                        "frameHeightnumber,  
                        "frameWidthnumber  
                    },  
                    "pidnumber,  
                    "sampleRatenumber,  
                    "sampleSizenumber,  
                    "streamTypestring"  
                }  
            ]  
        ]  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that `DescribeFlowSourceMetadata` was performed on.

Type: String

messages

Provides a status code and message regarding issues found with the flow source metadata.

Type: Array of [MessageDetail](#) objects

timestamp

The timestamp of the most recent change in metadata for this flow's source.

Type: Timestamp

transportMediaInfo

Information about the flow's transport media.

Type: [TransportMediaInfo](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFlowSourceThumbnail

Describes the thumbnail for the flow source.

Request Syntax

```
GET /v1/flows/flowArn/source-thumbnail HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "thumbnailDetailsflowArnstring",
        "thumbnailblob,
        "thumbnailMessagescodestring",
                "messagestring",
                "resourceNamestring"
            }
        ],
        "timecodestring",
        "timestampstring"
    }
}
```

```
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ThumbnailDetails](#)

The details of the thumbnail, including thumbnail base64 string, timecode and the time when thumbnail was generated.

Type: [ThumbnailDetails](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeGateway

Displays the details of a gateway. The response includes the gateway Amazon Resource Name (ARN), name, and CIDR blocks, as well as details about the networks.

Request Syntax

```
GET /v1/gateways/gatewayArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[gatewayArn](#)

The ARN of the gateway that you want to describe.

Pattern: arn:.+:mediaconnect.+:gateway:..+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "gateway": {
    "egressCidrBlocks": [ "string" ],
    "gatewayArn": "string",
    "gatewayMessages": [
      {
        "code": "string",
        "message": "string",
        "resourceName": "string"
      }
    ]
  }
}
```

```
        }
    ],
    "gatewayState": "string",
    "name": "string",
    "networks": [
        {
            "cidrBlock": "string",
            "name": "string"
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[gateway](#)

The gateway that you wanted to describe.

Type: [Gateway](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeGatewayInstance

Displays the details of an instance.

Request Syntax

```
GET /v1/gateway-instances/gatewayInstanceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

gatewayInstanceArn

The Amazon Resource Name (ARN) of the gateway instance that you want to describe.

Pattern: arn:.+:mediaconnect.+:gateway.:+:instance.:+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "gatewayInstance": {
    "bridgePlacementconnectionStatus": "string",
    "gatewayArn": "string",
    "gatewayInstanceArn": "string",
    "instanceId": "string",
    "instanceMessages": [
      {
        "code": "string",
        "message": "string",
      }
    ]
  }
}
```

```
        "resourceName": "string"  
    }  
],  
"instanceState": "string",  
"runningBridgeCount": number  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**gatewayInstance**](#)

The gateway instance that you requested a description of.

Type: [GatewayInstance](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeOffering

Displays the details of an offering. The response includes the offering description, duration, outbound bandwidth, price, and Amazon Resource Name (ARN).

Request Syntax

```
GET /v1/offerings/offeringArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[offeringArn](#)

The ARN of the offering.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "offering": {
    "currencyCodedurationdurationUnitsofferingArnofferingDescriptionpricePerUnitpriceUnitsresourceSpecificationreservedBitrateresourceType
```

```
    }  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[offering](#)

The offering that you requested a description of.

Type: [Offering](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeReservation

Displays the details of a reservation. The response includes the reservation name, state, start date and time, and the details of the offering that make up the rest of the reservation (such as price, duration, and outbound bandwidth).

Request Syntax

```
GET /v1/reservations/reservationArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[reservationArn](#)

The Amazon Resource Name (ARN) of the offering.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "reservationcurrencyCodedurationdurationUnitsendofferingArnofferingDescriptionpricePerUnitpriceUnitsreservationArn
```

```
"reservationName": "string",  
"reservationState": "string",  
"resourceSpecification": {  
    "reservedBitratenumber,  
    "resourceType": "string"  
},  
"start": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

reservation

A pricing agreement for a discounted rate for a specific outbound bandwidth that your MediaConnect account will use each month over a specific time period. The discounted rate in the reservation applies to outbound bandwidth for all flows from your account until your account reaches the amount of bandwidth in your reservation. If you use more outbound bandwidth than the agreed upon amount in a single month, the overage is charged at the on-demand rate.

Type: [Reservation](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GrantFlowEntitlements

Grants entitlements to an existing flow.

Request Syntax

```
POST /v1/flows/flowArn/entitlements HTTP/1.1
Content-type: application/json

{
  "entitlementsdataTransferSubscriberFeePercentnumber,
      "descriptionstring",
      "encryptionalgorithmstring",
        "constantInitializationVectorstring",
        "deviceIdstring",
        "keyTypestring",
        "regionstring",
        "resourceIdstring",
        "roleArnstring",
        "secretArnstring",
        "urlstring"
      },
      "entitlementStatusstring",
      "namestring",
      "subscribersstring" ]
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to grant entitlements on.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

Request Body

The request accepts the following data in JSON format.

entitlements

The list of entitlements that you want to grant.

Type: Array of [GrantEntitlementRequest](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "entitlements": [
    {
      "dataTransferSubscriberFeePercent": number,
      "description": "string",
      "encryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
      },
      "entitlementArn": "string",
      "entitlementStatus": "string",
      "name": "string",
      "subscribers": [ "string" ]
    }
  ],
  "flowArn": "string"
```

}

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

entitlements

The entitlements that were just granted.

Type: Array of [Entitlement](#) objects

flowArn

The ARN of the flow that these entitlements were granted to.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

GrantFlowEntitlements420Exception

Exception raised by AWS Elemental MediaConnect when granting the entitlement. See the error message for the operation for more information on the cause of this exception.

HTTP Status Code: 420

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListBridges

Displays a list of bridges that are associated with this account and an optionally specified Amazon Resource Name (ARN). This request returns a paginated result.

Request Syntax

```
GET /v1/bridges?filterArn=filterArn&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[filterArn](#)

Filter the list results to display only the bridges associated with the selected ARN.

[maxResults](#)

The maximum number of results to return per API request.

For example, you submit a `ListBridges` request with `MaxResults` set at 5. Although 20 items match your request, the service returns no more than the first 5 items. (The service also returns a `NextToken` value that you can use to fetch the next batch of results.)

The service might return fewer results than the `MaxResults` value. If `MaxResults` is not included in the request, the service defaults to pagination with a maximum of 10 results per page.

Valid Range: Minimum value of 1. Maximum value of 1000.

[nextToken](#)

The token that identifies the batch of results that you want to see.

For example, you submit a `ListBridges` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListBridges` request a second time and specify the `NextToken` value.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "bridges": [
        {
            "bridgeArn": "string",
            "bridgeState": "string",
            "bridgeType": "string",
            "name": "string",
            "placementArn": "string"
        }
    ],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[bridges](#)

A list of bridge summaries.

Type: Array of [ListedBridge](#) objects

[nextToken](#)

The token that identifies the batch of results that you want to see.

For example, you submit a `ListBridges` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListBridges` request a second time and specify the `NextToken` value.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEntitlements

Displays a list of all entitlements that have been granted to this account. This request returns 20 results per page.

Request Syntax

```
GET /v1/entitlements?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return per API request.

For example, you submit a `ListEntitlements` request with set at 5. Although 20 items match your request, the service returns no more than the first 5 items. (The service also returns a `NextToken` value that you can use to fetch the next batch of results.)

The service might return fewer results than the `MaxResults` value. If `MaxResults` is not included in the request, the service defaults to pagination with a maximum of 20 results per page.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a `ListEntitlements` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListEntitlements` request a second time and specify the `NextToken` value.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "entitlements": [
        {
            "dataTransferSubscriberFeePercentnumber,
            "entitlementArn": "string",
            "entitlementName": "string"
        }
    \],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[entitlements](#)

A list of entitlements that have been granted to you from other AWS accounts.

Type: Array of [ListedEntitlement](#) objects

[nextToken](#)

The token that identifies the batch of results that you want to see.

For example, you submit a `ListEntitlements` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListEntitlements` request a second time and specify the `NextToken` value.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListFlows

Displays a list of flows that are associated with this account. This request returns a paginated result.

Request Syntax

```
GET /v1/flows?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to return per API request.

For example, you submit a `ListFlows` request with `MaxResults` set at 5. Although 20 items match your request, the service returns no more than the first 5 items. (The service also returns a `NextToken` value that you can use to fetch the next batch of results.)

The service might return fewer results than the `MaxResults` value. If `MaxResults` is not included in the request, the service defaults to pagination with a maximum of 10 results per page.

Valid Range: Minimum value of 1. Maximum value of 1000.

[nextToken](#)

The token that identifies the batch of results that you want to see.

For example, you submit a `ListFlows` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListFlows` request a second time and specify the `NextToken` value.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "flows": [
        {
            "availabilityZone": "string",
            "description": "string",
            "flowArn": "string",
            "maintenance": {
                "maintenanceDay": "string",
                "maintenanceDeadline": "string",
                "maintenanceScheduledDate": "string",
                "maintenanceStartHour": "string"
            },
            "name": "string",
            "sourceType": "string",
            "status": "string"
        }
    ],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[flows](#)

A list of flow summaries.

Type: Array of [ListedFlow](#) objects

[nextToken](#)

The token that identifies the batch of results that you want to see.

For example, you submit a `ListFlows` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListFlows` request a second time and specify the `NextToken` value.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListGatewayInstances

Displays a list of instances associated with the AWS account. This request returns a paginated result. You can use the filterArn property to display only the instances associated with the selected Gateway Amazon Resource Name (ARN).

Request Syntax

```
GET /v1/gateway-instances?filterArn=filterArn&maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

filterArn

Filter the list results to display only the instances associated with the selected Gateway ARN.

maxResults

The maximum number of results to return per API request.

For example, you submit a ListInstances request with MaxResults set at 5. Although 20 items match your request, the service returns no more than the first 5 items. (The service also returns a NextToken value that you can use to fetch the next batch of results.)

The service might return fewer results than the MaxResults value. If MaxResults is not included in the request, the service defaults to pagination with a maximum of 10 results per page.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a ListInstances request with MaxResults set at 5. The service returns the first batch of results (up to 5) and a NextToken value. To see the next batch of results, you can submit the ListInstances request a second time and specify the NextToken value.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "instances": [
    {
      "gatewayArn": "string",
      "gatewayInstanceArn": "string",
      "instanceId": "string",
      "instanceState": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

instances

A list of instance summaries.

Type: Array of [ListedGatewayInstance](#) objects

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a `ListInstances` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListInstances` request a second time and specify the `NextToken` value.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListGateways

Displays a list of gateways that are associated with this account. This request returns a paginated result.

Request Syntax

```
GET /v1/gateways?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return per API request.

For example, you submit a `ListGateways` request with `MaxResults` set at 5. Although 20 items match your request, the service returns no more than the first 5 items. (The service also returns a `NextToken` value that you can use to fetch the next batch of results.)

The service might return fewer results than the `MaxResults` value. If `MaxResults` is not included in the request, the service defaults to pagination with a maximum of 10 results per page.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a `ListGateways` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListGateways` request a second time and specify the `NextToken` value.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "gateways": [
        {
            "gatewayArn": "string",
            "gatewayState": "string",
            "name": "string"
        }
    ],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

gateways

A list of gateway summaries.

Type: Array of [ListedGateway](#) objects

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a `ListGateways` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListGateways` request a second time and specify the `NextToken` value.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListOfferings

Displays a list of all offerings that are available to this account in the current AWS Region. If you have an active reservation (which means you've purchased an offering that has already started and hasn't expired yet), your account isn't eligible for other offerings.

Request Syntax

```
GET /v1/offering?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return per API request.

For example, you submit a `ListOfferings` request with `MaxResults` set at 5. Although 20 items match your request, the service returns no more than the first 5 items. (The service also returns a `NextToken` value that you can use to fetch the next batch of results.)

The service might return fewer results than the `MaxResults` value. If `MaxResults` is not included in the request, the service defaults to pagination with a maximum of 10 results per page.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a `ListOfferings` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListOfferings` request a second time and specify the `NextToken` value.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "offerings": [
        {
            "currencyCode": "string",
            "duration": number,
            "durationUnits": "string",
            "offeringArn": "string",
            "offeringDescription": "string",
            "pricePerUnit": "string",
            "priceUnits": "string",
            "resourceSpecification": {
                "reservedBitrate": number,
                "resourceType": "string"
            }
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a `ListOfferings` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListOfferings` request a second time and specify the `NextToken` value.

Type: String

offerings

A list of offerings that are available to this account in the current AWS Region.

Type: Array of [Offering](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListReservations

Displays a list of all reservations that have been purchased by this account in the current AWS Region. This list includes all reservations in all states (such as active and expired).

Request Syntax

```
GET /v1/reservations?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return per API request.

For example, you submit a `ListReservations` request with `MaxResults` set at 5. Although 20 items match your request, the service returns no more than the first 5 items. (The service also returns a `NextToken` value that you can use to fetch the next batch of results.)

The service might return fewer results than the `MaxResults` value. If `MaxResults` is not included in the request, the service defaults to pagination with a maximum of 10 results per page.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The token that identifies the batch of results that you want to see.

For example, you submit a `ListReservations` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch of results, you can submit the `ListOfferings` request a second time and specify the `NextToken` value.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "reservations": [
        {
            "currencyCode": "string",
            "duration": number,
            "durationUnits": "string",
            "end": "string",
            "offeringArn": "string",
            "offeringDescription": "string",
            "pricePerUnit": "string",
            "priceUnits": "string",
            "reservationArn": "string",
            "reservationName": "string",
            "reservationState": "string",
            "resourceSpecification": {
                "reservedBitrate": number,
                "resourceType": "string"
            },
            "start": "string"
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The token that identifies the batch of results that you want to see.

For example, you submit a `ListReservations` request with `MaxResults` set at 5. The service returns the first batch of results (up to 5) and a `NextToken` value. To see the next batch

of results, you can submit the `ListReservations` request a second time and specify the `NextToken` value.

Type: String

[reservations](#)

A list of all reservations that have been purchased by this account in the current AWS Region.

Type: Array of [Reservation](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

List all tags on a MediaConnect resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) that identifies the MediaConnect resource for which to list the tags.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "tags": [
        "string" : "string"
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[tags](#)

A map from tag keys to values. Tag keys can have a maximum character length of 128 characters, and tag values can have a maximum length of 256 characters.

Type: String to string map

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PurchaseOffering

Submits a request to purchase an offering. If you already have an active reservation, you can't purchase another offering.

Request Syntax

```
POST /v1/offerings/offeringArn HTTP/1.1
Content-type: application/json

{
  "reservationNamestart
```

URI Request Parameters

The request uses the following URI parameters.

offeringArn

The Amazon Resource Name (ARN) of the offering.

Required: Yes

Request Body

The request accepts the following data in JSON format.

reservationName

The name that you want to use for the reservation.

Type: String

Required: Yes

start

The date and time that you want the reservation to begin, in Coordinated Universal Time (UTC).

You can specify any date and time between 12:00am on the first day of the current month to the current time on today's date, inclusive. Specify the start in a 24-hour notation. Use the

following format: YYYY-MM-DDTHH:mm:ssZ, where T and Z are literal characters. For example, to specify 11:30pm on March 5, 2020, enter 2020-03-05T23:30:00Z.

Type: String

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "reservation": {
    "currencyCode": "string",
    "duration": number,
    "durationUnits": "string",
    "end": "string",
    "offeringArn": "string",
    "offeringDescription": "string",
    "pricePerUnit": "string",
    "priceUnits": "string",
    "reservationArn": "string",
    "reservationName": "string",
    "reservationState": "string",
    "resourceSpecification": {
      "reservedBitrate": number,
      "resourceType": "string"
    },
    "start": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[reservation](#)

The details of the reservation that you just created when you purchased the offering.

Type: [Reservation object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveBridgeOutput

Removes an output from a bridge.

Request Syntax

```
DELETE /v1/bridges/bridgeArn/outputs/outputName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

bridgeArn

The Amazon Resource Name (ARN) of the bridge that you want to update.

Pattern: arn: .+:mediaconnect.+:bridge: .+

Required: Yes

outputName

The name of the bridge output that you want to remove.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "bridgeArn": "string",
    "outputName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[bridgeArn](#)

The ARN of the bridge from which the output was removed.

Type: String

[outputName](#)

The name of the bridge output that was removed.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveBridgeSource

Removes a source from a bridge.

Request Syntax

```
DELETE /v1/bridges/bridgeArn/sources/sourceName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

bridgeArn

The Amazon Resource Name (ARN) of the bridge that you want to update.

Pattern: arn: .+:mediaconnect.+:bridge: .+

Required: Yes

sourceName

The name of the bridge source that you want to remove.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "bridgeArn": "string",
    "sourceName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[bridgeArn](#)

The ARN of the bridge from which the source was removed.

Type: String

[sourceName](#)

The name of the bridge source that was removed.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveFlowMediaStream

Removes a media stream from a flow. This action is only available if the media stream is not associated with a source or output.

Request Syntax

```
DELETE /v1/flows/flowArn/mediaStreams/mediaStreamName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to update.

Pattern: arn: .+:mediaconnect.+:flow:..+

Required: Yes

mediaStreamName

The name of the media stream that you want to remove.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "flowArn": "string",
    "mediaStreamName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that was updated.

Type: String

mediaStreamName

The name of the media stream that was removed.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveFlowOutput

Removes an output from an existing flow. This request can be made only on an output that does not have an entitlement associated with it. If the output has an entitlement, you must revoke the entitlement instead. When an entitlement is revoked from a flow, the service automatically removes the associated output.

Request Syntax

```
DELETE /v1/flows/flowArn/outputs/outputArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to remove an output from.

Pattern: arn: .+:mediaconnect.+:flow: .+

Required: Yes

outputArn

The ARN of the output that you want to remove.

Pattern: arn: .+:mediaconnect.+:output: .+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202  
Content-type: application/json
```

```
{  
  "flowArn": "string",  
  "outputArn": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[flowArn](#)

The ARN of the flow that the output was removed from.

Type: String

[outputArn](#)

The ARN of the output that was removed.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveFlowSource

Removes a source from an existing flow. This request can be made only if there is more than one source on the flow.

Request Syntax

```
DELETE /v1/flows/FlowArn/source/sourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to remove a source from.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

sourceArn

The ARN of the source that you want to remove.

Pattern: arn:.+:mediaconnect.+:source:..+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "flowArn": "string",
```

```
"sourceArn": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that the source was removed from.

Type: String

sourceArn

The ARN of the source that was removed.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveFlowVpcInterface

Removes a VPC Interface from an existing flow. This request can be made only on a VPC interface that does not have a Source or Output associated with it. If the VPC interface is referenced by a Source or Output, you must first delete or update the Source or Output to no longer reference the VPC interface.

Request Syntax

```
DELETE /v1/flows/flowArn/vpcInterfaces/vpcInterfaceName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to remove a VPC interface from.

Pattern: arn: .+:mediaconnect.+:flow: .+

Required: Yes

vpcInterfaceName

The name of the VPC interface that you want to remove.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "flowArn": "string",
```

```
"nonDeletedNetworkInterfaceIds": [ "string" ],  
"vpcInterfaceNamestring"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[flowArn](#)

The ARN of the flow that is associated with the VPC interface you removed.

Type: String

[nonDeletedNetworkInterfaceIds](#)

IDs of network interfaces associated with the removed VPC interface that MediaConnect was unable to remove.

Type: Array of strings

[vpcInterfaceName](#)

The name of the VPC interface that was removed.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RevokeFlowEntitlement

Revokes an entitlement from a flow. Once an entitlement is revoked, the content becomes unavailable to the subscriber and the associated output is removed.

Request Syntax

```
DELETE /v1/flows/FlowArn/entitlements/entitlementArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

entitlementArn

The Amazon Resource Name (ARN) of the entitlement that you want to revoke.

Pattern: arn:.+:mediaconnect.+:entitlement:.+

Required: Yes

flowArn

The flow that you want to revoke an entitlement from.

Pattern: arn:.+:mediaconnect.+:flow:.+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "entitlementArn": "string",
```

```
    "flowArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[entitlementArn](#)

The ARN of the entitlement that was revoked.

Type: String

[flowArn](#)

The ARN of the flow that the entitlement was revoked from.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartFlow

Starts a flow.

Request Syntax

```
POST /v1/flows/start/flowArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to start.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "flowArn": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that you started.

Type: String

status

The status of the flow when the StartFlow process begins.

Type: String

Valid Values: STANDBY | ACTIVE | UPDATING | DELETING | STARTING | STOPPING | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopFlow

Stops a flow.

Request Syntax

```
POST /v1/flows/stop/flowArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that you want to stop.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "flowArn": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that you stopped.

Type: String

status

The status of the flow when the StopFlow process begins.

Type: String

Valid Values: STANDBY | ACTIVE | UPDATING | DELETING | STARTING | STOPPING | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Associates the specified tags to a resource with the specified `resourceArn`. If existing tags on a resource are not specified in the request parameters, they are not changed. When a resource is deleted, the tags associated with that resource are deleted as well.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn](#)

The Amazon Resource Name (ARN) that identifies the MediaConnect resource to which to add tags.

Required: Yes

Request Body

The request accepts the following data in JSON format.

[tags](#)

A map from tag keys to values. Tag keys can have a maximum character length of 128 characters, and tag values can have a maximum length of 256 characters.

Type: String to string map

Required: Yes

Response Syntax

HTTP/1.1 204

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Deletes specified tags from a resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource that you want to untag.

Required: Yes

tagKeys

The keys of the tags to be removed.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateBridge

Updates the bridge.

Request Syntax

```
PUT /v1/bridges/bridgeArn HTTP/1.1
Content-type: application/json

{
  "egressGatewayBridgemaxBitratenumber
  },
  "ingressGatewayBridgemaxBitratenumber,
    "maxOutputsnumber
  },
  "sourceFailoverConfigfailoverModestring",
    "recoveryWindownumber,
    "sourcePriorityprimarySourcestring"
    },
    "statestring"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

bridgeArn

The Amazon Resource Name (ARN) of the bridge that you want to update.

Pattern: arn:.+:mediaconnect.+:bridge:.+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[egressGatewayBridge](#)

A cloud-to-ground bridge. The content comes from an existing MediaConnect flow and is delivered to your premises.

Type: [UpdateEgressGatewayBridgeRequest](#) object

Required: No

[ingressGatewayBridge](#)

A ground-to-cloud bridge. The content originates at your premises and is delivered to the cloud.

Type: [UpdateIngressGatewayBridgeRequest](#) object

Required: No

[sourceFailoverConfig](#)

The settings for source failover.

Type: [UpdateFailoverConfig](#) object

Required: No

Response Syntax

HTTP/1.1 202
Content-type: application/json

```
{  
  "bridge": {  
    "bridgeArn": "string",  
    "bridgeMessages": [  
      {  
        "code": "string",  
        "message": "string",  
        "resourceName": "string"  
      }  
    ],  
    "bridgeState": "string",  
    "egressGatewayBridge": {  
      "instanceId": "string",  
      "maxBitrate": number  
    },  
  },  
}
```

```
"ingressGatewayBridge": {  
    "instanceId": "string",  
    "maxBitrate": number,  
    "maxOutputs": number  
},  
"name": "string",  
"outputs": [  
    {  
        "flowOutput": {  
            "flowArn": "string",  
            "flowSourceArn": "string",  
            "name": "string"  
        },  
        "networkOutput": {  
            "ipAddress": "string",  
            "name": "string",  
            "networkName": "string",  
            "port": number,  
            "protocol": "string",  
            "ttl": number  
        }  
    }  
],  
"placementArn": "string",  
"sourceFailoverConfig": {  
    "failoverMode": "string",  
    "recoveryWindow": number,  
    "sourcePriority": {  
        "primarySource": "string"  
    },  
    "state": "string"  
},  
"sources": [  
    {  
        "flowSource": {  
            "flowArn": "string",  
            "flowVpcInterfaceAttachment": {  
                "vpcInterfaceName": "string"  
            },  
            "name": "string",  
            "outputArn": "string"  
        },  
        "networkSource": {  
            "multicastIp": "string",  
            "multicastPort": number  
        }  
    }  
]
```

```
        "multicastSourceSettings": {  
            "multicastSourceIp": "string"  
        },  
        "name": "string",  
        "networkName": "string",  
        "port": number,  
        "protocol": "string"  
    }  
}  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[bridge](#)

The bridge that was updated.

Type: [Bridge](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateBridgeOutput

Updates an existing bridge output.

Request Syntax

```
PUT /v1/bridges/bridgeArn/outputs/outputName HTTP/1.1
Content-type: application/json

{
  "networkOutput": {
    "ipAddress": "string",
    "networkName": "string",
    "port": number,
    "protocol": "string",
    "ttl": number
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[bridgeArn](#)

The Amazon Resource Name (ARN) of the bridge that you want to update.

Pattern: arn:.+:mediaconnect.+:bridge:.+

Required: Yes

[outputName](#)

Name of the output that you want to update.

Required: Yes

Request Body

The request accepts the following data in JSON format.

networkOutput

The network of the bridge output.

Type: [UpdateBridgeNetworkOutputRequest](#) object

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "bridgeArn": "string",
  "output": {
    "flowOutput": {
      "flowArn": "string",
      "flowSourceArn": "string",
      "name": "string"
    },
    "networkOutput": {
      "ipAddress": "string",
      "name": "string",
      "networkName": "string",
      "port": number,
      "protocol": "string",
      "ttl": number
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

bridgeArn

The ARN of the bridge that was updated.

Type: String

output

The bridge output that was updated.

Type: [BridgeOutput](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateBridgeSource

Updates an existing bridge source.

Request Syntax

```
PUT /v1/bridges/bridgeArn/sources/sourceName HTTP/1.1
Content-type: application/json

{
  "flowSourceflowArnstring",
    "flowVpcInterfaceAttachmentvpcInterfaceNamestring"
    }
  },
  "networkSourcemulticastIpstring",
    "multicastSourceSettingsmulticastSourceIpstring"
    },
    "networkNamestring",
    "portnumber,
    "protocolstring"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

bridgeArn

The Amazon Resource Name (ARN) of the bridge that you want to update.

Pattern: arn:.+:mediaconnect.+:bridge:.+

Required: Yes

sourceName

The name of the source that you want to update.

Required: Yes

Request Body

The request accepts the following data in JSON format.

flowSource

The name of the flow that you want to update.

Type: [UpdateBridgeFlowSourceRequest](#) object

Required: No

networkSource

The network for the bridge source.

Type: [UpdateBridgeNetworkSourceRequest](#) object

Required: No

Response Syntax

HTTP/1.1 202

Content-type: application/json

```
{  
  "bridgeArn": "string",  
  "source": {  
    "flowSource": {  
      "flowArn": "string",  
      "flowVpcInterfaceAttachment": {  
        "vpcInterfaceName": "string"  
      },  
      "name": "string",  
      "outputArn": "string"  
    },  
    "networkSource": {  
      "multicastIp": "string",  
      "multicastSourceSettings": {  
        "multicastSourceIp": "string"  
      }  
    }  
  }  
}
```

```
        },
        "name": "string",
        "networkName": "string",
        "port": number,
        "protocol": "string"
    }
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[bridgeArn](#)

The ARN of the updated bridge source.

Type: String

[source](#)

The updated bridge source.

Type: [BridgeSource](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateBridgeState

Updates the bridge state.

Request Syntax

```
PUT /v1/bridges/bridgeArn/state HTTP/1.1
Content-type: application/json

{
  "desiredState
```

URI Request Parameters

The request uses the following URI parameters.

bridgeArn

The Amazon Resource Name (ARN) of the bridge that you want to update the state of.

Pattern: arn: .+:mediaconnect .+:bridge .+

Required: Yes

Request Body

The request accepts the following data in JSON format.

desiredState

The desired state for the bridge.

Type: String

Valid Values: ACTIVE | STANDBY | DELETED

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "bridgeArn": "string",
    "desiredStatestring"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[**bridgeArn**](#)

The ARN of the updated bridge.

Type: String

[**desiredState**](#)

The new state of the bridge.

Type: String

Valid Values: ACTIVE | STANDBY | DELETED

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFlow

Updates an existing flow.

Request Syntax

```
PUT /v1/flows/FlowArn HTTP/1.1
Content-type: application/json

{
    "maintenancemaintenanceDaymaintenanceScheduledDatemaintenanceStartHourndiConfigmachineNamendiDiscoveryServersdiscoveryServerAddressdiscoveryServerPortvpcInterfaceAdapterndiStatesourceFailoverConfigfailoverModerecoveryWindowsourcePriorityprimarySourcestatesourceMonitoringConfigaudioMonitoringSettingssilentAudiostatethresholdSeconds
```

```
"contentQualityAnalysisState": "string",
"thumbnailState": "string",
"videoMonitoringSettings": [
    {
        "blackFrames": {
            "state": "string",
            "thresholdSeconds": number
        },
        "frozenFrames": {
            "state": "string",
            "thresholdSeconds": number
        }
    }
]
```

URI Request Parameters

The request uses the following URI parameters.

[flowArn](#)

The Amazon Resource Name (ARN) of the flow that you want to update.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[maintenance](#)

The maintenance setting of the flow.

Type: [UpdateMaintenance](#) object

Required: No

[ndiConfig](#)

Specifies the configuration settings for NDI outputs. Required when the flow includes NDI outputs.

Type: [NdiConfig](#) object

Required: No

[sourceFailoverConfig](#)

The settings for source failover.

Type: [UpdateFailoverConfig](#) object

Required: No

[sourceMonitoringConfig](#)

The settings for source monitoring.

Type: [MonitoringConfig](#) object

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "flow": {
    "availabilityZone": "string",
    "description": "string",
    "egressIp": "string",
    "entitlements": [
      {
        "dataTransferSubscriberFeePercent": number,
        "description": "string",
        "encryption": {
          "algorithm": "string",
          "constantInitializationVector": "string",
          "deviceId": "string",
          "keyType": "string",
          "region": "string",
        }
      }
    ]
  }
}
```

```
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
    },
    "entitlementArn": "string",
    "entitlementStatus": "string",
    "name": "string",
    "subscribers": [ "string" ]
}
],
"flowArn": "string",
"flowSize": "string",
"maintenance": {
    "maintenanceDay": "string",
    "maintenanceDeadline": "string",
    "maintenanceScheduledDate": "string",
    "maintenanceStartHour": "string"
},
"mediaStreams": [
{
    "attributes": {
        "fntp": {
            "channelOrder": "string",
            "colorimetry": "string",
            "exactFramerate": "string",
            "par": "string",
            "range": "string",
            "scanMode": "string",
            "tcs": "string"
        },
        "lang": "string"
    },
    "clockRate": number,
    "description": "string",
    "fmt": number,
    "mediaStreamId": number,
    "mediaStreamName": "string",
    "mediaStreamType": "string",
    "videoFormat": "string"
}
],
"name": "string",
"ndiConfig": {
```

```
"machineName": "string",
"ndiDiscoveryServers": [
    {
        "discoveryServerAddress": "string",
        "discoveryServerPortvpcInterfaceAdapter": "string"
    }
],
"ndiState": "string"
},
"outputs": [
    {
        "bridgeArn": "string",
        "bridgePorts": [ number ],
        "dataTransferSubscriberFeePercent": number,
        "description": "string",
        "destination": "string",
        "encryption": {
            "algorithm": "string",
            "constantInitializationVector": "string",
            "deviceId": "string",
            "keyType": "string",
            "region": "string",
            "resourceId": "string",
            "roleArn": "string",
            "secretArn": "string",
            "url": "string"
        },
        "entitlementArn": "string",
        "listenerAddress": "string",
        "mediaLiveInputArn": "string",
        "mediaStreamOutputConfigurations": [
            {
                "destinationConfigurations": [
                    {
                        "destinationIp": "string",
                        "destinationPort": number,
                        "interface": {
                            "name": "string"
                        },
                        "outboundIp": "string"
                    }
                ],
                "encodingName": "string",
                "format": "string"
            }
        ]
    }
]
```

```
        "encodingParameters": {
            "compressionFactor": number,
            "encoderProfile": "string"
        },
        "mediaStreamName": "string"
    }
],
"name": "string",
"outputArn": "string",
"outputStatus": "string",
"peerIpAddress": "string",
"port": number,
"transport": {
    "cidrAllowList": [ "string" ],
    "maxBitrate": number,
    "maxLatency": number,
    "maxSyncBuffer": number,
    "minLatency": number,
    "ndiProgramName": "string",
    "ndiSpeedHqQuality": number,
    "protocol": "string",
    "remoteId": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "smoothingLatency": number,
    "sourceListenerAddress": "string",
    "sourceListenerPort": number,
    "streamId": "string"
},
"vpcInterfaceAttachment": {
    "vpcInterfaceName": "string"
}
}
],
"source": {
    "dataTransferSubscriberFeePercent": number,
    "decryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
    }
}
```

```
        "secretArn": "string",
        "url": "string"
    },
    "description": "string",
    "entitlementArn": "string",
    "gatewayBridgeSource": {
        "bridgeArn": "string",
        "vpcInterfaceAttachment": {
            "vpcInterfaceName": "string"
        }
    },
    "ingestIp": "string",
    "ingestPort": number,
    "mediaStreamSourceConfigurations": [
        {
            "encodingName": "string",
            "inputConfigurations": [
                {
                    "inputIp": "string",
                    "inputPort": number,
                    "interface": {
                        "name": "string"
                    }
                }
            ],
            "mediaStreamName": "string"
        }
    ],
    "name": "string",
    "peerIpAddress": "string",
    "senderControlPort": number,
    "senderIpAddress": "string",
    "sourceArn": "string",
    "transport": {
        "cidrAllowList": [ "string" ],
        "maxBitrate": number,
        "maxLatency": number,
        "maxSyncBuffer": number,
        "minLatency": number,
        "ndiProgramName": "string",
        "ndiSpeedHqQuality": number,
        "protocol": "string",
        "remoteId": "string",
        "senderControlPort": number,
        "tcpTos": number
    }
}
```

```
        "senderIpAddress": "string",
        "smoothingLatency": number,
        "sourceListenerAddress": "string",
        "sourceListenerPort": number,
        "streamId": "string"
    },
    "vpcInterfaceName": "string",
    "whitelistCidr": "string"
},
"sourceFailoverConfig": {
    "failoverMode": "string",
    "recoveryWindow": number,
    "sourcePriority": {
        "primarySource": "string"
    },
    "state": "string"
},
"sourceMonitoringConfig": {
    "audioMonitoringSettings": [
        {
            "silentAudio": {
                "state": "string",
                "thresholdSeconds": number
            }
        }
    ],
    "contentQualityAnalysisState": "string",
    "thumbnailState": "string",
    "videoMonitoringSettings": [
        {
            "blackFrames": {
                "state": "string",
                "thresholdSeconds": number
            },
            "frozenFrames": {
                "state": "string",
                "thresholdSeconds": number
            }
        }
    ]
},
"sources": [
{
    "dataTransferSubscriberFeePercent": number,
```

```
"decryption": {  
    "algorithm    "constantInitializationVector": "string",  
    "deviceId": "string",  
    "keyType": "string",  
    "region": "string",  
    "resourceId": "string",  
    "roleArn": "string",  
    "secretArn": "string",  
    "url": "string"  
},  
"description": "string",  
"entitlementArn": "string",  
"gatewayBridgeSource": {  
    "bridgeArn": "string",  
    "vpcInterfaceAttachment": {  
        "vpcInterfaceName": "string"  
    }  
},  
"ingestIp": "string",  
"ingestPort": number,  
"mediaStreamSourceConfigurations": [  
    {  
        "encodingName": "string",  
        "inputConfigurations": [  
            {  
                "inputIp": "string",  
                "inputPort": number,  
                "interface": {  
                    "name": "string"  
                }  
            }  
        ],  
        "mediaStreamName": "string"  
    }  
],  
"name": "string",  
"peerIpAddress": "string",  
"senderControlPort": number,  
"senderIpAddress": "string",  
"sourceArn": "string",  
"transport": {  
    "cidrAllowList": [ "string" ],  
    "maxBitrate": number,  
}
```

```
        "maxLatency": number,
        "maxSyncBuffer": number,
        "minLatency": number,
        "ndiProgramName": "string",
        "ndiSpeedHqQuality": number,
        "protocol": "string",
        "remoteId": "string",
        "senderControlPort": number,
        "senderIpAddress": "string",
        "smoothingLatency": number,
        "sourceListenerAddress": "string",
        "sourceListenerPort": number,
        "streamId": "string"
    },
    "vpcInterfaceName": "string",
    "whitelistCidr": "string"
}
],
"status": "string",
"vpcInterfaces": [
{
    "name": "string",
    "networkInterfaceIds": [ "string" ],
    "networkInterfaceType": "string",
    "roleArn": "string",
    "securityGroupIds": [ "string" ],
    "subnetId": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[flow](#)

The updated flow.

Type: [Flow](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFlowEntitlement

Updates an entitlement. You can change an entitlement's description, subscribers, and encryption. If you change the subscribers, the service will remove the outputs that are used by the subscribers that are removed.

Request Syntax

```
PUT /v1/flows/flowArn/entitlements/entitlementArn HTTP/1.1
Content-type: application/json

{
    "description": "string",
    "encryption": {
        "algorithm": "string",
        "constantInitializationVector": "string",
        "deviceId": "string",
        "keyType": "string",
        "region": "string",
        "resourceId": "string",
        "roleArn": "string",
        "secretArn": "string",
        "url": "string"
    },
    "entitlementStatus": "string",
    "subscribers": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

entitlementArn

The Amazon Resource Name (ARN) of the entitlement that you want to update.

Pattern: arn:.+:mediaconnect.+:entitlement:.+

Required: Yes

flowArn

The ARN of the flow that is associated with the entitlement that you want to update.

Pattern: `arn:.+:mediaconnect.+:flow:..+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[description](#)

A description of the entitlement. This description appears only on the MediaConnect console and will not be seen by the subscriber or end user.

Type: String

Required: No

[encryption](#)

The type of encryption that will be used on the output associated with this entitlement.

Allowable encryption types: static-key, speke.

Type: [UpdateEncryption](#) object

Required: No

[entitlementStatus](#)

An indication of whether you want to enable the entitlement to allow access, or disable it to stop streaming content to the subscriber's flow temporarily. If you don't specify the entitlementStatus field in your request, MediaConnect leaves the value unchanged.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

[subscribers](#)

The AWS account IDs that you want to share your content with. The receiving accounts (subscribers) will be allowed to create their own flow using your content as the source.

Type: Array of strings

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "entitlement": {
        "dataTransferSubscriberFeePercentnumber,
        "description": "string",
        "encryption": {
            "algorithm": "string",
            "constantInitializationVector": "string",
            "deviceId": "string",
            "keyType": "string",
            "region": "string",
            "resourceId": "string",
            "roleArn": "string",
            "secretArn": "string",
            "url": "string"
        },
        "entitlementArn": "string",
        "entitlementStatus": "string",
        "name": "string",
        "subscribers": [ "string" ]
    },
    "flowArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[entitlement](#)

The new configuration of the entitlement that you updated.

Type: [Entitlement](#) object

flowArn

The ARN of the flow that this entitlement was granted on.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFlowMediaStream

Updates an existing media stream.

Request Syntax

```
PUT /v1/flows/flowArn/mediaStreams/mediaStreamName HTTP/1.1
Content-type: application/json

{
  "attributesfntpchannelOrderstring",
      "colorimetrystring",
      "exactFrameratestring",
      "parstring",
      "rangestring",
      "scanModestring",
      "tcsstring"
    },
    "langstring"
  },
  "clockRatenumber,
  "descriptionstring",
  "mediaStreamTypestring",
  "videoFormatstring"
}
```

URI Request Parameters

The request uses the following URI parameters.

flowArn

The Amazon Resource Name (ARN) of the flow that is associated with the media stream that you updated.

Pattern: `arn:.+:mediaconnect.+:flow:..+`

Required: Yes

mediaStreamName

The media stream that you updated.

Required: Yes

Request Body

The request accepts the following data in JSON format.

attributes

The attributes that you want to assign to the media stream.

Type: [MediaStreamAttributesRequest](#) object

Required: No

clockRate

The sample rate for the stream. This value is measured in kHz.

Type: Integer

Required: No

description

A description that can help you quickly identify what your media stream is used for.

Type: String

Required: No

mediaStreamType

The type of media stream.

Type: String

Valid Values: video | audio | ancillary-data

Required: No

videoFormat

The resolution of the video.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "flowArn": "string",
    "mediaStream": {
        "attributes": {
            "fntp": {
                "channelOrder": "string",
                "colorimetry": "string",
                "exactFramerate": "string",
                "par": "string",
                "range": "string",
                "scanMode": "string",
                "tcs": "string"
            },
            "lang": "string"
        },
        "clockRate": number,
        "description": "string",
        "fmt": number,
        "mediaStreamId": number,
        "mediaStreamName": "string",
        "mediaStreamType": "string",
        "videoFormat": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

flowArn

The ARN of the flow that is associated with the media stream that you updated.

Type: String

mediaStream

The media stream that you updated.

Type: [MediaStream](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFlowOutput

Updates an existing flow output.

Request Syntax

```
PUT /v1/flows/flowArn/outputs/outputArn HTTP/1.1
Content-type: application/json

{
    "cidrAllowListdescriptiondestinationencryptionalgorithmconstantInitializationVectordeviceIdkeyTyperegionresourceIdroleArnsecretArnurlmaxLatencymediaStreamOutputConfigurationsdestinationConfigurationsdestinationIpdestinationPortinterfacenameencodingNameencodingParameterscompressionFactorencoderProfilemediaStreamName
```

```
],  
  "minLatency": number,  
  "ndiProgramName": "string",  
  "ndiSpeedHqQuality": number,  
  "outputStatus": "string",  
  "port": number,  
  "protocol": "string",  
  "remoteId": "string",  
  "senderControlPort": number,  
  "senderIpAddress": "string",  
  "smoothingLatency": number,  
  "streamId": "string",  
  "vpcInterfaceAttachment": {  
    "vpcInterfaceName": "string"  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

[flowArn](#)

The Amazon Resource Name (ARN) of the flow that is associated with the output that you want to update.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

[outputArn](#)

The ARN of the output that you want to update.

Pattern: arn:.+:mediaconnect.+:output:..+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[cidrAllowList](#)

The range of IP addresses that should be allowed to initiate output requests to this flow. These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: Array of strings

Required: No

[description](#)

A description of the output. This description appears only on the MediaConnect console and will not be seen by the end user.

Type: String

Required: No

[destination](#)

The IP address where you want to send the output.

Type: String

Required: No

[encryption](#)

The type of key used for the encryption. If no keyType is provided, the service will use the default setting (static-key). Allowable encryption types: static-key.

Type: [UpdateEncryption](#) object

Required: No

[maxLatency](#)

The maximum latency in milliseconds. This parameter applies only to RIST-based and Zixi-based streams.

Type: Long

Required: No

mediaStreamOutputConfigurations

The media streams that are associated with the output, and the parameters for those associations.

Type: Array of [MediaStreamOutputConfigurationRequest](#) objects

Required: No

minLatency

The minimum latency in milliseconds for SRT-based streams. In streams that use the SRT protocol, this value that you set on your MediaConnect source or output represents the minimal potential latency of that connection. The latency of the stream is set to the highest number between the sender's minimum latency and the receiver's minimum latency.

Type: Long

Required: No

ndiProgramName

A suffix for the names of the NDI sources that the flow creates. If a custom name isn't specified, MediaConnect uses the output name.

Type: String

Required: No

ndiSpeedHqQuality

A quality setting for the NDI Speed HQ encoder.

Type: Integer

Required: No

outputStatus

An indication of whether the output should transmit data or not. If you don't specify the outputStatus field in your request, MediaConnect leaves the value unchanged.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

port

The port to use when content is distributed to this output.

Type: Integer

Required: No

protocol

The protocol to use for the output.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: No

remoteId

The remote ID for the Zixi-pull stream.

Type: String

Required: No

senderControlPort

The port that the flow uses to send outbound requests to initiate connection with the sender.

Type: Integer

Required: No

senderIpAddress

The IP address that the flow communicates with to initiate connection with the sender.

Type: String

Required: No

[smoothingLatency](#)

The smoothing latency in milliseconds for RIST, RTP, and RTP-FEC streams.

Type: Long

Required: No

[streamId](#)

The stream ID that you want to use for this transport. This parameter applies only to Zixi and SRT caller-based streams.

Type: String

Required: No

[vpcInterfaceAttachment](#)

The name of the VPC interface attachment to use for this output.

Type: [VpcInterfaceAttachment](#) object

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "flowArn": "string",
    "output": {
        "bridgeArn": "string",
        "bridgePorts": [ number ],
        "dataTransferSubscriberFeePercent": number,
        "description": "string",
        "destination": "string",
        "encryption": {
            "algorithm": "string",
            "constantInitializationVector": "string",
            "deviceId": "string",
            "keyType": "string",
        }
    }
}
```

```
"region": "string",
"resourceId": "string",
"roleArn": "string",
"secretArn": "string",
"url": "string"
},
"entitlementArn": "string",
"listenerAddress": "string",
"mediaLiveInputArn": "string",
"mediaStreamOutputConfigurations": [
{
"destinationConfigurations": [
{
"destinationIp": "string",
"destinationPort": number,
"interface": {
"name": "string"
},
"outboundIp": "string"
}
],
"encodingName": "string",
"encodingParameters": {
"compressionFactor": number,
"encoderProfile": "string"
},
"mediaStreamName": "string"
}
],
"name": "string",
"outputArn": "string",
"outputStatus": "string",
"peerIpAddress": "string",
"port": number,
"transport": {
"cidrAllowList": [ "string" ],
"maxBitrate": number,
"maxLatency": number,
"maxSyncBuffer": number,
"minLatency": number,
"ndiProgramName": "string",
"ndiSpeedHqQuality": number,
"protocol": "string",
"remoteId": "string",
}
```

```
        "senderControlPort": number,
        "senderIpAddress": "string",
        "smoothingLatency": number,
        "sourceListenerAddress": "string",
        "sourceListenerPort": number,
        "streamId": "string"
    },
    "vpcInterfaceAttachment": {
        "vpcInterfaceName": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[flowArn](#)

The ARN of the flow that is associated with the updated output.

Type: String

[output](#)

The new settings of the output that you updated.

Type: [Output object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFlowSource

Updates the source of a flow.

Request Syntax

```
PUT /v1/flows/flowArn/source/sourceArn HTTP/1.1
Content-type: application/json

{
    "decryptionalgorithmconstantInitializationVectordeviceIdkeyTyperegionresourceIdroleArnsecretArnurldescriptionentitlementArngatewayBridgeSourcebridgeArnvpcInterfaceAttachmentvpcInterfaceNameingestPortmaxBitratemaxLatencymaxSyncBuffermediaStreamSourceConfigurationsencodingNameinputConfigurationsinputPortinterfacename
```

```
        ],
        "mediaStreamName": "string"
    }
],
"minLatency": number,
"protocol": "string",
"senderControlPort": number,
"senderIpAddress": "string",
"sourceListenerAddress": "string",
"sourceListenerPort": number,
"streamId": "string",
"vpcInterfaceName": "string",
"whitelistCidr": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[flowArn](#)

The ARN of the flow that you want to update.

Pattern: arn:.+:mediaconnect.+:flow:..+

Required: Yes

[sourceArn](#)

The ARN of the source that you want to update.

Pattern: arn:.+:mediaconnect.+:source:..+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[decryption](#)

The type of encryption that is used on the content ingested from the source.

Type: [UpdateEncryption](#) object

Required: No

[description](#)

A description of the source. This description is not visible outside of the current AWS account.

Type: String

Required: No

[entitlementArn](#)

The Amazon Resource Name (ARN) of the entitlement that allows you to subscribe to the flow. The entitlement is set by the content originator, and the ARN is generated as part of the originator's flow.

Type: String

Pattern: arn: .+:mediaconnect.+:entitlement: .+

Required: No

[gatewayBridgeSource](#)

The source configuration for cloud flows receiving a stream from a bridge.

Type: [UpdateGatewayBridgeSourceRequest](#) object

Required: No

[ingestPort](#)

The port that the flow listens on for incoming content. If the protocol of the source is Zixi, the port must be set to 2088.

Type: Integer

Required: No

[maxBitrate](#)

The maximum bitrate for RIST, RTP, and RTP-FEC streams.

Type: Long

Required: No

maxLatency

The maximum latency in milliseconds. This parameter applies only to RIST-based and Zixi-based streams.

Type: Long

Required: No

maxSyncBuffer

The size of the buffer (in milliseconds) to use to sync incoming source data.

Type: Integer

Required: No

mediaStreamSourceConfigurations

The media stream that is associated with the source, and the parameters for that association.

Type: Array of [MediaStreamSourceConfigurationRequest](#) objects

Required: No

minLatency

The minimum latency in milliseconds for SRT-based streams. In streams that use the SRT protocol, this value that you set on your MediaConnect source or output represents the minimal potential latency of that connection. The latency of the stream is set to the highest number between the sender's minimum latency and the receiver's minimum latency.

Type: Long

Required: No

protocol

The protocol that the source uses to deliver the content to MediaConnect.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: No

senderControlPort

The port that the flow uses to send outbound requests to initiate connection with the sender.

Type: Integer

Required: No

senderIpAddress

The IP address that the flow communicates with to initiate connection with the sender.

Type: String

Required: No

sourceListenerAddress

The source IP or domain name for SRT-caller protocol.

Type: String

Required: No

sourceListenerPort

Source port for SRT-caller protocol.

Type: Integer

Required: No

streamId

The stream ID that you want to use for this transport. This parameter applies only to Zixi and SRT caller-based streams.

Type: String

Required: No

vpcInterfaceName

The name of the VPC interface that you want to send your output to.

Type: String

Required: No

whitelistCidr

The range of IP addresses that are allowed to contribute content to your source. Format the IP addresses as a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
    "flowArn": "string",
    "source": {
        "dataTransferSubscriberFeePercent": number,
        "decryption": {
            "algorithm": "string",
            "constantInitializationVector": "string",
            "deviceId": "string",
            "keyType": "string",
            "region": "string",
            "resourceId": "string",
            "roleArn": "string",
            "secretArn": "string",
            "url": "string"
        },
        "description": "string",
        "entitlementArn": "string",
        "gatewayBridgeSource": {
            "bridgeArn": "string",
            "vpcInterfaceAttachment": {
                "vpcInterfaceName": "string"
            }
        }
    }
}
```

```
},
"ingestIp": "string",
"ingestPort": number,
"mediaStreamSourceConfigurations": [
  {
    "encodingName": "string",
    "inputConfigurations": [
      {
        "inputIp": "string",
        "inputPort": number,
        "interface": {
          "name": "string"
        }
      }
    ],
    "mediaStreamName": "string"
  }
],
"name": "string",
"peerIpAddress": "string",
"senderControlPort": number,
"senderIpAddress": "string",
"sourceArn": "string",
"transport": {
  "cidrAllowList": [ "string" ],
  "maxBitrate": number,
  "maxLatency": number,
  "maxSyncBuffer": number,
  "minLatency": number,
  "ndiProgramName": "string",
  "ndiSpeedHqQuality": number,
  "protocol": "string",
  "remoteId": "string",
  "senderControlPort": number,
  "senderIpAddress": "string",
  "smoothingLatency": number,
  "sourceListenerAddress": "string",
  "sourceListenerPort": number,
  "streamId": "string"
},
"vpcInterfaceName": "string",
"whitelistCidr": "string"
}
```

}

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[flowArn](#)

The ARN of the flow that you was updated.

Type: String

[source](#)

The details of the sources that are assigned to the flow.

Type: [Source object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateGatewayInstance

Updates an existing gateway instance.

Request Syntax

```
PUT /v1/gateway-instances/gatewayInstanceArn HTTP/1.1
Content-type: application/json

{
  "bridgePlacement": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

gatewayInstanceArn

The Amazon Resource Name (ARN) of the gateway instance that you want to update.

Pattern: arn:.+:mediaconnect.+:gateway.+:instance.:+

Required: Yes

Request Body

The request accepts the following data in JSON format.

bridgePlacement

The state of the instance. ACTIVE or INACTIVE.

Type: String

Valid Values: AVAILABLE | LOCKED

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "bridgePlacement": "string",
    "gatewayInstanceArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**bridgePlacement**](#)

The state of the instance. ACTIVE or INACTIVE.

Type: String

Valid Values: AVAILABLE | LOCKED

[**gatewayInstanceArn**](#)

The ARN of the instance that was updated.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

This exception is thrown if the request contains a semantic error. The precise meaning depends on the API, and is documented in the error message.

HTTP Status Code: 400

ConflictException

The requested operation would cause a conflict with the current state of a service resource associated with the request. Resolve the conflict before retrying this request.

HTTP Status Code: 409

ForbiddenException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 500

NotFoundException

One or more of the resources in the request does not exist in the system.

HTTP Status Code: 404

ServiceUnavailableException

The service is currently unavailable or busy.

HTTP Status Code: 503

TooManyRequestsException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Elemental MediaConnect API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AddBridgeFlowSourceRequest](#)
- [AddBridgeNetworkOutputRequest](#)
- [AddBridgeNetworkSourceRequest](#)
- [AddBridgeOutputRequest](#)
- [AddBridgeSourceRequest](#)
- [AddEgressGatewayBridgeRequest](#)
- [AddIngressGatewayBridgeRequest](#)
- [AddMaintenance](#)
- [AddMediaStreamRequest](#)
- [AddOutputRequest](#)
- [AudioMonitoringSetting](#)
- [BlackFrames](#)
- [Bridge](#)
- [BridgeFlowOutput](#)
- [BridgeFlowSource](#)
- [BridgeNetworkOutput](#)
- [BridgeNetworkSource](#)
- [BridgeOutput](#)
- [BridgeSource](#)
- [DestinationConfiguration](#)

- [DestinationConfigurationRequest](#)
- [EgressGatewayBridge](#)
- [EncodingParameters](#)
- [EncodingParametersRequest](#)
- [Encryption](#)
- [Entitlement](#)
- [FailoverConfig](#)
- [Flow](#)
- [Fmtcp](#)
- [FmtcpRequest](#)
- [FrameResolution](#)
- [FrozenFrames](#)
- [Gateway](#)
- [GatewayBridgeSource](#)
- [GatewayInstance](#)
- [GatewayNetwork](#)
- [GrantEntitlementRequest](#)
- [IngressGatewayBridge](#)
- [InputConfiguration](#)
- [InputConfigurationRequest](#)
- [Interface](#)
- [InterfaceRequest](#)
- [ListedBridge](#)
- [ListedEntitlement](#)
- [ListedFlow](#)
- [ListedGateway](#)
- [ListedGatewayInstance](#)
- [Maintenance](#)
- [MediaStream](#)
- [MediaStreamAttributes](#)

- [MediaStreamAttributesRequest](#)
- [MediaStreamOutputConfiguration](#)
- [MediaStreamOutputConfigurationRequest](#)
- [MediaStreamSourceConfiguration](#)
- [MediaStreamSourceConfigurationRequest](#)
- [MessageDetail](#)
- [Messages](#)
- [MonitoringConfig](#)
- [MulticastSourceSettings](#)
- [NdiConfig](#)
- [NdiDiscoveryServerConfig](#)
- [Offering](#)
- [Output](#)
- [Reservation](#)
- [ResourceSpecification](#)
- [SetGatewayBridgeSourceRequest](#)
- [SetSourceRequest](#)
- [SilentAudio](#)
- [Source](#)
- [SourcePriority](#)
- [ThumbnailDetails](#)
- [Transport](#)
- [TransportMediaInfo](#)
- [TransportStream](#)
- [TransportStreamProgram](#)
- [UpdateBridgeFlowSourceRequest](#)
- [UpdateBridgeNetworkOutputRequest](#)
- [UpdateBridgeNetworkSourceRequest](#)
- [UpdateEgressGatewayBridgeRequest](#)
- [UpdateEncryption](#)

- [UpdateFailoverConfig](#)
- [UpdateGatewayBridgeSourceRequest](#)
- [UpdateIngressGatewayBridgeRequest](#)
- [UpdateMaintenance](#)
- [VideoMonitoringSetting](#)
- [VpcInterface](#)
- [VpcInterfaceAttachment](#)
- [VpcInterfaceRequest](#)

AddBridgeFlowSourceRequest

Add a flow source to an existing bridge.

Contents

flowArn

The Amazon Resource Number (ARN) of the flow to use as a source of this bridge.

Type: String

Pattern: `arn: .+ :mediaconnect .+ :flow : .+`

Required: Yes

name

The name of the flow source. This name is used to reference the source and must be unique among sources in this bridge.

Type: String

Required: Yes

flowVpcInterfaceAttachment

The name of the VPC interface attachment to use for this source.

Type: [VpcInterfaceAttachment](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddBridgeNetworkOutputRequest

Add a network output to an existing bridge.

Contents

ipAddress

The network output IP Address.

Type: String

Required: Yes

name

The network output name. This name is used to reference the output and must be unique among outputs in this bridge.

Type: String

Required: Yes

networkName

The network output's gateway network name.

Type: String

Required: Yes

port

The network output port.

Type: Integer

Required: Yes

protocol

The network output protocol.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: Yes

ttl

The network output TTL.

Type: Integer

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddBridgeNetworkSourceRequest

Add a network source to an existing bridge.

Contents

multicastIp

The network source multicast IP.

Type: String

Required: Yes

name

The name of the network source. This name is used to reference the source and must be unique among sources in this bridge.

Type: String

Required: Yes

networkName

The network source's gateway network name.

Type: String

Required: Yes

port

The network source port.

Type: Integer

Required: Yes

protocol

The network source protocol.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: Yes

multicastSourceSettings

The settings related to the multicast source.

Type: [MulticastSourceSettings](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddBridgeOutputRequest

Add outputs to the specified bridge.

Contents

networkOutput

The network output of the bridge. A network output is delivered to your premises.

Type: [AddBridgeNetworkOutputRequest](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddBridgeSourceRequest

Add an output to a bridge.

Contents

flowSource

The source of the flow.

Type: [AddBridgeFlowSourceRequest](#) object

Required: No

networkSource

The source of the network.

Type: [AddBridgeNetworkSourceRequest](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddEgressGatewayBridgeRequest

Create a bridge with the egress bridge type. An egress bridge is a cloud-to-ground bridge. The content comes from an existing MediaConnect flow and is delivered to your premises.

Contents

maxBitrate

The maximum expected bitrate (in bps) of the egress bridge.

Type: Long

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddIngressGatewayBridgeRequest

Create a bridge with the ingress bridge type. An ingress bridge is a ground-to-cloud bridge. The content originates at your premises and is delivered to the cloud.

Contents

maxBitrate

The maximum expected bitrate (in bps) of the ingress bridge.

Type: Long

Required: Yes

maxOutputs

The maximum number of expected outputs on the ingress bridge.

Type: Integer

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddMaintenance

Create a maintenance setting for a flow.

Contents

maintenanceDay

A day of a week when the maintenance will happen.

Type: String

Valid Values: Monday | Tuesday | Wednesday | Thursday | Friday | Saturday | Sunday

Required: Yes

maintenanceStartHour

UTC time when the maintenance will happen.

Use 24-hour HH:MM format.

Minutes must be 00.

Example: 13:00.

The default value is 02:00.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddMediaStreamRequest

The media stream that you want to add to the flow.

Contents

mediaStreamId

A unique identifier for the media stream.

Type: Integer

Required: Yes

mediaStreamName

A name that helps you distinguish one media stream from another.

Type: String

Required: Yes

mediaStreamType

The type of media stream.

Type: String

Valid Values: video | audio | ancillary-data

Required: Yes

attributes

The attributes that you want to assign to the new media stream.

Type: [MediaStreamAttributesRequest](#) object

Required: No

clockRate

The sample rate (in Hz) for the stream. If the media stream type is video or ancillary data, set this value to 90000. If the media stream type is audio, set this value to either 48000 or 96000.

Type: Integer

Required: No

description

A description that can help you quickly identify what your media stream is used for.

Type: String

Required: No

videoFormat

The resolution of the video.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddOutputRequest

A request to add an output to a flow.

Contents

protocol

The protocol to use for the output.

 **Note**

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: Yes

cidrAllowList

The range of IP addresses that should be allowed to initiate output requests to this flow.

These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: Array of strings

Required: No

description

A description of the output. This description appears only on the Audit Manager console and will not be seen by the end user.

Type: String

Required: No

destination

The IP address from which video will be sent to output destinations.

Type: String

Required: No

encryption

The type of key used for the encryption. If no keyType is provided, the service will use the default setting (static-key). Allowable encryption types: static-key.

Type: [Encryption](#) object

Required: No

maxLatency

The maximum latency in milliseconds. This parameter applies only to RIST-based and Zixi-based streams.

Type: Long

Required: No

mediaStreamOutputConfigurations

The media streams that are associated with the output, and the parameters for those associations.

Type: Array of [MediaStreamOutputConfigurationRequest](#) objects

Required: No

minLatency

The minimum latency in milliseconds for SRT-based streams. In streams that use the SRT protocol, this value that you set on your MediaConnect source or output represents the minimal potential latency of that connection. The latency of the stream is set to the highest number between the sender's minimum latency and the receiver's minimum latency.

Type: Long

Required: No

name

The name of the output. This value must be unique within the current flow.

Type: String

Required: No

ndiProgramName

A suffix for the names of the NDI sources that the flow creates. If a custom name isn't specified, MediaConnect uses the output name.

Type: String

Required: No

ndiSpeedHqQuality

A quality setting for the NDI Speed HQ encoder.

Type: Integer

Required: No

outputStatus

An indication of whether the new output should be enabled or disabled as soon as it is created. If you don't specify the outputStatus field in your request, MediaConnect sets it to ENABLED.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

port

The port to use when content is distributed to this output.

Type: Integer

Required: No

remoteId

The remote ID for the Zixi-pull output stream.

Type: String

Required: No

senderControlPort

The port that the flow uses to send outbound requests to initiate connection with the sender.

Type: Integer

Required: No

smoothingLatency

The smoothing latency in milliseconds for RIST, RTP, and RTP-FEC streams.

Type: Long

Required: No

streamId

The stream ID that you want to use for this transport. This parameter applies only to Zixi and SRT caller-based streams.

Type: String

Required: No

vpcInterfaceAttachment

The name of the VPC interface attachment to use for this output.

Type: [VpcInterfaceAttachment](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

AudioMonitoringSetting

Specifies the configuration for audio stream metrics monitoring.

Contents

silentAudio

Detects periods of silence.

Type: [SilentAudio](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BlackFrames

Configures settings for the BlackFrames metric.

Contents

state

Indicates whether the BlackFrames metric is enabled or disabled..

Type: String

Valid Values: ENABLED | DISABLED

Required: No

thresholdSeconds

Specifies the number of consecutive seconds of black frames that triggers an event or alert.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Bridge

A Bridge is the connection between your data center's Instances and the AWS cloud. A bridge can be used to send video from the AWS cloud to your data center or from your data center to the AWS cloud.

Contents

bridgeArn

The Amazon Resource Number (ARN) of the bridge.

Type: String

Required: Yes

bridgeState

The state of the bridge.

Type: String

Valid Values: CREATING | STANDBY | STARTING | DEPLOYING | ACTIVE | STOPPING | DELETING | DELETED | START_FAILED | START_PENDING | STOP_FAILED | UPDATING

Required: Yes

name

The name of the bridge.

Type: String

Required: Yes

placementArn

The placement Amazon Resource Number (ARN) of the bridge.

Type: String

Required: Yes

bridgeMessages

Messages with details about the bridge.

Type: Array of [MessageDetail](#) objects

Required: No

egressGatewayBridge

An egress bridge is a cloud-to-ground bridge. The content comes from an existing MediaConnect flow and is delivered to your premises.

Type: [EgressGatewayBridge](#) object

Required: No

ingressGatewayBridge

An ingress bridge is a ground-to-cloud bridge. The content originates at your premises and is delivered to the cloud.

Type: [IngressGatewayBridge](#) object

Required: No

outputs

The outputs on this bridge.

Type: Array of [BridgeOutput](#) objects

Required: No

sourceFailoverConfig

The settings for source failover.

Type: [FailoverConfig](#) object

Required: No

sources

The sources on this bridge.

Type: Array of [BridgeSource](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BridgeFlowOutput

The output of the bridge. A flow output is delivered to the AWS cloud.

Contents

flowArn

The Amazon Resource Number (ARN) of the cloud flow.

Type: String

Required: Yes

flowSourceArn

The Amazon Resource Number (ARN) of the flow source.

Type: String

Required: Yes

name

The name of the bridge's output.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BridgeFlowSource

The source of the bridge. A flow source originates in MediaConnect as an existing cloud flow.

Contents

flowArn

The ARN of the cloud flow used as a source of this bridge.

Type: String

Required: Yes

name

The name of the flow source.

Type: String

Required: Yes

flowVpcInterfaceAttachment

The name of the VPC interface attachment to use for this source.

Type: [VpcInterfaceAttachment](#) object

Required: No

outputArn

The Amazon Resource Number (ARN) of the output.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BridgeNetworkOutput

The output of the bridge. A network output is delivered to your premises.

Contents

ipAddress

The network output IP address.

Type: String

Required: Yes

name

The network output name.

Type: String

Required: Yes

networkName

The network output's gateway network name.

Type: String

Required: Yes

port

The network output's port.

Type: Integer

Required: Yes

protocol

The network output protocol.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: Yes

ttl

The network output TTL.

Type: Integer

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BridgeNetworkSource

The source of the bridge. A network source originates at your premises.

Contents

multicastIp

The network source multicast IP.

Type: String

Required: Yes

name

The name of the network source.

Type: String

Required: Yes

networkName

The network source's gateway network name.

Type: String

Required: Yes

port

The network source port.

Type: Integer

Required: Yes

protocol

The network source protocol.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: Yes

multicastSourceSettings

The settings related to the multicast source.

Type: [MulticastSourceSettings](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BridgeOutput

The output of the bridge.

Contents

flowOutput

The output of the associated flow.

Type: [BridgeFlowOutput](#) object

Required: No

networkOutput

The network output for the bridge.

Type: [BridgeNetworkOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BridgeSource

The bridge's source.

Contents

flowSource

The source of the associated flow.

Type: [BridgeFlowSource](#) object

Required: No

networkSource

The network source for the bridge.

Type: [BridgeNetworkSource](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DestinationConfiguration

The transport parameters that you want to associate with an outbound media stream.

Contents

destinationIp

The IP address where you want MediaConnect to send contents of the media stream.

Type: String

Required: Yes

destinationPort

The port that you want MediaConnect to use when it distributes the media stream to the output.

Type: Integer

Required: Yes

interface

The VPC interface that you want to use for the media stream associated with the output.

Type: [Interface](#) object

Required: Yes

outboundIp

The IP address that the receiver requires in order to establish a connection with the flow. This value is represented by the elastic network interface IP address of the VPC. This field applies only to outputs that use the CDI or ST 2110 JPEG XS or protocol.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DestinationConfigurationRequest

The definition of a media stream that you want to associate with the output.

Contents

destinationIp

The IP address where you want MediaConnect to send contents of the media stream.

Type: String

Required: Yes

destinationPort

The port that you want MediaConnect to use when it distributes the media stream to the output.

Type: Integer

Required: Yes

interface

The VPC interface that you want to use for the media stream associated with the output.

Type: [InterfaceRequest](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EgressGatewayBridge

Create a bridge with the egress bridge type. An egress bridge is a cloud-to-ground bridge. The content comes from an existing MediaConnect flow and is delivered to your premises.

Contents

maxBitrate

The maximum expected bitrate (in bps) of the egress bridge.

Type: Long

Required: Yes

instanceId

The ID of the instance running this bridge.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EncodingParameters

A collection of parameters that determine how MediaConnect will convert the content. These fields only apply to outputs on flows that have a CDI source.

Contents

compressionFactor

A value that is used to calculate compression for an output. The bitrate of the output is calculated as follows: Output bitrate = (1 / compressionFactor) * (source bitrate) This property only applies to outputs that use the ST 2110 JPEG XS protocol, with a flow source that uses the CDI protocol. Valid values are floating point numbers in the range of 3.0 to 10.0, inclusive.

Type: Float

Required: Yes

encoderProfile

A setting on the encoder that drives compression settings. This property only applies to video media streams associated with outputs that use the ST 2110 JPEG XS protocol, with a flow source that uses the CDI protocol.

Type: String

Valid Values: main | high

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EncodingParametersRequest

A collection of parameters that determine how MediaConnect will convert the content. These fields only apply to outputs on flows that have a CDI source.

Contents

compressionFactor

A value that is used to calculate compression for an output. The bitrate of the output is calculated as follows: Output bitrate = (1 / compressionFactor) * (source bitrate) This property only applies to outputs that use the ST 2110 JPEG XS protocol, with a flow source that uses the CDI protocol. Valid values are floating point numbers in the range of 3.0 to 10.0, inclusive.

Type: Float

Required: Yes

encoderProfile

A setting on the encoder that drives compression settings. This property only applies to video media streams associated with outputs that use the ST 2110 JPEG XS protocol, if at least one source on the flow uses the CDI protocol.

Type: String

Valid Values: main | high

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Encryption

Information about the encryption of the flow.

Contents

roleArn

The ARN of the role that you created during setup (when you set up MediaConnect as a trusted entity).

Type: String

Required: Yes

algorithm

The type of algorithm that is used for the encryption (such as aes128, aes192, or aes256).

Type: String

Valid Values: aes128 | aes192 | aes256

Required: No

constantInitializationVector

A 128-bit, 16-byte hex value represented by a 32-character string, to be used with the key for encrypting content. This parameter is not valid for static key encryption.

Type: String

Required: No

deviceId

The value of one of the devices that you configured with your digital rights management (DRM) platform key provider. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

keyType

The type of key that is used for the encryption. If no keyType is provided, the service will use the default setting (static-key).

Type: String

Valid Values: speke | static-key | srt-password

Required: No

region

The AWS Region that the API Gateway proxy endpoint was created in. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

resourceId

An identifier for the content. The service sends this value to the key server to identify the current endpoint. The resource ID is also known as the content ID. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

secretArn

The ARN of the secret that you created in AWS Secrets Manager to store the encryption key. This parameter is required for static key encryption and is not valid for SPEKE encryption.

Type: String

Required: No

url

The URL from the API Gateway proxy that you set up to talk to your key server. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Entitlement

The settings for a flow entitlement.

Contents

entitlementArn

The ARN of the entitlement.

Type: String

Required: Yes

name

The name of the entitlement.

Type: String

Required: Yes

subscribers

The AWS account IDs that you want to share your content with. The receiving accounts (subscribers) will be allowed to create their own flow using your content as the source.

Type: Array of strings

Required: Yes

dataTransferSubscriberFeePercent

Percentage from 0-100 of the data transfer cost to be billed to the subscriber.

Type: Integer

Required: No

description

A description of the entitlement.

Type: String

Required: No

encryption

The type of encryption that will be used on the output that is associated with this entitlement.

Type: [Encryption object](#)

Required: No

entitlementStatus

An indication of whether the entitlement is enabled.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FailoverConfig

The settings for source failover.

Contents

failoverMode

The type of failover you choose for this flow. MERGE combines the source streams into a single stream, allowing graceful recovery from any single-source loss. FAILOVER allows switching between different streams.

Type: String

Valid Values: MERGE | FAILOVER

Required: No

recoveryWindow

Search window time to look for dash-7 packets.

Type: Integer

Required: No

sourcePriority

The priority you want to assign to a source. You can have a primary stream and a backup stream or two equally prioritized streams.

Type: [SourcePriority](#) object

Required: No

state

The state of source failover on the flow. If the state is inactive, the flow can have only one source. If the state is active, the flow can have one or two sources.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Flow

The settings for a flow, including its source, outputs, and entitlements.

Contents

availabilityZone

The Availability Zone that you want to create the flow in. These options are limited to the Availability Zones within the current AWS Region.

Type: String

Required: Yes

entitlements

The entitlements in this flow.

Type: Array of [Entitlement](#) objects

Required: Yes

flowArn

The Amazon Resource Name (ARN) of the flow.

Type: String

Required: Yes

name

The name of the flow.

Type: String

Required: Yes

outputs

The outputs in this flow.

Type: Array of [Output](#) objects

Required: Yes

source

The source for the flow.

Type: [Source object](#)

Required: Yes

status

The current status of the flow.

Type: String

Valid Values: STANDBY | ACTIVE | UPDATING | DELETING | STARTING | STOPPING | ERROR

Required: Yes

description

A description of the flow. This value is not used or seen outside of the current MediaConnect account.

Type: String

Required: No

egressIp

The IP address from which video will be sent to output destinations.

Type: String

Required: No

flowSize

Determines the processing capacity and feature set of the flow. Set this optional parameter to LARGE if you want to enable NDI outputs on the flow.

Type: String

Valid Values: MEDIUM | LARGE

Required: No

maintenance

The maintenance settings for the flow.

Type: [Maintenance](#) object

Required: No

mediaStreams

The media streams that are associated with the flow. After you associate a media stream with a source, you can also associate it with outputs on the flow.

Type: Array of [MediaStream](#) objects

Required: No

ndiConfig

Specifies the configuration settings for NDI outputs. Required when the flow includes NDI outputs.

Type: [NdiConfig](#) object

Required: No

sourceFailoverConfig

The settings for the source failover.

Type: [FailoverConfig](#) object

Required: No

sourceMonitoringConfig

The settings for source monitoring.

Type: [MonitoringConfig](#) object

Required: No

sources

The settings for the sources that are assigned to the flow.

Type: Array of [Source](#) objects

Required: No

vpcInterfaces

The VPC Interfaces for this flow.

Type: Array of [VpcInterface](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Fmtcp

A set of parameters that define the media stream.

Contents

channelOrder

The format of the audio channel.

Type: String

Required: No

colorimetry

The format used for the representation of color.

Type: String

Valid Values: BT601 | BT709 | BT2020 | BT2100 | ST2065-1 | ST2065-3 | XYZ

Required: No

exactFramerate

The frame rate for the video stream, in frames/second. For example: 60000/1001.

Type: String

Required: No

par

The pixel aspect ratio (PAR) of the video.

Type: String

Required: No

range

The encoding range of the video.

Type: String

Valid Values: NARROW | FULL | FULLPROTECT

Required: No

scanMode

The type of compression that was used to smooth the video's appearance.

Type: String

Valid Values: progressive | interlace | progressive-segmented-frame

Required: No

tcs

The transfer characteristic system (TCS) that is used in the video.

Type: String

Valid Values: SDR | PQ | HLG | LINEAR | BT2100LINPQ | BT2100LINHLG | ST2065-1 | ST428-1 | DENSITY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FmtcpRequest

The settings that you want to use to define the media stream.

Contents

channelOrder

The format of the audio channel.

Type: String

Required: No

colorimetry

The format that is used for the representation of color.

Type: String

Valid Values: BT601 | BT709 | BT2020 | BT2100 | ST2065-1 | ST2065-3 | XYZ

Required: No

exactFramerate

The frame rate for the video stream, in frames/second. For example: 60000/1001. If you specify a whole number, MediaConnect uses a ratio of N/1. For example, if you specify 60, MediaConnect uses 60/1 as the exactFramerate.

Type: String

Required: No

par

The pixel aspect ratio (PAR) of the video.

Type: String

Required: No

range

The encoding range of the video.

Type: String

Valid Values: NARROW | FULL | FULLPROTECT

Required: No

scanMode

The type of compression that was used to smooth the video's appearance.

Type: String

Valid Values: progressive | interlace | progressive-segmented-frame

Required: No

tcs

The transfer characteristic system (TCS) that is used in the video.

Type: String

Valid Values: SDR | PQ | HLG | LINEAR | BT2100LINPQ | BT2100LINHLG | ST2065-1 | ST428-1 | DENSITY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FrameResolution

The frame resolution used by the video stream.

Contents

frameHeight

The number of pixels in the height of the video frame.

Type: Integer

Required: Yes

frameWidth

The number of pixels in the width of the video frame.

Type: Integer

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FrozenFrames

Configures settings for the FrozenFrames metric.

Contents

state

Indicates whether the FrozenFrames metric is enabled or disabled.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

thresholdSeconds

Specifies the number of consecutive seconds of a static image that triggers an event or alert.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Gateway

The settings for a gateway, including its networks.

Contents

egressCidrBlocks

The range of IP addresses that contribute content or initiate output requests for flows communicating with this gateway. These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: Array of strings

Required: Yes

gatewayArn

The Amazon Resource Name (ARN) of the gateway.

Type: String

Required: Yes

name

The name of the gateway. This name can not be modified after the gateway is created.

Type: String

Required: Yes

networks

The list of networks in the gateway.

Type: Array of [GatewayNetwork](#) objects

Required: Yes

gatewayMessages

Messages with information about the gateway.

Type: Array of [MessageDetail](#) objects

Required: No

gatewayState

The current status of the gateway.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | ERROR | DELETING | DELETED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GatewayBridgeSource

The source configuration for cloud flows receiving a stream from a bridge.

Contents

bridgeArn

The ARN of the bridge feeding this flow.

Type: String

Required: Yes

vpcInterfaceAttachment

The name of the VPC interface attachment to use for this bridge source.

Type: [VpcInterfaceAttachment](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GatewayInstance

The settings for an instance in a gateway.

Contents

bridgePlacement

The availability of the instance to host new bridges. The bridgePlacement property can be LOCKED or AVAILABLE. If it is LOCKED, no new bridges can be deployed to this instance. If it is AVAILABLE, new bridges can be deployed to this instance.

Type: String

Valid Values: AVAILABLE | LOCKED

Required: Yes

connectionStatus

The connection state of the instance.

Type: String

Valid Values: CONNECTED | DISCONNECTED

Required: Yes

gatewayArn

The Amazon Resource Name (ARN) of the instance.

Type: String

Required: Yes

gatewayInstanceArn

The ARN of the gateway.

Type: String

Required: Yes

instanceId

The instance ID generated by the SSM install. This will begin with "mi-".

Type: String

Required: Yes

instanceState

The status of the instance.

Type: String

Valid Values: REGISTERING | ACTIVE | Deregistering | Deregistered | Registration_Error | Deregistration_Error

Required: Yes

runningBridgeCount

The running bridge count.

Type: Integer

Required: Yes

instanceMessages

Messages with information about the gateway.

Type: Array of [MessageDetail](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GatewayNetwork

The network settings for a gateway.

Contents

cidrBlock

A unique IP address range to use for this network. These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: String

Required: Yes

name

The name of the network. This name is used to reference the network and must be unique among networks in this gateway.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GrantEntitlementRequest

The entitlements that you want to grant on a flow.

Contents

subscribers

The AWS account IDs that you want to share your content with. The receiving accounts (subscribers) will be allowed to create their own flows using your content as the source.

Type: Array of strings

Required: Yes

dataTransferSubscriberFeePercent

Percentage from 0-100 of the data transfer cost to be billed to the subscriber.

Type: Integer

Required: No

description

A description of the entitlement. This description appears only on the MediaConnect console and will not be seen by the subscriber or end user.

Type: String

Required: No

encryption

The type of encryption that will be used on the output that is associated with this entitlement.
Allowable encryption types: static-key, speke.

Type: [Encryption](#) object

Required: No

entitlementStatus

An indication of whether the new entitlement should be enabled or disabled as soon as it is created. If you don't specify the entitlementStatus field in your request, MediaConnect sets it to ENABLED.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

name

The name of the entitlement. This value must be unique within the current flow.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressGatewayBridge

Create a bridge with the ingress bridge type. An ingress bridge is a ground-to-cloud bridge. The content originates at your premises and is delivered to the cloud.

Contents

maxBitrate

The maximum expected bitrate (in bps) of the ingress bridge.

Type: Long

Required: Yes

maxOutputs

The maximum number of outputs on the ingress bridge.

Type: Integer

Required: Yes

instanceId

The ID of the instance running this bridge.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputConfiguration

The transport parameters that are associated with an incoming media stream.

Contents

inputIp

The IP address that the flow listens on for incoming content for a media stream.

Type: String

Required: Yes

inputPort

The port that the flow listens on for an incoming media stream.

Type: Integer

Required: Yes

interface

The VPC interface where the media stream comes in from.

Type: [Interface](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputConfigurationRequest

The transport parameters that you want to associate with an incoming media stream.

Contents

inputPort

The port that you want the flow to listen on for an incoming media stream.

Type: Integer

Required: Yes

interface

The VPC interface that you want to use for the incoming media stream.

Type: [InterfaceRequest](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Interface

The VPC interface that is used for the media stream associated with the source or output.

Contents

name

The name of the VPC interface.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InterfaceRequest

The VPC interface that you want to designate where the media stream is coming from or going to.

Contents

name

The name of the VPC interface.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListedBridge

Displays details of the selected bridge.

Contents

bridgeArn

The ARN of the bridge.

Type: String

Required: Yes

bridgeState

The state of the bridge.

Type: String

Valid Values: CREATING | STANDBY | STARTING | DEPLOYING | ACTIVE | STOPPING | DELETING | DELETED | START_FAILED | START_PENDING | STOP_FAILED | UPDATING

Required: Yes

bridgeType

The type of the bridge.

Type: String

Required: Yes

name

The name of the bridge.

Type: String

Required: Yes

placementArn

The ARN of the gateway associated with the bridge.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListedEntitlement

An entitlement that has been granted to you from other AWS accounts.

Contents

entitlementArn

The ARN of the entitlement.

Type: String

Required: Yes

entitlementName

The name of the entitlement.

Type: String

Required: Yes

dataTransferSubscriberFeePercent

Percentage from 0-100 of the data transfer cost to be billed to the subscriber.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListedFlow

A summary of a flow, including its ARN, Availability Zone, and source type.

Contents

availabilityZone

The Availability Zone that the flow was created in.

Type: String

Required: Yes

description

A description of the flow.

Type: String

Required: Yes

flowArn

The ARN of the flow.

Type: String

Required: Yes

name

The name of the flow.

Type: String

Required: Yes

sourceType

The type of source. This value is either owned (originated somewhere other than an MediaConnect flow owned by another AWS account) or entitled (originated at a MediaConnect flow owned by another AWS account).

Type: String

Valid Values: OWNED | ENTITLED

Required: Yes

status

The current status of the flow.

Type: String

Valid Values: STANDBY | ACTIVE | UPDATING | DELETING | STARTING | STOPPING | ERROR

Required: Yes

maintenance

The maintenance settings for the flow.

Type: [Maintenance](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListedGateway

A summary of a gateway, including its name, ARN, and status.

Contents

gatewayArn

The Amazon Resource Name (ARN) of the gateway.

Type: String

Required: Yes

gatewayState

The status of the gateway.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | ERROR | DELETING | DELETED

Required: Yes

name

The name of the gateway.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListedGatewayInstance

A summary of an instance.

Contents

gatewayArn

The Amazon Resource Name (ARN) of the gateway.

Type: String

Required: Yes

gatewayInstanceArn

The Amazon Resource Name (ARN) of the instance.

Type: String

Required: Yes

instanceId

The managed instance ID generated by the SSM install. This will begin with "mi-".

Type: String

Required: Yes

instanceState

The status of the instance.

Type: String

Valid Values: REGISTERING | ACTIVE | Deregistering | Deregistered | Registration_Error | Deregistration_Error

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Maintenance

The maintenance setting of a flow.

Contents

maintenanceDay

A day of a week when the maintenance will happen. Use Monday/Tuesday/Wednesday/Thursday/Friday/Saturday/Sunday.

Type: String

Valid Values: Monday | Tuesday | Wednesday | Thursday | Friday | Saturday | Sunday

Required: No

maintenanceDeadline

The Maintenance has to be performed before this deadline in ISO UTC format. Example: 2021-01-30T08:30:00Z.

Type: String

Required: No

maintenanceScheduledDate

A scheduled date in ISO UTC format when the maintenance will happen. Use YYYY-MM-DD format. Example: 2021-01-30.

Type: String

Required: No

maintenanceStartHour

UTC time when the maintenance will happen. Use 24-hour HH:MM format. Minutes must be 00. Example: 13:00. The default value is 02:00.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaStream

A media stream represents one component of your content, such as video, audio, or ancillary data. After you add a media stream to your flow, you can associate it with sources and outputs that use the ST 2110 JPEG XS or CDI protocol.

Contents

fmt

The format type number (sometimes referred to as RTP payload type) of the media stream. MediaConnect assigns this value to the media stream. For ST 2110 JPEG XS outputs, you need to provide this value to the receiver.

Type: Integer

Required: Yes

mediaStreamId

A unique identifier for the media stream.

Type: Integer

Required: Yes

mediaStreamName

A name that helps you distinguish one media stream from another.

Type: String

Required: Yes

mediaStreamType

The type of media stream.

Type: String

Valid Values: video | audio | ancillary-data

Required: Yes

attributes

Attributes that are related to the media stream.

Type: [MediaStreamAttributes](#) object

Required: No

clockRate

The sample rate for the stream. This value is measured in Hz.

Type: Integer

Required: No

description

A description that can help you quickly identify what your media stream is used for.

Type: String

Required: No

videoFormat

The resolution of the video.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaStreamAttributes

Attributes that are related to the media stream.

Contents

fntp

The settings that you want to use to define the media stream.

Type: [Fntp](#) object

Required: Yes

lang

The audio language, in a format that is recognized by the receiver.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaStreamAttributesRequest

Attributes that are related to the media stream.

Contents

fmtp

The settings that you want to use to define the media stream.

Type: [FmtpRequest](#) object

Required: No

lang

The audio language, in a format that is recognized by the receiver.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaStreamOutputConfiguration

The media stream that is associated with the output, and the parameters for that association.

Contents

encodingName

The format that was used to encode the data. For ancillary data streams, set the encoding name to smpte291. For audio streams, set the encoding name to pcm. For video, 2110 streams, set the encoding name to raw. For video, JPEG XS streams, set the encoding name to jxsv.

Type: String

Valid Values: jxsv | raw | smpte291 | pcm

Required: Yes

mediaStreamName

The name of the media stream.

Type: String

Required: Yes

destinationConfigurations

The transport parameters that are associated with each outbound media stream.

Type: Array of [DestinationConfiguration](#) objects

Required: No

encodingParameters

A collection of parameters that determine how MediaConnect will convert the content. These fields only apply to outputs on flows that have a CDI source.

Type: [EncodingParameters](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaStreamOutputConfigurationRequest

The media stream that you want to associate with the output, and the parameters for that association.

Contents

encodingName

The format that will be used to encode the data. For ancillary data streams, set the encoding name to smpte291. For audio streams, set the encoding name to pcm. For video, 2110 streams, set the encoding name to raw. For video, JPEG XS streams, set the encoding name to jxsv.

Type: String

Valid Values: jxsv | raw | smpte291 | pcm

Required: Yes

mediaStreamName

The name of the media stream that is associated with the output.

Type: String

Required: Yes

destinationConfigurations

The media streams that you want to associate with the output.

Type: Array of [DestinationConfigurationRequest](#) objects

Required: No

encodingParameters

A collection of parameters that determine how MediaConnect will convert the content. These fields only apply to outputs on flows that have a CDI source.

Type: [EncodingParametersRequest](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaStreamSourceConfiguration

The media stream that is associated with the source, and the parameters for that association.

Contents

encodingName

The format that was used to encode the data. For ancillary data streams, set the encoding name to smpte291. For audio streams, set the encoding name to pcm. For video, 2110 streams, set the encoding name to raw. For video, JPEG XS streams, set the encoding name to jxsv.

Type: String

Valid Values: jxsv | raw | smpte291 | pcm

Required: Yes

mediaStreamName

A name that helps you distinguish one media stream from another.

Type: String

Required: Yes

inputConfigurations

The media streams that you want to associate with the source.

Type: Array of [InputConfiguration](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaStreamSourceConfigurationRequest

The media stream that you want to associate with the source, and the parameters for that association.

Contents

encodingName

The format that was used to encode the data. For ancillary data streams, set the encoding name to smpte291. For audio streams, set the encoding name to pcm. For video, 2110 streams, set the encoding name to raw. For video, JPEG XS streams, set the encoding name to jxsv.

Type: String

Valid Values: jxsv | raw | smpte291 | pcm

Required: Yes

mediaStreamName

The name of the media stream.

Type: String

Required: Yes

inputConfigurations

The media streams that you want to associate with the source.

Type: Array of [InputConfigurationRequest](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

MessageDetail

The details of an error message.

Contents

code

The error code.

Type: String

Required: Yes

message

The specific error message that MediaConnect returns to help you understand the reason that the request did not succeed.

Type: String

Required: Yes

resourceName

The name of the resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Messages

Messages that provide the state of the flow.

Contents

errors

A list of errors that might have been generated from processes on this flow.

Type: Array of strings

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MonitoringConfig

The settings for source monitoring.

Contents

audioMonitoringSettings

Contains the settings for audio stream metrics monitoring.

Type: Array of [AudioMonitoringSetting](#) objects

Required: No

contentQualityAnalysisState

Indicates whether content quality analysis is enabled or disabled.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

thumbnailState

Indicates whether thumbnails are enabled or disabled.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

videoMonitoringSettings

Contains the settings for video stream metrics monitoring.

Type: Array of [VideoMonitoringSetting](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MulticastSourceSettings

The settings related to the multicast source.

Contents

multicastSourceIp

The IP address of the source for source-specific multicast (SSM).

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NdiConfig

Specifies the configuration settings for NDI outputs. Required when the flow includes NDI outputs.

Contents

machineName

A prefix for the names of the NDI sources that the flow creates. If a custom name isn't specified, MediaConnect generates a unique 12-character ID as the prefix.

Type: String

Required: No

ndiDiscoveryServers

A list of up to three NDI discovery server configurations. While not required by the API, this configuration is necessary for NDI functionality to work properly.

Type: Array of [NdiDiscoveryServerConfig](#) objects

Required: No

ndiState

A setting that controls whether NDI outputs can be used in the flow. Must be ENABLED to add NDI outputs. Default is DISABLED.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

NdiDiscoveryServerConfig

Specifies the configuration settings for individual NDI discovery servers. A maximum of 3 servers is allowed.

Contents

discoveryServerAddress

The unique network address of the NDI discovery server.

Type: String

Required: Yes

vpcInterfaceAdapter

The identifier for the Virtual Private Cloud (VPC) network interface used by the flow.

Type: String

Required: Yes

discoveryServerPort

The port for the NDI discovery server. Defaults to 5959 if a custom port isn't specified.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Offering

A savings plan that reserves a certain amount of outbound bandwidth usage at a discounted rate each month over a period of time.

Contents

currencyCode

The type of currency that is used for billing. The currencyCode used for all reservations is US dollars.

Type: String

Required: Yes

duration

The length of time that your reservation would be active.

Type: Integer

Required: Yes

durationUnits

The unit of measurement for the duration of the offering.

Type: String

Valid Values: MONTHS

Required: Yes

offeringArn

The Amazon Resource Name (ARN) that MediaConnect assigns to the offering.

Type: String

Required: Yes

offeringDescription

A description of the offering.

Type: String

Required: Yes

pricePerUnit

The cost of a single unit. This value, in combination with priceUnits, makes up the rate.

Type: String

Required: Yes

priceUnits

The unit of measurement that is used for billing. This value, in combination with pricePerUnit, makes up the rate.

Type: String

Valid Values: HOURLY

Required: Yes

resourceSpecification

A definition of the amount of outbound bandwidth that you would be reserving if you purchase the offering.

Type: [ResourceSpecification](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Output

The settings for an output.

Contents

name

The name of the output. This value must be unique within the current flow.

Type: String

Required: Yes

outputArn

The ARN of the output.

Type: String

Required: Yes

bridgeArn

The ARN of the bridge added to this output.

Type: String

Required: No

bridgePorts

The bridge output ports currently in use.

Type: Array of integers

Required: No

dataTransferSubscriberFeePercent

Percentage from 0-100 of the data transfer cost to be billed to the subscriber.

Type: Integer

Required: No

description

A description of the output.

Type: String

Required: No

destination

The address where you want to send the output.

Type: String

Required: No

encryption

The type of key used for the encryption. If no keyType is provided, the service will use the default setting (static-key).

Type: [Encryption object](#)

Required: No

entitlementArn

The ARN of the entitlement on the originator's flow. This value is relevant only on entitled flows.

Type: String

Required: No

listenerAddress

The IP address that the receiver requires in order to establish a connection with the flow. For public networking, the ListenerAddress is represented by the elastic IP address of the flow. For private networking, the ListenerAddress is represented by the elastic network interface IP address of the VPC. This field applies only to outputs that use the Zixi pull or SRT listener protocol.

Type: String

Required: No

mediaLiveInputArn

The input ARN of the MediaLive channel. This parameter is relevant only for outputs that were added by creating a MediaLive input.

Type: String

Required: No

mediaStreamOutputConfigurations

The configuration for each media stream that is associated with the output.

Type: Array of [MediaStreamOutputConfiguration](#) objects

Required: No

outputStatus

An indication of whether the output is transmitting data or not.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

peerIpAddress

The IP address of the device that is currently receiving content from this output.

Note

- For outputs that use protocols where you specify the destination (such as SRT Caller or Zixi Push), this value matches the configured destination address.
- For outputs that use listener protocols (such as SRT Listener), this value shows the address of the connected receiver.
- Peer IP addresses aren't available for entitlements, managed MediaLive outputs, NDI outputs, and CDI/ST2110 outputs.
- The peer IP address might not be visible for flows that haven't been started yet, or flows that were started before May 2025. In these cases, restart your flow to see the peer IP address.

Type: String

Required: No

port

The port to use when content is distributed to this output.

Type: Integer

Required: No

transport

Attributes related to the transport stream that are used in the output.

Type: [Transport](#) object

Required: No

vpcInterfaceAttachment

The name of the VPC interface attachment to use for this output.

Type: [VpcInterfaceAttachment](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Reservation

A pricing agreement for a discounted rate for a specific outbound bandwidth that your MediaConnect account will use each month over a specific time period. The discounted rate in the reservation applies to outbound bandwidth for all flows from your account until your account reaches the amount of bandwidth in your reservation. If you use more outbound bandwidth than the agreed upon amount in a single month, the overage is charged at the on-demand rate.

Contents

currencyCode

The type of currency that is used for billing. The currencyCode used for your reservation is US dollars.

Type: String

Required: Yes

duration

The length of time that this reservation is active. MediaConnect defines this value in the offering.

Type: Integer

Required: Yes

durationUnits

The unit of measurement for the duration of the reservation. MediaConnect defines this value in the offering.

Type: String

Valid Values: MONTHS

Required: Yes

end

The day and time that this reservation expires. This value is calculated based on the start date and time that you set and the offering's duration.

Type: String

Required: Yes

offeringArn

The Amazon Resource Name (ARN) that MediaConnect assigns to the offering.

Type: String

Required: Yes

offeringDescription

A description of the offering. MediaConnect defines this value in the offering.

Type: String

Required: Yes

pricePerUnit

The cost of a single unit. This value, in combination with priceUnits, makes up the rate. MediaConnect defines this value in the offering.

Type: String

Required: Yes

priceUnits

The unit of measurement that is used for billing. This value, in combination with pricePerUnit, makes up the rate. MediaConnect defines this value in the offering.

Type: String

Valid Values: HOURLY

Required: Yes

reservationArn

The Amazon Resource Name (ARN) that MediaConnect assigns to the reservation when you purchase an offering.

Type: String

Required: Yes

reservationName

The name that you assigned to the reservation when you purchased the offering.

Type: String

Required: Yes

reservationState

The status of your reservation.

Type: String

Valid Values: ACTIVE | EXPIRED | PROCESSING | CANCELED

Required: Yes

resourceSpecification

A definition of the amount of outbound bandwidth that you would be reserving if you purchase the offering. MediaConnect defines the values that make up the resourceSpecification in the offering.

Type: [ResourceSpecification](#) object

Required: Yes

start

The day and time that the reservation becomes active. You set this value when you purchase the offering.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceSpecification

A definition of what is being billed for, including the type and amount.

Contents

resourceType

The type of resource and the unit that is being billed for.

Type: String

Valid Values: Mbps_Outbound_Bandwidth

Required: Yes

reservedBitrate

The amount of outbound bandwidth that is discounted in the offering.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SetGatewayBridgeSourceRequest

The source configuration for cloud flows receiving a stream from a bridge.

Contents

bridgeArn

The ARN of the bridge feeding this flow.

Type: String

Pattern: `arn: .+:mediaconnect .+:bridge .+`

Required: Yes

vpcInterfaceAttachment

The name of the VPC interface attachment to use for this bridge source.

Type: [VpcInterfaceAttachment](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SetSourceRequest

The settings for the source of the flow.

Contents

decryption

The type of encryption that is used on the content ingested from this source. Allowable encryption types: static-key.

Type: [Encryption](#) object

Required: No

description

A description for the source. This value is not used or seen outside of the current MediaConnect account.

Type: String

Required: No

entitlementArn

The ARN of the entitlement that allows you to subscribe to this flow. The entitlement is set by the flow originator, and the ARN is generated as part of the originator's flow.

Type: String

Pattern: `arn: .+:mediaconnect .+:entitlement .+`

Required: No

gatewayBridgeSource

The source configuration for cloud flows receiving a stream from a bridge.

Type: [SetGatewayBridgeSourceRequest](#) object

Required: No

ingestPort

The port that the flow will be listening on for incoming content.

Type: Integer

Required: No

maxBitrate

The smoothing max bitrate (in bps) for RIST, RTP, and RTP-FEC streams.

Type: Long

Required: No

maxLatency

The maximum latency in milliseconds. This parameter applies only to RIST-based and Zixi-based streams.

Type: Long

Required: No

maxSyncBuffer

The size of the buffer (in milliseconds) to use to sync incoming source data.

Type: Integer

Required: No

mediaStreamSourceConfigurations

The media streams that are associated with the source, and the parameters for those associations.

Type: Array of [MediaStreamSourceConfigurationRequest](#) objects

Required: No

minLatency

The minimum latency in milliseconds for SRT-based streams. In streams that use the SRT protocol, this value that you set on your MediaConnect source or output represents the minimal potential latency of that connection. The latency of the stream is set to the highest number between the sender's minimum latency and the receiver's minimum latency.

Type: Long

Required: No

name

The name of the source.

Type: String

Required: No

protocol

The protocol that is used by the source.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: No

senderControlPort

The port that the flow uses to send outbound requests to initiate connection with the sender.

Type: Integer

Required: No

senderIpAddress

The IP address that the flow communicates with to initiate connection with the sender.

Type: String

Required: No

sourceListenerAddress

Source IP or domain name for SRT-caller protocol.

Type: String

Required: No

sourceListenerPort

Source port for SRT-caller protocol.

Type: Integer

Required: No

streamId

The stream ID that you want to use for this transport. This parameter applies only to Zixi and SRT caller-based streams.

Type: String

Required: No

vpcInterfaceName

The name of the VPC interface to use for this source.

Type: String

Required: No

whitelistCidr

The range of IP addresses that should be allowed to contribute content to your source. These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SilentAudio

Configures settings for the SilentAudio metric.

Contents

state

Indicates whether the SilentAudio metric is enabled or disabled.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

thresholdSeconds

Specifies the number of consecutive seconds of silence that triggers an event or alert.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Source

The settings for the source of the flow.

Contents

name

The name of the source.

Type: String

Required: Yes

sourceArn

The ARN of the source.

Type: String

Required: Yes

dataTransferSubscriberFeePercent

Percentage from 0-100 of the data transfer cost to be billed to the subscriber.

Type: Integer

Required: No

decryption

The type of encryption that is used on the content ingested from this source.

Type: [Encryption](#) object

Required: No

description

A description for the source. This value is not used or seen outside of the current MediaConnect account.

Type: String

Required: No

entitlementArn

The ARN of the entitlement that allows you to subscribe to content that comes from another AWS account. The entitlement is set by the content originator and the ARN is generated as part of the originator's flow.

Type: String

Required: No

gatewayBridgeSource

The source configuration for cloud flows receiving a stream from a bridge.

Type: [GatewayBridgeSource](#) object

Required: No

ingestIp

The IP address that the flow will be listening on for incoming content.

Type: String

Required: No

ingestPort

The port that the flow will be listening on for incoming content.

Type: Integer

Required: No

mediaStreamSourceConfigurations

The media streams that are associated with the source, and the parameters for those associations.

Type: Array of [MediaStreamSourceConfiguration](#) objects

Required: No

peerIpAddress

The IP address of the device that is currently sending content to this source.

Note

- For sources that use protocols where you specify the origin (such as SRT Caller), this value matches the configured origin address.
- For sources that use listener protocols (such as SRT Listener or RTP), this value shows the address of the connected sender.
- Peer IP addresses aren't available for entitlements and CDI/ST2110 sources.
- The peer IP address might not be visible for flows that haven't been started yet, or flows that were started before May 2025. In these cases, restart your flow to see the peer IP address.

Type: String

Required: No

senderControlPort

The IP address that the flow communicates with to initiate connection with the sender.

Type: Integer

Required: No

senderIpAddress

The port that the flow uses to send outbound requests to initiate connection with the sender.

Type: String

Required: No

transport

Attributes related to the transport stream that are used in the source.

Type: [Transport](#) object

Required: No

vpcInterfaceName

The name of the VPC interface that is used for this source.

Type: String

Required: No

whitelistCidr

The range of IP addresses that should be allowed to contribute content to your source. These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourcePriority

The priority you want to assign to a source. You can have a primary stream and a backup stream or two equally prioritized streams.

Contents

primarySource

The name of the source you choose as the primary source for this flow.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ThumbnailDetails

The details of the thumbnail, including thumbnail base64 string, timecode and the time when thumbnail was generated.

Contents

flowArn

The ARN of the flow that `DescribeFlowSourceThumbnail` was performed on.

Type: String

Required: Yes

thumbnailMessages

Status code and messages about the flow source thumbnail.

Type: Array of [MessageDetail](#) objects

Required: Yes

thumbnail

Thumbnail Base64 string.

Type: Base64-encoded binary data object

Required: No

timecode

Timecode of thumbnail.

Type: String

Required: No

timestamp

The timestamp of when thumbnail was generated.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Transport

Attributes related to the transport stream that are used in a source or output.

Contents

protocol

The protocol that is used by the source or output.

 **Note**

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: Yes

cidrAllowList

The range of IP addresses that should be allowed to initiate output requests to this flow.

These IP addresses should be in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16

Type: Array of strings

Required: No

maxBitrate

The smoothing max bitrate (in bps) for RIST, RTP, and RTP-FEC streams.

Type: Long

Required: No

maxLatency

The maximum latency in milliseconds. This parameter applies only to RIST-based and Zixi-based streams.

Type: Long

Required: No

maxSyncBuffer

The size of the buffer (in milliseconds) to use to sync incoming source data.

Type: Integer

Required: No

minLatency

The minimum latency in milliseconds for SRT-based streams. In streams that use the SRT protocol, this value that you set on your MediaConnect source or output represents the minimal potential latency of that connection. The latency of the stream is set to the highest number between the sender's minimum latency and the receiver's minimum latency.

Type: Long

Required: No

ndiProgramName

A suffix for the names of the NDI sources that the flow creates. If a custom name isn't specified, MediaConnect uses the output name.

Type: String

Required: No

ndiSpeedHqQuality

A quality setting for the NDI Speed HQ encoder.

Type: Integer

Required: No

remoteId

The remote ID for the Zixi-pull stream.

Type: String

Required: No

senderControlPort

The port that the flow uses to send outbound requests to initiate connection with the sender.

Type: Integer

Required: No

senderIpAddress

The IP address that the flow communicates with to initiate connection with the sender.

Type: String

Required: No

smoothingLatency

The smoothing latency in milliseconds for RIST, RTP, and RTP-FEC streams.

Type: Long

Required: No

sourceListenerAddress

Source IP or domain name for SRT-caller protocol.

Type: String

Required: No

sourceListenerPort

Source port for SRT-caller protocol.

Type: Integer

Required: No

streamId

The stream ID that you want to use for this transport. This parameter applies only to Zixi and SRT caller-based streams.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TransportMediaInfo

The metadata of the transport stream in the current flow's source.

Contents

programs

The list of transport stream programs in the current flow's source.

Type: Array of [TransportStreamProgram](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TransportStream

The metadata of an elementary transport stream.

Contents

pid

The Packet ID (PID) as it is reported in the Program Map Table.

Type: Integer

Required: Yes

streamType

The Stream Type as it is reported in the Program Map Table.

Type: String

Required: Yes

channels

The number of channels in the audio stream.

Type: Integer

Required: No

codec

The codec used by the stream.

Type: String

Required: No

frameRate

The frame rate used by the video stream.

Type: String

Required: No

frameResolution

The frame resolution used by the video stream.

Type: [FrameResolution](#) object

Required: No

sampleRate

The sample rate used by the audio stream.

Type: Integer

Required: No

sampleSize

The sample bit size used by the audio stream.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TransportStreamProgram

The metadata of a single transport stream program.

Contents

pcrPid

The Program Clock Reference (PCR) Packet ID (PID) as it is reported in the Program Association Table.

Type: Integer

Required: Yes

programNumber

The program number as it is reported in the Program Association Table.

Type: Integer

Required: Yes

programPid

The program Packet ID (PID) as it is reported in the Program Association Table.

Type: Integer

Required: Yes

streams

The list of elementary transport streams in the program. The list includes video, audio, and data streams.

Type: Array of [TransportStream](#) objects

Required: Yes

programName

The program name as it is reported in the Program Association Table.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateBridgeFlowSourceRequest

Update the flow source of the bridge.

Contents

flowArn

The Amazon Resource Name (ARN) that identifies the MediaConnect resource from which to delete tags.

Type: String

Pattern: `arn:.+:mediaconnect.+:flow:..+`

Required: No

flowVpcInterfaceAttachment

The name of the VPC interface attachment to use for this source.

Type: [VpcInterfaceAttachment](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateBridgeNetworkOutputRequest

Update an existing network output.

Contents

ipAddress

The network output IP Address.

Type: String

Required: No

networkName

The network output's gateway network name.

Type: String

Required: No

port

The network output port.

Type: Integer

Required: No

protocol

The network output protocol.

 **Note**

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: No

ttl

The network output TTL.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateBridgeNetworkSourceRequest

Update the network source of the bridge.

Contents

multicastIp

The network source multicast IP.

Type: String

Required: No

multicastSourceSettings

The settings related to the multicast source.

Type: [MulticastSourceSettings](#) object

Required: No

networkName

The network source's gateway network name.

Type: String

Required: No

port

The network source port.

Type: Integer

Required: No

protocol

The network source protocol.

Note

AWS Elemental MediaConnect no longer supports the Fujitsu QoS protocol. This reference is maintained for legacy purposes only.

Type: String

Valid Values: zixi-push | rtp-fec | rtp | zixi-pull | rist | st2110-jpegxs | cdi | srt-listener | srt-caller | fujitsu-qos | udp | ndi-speed-hq

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateEgressGatewayBridgeRequest

Update an existing egress-type bridge.

Contents

maxBitrate

The maximum expected bitrate (in bps).

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateEncryption

Information about the encryption of the flow.

Contents

algorithm

The type of algorithm that is used for the encryption (such as aes128, aes192, or aes256).

Type: String

Valid Values: aes128 | aes192 | aes256

Required: No

constantInitializationVector

A 128-bit, 16-byte hex value represented by a 32-character string, to be used with the key for encrypting content. This parameter is not valid for static key encryption.

Type: String

Required: No

deviceId

The value of one of the devices that you configured with your digital rights management (DRM) platform key provider. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

keyType

The type of key that is used for the encryption. If no keyType is provided, the service will use the default setting (static-key).

Type: String

Valid Values: speke | static-key | srt-password

Required: No

region

The AWS Region that the API Gateway proxy endpoint was created in. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

resourceId

An identifier for the content. The service sends this value to the key server to identify the current endpoint. The resource ID is also known as the content ID. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

roleArn

The ARN of the role that you created during setup (when you set up MediaConnect as a trusted entity).

Type: String

Required: No

secretArn

The ARN of the secret that you created in AWS Secrets Manager to store the encryption key. This parameter is required for static key encryption and is not valid for SPEKE encryption.

Type: String

Required: No

url

The URL from the API Gateway proxy that you set up to talk to your key server. This parameter is required for SPEKE encryption and is not valid for static key encryption.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateFailoverConfig

The settings for source failover.

Contents

failoverMode

The type of failover you choose for this flow. MERGE combines the source streams into a single stream, allowing graceful recovery from any single-source loss. FAILOVER allows switching between different streams.

Type: String

Valid Values: MERGE | FAILOVER

Required: No

recoveryWindow

Recovery window time to look for dash-7 packets.

Type: Integer

Required: No

sourcePriority

The priority you want to assign to a source. You can have a primary stream and a backup stream or two equally prioritized streams.

Type: [SourcePriority](#) object

Required: No

state

The state of source failover on the flow. If the state is inactive, the flow can have only one source. If the state is active, the flow can have one or two sources.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateGatewayBridgeSourceRequest

The source configuration for cloud flows receiving a stream from a bridge.

Contents

bridgeArn

The ARN of the bridge feeding this flow.

Type: String

Pattern: `arn: .+:mediaconnect .+:bridge .+`

Required: No

vpcInterfaceAttachment

The name of the VPC interface attachment to use for this bridge source.

Type: [VpcInterfaceAttachment](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateIngressGatewayBridgeRequest

Update an existing ingress-type bridge.

Contents

maxBitrate

The maximum expected bitrate (in bps).

Type: Long

Required: No

maxOutputs

The maximum number of expected outputs.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateMaintenance

Update maintenance setting for a flow.

Contents

maintenanceDay

A day of a week when the maintenance will happen.

Type: String

Valid Values: Monday | Tuesday | Wednesday | Thursday | Friday | Saturday | Sunday

Required: No

maintenanceScheduledDate

A scheduled date in ISO UTC format when the maintenance will happen. Use YYYY-MM-DD format. Example: 2021-01-30.

Type: String

Required: No

maintenanceStartHour

UTC time when the maintenance will happen. Use 24-hour HH:MM format. Minutes must be 00. Example: 13:00. The default value is 02:00.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

VideoMonitoringSetting

Specifies the configuration for video stream metrics monitoring.

Contents

blackFrames

Detects video frames that are black.

Type: [BlackFrames](#) object

Required: No

frozenFrames

Detects video frames that have not changed.

Type: [FrozenFrames](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VpcInterface

The settings for a VPC source.

Contents

name

Immutable and has to be unique against other VpcInterfaces in this Flow.

Type: String

Required: Yes

networkInterfaceIds

IDs of the network interfaces created in customer's account by MediaConnect.

Type: Array of strings

Required: Yes

networkInterfaceType

The type of network interface.

Type: String

Valid Values: ena |efa

Required: Yes

roleArn

A role Arn MediaConnect can assume to create ENIs in your account.

Type: String

Required: Yes

securityGroupIds

Security Group IDs to be used on ENI.

Type: Array of strings

Required: Yes

subnetId

Subnet must be in the AZ of the Flow.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VpcInterfaceAttachment

The settings for attaching a VPC interface to an resource.

Contents

vpcInterfaceName

The name of the VPC interface to use for this resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VpcInterfaceRequest

The details of the VPC interfaces that you want to add to the flow.

Contents

name

The name for the VPC interface. This name must be unique within the flow.

Type: String

Required: Yes

roleArn

The Amazon Resource Name (ARN) of the role that you created when you set up MediaConnect as a trusted service.

Type: String

Required: Yes

securityGroupIds

A virtual firewall to control inbound and outbound traffic.

Type: Array of strings

Required: Yes

subnetId

The subnet IDs that you want to use for your VPC interface. A range of IP addresses in your VPC. When you create your VPC, you specify a range of IPv4 addresses for the VPC in the form of a Classless Inter-Domain Routing (CIDR) block; for example, 10.0.0.0/16. This is the primary CIDR block for your VPC. When you create a subnet for your VPC, you specify the CIDR block for the subnet, which is a subset of the VPC CIDR block. The subnets that you use across all VPC interfaces on the flow must be in the same Availability Zone as the flow.

Type: String

Required: Yes

networkInterfaceType

The type of network interface.

Type: String

Valid Values: ena | efa

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400