



API Reference

# AWS Telco Network Builder



**API Version 2008-10-21**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

# AWS Telco Network Builder: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome .....</b>	<b>1</b>
<b>Actions .....</b>	<b>2</b>
CancelSolNetworkOperation .....	4
Request Syntax .....	4
URI Request Parameters .....	4
Request Body .....	4
Response Syntax .....	4
Response Elements .....	4
Errors .....	4
See Also .....	5
CreateSolFunctionPackage .....	7
Request Syntax .....	7
URI Request Parameters .....	7
Request Body .....	7
Response Syntax .....	8
Response Elements .....	8
Errors .....	9
See Also .....	10
CreateSolNetworkInstance .....	12
Request Syntax .....	12
URI Request Parameters .....	12
Request Body .....	12
Response Syntax .....	13
Response Elements .....	14
Errors .....	15
See Also .....	16
CreateSolNetworkPackage .....	17
Request Syntax .....	17
URI Request Parameters .....	17
Request Body .....	17
Response Syntax .....	18
Response Elements .....	18
Errors .....	19
See Also .....	20

DeleteSolFunctionPackage .....	22
Request Syntax .....	22
URI Request Parameters .....	22
Request Body .....	22
Response Syntax .....	22
Response Elements .....	22
Errors .....	23
See Also .....	23
DeleteSolNetworkInstance .....	25
Request Syntax .....	25
URI Request Parameters .....	25
Request Body .....	25
Response Syntax .....	25
Response Elements .....	25
Errors .....	26
See Also .....	26
DeleteSolNetworkPackage .....	28
Request Syntax .....	28
URI Request Parameters .....	28
Request Body .....	28
Response Syntax .....	28
Response Elements .....	28
Errors .....	29
See Also .....	29
GetSolFunctionInstance .....	31
Request Syntax .....	31
URI Request Parameters .....	31
Request Body .....	31
Response Syntax .....	31
Response Elements .....	32
Errors .....	34
See Also .....	35
GetSolFunctionPackage .....	36
Request Syntax .....	36
URI Request Parameters .....	36
Request Body .....	36

Response Syntax .....	36
Response Elements .....	37
Errors .....	39
See Also .....	40
<b>GetSolFunctionPackageContent .....</b>	<b>41</b>
Request Syntax .....	41
URI Request Parameters .....	41
Request Body .....	41
Response Syntax .....	41
Response Elements .....	42
Errors .....	42
See Also .....	43
<b>GetSolFunctionPackageDescriptor .....</b>	<b>44</b>
Request Syntax .....	44
URI Request Parameters .....	44
Request Body .....	44
Response Syntax .....	45
Response Elements .....	45
Errors .....	45
See Also .....	46
<b>GetSolNetworkInstance .....</b>	<b>47</b>
Request Syntax .....	47
URI Request Parameters .....	47
Request Body .....	47
Response Syntax .....	47
Response Elements .....	48
Errors .....	50
See Also .....	51
<b>GetSolNetworkOperation .....</b>	<b>52</b>
Request Syntax .....	52
URI Request Parameters .....	52
Request Body .....	52
Response Syntax .....	52
Response Elements .....	53
Errors .....	55
See Also .....	56

GetSolNetworkPackage .....	58
Request Syntax .....	58
URI Request Parameters .....	58
Request Body .....	58
Response Syntax .....	58
Response Elements .....	59
Errors .....	61
See Also .....	62
GetSolNetworkPackageContent .....	63
Request Syntax .....	63
URI Request Parameters .....	63
Request Body .....	63
Response Syntax .....	63
Response Elements .....	64
Errors .....	64
See Also .....	65
GetSolNetworkPackageDescriptor .....	66
Request Syntax .....	66
URI Request Parameters .....	66
Request Body .....	66
Response Syntax .....	66
Response Elements .....	66
Errors .....	67
See Also .....	68
InstantiateSolNetworkInstance .....	69
Request Syntax .....	69
URI Request Parameters .....	69
Request Body .....	70
Response Syntax .....	70
Response Elements .....	71
Errors .....	71
See Also .....	72
ListSolFunctionInstances .....	74
Request Syntax .....	74
URI Request Parameters .....	74
Request Body .....	74

Response Syntax .....	74
Response Elements .....	75
Errors .....	75
See Also .....	76
ListSolFunctionPackages .....	77
Request Syntax .....	77
URI Request Parameters .....	77
Request Body .....	77
Response Syntax .....	77
Response Elements .....	78
Errors .....	78
See Also .....	79
ListSolNetworkInstances .....	81
Request Syntax .....	81
URI Request Parameters .....	81
Request Body .....	81
Response Syntax .....	81
Response Elements .....	82
Errors .....	82
See Also .....	83
ListSolNetworkOperations .....	84
Request Syntax .....	84
URI Request Parameters .....	84
Request Body .....	84
Response Syntax .....	84
Response Elements .....	85
Errors .....	86
See Also .....	86
ListSolNetworkPackages .....	88
Request Syntax .....	88
URI Request Parameters .....	88
Request Body .....	88
Response Syntax .....	88
Response Elements .....	89
Errors .....	89
See Also .....	90

ListTagsForResource .....	92
Request Syntax .....	92
URI Request Parameters .....	92
Request Body .....	92
Response Syntax .....	92
Response Elements .....	92
Errors .....	93
See Also .....	94
PutSolFunctionPackageContent .....	95
Request Syntax .....	95
URI Request Parameters .....	95
Request Body .....	95
Response Syntax .....	96
Response Elements .....	96
Errors .....	97
See Also .....	98
PutSolNetworkPackageContent .....	99
Request Syntax .....	99
URI Request Parameters .....	99
Request Body .....	99
Response Syntax .....	100
Response Elements .....	100
Errors .....	101
See Also .....	102
TagResource .....	104
Request Syntax .....	104
URI Request Parameters .....	104
Request Body .....	104
Response Syntax .....	105
Response Elements .....	105
Errors .....	105
See Also .....	106
TerminateSolNetworkInstance .....	107
Request Syntax .....	107
URI Request Parameters .....	107
Request Body .....	107

Response Syntax .....	108
Response Elements .....	108
Errors .....	109
See Also .....	110
UntagResource .....	111
Request Syntax .....	111
URI Request Parameters .....	111
Request Body .....	111
Response Syntax .....	111
Response Elements .....	112
Errors .....	112
See Also .....	112
UpdateSolFunctionPackage .....	114
Request Syntax .....	114
URI Request Parameters .....	114
Request Body .....	114
Response Syntax .....	115
Response Elements .....	115
Errors .....	115
See Also .....	116
UpdateSolNetworkInstance .....	117
Request Syntax .....	117
URI Request Parameters .....	117
Request Body .....	118
Response Syntax .....	119
Response Elements .....	119
Errors .....	120
See Also .....	121
UpdateSolNetworkPackage .....	122
Request Syntax .....	122
URI Request Parameters .....	122
Request Body .....	122
Response Syntax .....	123
Response Elements .....	123
Errors .....	123
See Also .....	124

ValidateSolFunctionPackageContent .....	125
Request Syntax .....	125
URI Request Parameters .....	125
Request Body .....	125
Response Syntax .....	126
Response Elements .....	126
Errors .....	127
See Also .....	128
ValidateSolNetworkPackageContent .....	129
Request Syntax .....	129
URI Request Parameters .....	129
Request Body .....	129
Response Syntax .....	130
Response Elements .....	130
Errors .....	131
See Also .....	132
<b>Data Types .....</b>	<b>134</b>
ErrorInfo .....	136
Contents .....	136
See Also .....	136
FunctionArtifactMeta .....	137
Contents .....	137
See Also .....	137
GetSolFunctionInstanceMetadata .....	138
Contents .....	138
See Also .....	138
GetSolFunctionPackageMetadata .....	139
Contents .....	139
See Also .....	139
GetSolInstantiatedVnflInfo .....	141
Contents .....	141
See Also .....	141
GetSolNetworkInstanceMetadata .....	142
Contents .....	142
See Also .....	142
GetSolNetworkOperationMetadata .....	143

Contents .....	143
See Also .....	144
GetSolNetworkOperationTaskDetails .....	145
Contents .....	145
See Also .....	146
GetSolNetworkPackageMetadata .....	147
Contents .....	147
See Also .....	147
GetSolVnfcResourceInfo .....	149
Contents .....	149
See Also .....	149
GetSolVnfcResourceInfoMetadata .....	150
Contents .....	150
See Also .....	150
GetSolVnflInfo .....	152
Contents .....	152
See Also .....	152
InstantiateMetadata .....	153
Contents .....	153
See Also .....	153
LcmOperationInfo .....	154
Contents .....	154
See Also .....	154
ListSolFunctionInstanceInfo .....	155
Contents .....	155
See Also .....	156
ListSolFunctionInstanceMetadata .....	158
Contents .....	158
See Also .....	158
ListSolFunctionPackageInfo .....	159
Contents .....	159
See Also .....	161
ListSolFunctionPackageMetadata .....	162
Contents .....	162
See Also .....	162
ListSolNetworkInstanceInfo .....	163

Contents .....	163
See Also .....	164
ListSolNetworkInstanceMetadata .....	166
Contents .....	166
See Also .....	166
ListSolNetworkOperationsInfo .....	167
Contents .....	167
See Also .....	168
ListSolNetworkOperationsMetadata .....	170
Contents .....	170
See Also .....	171
ListSolNetworkPackageInfo .....	172
Contents .....	172
See Also .....	174
ListSolNetworkPackageMetadata .....	175
Contents .....	175
See Also .....	175
ModifyVnflInfoMetadata .....	176
Contents .....	176
See Also .....	176
NetworkArtifactMeta .....	177
Contents .....	177
See Also .....	177
ProblemDetails .....	178
Contents .....	178
See Also .....	178
PutSolFunctionPackageContentMetadata .....	179
Contents .....	179
See Also .....	179
PutSolNetworkPackageContentMetadata .....	180
Contents .....	180
See Also .....	180
ToscaOverride .....	181
Contents .....	181
See Also .....	181
UpdateNsMetadata .....	182

---

Contents .....	182
See Also .....	182
UpdateSolNetworkModify .....	183
Contents .....	183
See Also .....	183
UpdateSolNetworkServiceData .....	184
Contents .....	184
See Also .....	184
ValidateSolFunctionPackageContentMetadata .....	185
Contents .....	185
See Also .....	185
ValidateSolNetworkPackageContentMetadata .....	186
Contents .....	186
See Also .....	186
<b>Common Parameters .....</b>	<b>187</b>
<b>Common Error Types .....</b>	<b>190</b>

# Welcome

AWS Telco Network Builder (TNB) is a network automation service that helps you deploy and manage telecom networks. AWS TNB helps you with the lifecycle management of your telecommunication network functions throughout planning, deployment, and post-deployment activities.

This document was last published on May 24, 2026.

# Actions

The following actions are supported:

- [CancelSolNetworkOperation](#)
- [CreateSolFunctionPackage](#)
- [CreateSolNetworkInstance](#)
- [CreateSolNetworkPackage](#)
- [DeleteSolFunctionPackage](#)
- [DeleteSolNetworkInstance](#)
- [DeleteSolNetworkPackage](#)
- [GetSolFunctionInstance](#)
- [GetSolFunctionPackage](#)
- [GetSolFunctionPackageContent](#)
- [GetSolFunctionPackageDescriptor](#)
- [GetSolNetworkInstance](#)
- [GetSolNetworkOperation](#)
- [GetSolNetworkPackage](#)
- [GetSolNetworkPackageContent](#)
- [GetSolNetworkPackageDescriptor](#)
- [InstantiateSolNetworkInstance](#)
- [ListSolFunctionInstances](#)
- [ListSolFunctionPackages](#)
- [ListSolNetworkInstances](#)
- [ListSolNetworkOperations](#)
- [ListSolNetworkPackages](#)
- [ListTagsForResource](#)
- [PutSolFunctionPackageContent](#)
- [PutSolNetworkPackageContent](#)
- [TagResource](#)
- [TerminateSolNetworkInstance](#)

- [UntagResource](#)
- [UpdateSolFunctionPackage](#)
- [UpdateSolNetworkInstance](#)
- [UpdateSolNetworkPackage](#)
- [ValidateSolFunctionPackageContent](#)
- [ValidateSolNetworkPackageContent](#)

# CancelSolNetworkOperation

Cancels a network operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

## Request Syntax

```
POST /sol/ns1cm/v1/ns_lcm_op_occs/nsLcmOpOccId/cancel HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### nsLcmOpOccId

The identifier of the network operation.

Pattern: no-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 202
```

## Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

## **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

## **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

## **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSolFunctionPackage

Creates a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network. For more information, see [Function packages](#) in the *AWS Telco Network Builder User Guide*.

Creating a function package is the first step for creating a network in AWS TNB. This request creates an empty container with an ID. The next step is to upload the actual CSAR zip file into that empty container. To upload function package content, see [PutSolFunctionPackageContent](#).

## Request Syntax

```
POST /sol/vnfpkgm/v1/vnf_packages HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [tags](#)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "onboardingState": "string",
  "operationalState": "string",
  "tags": {
    "string" : "string"
  },
  "usageState": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### arn

Function package ARN.

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?- (east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-package/fp-[a-f0-9]{17})

### id

ID of the function package.

Type: String

Pattern: `fp-[a-f0-9]{17}`

### onboardingState

Onboarding state of the function package.

Type: String

Valid Values: `CREATED` | `ONBOARDED` | `ERROR`

### operationalState

Operational state of the function package.

Type: String

Valid Values: `ENABLED` | `DISABLED`

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:){1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

### usageState

Usage state of the function package.

Type: String

Valid Values: `IN_USE` | `NOT_IN_USE`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSolNetworkInstance

Creates a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed. Creating a network instance is the third step after creating a network package. For more information about network instances, [Network instances](#) in the *AWS Telco Network Builder User Guide*.

Once you create a network instance, you can instantiate it. To instantiate a network, see [InstantiateSolNetworkInstance](#).

## Request Syntax

```
POST /sol/ns1cm/v1/ns_instances HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "nsDescription": "string",
  "nsdInfoId": "string",
  "nsName": "string",
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [nsDescription](#)

Network instance description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

### nsdInfold

ID for network service descriptor.

Type: String

Pattern: np-[a-f0-9]{17}

Required: Yes

### nsName

Network instance name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "arn": "string",
```

```
"id": "string",  
"nsdInfoId": "string",  
"nsInstanceName": "string",  
"tags": {  
  "string" : "string"  
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### arn

Network instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-instance/ni-[a-f0-9]{17})`

### id

Network instance ID.

Type: String

Pattern: `ni-[a-f0-9]{17}`

### nsdInfoId

Network service descriptor ID.

Type: String

Pattern: `np-[a-f0-9]{17}`

### nsInstanceName

Network instance name.

Type: String

## tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

Service quotas have been exceeded.

HTTP Status Code: 402

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSolNetworkPackage

Creates a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on. For more information, see [Network instances](#) in the *AWS Telco Network Builder User Guide*.

A network package consists of a network service descriptor (NSD) file (required) and any additional files (optional), such as scripts specific to your needs. For example, if you have multiple function packages in your network package, you can use the NSD to define which network functions should run in certain VPCs, subnets, or EKS clusters.

This request creates an empty network package container with an ID. Once you create a network package, you can upload the network package content using [PutSolNetworkPackageContent](#).

## Request Syntax

```
POST /sol/nsd/v1/ns_descriptors HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [tags](#)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "nsdOnboardingState": "string",
  "nsdOperationalState": "string",
  "nsdUsageState": "string",
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### arn

Network package ARN.

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})

### id

ID of the network package.

Type: String

Pattern: `np-[a-f0-9]{17}`

### nsdOnboardingState

Onboarding state of the network service descriptor in the network package.

Type: String

Valid Values: `CREATED` | `ONBOARDED` | `ERROR`

### nsdOperationalState

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: `ENABLED` | `DISABLED`

### nsdUsageState

Usage state of the network service descriptor in the network package.

Type: String

Valid Values: `IN_USE` | `NOT_IN_USE`

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSolFunctionPackage

Deletes a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

To delete a function package, the package must be in a disabled state. To disable a function package, see [UpdateSolFunctionPackage](#).

## Request Syntax

```
DELETE /sol/vnfpkgm/v1/vnf_packages/vnfPkgId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [vnfPkgId](#)

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSolNetworkInstance

Deletes a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

To delete a network instance, the instance must be in a stopped or terminated state. To terminate a network instance, see [TerminateSolNetworkInstance](#).

## Request Syntax

```
DELETE /sol/ns1cm/v1/ns_instances/nsInstanceId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [nsInstanceId](#)

Network instance ID.

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSolNetworkPackage

Deletes network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

To delete a network package, the package must be in a disable state. To disable a network package, see [UpdateSolNetworkPackage](#).

## Request Syntax

```
DELETE /sol/nsd/v1/ns_descriptors/nsdInfoId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [nsdInfoId](#)

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 204
```

## Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolFunctionInstance

Gets the details of a network function instance, including the instantiation state and metadata from the function package descriptor in the network function package.

A network function instance is a function in a function package .

## Request Syntax

```
GET /sol/vnflcm/v1/vnf_instances/vnfInstanceId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### vnfInstanceId

ID of the network function.

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "instantiatedVnfInfo": {
    "vnfcResourceInfo": [
      {
        "metadata": {
          "cluster": "string",
```

```

        "helmChart": "string",
        "nodeGroup": "string"
    }
  ],
  "vnfState": "string"
},
"instantiationState": "string",
"metadata": {
  "createdAt": "string",
  "lastModified": "string"
},
"nsInstanceId": "string",
"tags": {
  "string" : "string"
},
"vnfdId": "string",
"vnfdVersion": "string",
"vnfPkgId": "string",
"vnfProductName": "string",
"vnfProvider": "string"
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### arn

Network function instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?(east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-instance/fi-[a-f0-9]{17})`

### id

Network function instance ID.

Type: String

Pattern: `fi-[a-f0-9]{17}`

### instantiatedVnflInfo

Information about the network function.

A network function instance is a function in a function package .

Type: [GetSolVnflInfo](#) object

### instantiationState

Network function instantiation state.

Type: String

Valid Values: INSTANTIATED | NOT\_INSTANTIATED

### metadata

The metadata of a network function instance.

A network function instance is a function in a function package .

Type: [GetSolFunctionInstanceMetadata](#) object

### nsInstanceId

Network instance ID.

Type: String

Pattern: `ni-[a-f0-9]{17}`

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

### vnfdId

Function package descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

### vnfdVersion

Function package descriptor version.

Type: String

### vnfPkgId

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

### vnfProductName

Network function product name.

Type: String

### vnfProvider

Network function provider.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolFunctionPackage

Gets the details of an individual function package, such as the operational state and whether the package is in use.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network..

## Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages/vnfPkgId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "createdAt": "string",
    "lastModified": "string",
```

```

    "vnfd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    },
    "onboardingState": "string",
    "operationalState": "string",
    "tags": {
      "string" : "string"
    },
    "usageState": "string",
    "vnfdId": "string",
    "vnfdVersion": "string",
    "vnfProductName": "string",
    "vnfProvider": "string"
  }

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### arn

Function package ARN.

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?- (east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-package/fp-[a-f0-9]{17})

### id

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

## metadata

Metadata related to the function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Type: [GetSolFunctionPackageMetadata](#) object

## onboardingState

Function package onboarding state.

Type: String

Valid Values: CREATED | ONBOARDED | ERROR

## operationalState

Function package operational state.

Type: String

Valid Values: ENABLED | DISABLED

## tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## usageState

Function package usage state.

Type: String

Valid Values: IN\_USE | NOT\_IN\_USE

### vnfdId

Function package descriptor ID.

Type: String

### vnfdVersion

Function package descriptor version.

Type: String

### vnfProductName

Network function product name.

Type: String

### vnfProvider

Network function provider.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolFunctionPackageContent

Gets the contents of a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/package_content HTTP/1.1  
Accept: accept
```

## URI Request Parameters

The request uses the following URI parameters.

### accept

The format of the package that you want to download from the function packages.

Valid Values: application/zip

Required: Yes

### vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

Content-Type: *contentType*

*packageContent*

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

### contentType

Indicates the media type of the resource.

Valid Values: application/zip

The response returns the following as the HTTP body.

### packageContent

Contents of the function package.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolFunctionPackageDescriptor

Gets a function package descriptor in a function package.

A function package descriptor is a .yaml file in a function package that uses the TOSCA standard to describe how the network function in the function package should run on your network.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/vnfd HTTP/1.1
Accept: accept
```

## URI Request Parameters

The request uses the following URI parameters.

### accept

Indicates which content types, expressed as MIME types, the client is able to understand.

Valid Values: text/plain

Required: Yes

### vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-Type: contentType

vnfd
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

### contentType

Indicates the media type of the resource.

Valid Values: text/plain

The response returns the following as the HTTP body.

### vnfd

Contents of the function package descriptor.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerError**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkInstance

Gets the details of the network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Request Syntax

```
GET /sol/ns1cm/v1/ns_instances/nsInstanceId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### nsInstanceId

ID of the network instance.

Pattern: ni-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "lcmOpInfo": {
    "nsLcmOpOccId": "string"
  },
  "metadata": {
    "createdAt": "string",
```

```
    "lastModified": "string"
  },
  "nsdId": "string",
  "nsdInfoId": "string",
  "nsInstanceDescription": "string",
  "nsInstanceName": "string",
  "nsState": "string",
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### arn

Network instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-instance/ni-[a-f0-9]{17})`

### id

Network instance ID.

Type: String

Pattern: `ni-[a-f0-9]{17}`

### lcmOpInfo

Lifecycle management operation details on the network instance.

Lifecycle management operations are deploy, update, or delete operations.

Type: [LcmOperationInfo](#) object

## metadata

The metadata of a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Type: [GetSolNetworkInstanceMetadata](#) object

## nsdId

Network service descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## nsdInfoId

Network service descriptor info ID.

Type: String

Pattern: np-[a-f0-9]{17}

## nsInstanceDescription

Network instance description.

Type: String

## nsInstanceName

Network instance name.

Type: String

## nsState

Network instance state.

Type: String

Valid Values: INSTANTIATED | NOT\_INSTANTIATED | UPDATED | IMPAIRED  
| UPDATE\_FAILED | STOPPED | DELETED | INSTANTIATE\_IN\_PROGRESS  
| INTENT\_TO\_UPDATE\_IN\_PROGRESS | UPDATE\_IN\_PROGRESS |  
TERMINATE\_IN\_PROGRESS

## tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkOperation

Gets the details of a network operation, including the tasks involved in the network operation and the status of the tasks.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

## Request Syntax

```
GET /sol/ns1cm/v1/ns_1cm_op_occs/nsLcmOpOcccId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### nsLcmOpOcccId

The identifier of the network operation.

Pattern: no-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "arn": "string",  
  "error": {  
    "detail": "string",  
    "title": "string"  
  },  
  "id": "string",
```

```

"lcmOperationType": "string",
"metadata": {
  "createdAt": "string",
  "instantiateMetadata": {
    "additionalParamsForNs": JSON value,
    "nsdInfoId": "string"
  },
  "lastModified": "string",
  "modifyVnfInfoMetadata": {
    "vnfConfigurableProperties": JSON value,
    "vnfInstanceId": "string"
  },
  "updateNsMetadata": {
    "additionalParamsForNs": JSON value,
    "nsdInfoId": "string"
  }
},
"nsInstanceId": "string",
"operationState": "string",
"tags": {
  "string" : "string"
},
"tasks": [
  {
    "taskContext": {
      "string" : "string"
    },
    "taskEndTime": "string",
    "taskErrorDetails": {
      "cause": "string",
      "details": "string"
    },
    "taskName": "string",
    "taskStartTime": "string",
    "taskStatus": "string"
  }
],
"updateType": "string"
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### arn

Network operation ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-operation/no-[a-f0-9]{17})`

### error

Error related to this specific network operation occurrence.

Type: [ProblemDetails](#) object

### id

ID of this network operation occurrence.

Type: String

Pattern: `no-[a-f0-9]{17}`

### lcmOperationType

Type of the operation represented by this occurrence.

Type: String

Valid Values: INSTANTIATE | UPDATE | TERMINATE

### metadata

Metadata of this network operation occurrence.

Type: [GetSolNetworkOperationMetadata](#) object

### nsInstanceId

ID of the network operation instance.

Type: String

Pattern: `ni-[a-f0-9]{17}`

## operationState

The state of the network operation.

Type: String

Valid Values: PROCESSING | COMPLETED | FAILED | CANCELLING | CANCELLED

## tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## tasks

All tasks associated with this operation occurrence.

Type: Array of [GetSolNetworkOperationTaskDetails](#) objects

## updateType

Type of the update. Only present if the network operation lcmOperationType is UPDATE.

Type: String

Valid Values: MODIFY\_VNF\_INFORMATION | UPDATE\_NS

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetSolNetworkPackage

Gets the details of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Request Syntax

```
GET /sol/nsd/v1/ns_descriptors/nsdInfoId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### nsdInfoId

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "createdAt": "string",
    "lastModified": "string",
    "nsd": {
```

```
    "overrides": [
      {
        "defaultValue": "string",
        "name": "string"
      }
    ]
  }
},
"nsdId": "string",
"nsdName": "string",
"nsdOnboardingState": "string",
"nsdOperationalState": "string",
"nsdUsageState": "string",
"nsdVersion": "string",
"tags": {
  "string" : "string"
},
"vnfPkgIds": [ "string" ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2})(-(gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})`

### id

Network package ID.

Type: String

Pattern: `np-[a-f0-9]{17}`

## metadata

Metadata associated with a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Type: [GetSolNetworkPackageMetadata](#) object

## nsdId

Network service descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## nsdName

Network service descriptor name.

Type: String

## nsdOnboardingState

Network service descriptor onboarding state.

Type: String

Valid Values: CREATED | ONBOARDED | ERROR

## nsdOperationalState

Network service descriptor operational state.

Type: String

Valid Values: ENABLED | DISABLED

## nsdUsageState

Network service descriptor usage state.

Type: String

Valid Values: IN\_USE | NOT\_IN\_USE

## nsdVersion

Network service descriptor version.

Type: String

## tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## vnfPkgIds

Identifies the function package for the function package descriptor referenced by the onboarded network package.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkPackageContent

Gets the contents of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Request Syntax

```
GET /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd_content HTTP/1.1  
Accept: accept
```

## URI Request Parameters

The request uses the following URI parameters.

### [accept](#)

The format of the package you want to download from the network package.

Valid Values: application/zip

Required: Yes

### [nsdInfoId](#)

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-Type: contentType
```

*nsdContent*

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

### contentType

Indicates the media type of the resource.

Valid Values: application/zip

The response returns the following as the HTTP body.

### nsdContent

Content of the network service descriptor in the network package.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkPackageDescriptor

Gets the content of the network service descriptor.

A network service descriptor is a .yaml file in a network package that uses the TOSCA standard to describe the network functions you want to deploy and the AWS infrastructure you want to deploy the network functions on.

## Request Syntax

```
GET /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### nsdInfoId

ID of the network service descriptor in the network package.

Pattern: `np-[a-f0-9]{17}`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-Type: contentType  
  
nsd
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

## contentType

Indicates the media type of the resource.

Valid Values: text/plain

The response returns the following as the HTTP body.

## nsd

Contents of the network service descriptor in the network package.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# InstantiateSolNetworkInstance

Instantiates a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Before you can instantiate a network instance, you have to create a network instance. For more information, see [CreateSolNetworkInstance](#).

## Request Syntax

```
POST /sol/ns1cm/v1/ns_instances/nsInstanceId/instantiate?dry_run=dryRun HTTP/1.1
Content-type: application/json
```

```
{
  "additionalParamsForNs": JSON value,
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### [dryRun](#)

A check for whether you have the required permissions for the action without actually making the request and provides an error response. If you have the required permissions, the error response is `DryRunOperation`. Otherwise, it is `UnauthorizedOperation`.

### [nsInstanceId](#)

ID of the network instance.

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### additionalParamsForNs

Provides values for the configurable properties.

Type: JSON value

Required: No

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created. These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "nsLcmOp0ccId": "string",
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### nsLcmOpOcclId

The identifier of the network operation.

Type: String

Pattern: no-[a-f0-9]{17}

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created. These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListSolFunctionInstances

Lists network function instances.

A network function instance is a function in a function package .

## Request Syntax

```
GET /sol/vnflcm/v1/vnf_instances?  
max_results=maxResults&nextpage_opaque_marker=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

The token for the next page of results.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "functionInstances": [  
    {  
      "arn": "string",  
      "id": "string",  
      "instantiatedVnfInfo": {  
        "vnfState": "string"  
      }  
    }  
  ]  
}
```

```
    },
    "instantiationState": "string",
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "nsInstanceId": "string",
    "vnfPkgId": "string",
    "vnfPkgName": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### functionInstances

Network function instances.

Type: Array of [ListSolFunctionInstanceInfo](#) objects

### nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSolFunctionPackages

Lists information about function packages.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages?  
max_results=maxResults&nextpage_opaque_marker=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### maxResults

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

### nextToken

The token for the next page of results.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "functionPackages": [  
    {  
      "arn": "string",
```

```
    "id": "string",
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "onboardingState": "string",
    "operationalState": "string",
    "usageState": "string",
    "vnfdId": "string",
    "vnfdVersion": "string",
    "vnfProductName": "string",
    "vnfProvider": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### functionPackages

Function packages. A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Type: Array of [ListSolFunctionPackageInfo](#) objects

### nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListSolNetworkInstances

Lists your network instances.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Request Syntax

```
GET /sol/ns1cm/v1/ns_instances?max_results=maxResults&nextpage_opaque_marker=nextToken
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

The token for the next page of results.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "networkInstances": [
    {
      "arn": "string",
      "id": "string",
```

```
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "nsdId": "string",
    "nsdInfoId": "string",
    "nsInstanceDescription": "string",
    "nsInstanceName": "string",
    "nsState": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### networkInstances

Lists network instances.

Type: Array of [ListSolNetworkInstanceInfo](#) objects

### nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSolNetworkOperations

Lists details for a network operation, including when the operation started and the status of the operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

## Request Syntax

```
GET /sol/ns1cm/v1/ns_1cm_op_occs?  
max_results=maxResults&nextpage_opaque_marker=nextToken&nsInstanceId=nsInstanceId  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### maxResults

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

### nextToken

The token for the next page of results.

### nsInstanceId

Network instance id filter, to retrieve network operations associated to a network instance.

Pattern: ni-[a-f0-9]{17}

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "networkOperations": [
    {
      "arn": "string",
      "error": {
        "detail": "string",
        "title": "string"
      },
      "id": "string",
      "lcmOperationType": "string",
      "metadata": {
        "createdAt": "string",
        "lastModified": "string",
        "nsdInfoId": "string",
        "vnfInstanceId": "string"
      },
      "nsInstanceId": "string",
      "operationState": "string",
      "updateType": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### networkOperations

Lists network operation occurrences. Lifecycle management operations are deploy, update, or delete operations.

Type: Array of [ListSolNetworkOperationsInfo](#) objects

### nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

### InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

### ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSolNetworkPackages

Lists network packages.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Request Syntax

```
GET /sol/nsd/v1/ns_descriptors?max_results=maxResults&nextpage_opaque_marker=nextToken
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

The token for the next page of results.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "networkPackages": [
    {
      "arn": "string",
      "id": "string",
```

```
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "nsdDesigner": "string",
    "nsdId": "string",
    "nsdInvariantId": "string",
    "nsdName": "string",
    "nsdOnboardingState": "string",
    "nsdOperationalState": "string",
    "nsdUsageState": "string",
    "nsdVersion": "string",
    "vnfPkgIds": [ "string" ]
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### networkPackages

Network packages. A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Type: Array of [ListSolNetworkPackageInfo](#) objects

### nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListTagsForResource

Lists tags for AWS TNB resources.

## Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

Resource ARN.

Pattern: `arn:aws:tnb:[a-z0-9-]+:[^:]*:.*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerError**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutSolFunctionPackageContent

Uploads the contents of a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Request Syntax

```
PUT /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/package_content HTTP/1.1  
Content-Type: contentType
```

*file*

## URI Request Parameters

The request uses the following URI parameters.

### contentType

Function package content type.

Valid Values: application/zip

### vnfPkgId

Function package ID.

Pattern: fp-[a-f0-9]{17}

Required: Yes

## Request Body

The request accepts the following binary data.

### file

Function package file.

Required: Yes

## Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "id": "string",
  "metadata": {
    "vnfd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "vnfdId": "string",
  "vnfdVersion": "string",
  "vnfProductName": "string",
  "vnfProvider": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

### id

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

### metadata

Function package metadata.

Type: [PutSolFunctionPackageContentMetadata](#) object

### vnfdId

Function package descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

### vnfdVersion

Function package descriptor version.

Type: String

### vnfProductName

Function product name.

Type: String

### vnfProvider

Function provider.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PutSolNetworkPackageContent

Uploads the contents of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Request Syntax

```
PUT /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd_content HTTP/1.1
```

Content-Type: *contentType*

*file*

## URI Request Parameters

The request uses the following URI parameters.

### contentType

Network package content type.

Valid Values: application/zip

### nsdInfoId

Network service descriptor info ID.

Pattern: np-[a-f0-9]{17}

Required: Yes

## Request Body

The request accepts the following binary data.

### file

Network package file.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "nsd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "nsdId": "string",
  "nsdName": "string",
  "nsdVersion": "string",
  "vnfPkgIds": [ "string" ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})`

### id

Network package ID.

Type: String

Pattern: np-[a-f0-9]{17}

### metadata

Network package metadata.

Type: [PutSolNetworkPackageContentMetadata](#) object

### nsdId

Network service descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

### nsdName

Network service descriptor name.

Type: String

### nsdVersion

Network service descriptor version.

Type: String

### vnfPkgIds

Function package IDs.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# TagResource

Tags an AWS TNB resource.

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

## Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

Resource ARN.

Pattern: `arn:aws:tnb:[a-z0-9-]+:[^:]*:.*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

### InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

### ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TerminateSolNetworkInstance

Terminates a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

You must terminate a network instance before you can delete it.

## Request Syntax

```
POST /sol/ns1cm/v1/ns_instances/nsInstanceId/terminate HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### [nsInstanceId](#)

ID of the network instance.

Pattern: ni-[a-f0-9]{17}

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### [tags](#)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created.

These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "nsLcmOpOccId": "string",
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### nsLcmOpOccId

The identifier of the network operation.

Type: String

Pattern: no-[a-f0-9]{17}

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created.

These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

Service quotas have been exceeded.

HTTP Status Code: 402

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Untags an AWS TNB resource.

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

## Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

Resource ARN.

Pattern: `arn:aws:tnb:[a-z0-9-]+:[^:]*:.*`

Required: Yes

### tagKeys

Tag keys.

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Pattern: `(?!aws:).{1,128}`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateSolFunctionPackage

Updates the operational state of function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Request Syntax

```
PATCH /sol/vnfpkgm/v1/vnf_packages/vnfPkgId HTTP/1.1
Content-type: application/json

{
  "operationalState": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### operationalState

Operational state of the function package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "operationalState": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### operationalState

Operational state of the function package.

Type: String

Valid Values: ENABLED | DISABLED

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerError**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateSolNetworkInstance

Update a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Choose the *updateType* parameter to target the necessary update of the network instance.

## Request Syntax

```
POST /sol/ns1cm/v1/ns_instances/nsInstanceId/update HTTP/1.1
Content-type: application/json
```

```
{
  "modifyVnfInfoData": {
    "vnfConfigurableProperties": JSON value,
    "vnfInstanceId": "string"
  },
  "tags": {
    "string" : "string"
  },
  "updateNs": {
    "additionalParamsForNs": JSON value,
    "nsdInfoId": "string"
  },
  "updateType": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### nsInstanceId

ID of the network instance.

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### modifyVnfInfoData

Identifies the network function information parameters and/or the configurable properties of the network function to be modified.

Include this property only if the update type is `MODIFY_VNF_INFORMATION`.

Type: [UpdateSolNetworkModify](#) object

Required: No

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created. These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

### updateNs

Identifies the network service descriptor and the configurable properties of the descriptor, to be used for the update.

Include this property only if the update type is `UPDATE_NS`.

Type: [UpdateSolNetworkServiceData](#) object

Required: No

### updateType

The type of update.

- Use the `MODIFY_VNF_INFORMATION` update type, to update a specific network function configuration, in the network instance.
- Use the `UPDATE_NS` update type, to update the network instance to a new network service descriptor.

Type: String

Valid Values: `MODIFY_VNF_INFORMATION` | `UPDATE_NS`

Required: Yes

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "nsLcmOpOccId": "string",
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### nsLcmOpOccId

The identifier of the network operation.

Type: String

Pattern: `no-[a-f0-9]{17}`

### tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created.

These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

Service quotas have been exceeded.

HTTP Status Code: 402

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateSolNetworkPackage

Updates the operational state of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

A network service descriptor is a .yaml file in a network package that uses the TOSCA standard to describe the network functions you want to deploy and the AWS infrastructure you want to deploy the network functions on.

## Request Syntax

```
PATCH /sol/nsd/v1/ns_descriptors/nsdInfoId HTTP/1.1
Content-type: application/json

{
  "nsdOperationalState": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### nsdInfoId

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### nsdOperationalState

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nsdOperationalState": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### nsdOperationalState

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: ENABLED | DISABLED

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerError**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ValidateSolFunctionPackageContent

Validates function package content. This can be used as a dry run before uploading function package content with [PutSolFunctionPackageContent](#).

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Request Syntax

```
PUT /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/package_content/validate HTTP/1.1
Content-Type: contentType

file
```

## URI Request Parameters

The request uses the following URI parameters.

### [contentType](#)

Function package content type.

Valid Values: application/zip

### [vnfPkgId](#)

Function package ID.

Pattern: fp-[a-f0-9]{17}

Required: Yes

## Request Body

The request accepts the following binary data.

### [file](#)

Function package file.

Required: Yes

## Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "id": "string",
  "metadata": {
    "vnfd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "vnfdId": "string",
  "vnfdVersion": "string",
  "vnfProductName": "string",
  "vnfProvider": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

### id

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

### metadata

Function package metadata.

Type: [ValidateSolFunctionPackageContentMetadata](#) object

### vnfdId

Function package descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

### vnfdVersion

Function package descriptor version.

Type: String

### vnfProductName

Network function product name.

Type: String

### vnfProvider

Network function provider.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **AccessDeniedException**

Insufficient permissions to make request.

HTTP Status Code: 403

### **InternalServerErrorException**

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

### **ResourceNotFoundException**

Request references a resource that doesn't exist.

HTTP Status Code: 404

### **ThrottlingException**

Exception caused by throttling.

HTTP Status Code: 429

### **ValidationException**

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ValidateSolNetworkPackageContent

Validates network package content. This can be used as a dry run before uploading network package content with [PutSolNetworkPackageContent](#).

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Request Syntax

```
PUT /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd_content/validate HTTP/1.1  
Content-Type: contentType
```

*file*

## URI Request Parameters

The request uses the following URI parameters.

### [contentType](#)

Network package content type.

Valid Values: application/zip

### [nsdInfol](#)

Network service descriptor file.

Pattern: np-[a-f0-9]{17}

Required: Yes

## Request Body

The request accepts the following binary data.

### [file](#)

Network package file.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "nsd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "nsdId": "string",
  "nsdName": "string",
  "nsdVersion": "string",
  "vnfPkgIds": [ "string" ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})`

## id

Network package ID.

Type: String

Pattern: np-[a-f0-9]{17}

## metadata

Network package metadata.

Type: [ValidateSolNetworkPackageContentMetadata](#) object

## nsdId

Network service descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## nsdName

Network service descriptor name.

Type: String

## nsdVersion

Network service descriptor version.

Type: String

## vnfPkgIds

Function package IDs.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

## InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

## ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

## ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

## ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The AWS Telco Network Builder API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ErrorInfo](#)
- [FunctionArtifactMeta](#)
- [GetSolFunctionInstanceMetadata](#)
- [GetSolFunctionPackageMetadata](#)
- [GetSolInstantiatedVnfInfo](#)
- [GetSolNetworkInstanceMetadata](#)
- [GetSolNetworkOperationMetadata](#)
- [GetSolNetworkOperationTaskDetails](#)
- [GetSolNetworkPackageMetadata](#)
- [GetSolVnfcResourceInfo](#)
- [GetSolVnfcResourceInfoMetadata](#)
- [GetSolVnfInfo](#)
- [InstantiateMetadata](#)
- [LcmOperationInfo](#)
- [ListSolFunctionInstanceInfo](#)
- [ListSolFunctionInstanceMetadata](#)
- [ListSolFunctionPackageInfo](#)
- [ListSolFunctionPackageMetadata](#)
- [ListSolNetworkInstanceInfo](#)
- [ListSolNetworkInstanceMetadata](#)

- [ListSolNetworkOperationsInfo](#)
- [ListSolNetworkOperationsMetadata](#)
- [ListSolNetworkPackageInfo](#)
- [ListSolNetworkPackageMetadata](#)
- [ModifyVnfInfoMetadata](#)
- [NetworkArtifactMeta](#)
- [ProblemDetails](#)
- [PutSolFunctionPackageContentMetadata](#)
- [PutSolNetworkPackageContentMetadata](#)
- [ToscaOverride](#)
- [UpdateNsMetadata](#)
- [UpdateSolNetworkModify](#)
- [UpdateSolNetworkServiceData](#)
- [ValidateSolFunctionPackageContentMetadata](#)
- [ValidateSolNetworkPackageContentMetadata](#)

# ErrorInfo

Provides error information.

## Contents

### cause

Error cause.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Required: No

### details

Error details.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10240.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FunctionArtifactMeta

Metadata for function package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

## Contents

### overrides

Lists of function package overrides.

Type: Array of [ToscaOverride](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSolFunctionInstanceMetadata

The metadata of a network function instance.

A network function instance is a function in a function package .

## Contents

### createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

### lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSolFunctionPackageMetadata

Metadata related to the function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Contents

### createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

### lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

### vnfd

Metadata related to the function package descriptor of the function package.

Type: [FunctionArtifactMeta](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# GetSolInstantiatedVnfInfo

Information about a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Contents

### vnfState

State of the network function.

Type: String

Valid Values: STARTED | STOPPED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkInstanceMetadata

The metadata of a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Contents

### **createdAt**

The date that the resource was created.

Type: Timestamp

Required: Yes

### **lastModified**

The date that the resource was last modified.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkOperationMetadata

Metadata related to a network operation occurrence.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

## Contents

### **createdAt**

The date that the resource was created.

Type: Timestamp

Required: Yes

### **lastModified**

The date that the resource was last modified.

Type: Timestamp

Required: Yes

### **instantiateMetadata**

Metadata related to the network operation occurrence for network instantiation. This is populated only if the `lcmOperationType` is `INSTANTIATE`.

Type: [InstantiateMetadata](#) object

Required: No

### **modifyVnfInfoMetadata**

Metadata related to the network operation occurrence for network function updates in a network instance. This is populated only if the `lcmOperationType` is `UPDATE` and the `updateType` is `MODIFY_VNF_INFORMATION`.

Type: [ModifyVnfInfoMetadata](#) object

Required: No

## updateNsMetadata

Metadata related to the network operation occurrence for network instance updates. This is populated only if the `lcmOperationType` is `UPDATE` and the `updateType` is `UPDATE_NS`.

Type: [UpdateNsMetadata](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkOperationTaskDetails

Gets the details of a network operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

## Contents

### taskContext

Context for the network operation task.

Type: String to string map

Required: No

### taskEndTime

Task end time.

Type: Timestamp

Required: No

### taskErrorDetails

Task error details.

Type: [ErrorInfo](#) object

Required: No

### taskName

Task name.

Type: String

Required: No

### taskStartTime

Task start time.

Type: Timestamp

Required: No

## **taskStatus**

Task status.

Type: String

Valid Values: SCHEDULED | STARTED | IN\_PROGRESS | COMPLETED | ERROR | SKIPPED | CANCELLED

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSolNetworkPackageMetadata

Metadata associated with a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Contents

### **createdAt**

The date that the resource was created.

Type: Timestamp

Required: Yes

### **lastModified**

The date that the resource was last modified.

Type: Timestamp

Required: Yes

### **nsd**

Metadata related to the onboarded network service descriptor in the network package.

Type: [NetworkArtifactMeta](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# GetSolVnfcResourceInfo

Details of resource associated with a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Contents

### metadata

The metadata of the network function compute.

Type: [GetSolVnfcResourceInfoMetadata](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSolVnfcResourceInfoMetadata

The metadata of a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Contents

### cluster

Information about the cluster.

Type: String

Required: No

### helmChart

Information about the helm chart.

Type: String

Required: No

### nodeGroup

Information about the node group.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# GetSolVnfInfo

Information about the network function.

A network function instance is a function in a function package .

## Contents

### **vnfcResourceInfo**

Compute info used by the network function instance.

Type: Array of [GetSolVnfcResourceInfo](#) objects

Required: No

### **vnfState**

State of the network function instance.

Type: String

Valid Values: STARTED | STOPPED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# InstantiateMetadata

Metadata related to the configuration properties used during instantiation of the network instance.

## Contents

### **nsdInfold**

The network service descriptor used for instantiating the network instance.

Type: String

Pattern: np-[a-f0-9]{17}

Required: Yes

### **additionalParamsForNs**

The configurable properties used during instantiation.

Type: JSON value

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# LcmOperationInfo

Lifecycle management operation details on the network instance.

Lifecycle management operations are deploy, update, or delete operations.

## Contents

### nsLcmOpOclId

The identifier of the network operation.

Type: String

Pattern: no-[a-f0-9]{17}

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolFunctionInstanceInfo

Lists information about a network function instance.

A network function instance is a function in a function package .

## Contents

### arn

Network function instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}-(gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-instance/fi-[a-f0-9]{17})`

Required: Yes

### id

Network function instance ID.

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

### instantiationState

Network function instance instantiation state.

Type: String

Valid Values: INSTANTIATED | NOT\_INSTANTIATED

Required: Yes

### metadata

Network function instance metadata.

Type: [ListSolFunctionInstanceMetadata](#) object

Required: Yes

### **nsInstanceId**

Network instance ID.

Type: String

Pattern: ni-[a-f0-9]{17}

Required: Yes

### **vnfPkgId**

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

Required: Yes

### **instantiatedVnfInfo**

Information about a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Type: [GetSolInstantiatedVnfInfo](#) object

Required: No

### **vnfPkgName**

Function package name.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolFunctionInstanceMetadata

Lists network function instance metadata.

A network function instance is a function in a function package .

## Contents

### **createdAt**

When the network function instance was created.

Type: Timestamp

Required: Yes

### **lastModified**

When the network function instance was last modified.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolFunctionPackageInfo

Information about a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Contents

### arn

Function package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-package/fp-[a-f0-9]{17})`

Required: Yes

### id

ID of the function package.

Type: String

Pattern: `fp-[a-f0-9]{17}`

Required: Yes

### onboardingState

Onboarding state of the function package.

Type: String

Valid Values: `CREATED | ONBOARDED | ERROR`

Required: Yes

### operationalState

Operational state of the function package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

### **usageState**

Usage state of the function package.

Type: String

Valid Values: IN\_USE | NOT\_IN\_USE

Required: Yes

### **metadata**

The metadata of the function package.

Type: [ListSolFunctionPackageMetadata](#) object

Required: No

### **vnfdId**

Identifies the function package and the function package descriptor.

Type: String

Required: No

### **vnfdVersion**

Identifies the version of the function package descriptor.

Type: String

Required: No

### **vnfProductName**

The product name for the network function.

Type: String

Required: No

## **vnfProvider**

Provider of the function package and the function package descriptor.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolFunctionPackageMetadata

Details for the function package metadata.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Contents

### **createdAt**

The date that the resource was created.

Type: Timestamp

Required: Yes

### **lastModified**

The date that the resource was last modified.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolNetworkInstanceInfo

Info about the specific network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Contents

### arn

Network instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso)))?-(east|west|north|south|central){1,2}-[0-9]):\d{12}:(network-instance/ni-[a-f0-9]{17})`

Required: Yes

### id

ID of the network instance.

Type: String

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

### metadata

The metadata of the network instance.

Type: [ListSolNetworkInstanceMetadata](#) object

Required: Yes

### nsdId

ID of the network service descriptor in the network package.

Type: String

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

### **nsdInfold**

ID of the network service descriptor in the network package.

Type: String

Pattern: np-[a-f0-9]{17}

Required: Yes

### **nsInstanceDescription**

Human-readable description of the network instance.

Type: String

Required: Yes

### **nsInstanceName**

Human-readable name of the network instance.

Type: String

Required: Yes

### **nsState**

The state of the network instance.

Type: String

Valid Values: INSTANTIATED | NOT\_INSTANTIATED | UPDATED | IMPAIRED  
| UPDATE\_FAILED | STOPPED | DELETED | INSTANTIATE\_IN\_PROGRESS  
| INTENT\_TO\_UPDATE\_IN\_PROGRESS | UPDATE\_IN\_PROGRESS |  
TERMINATE\_IN\_PROGRESS

Required: Yes

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolNetworkInstanceMetadata

Metadata details for a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

## Contents

### **createdAt**

The date that the resource was created.

Type: Timestamp

Required: Yes

### **lastModified**

The date that the resource was last modified.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolNetworkOperationsInfo

Information parameters for a network operation.

## Contents

### arn

Network operation ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-operation/no-[a-f0-9]{17})`

Required: Yes

### id

ID of this network operation.

Type: String

Pattern: `no-[a-f0-9]{17}`

Required: Yes

### lcmOperationType

Type of lifecycle management network operation.

Type: String

Valid Values: `INSTANTIATE | UPDATE | TERMINATE`

Required: Yes

### nsInstanceId

ID of the network instance related to this operation.

Type: String

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

### **operationState**

The state of the network operation.

Type: String

Valid Values: PROCESSING | COMPLETED | FAILED | CANCELLING | CANCELLED

Required: Yes

### **error**

Error related to this specific network operation.

Type: [ProblemDetails](#) object

Required: No

### **metadata**

Metadata related to this network operation.

Type: [ListSolNetworkOperationsMetadata](#) object

Required: No

### **updateType**

Type of the update. Only present if the network operation lcmOperationType is UPDATE.

Type: String

Valid Values: MODIFY\_VNF\_INFORMATION | UPDATE\_NS

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# ListSolNetworkOperationsMetadata

Metadata related to a network operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

## Contents

### **createdAt**

The date that the resource was created.

Type: Timestamp

Required: Yes

### **lastModified**

The date that the resource was last modified.

Type: Timestamp

Required: Yes

### **nsdInfolId**

The network service descriptor id used for the operation.

Only present if the updateType is UPDATE\_NS.

Type: String

Pattern: np-[a-f0-9]{17}

Required: No

### **vnfInstanceId**

The network function id used for the operation.

Only present if the updateType is MODIFY\_VNF\_INFO.

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolNetworkPackageInfo

Details of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Contents

### arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2})(-(gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]):\d{12}:(network-package/np-[a-f0-9]{17})`

Required: Yes

### id

ID of the individual network package.

Type: String

Pattern: `np-[a-f0-9]{17}`

Required: Yes

### metadata

The metadata of the network package.

Type: [ListSolNetworkPackageMetadata](#) object

Required: Yes

### nsdOnboardingState

Onboarding state of the network service descriptor in the network package.

Type: String

Valid Values: CREATED | ONBOARDED | ERROR

Required: Yes

### **nsdOperationalState**

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

### **nsdUsageState**

Usage state of the network service descriptor in the network package.

Type: String

Valid Values: IN\_USE | NOT\_IN\_USE

Required: Yes

### **nsdDesigner**

Designer of the onboarded network service descriptor in the network package.

Type: String

Required: No

### **nsdId**

ID of the network service descriptor on which the network package is based.

Type: String

Required: No

### **nsdInvariantId**

Identifies a network service descriptor in a version independent manner.

Type: String

Required: No

## **nsdName**

Name of the onboarded network service descriptor in the network package.

Type: String

Required: No

## **nsdVersion**

Version of the onboarded network service descriptor in the network package.

Type: String

Required: No

## **vnfPkgIds**

Identifies the function package for the function package descriptor referenced by the onboarded network package.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListSolNetworkPackageMetadata

Metadata related to a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Contents

### **createdAt**

The date that the resource was created.

Type: Timestamp

Required: Yes

### **lastModified**

The date that the resource was last modified.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ModifyVnfInfoMetadata

Metadata related to the configuration properties used during update of a specific network function in a network instance.

## Contents

### **vnfConfigurableProperties**

The configurable properties used during update of the network function instance.

Type: JSON value

Required: Yes

### **vnfInstanceId**

The network function instance that was updated in the network instance.

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# NetworkArtifactMeta

Metadata for network package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

## Contents

### overrides

Lists network package overrides.

Type: Array of [ToscaOverride](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ProblemDetails

Details related to problems with AWS TNB resources.

## Contents

### detail

A human-readable explanation specific to this occurrence of the problem.

Type: String

Required: Yes

### title

A human-readable title of the problem type.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PutSolFunctionPackageContentMetadata

Update metadata in a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Contents

### vnfd

Metadata for function package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [FunctionArtifactMeta](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PutSolNetworkPackageContentMetadata

Update metadata in a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Contents

### nsd

Metadata for network package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [NetworkArtifactMeta](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ToscaOverride

Overrides of the TOSCA node.

## Contents

### defaultValue

Default value for the override.

Type: String

Required: No

### name

Name of the TOSCA override.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UpdateNsMetadata

Metadata related to the configuration properties used during update of a network instance.

## Contents

### **nsdInfold**

The network service descriptor used for updating the network instance.

Type: String

Pattern: `np-[a-f0-9]{17}`

Required: Yes

### **additionalParamsForNs**

The configurable properties used during update.

Type: JSON value

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UpdateSolNetworkModify

Information parameters and/or the configurable properties for a network function.

A network function instance is a function in a function package .

## Contents

### **vnfConfigurableProperties**

Provides values for the configurable properties declared in the function package descriptor.

Type: JSON value

Required: Yes

### **vnfInstanceId**

ID of the network function instance.

A network function instance is a function in a function package .

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UpdateSolNetworkServiceData

Information parameters and/or the configurable properties for a network descriptor used for update.

## Contents

### **nsdInfold**

ID of the network service descriptor.

Type: String

Pattern: `np-[a-f0-9]{17}`

Required: Yes

### **additionalParamsForNs**

Values for the configurable properties declared in the network service descriptor.

Type: JSON value

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ValidateSolFunctionPackageContentMetadata

Validates function package content metadata.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

## Contents

### vnfd

Metadata for function package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [FunctionArtifactMeta](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ValidateSolNetworkPackageContentMetadata

Validates network package content metadata.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

## Contents

### nsd

Metadata for network package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [NetworkArtifactMeta](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

## X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

## Required: Conditional

# Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

## AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

## ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

## IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

## InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

## MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

**NotAuthorized**

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

**OptInRequired**

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

**RequestAbortedException**

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

**RequestEntityTooLargeException**

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

**RequestTimeoutException**

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

**ServiceUnavailable**

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

**ThrottlingException**

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

### **UnknownOperationException**

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

### **UnrecognizedClientException**

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

### **ValidationError**

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400