



API Reference

AWS B2B Data Interchange



AWS B2B Data Interchange: API Reference

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

| | |
|--------------------------------------|----------|
| Welcome | 1 |
| New Features | 2 |
| EDI splitting | 2 |
| New partnership configurations | 2 |
| New EventBridge Events | 3 |
| Actions | 4 |
| CreateCapability | 6 |
| Request Syntax | 6 |
| Request Parameters | 6 |
| Response Syntax | 8 |
| Response Elements | 8 |
| Errors | 9 |
| Examples | 11 |
| See Also | 12 |
| CreatePartnership | 14 |
| Request Syntax | 14 |
| Request Parameters | 14 |
| Response Syntax | 16 |
| Response Elements | 17 |
| Errors | 19 |
| Examples | 20 |
| See Also | 25 |
| CreateProfile | 26 |
| Request Syntax | 26 |
| Request Parameters | 26 |
| Response Syntax | 28 |
| Response Elements | 28 |
| Errors | 30 |
| Examples | 31 |
| See Also | 32 |
| CreateStarterMappingTemplate | 33 |
| Request Syntax | 33 |
| Request Parameters | 33 |
| Response Syntax | 34 |

| | |
|--------------------------|----|
| Response Elements | 34 |
| Errors | 34 |
| See Also | 35 |
| CreateTransformer | 37 |
| Request Syntax | 37 |
| Request Parameters | 38 |
| Response Syntax | 41 |
| Response Elements | 42 |
| Errors | 45 |
| Examples | 46 |
| See Also | 47 |
| DeleteCapability | 49 |
| Request Syntax | 49 |
| Request Parameters | 49 |
| Response Elements | 49 |
| Errors | 49 |
| Examples | 50 |
| See Also | 51 |
| DeletePartnership | 52 |
| Request Syntax | 52 |
| Request Parameters | 52 |
| Response Elements | 52 |
| Errors | 52 |
| Examples | 53 |
| See Also | 54 |
| DeleteProfile | 55 |
| Request Syntax | 55 |
| Request Parameters | 55 |
| Response Elements | 55 |
| Errors | 55 |
| Examples | 56 |
| See Also | 57 |
| DeleteTransformer | 58 |
| Request Syntax | 58 |
| Request Parameters | 58 |
| Response Elements | 58 |

| | |
|--------------------------|----|
| Errors | 58 |
| Examples | 59 |
| See Also | 60 |
| GenerateMapping | 61 |
| Request Syntax | 61 |
| Request Parameters | 61 |
| Response Syntax | 62 |
| Response Elements | 62 |
| Errors | 63 |
| See Also | 63 |
| GetCapability | 65 |
| Request Syntax | 65 |
| Request Parameters | 65 |
| Response Syntax | 65 |
| Response Elements | 66 |
| Errors | 67 |
| Examples | 68 |
| See Also | 69 |
| GetPartnership | 71 |
| Request Syntax | 71 |
| Request Parameters | 71 |
| Response Syntax | 71 |
| Response Elements | 72 |
| Errors | 74 |
| Examples | 75 |
| See Also | 76 |
| GetProfile | 77 |
| Request Syntax | 77 |
| Request Parameters | 77 |
| Response Syntax | 77 |
| Response Elements | 78 |
| Errors | 80 |
| Examples | 80 |
| See Also | 81 |
| GetTransformer | 82 |
| Request Syntax | 82 |

| | |
|--------------------------------|------------|
| Request Parameters | 82 |
| Response Syntax | 82 |
| Response Elements | 83 |
| Errors | 86 |
| Examples | 87 |
| See Also | 88 |
| GetTransformerJob | 89 |
| Request Syntax | 89 |
| Request Parameters | 89 |
| Response Syntax | 90 |
| Response Elements | 90 |
| Errors | 91 |
| Examples | 91 |
| See Also | 92 |
| ListCapabilities | 93 |
| Request Syntax | 93 |
| Request Parameters | 93 |
| Response Syntax | 94 |
| Response Elements | 94 |
| Errors | 94 |
| Examples | 95 |
| See Also | 96 |
| ListPartnerships | 97 |
| Request Syntax | 97 |
| Request Parameters | 97 |
| Response Syntax | 98 |
| Response Elements | 98 |
| Errors | 99 |
| Examples | 100 |
| See Also | 101 |
| ListProfiles | 102 |
| Request Syntax | 102 |
| Request Parameters | 102 |
| Response Syntax | 103 |
| Response Elements | 103 |
| Errors | 103 |

| | |
|---------------------------|-----|
| Examples | 104 |
| See Also | 105 |
| ListTagsForResource | 106 |
| Request Syntax | 106 |
| Request Parameters | 106 |
| Response Syntax | 106 |
| Response Elements | 107 |
| Errors | 107 |
| Examples | 108 |
| See Also | 108 |
| ListTransformers | 110 |
| Request Syntax | 110 |
| Request Parameters | 110 |
| Response Syntax | 111 |
| Response Elements | 112 |
| Errors | 112 |
| Examples | 113 |
| See Also | 114 |
| StartTransformerJob | 115 |
| Request Syntax | 115 |
| Request Parameters | 115 |
| Response Syntax | 116 |
| Response Elements | 116 |
| Errors | 117 |
| Examples | 118 |
| See Also | 118 |
| TagResource | 120 |
| Request Syntax | 120 |
| Request Parameters | 120 |
| Response Elements | 121 |
| Errors | 121 |
| Examples | 121 |
| See Also | 122 |
| TestConversion | 123 |
| Request Syntax | 123 |
| Request Parameters | 123 |

| | |
|--------------------------|-----|
| Response Syntax | 124 |
| Response Elements | 124 |
| Errors | 124 |
| See Also | 125 |
| TestMapping | 126 |
| Request Syntax | 126 |
| Request Parameters | 126 |
| Response Syntax | 127 |
| Response Elements | 127 |
| Errors | 127 |
| Examples | 128 |
| See Also | 129 |
| TestParsing | 130 |
| Request Syntax | 130 |
| Request Parameters | 130 |
| Response Syntax | 131 |
| Response Elements | 131 |
| Errors | 132 |
| Examples | 133 |
| See Also | 134 |
| UntagResource | 135 |
| Request Syntax | 135 |
| Request Parameters | 135 |
| Response Elements | 136 |
| Errors | 136 |
| Examples | 136 |
| See Also | 137 |
| UpdateCapability | 138 |
| Request Syntax | 138 |
| Request Parameters | 138 |
| Response Syntax | 139 |
| Response Elements | 140 |
| Errors | 141 |
| Examples | 142 |
| See Also | 144 |
| UpdatePartnership | 145 |

| | |
|--------------------------------|------------|
| Request Syntax | 145 |
| Request Parameters | 145 |
| Response Syntax | 146 |
| Response Elements | 147 |
| Errors | 149 |
| Examples | 150 |
| See Also | 151 |
| UpdateProfile | 152 |
| Request Syntax | 152 |
| Request Parameters | 152 |
| Response Syntax | 153 |
| Response Elements | 154 |
| Errors | 156 |
| Examples | 157 |
| See Also | 157 |
| UpdateTransformer | 159 |
| Request Syntax | 159 |
| Request Parameters | 160 |
| Response Syntax | 163 |
| Response Elements | 164 |
| Errors | 166 |
| Examples | 168 |
| See Also | 169 |
| Data Types | 170 |
| AdvancedOptions | 172 |
| Contents | 172 |
| See Also | 172 |
| CapabilityConfiguration | 173 |
| Contents | 173 |
| See Also | 173 |
| CapabilityOptions | 174 |
| Contents | 174 |
| See Also | 174 |
| CapabilitySummary | 175 |
| Contents | 175 |
| See Also | 176 |

| | |
|-------------------------------------|-----|
| ConversionSource | 177 |
| Contents | 177 |
| See Also | 177 |
| ConversionTarget | 178 |
| Contents | 178 |
| See Also | 178 |
| ConversionTargetFormatDetails | 180 |
| Contents | 180 |
| See Also | 180 |
| EdiConfiguration | 181 |
| Contents | 181 |
| See Also | 182 |
| EdiType | 183 |
| Contents | 183 |
| See Also | 183 |
| FormatOptions | 184 |
| Contents | 184 |
| See Also | 184 |
| InboundEdiOptions | 185 |
| Contents | 185 |
| See Also | 185 |
| InputConversion | 186 |
| Contents | 186 |
| See Also | 186 |
| InputFileSource | 188 |
| Contents | 188 |
| See Also | 188 |
| Mapping | 189 |
| Contents | 189 |
| See Also | 189 |
| OutboundEdiOptions | 190 |
| Contents | 190 |
| See Also | 190 |
| OutputConversion | 191 |
| Contents | 191 |
| See Also | 191 |

| | |
|--------------------------------|-----|
| OutputSampleFileSource | 192 |
| Contents | 192 |
| See Also | 192 |
| PartnershipSummary | 193 |
| Contents | 193 |
| See Also | 195 |
| ProfileSummary | 196 |
| Contents | 196 |
| See Also | 197 |
| S3Location | 198 |
| Contents | 198 |
| See Also | 198 |
| SampleDocumentKeys | 199 |
| Contents | 199 |
| See Also | 199 |
| SampleDocuments | 200 |
| Contents | 200 |
| See Also | 200 |
| Tag | 201 |
| Contents | 201 |
| See Also | 201 |
| TemplateDetails | 202 |
| Contents | 202 |
| See Also | 202 |
| TransformerSummary | 203 |
| Contents | 203 |
| See Also | 206 |
| WrapOptions | 207 |
| Contents | 207 |
| See Also | 208 |
| X12AcknowledgmentOptions | 209 |
| Contents | 209 |
| See Also | 209 |
| X12AdvancedOptions | 211 |
| Contents | 211 |
| See Also | 211 |

| | |
|------------------------------------|------------|
| X12ControlNumbers | 212 |
| Contents | 212 |
| See Also | 213 |
| X12Delimiters | 214 |
| Contents | 214 |
| See Also | 215 |
| X12Details | 216 |
| Contents | 216 |
| See Also | 218 |
| X12Envelope | 219 |
| Contents | 219 |
| See Also | 219 |
| X12FunctionalGroupHeaders | 220 |
| Contents | 220 |
| See Also | 221 |
| X12InboundEdiOptions | 222 |
| Contents | 222 |
| See Also | 222 |
| X12InterchangeControlHeaders | 223 |
| Contents | 223 |
| See Also | 225 |
| X12OutboundEdiHeaders | 226 |
| Contents | 226 |
| See Also | 227 |
| X12SplitOptions | 228 |
| Contents | 228 |
| See Also | 228 |
| Common Parameters | 229 |
| Common Errors | 232 |

Welcome to the AWS B2B Data Interchange API

AWS B2B Data Interchange automates the transformation between Electronic Interchange Data (EDI) documents and JSON or XML formats, to simplify your downstream data integrations.

- *Inbound EDI*: the AWS customer receives an EDI file from their trading partner. AWS B2B Data Interchange converts this EDI file into a JSON or XML file with a service-defined structure. A mapping template provided by the customer, in JSONata or XSLT format, is optionally applied to this file to produce a JSON or XML file with the structure the customer requires.
- *Outbound EDI*: the AWS customer has a JSON or XML file containing data that they wish to use in an EDI file. A mapping template, provided by the customer (in either JSONata or XSLT format) is applied to this file to generate a JSON or XML file in the service-defined structure. This file is then converted to an EDI file.

Businesses use EDI documents to exchange transactional data with trading partners, such as suppliers and end customers, using standardized formats such as X12, EDIFACT, or HL7v2. Currently, AWS B2B Data Interchange only supports X12 to JSON or XML conversions.

The following sections document the AWS B2B Data Interchange API service calls, data types, parameters, and errors.

This API interface reference for AWS B2B Data Interchange contains documentation for a programming interface that you can use to manage AWS B2B Data Interchange. The reference structure is as follows:

- For the alphabetical list of API actions, see [Actions](#).
- For the alphabetical list of data types, see [Data Types](#).
- For a list of common query parameters, see [Common Parameters](#).
- For descriptions of the error codes, see [Common Errors](#).

 **Tip**

Rather than actually running a command in the AWS Command Line Interface, you can use the `--generate-cli-skeleton` parameter with any API call to generate and display a

parameter template. You can then use the generated template to customize and use as input on a later command. For details, see [Generate and use a parameter skeleton file](#).

New Features

EDI splitting

AWS B2B Data Interchange now supports splitting of inbound X12 EDI documents that contain multiple transactions into individually processed single-transaction documents. Splitting increases the maximum supported file size for multi-transaction EDI documents from 150MB to 5GB and enables independent processing of each transaction, even when trading partners send them batched in a single EDI file. To use EDI splitting, configure the advancedOptions parameter when creating or updating a transformer, or specify split options in the TestParsing API call.

New partnership configurations

AWS B2B Data Interchange has enhanced partnership configuration with new options for acknowledgments, format configuration, and control numbers:

- *Acknowledgment Configuration:* Configure how functional (997/999) and technical (TA1) acknowledgments are handled for your partnerships.
- *Format Configuration:* Customize X12 outbound EDI documents with options for wrap settings, and ISA/GS headers time and date formats. This gives you greater control over the format of your EDI documents.
- *Control Number Management:* Set starting values for interchange, functional group, and transaction set control numbers to ensure proper sequencing and tracking of your EDI transactions.

To use these partnership enhancements, specify the appropriate configuration parameters when creating or updating partnerships using the CreatePartnership or UpdatePartnership API operations. For acknowledgments, use the acknowledgmentConfiguration parameter to define how functional and technical acknowledgments should be processed. For format customization, use the formatOptions parameter to specify wrap settings and date/time formats. To manage control numbers, use the controlNumbers parameter to set starting values for each level of your EDI documents. These enhancements provide greater flexibility in how your EDI documents are processed and help ensure compatibility with your trading partners' systems.

New EventBridge Events

AWS B2B Data Interchange now emits additional EventBridge events to help you monitor and respond to EDI processing activities. New events include "Split Transformation Completed" and "Split Transformation Failed" to track the status of split file processing.

Actions

The following actions are supported:

- [CreateCapability](#)
- [CreatePartnership](#)
- [CreateProfile](#)
- [CreateStarterMappingTemplate](#)
- [CreateTransformer](#)
- [DeleteCapability](#)
- [DeletePartnership](#)
- [DeleteProfile](#)
- [DeleteTransformer](#)
- [GenerateMapping](#)
- [GetCapability](#)
- [GetPartnership](#)
- [GetProfile](#)
- [GetTransformer](#)
- [GetTransformerJob](#)
- [ListCapabilities](#)
- [ListPartnerships](#)
- [ListProfiles](#)
- [ListTagsForResource](#)
- [ListTransformers](#)
- [StartTransformerJob](#)
- [TagResource](#)
- [TestConversion](#)
- [TestMapping](#)
- [TestParsing](#)
- [UntagResource](#)
- [UpdateCapability](#)

- [UpdatePartnership](#)
- [UpdateProfile](#)
- [UpdateTransformer](#)

CreateCapability

Instantiates a capability based on the specified parameters. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "clientToken": "string",  
    "configuration": { ... },  
    "instructionsDocuments": [  
        {  
            "bucketName": "string",  
            "key": "string"  
        }  
    ],  
    "name": "string",  
    "tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ],  
    "type": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

clientToken

Reserved for future use.

Type: String

Required: No

configuration

Specifies a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

[instructionsDocuments](#)

Specifies one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Required: No

[name](#)

Specifies the name of the capability, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

[tags](#)

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

[type](#)

Specifies the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Required: Yes

Response Syntax

```
{  
  "capabilityArn": "string",  
  "capabilityId": "string",  
  "configuration": { ... },  
  "createdAt": "string",  
  "instructionsDocuments": [  
    {  
      "bucketName": "string",  
      "key": "string"  
    }  
  ],  
  "name": "string",  
  "type": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilityArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

capabilityId

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

configuration

Returns a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

createdAt

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

instructionsDocuments

Returns one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

name

Returns the name of the capability used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a capability.

Sample Request

```
{
    "name": "b2biexample",
    "type": "edi",
    "configuration": {
        "edi": {
            "type": {
                "x12Details": {
                    "transactionSet": "X12_110",
                    "version": "VERSION_4010"
                }
            },
            "inputLocation": {
                "bucketName": "amzn-s3-demo-bucket",
                "key": "input/"
            },
            "outputLocation": {
                "bucketName": "amzn-s3-demo-bucket",
                "key": "output/"
            },
            "transformerId": "tr-1234abcd5678efghj"
        }
    },
    "instructionsDocuments": [
        {
            "bucketName": "amzn-s3-demo-bucket",
            "key": "instructiondoc.txt"
        }
    ],
    "clientToken": "foo",
    "tags": [
        {
            "Key": "capabilityKey1",
            "Value": "capabilityValue1"
        }
    ]
}
```

}

Sample Response

```
{  
    "capabilityArn": "arn:aws:b2bi:us-west-2:123456789012:capability/  
ca-1111aaaa2222bbbb3",  
    "capabilityId": "ca-1111aaaa2222bbbb3",  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "configuration": {  
        "edi": {  
            "type": {  
                "x12Details": {  
                    "transactionSet": "X12_110",  
                    "version": "VERSION_4010"  
                }  
            },  
            "inputLocation": {  
                "bucketName": "amzn-s3-demo-bucket",  
                "key": "input/"  
            },  
            "outputLocation": {  
                "bucketName": "amzn-s3-demo-bucket",  
                "key": "output/"  
            },  
            "transformerId": "tr-1234abcd5678efghj"  
        }  
    },  
    "instructionsDocuments": [  
        {  
            "bucketName": "amzn-s3-demo-bucket",  
            "key": "instructiondoc.txt"  
        }  
    ],  
    "name": "b2biexample",  
    "type": "edi"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreatePartnership

Creates a partnership between a customer and a trading partner, based on the supplied parameters. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "capabilities": [ "string" ],  
    "capabilityOptions": {  
        "inboundEdi": {  
            "x12": {  
                "acknowledgmentOptions": {  
                    "functionalAcknowledgment": "string",  
                    "technicalAcknowledgment": "string"  
                }  
            }  
        },  
        "outboundEdi": { ... }  
    },  
    "clientToken": "string",  
    "email": "string",  
    "name": "string",  
    "phone": "string",  
    "profileId": "string",  
    "tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilities

Specifies a list of the capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

capabilityOptions

Specify the structure that contains the details for the associated capabilities.

Type: [CapabilityOptions](#) object

Required: No

clientToken

Reserved for future use.

Type: String

Required: No

email

Specifies the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+\@[\\w\.\-]+\

Required: Yes

name

Specifies a descriptive name for the partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

phone

Specifies the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\/]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

Required: No

profileId

Specifies the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

tags

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{
```

```
"capabilities": [ "string" ],
"capabilityOptions": {
    "inboundEdi": {
        "x12": {
            "acknowledgmentOptions": {
                "functionalAcknowledgment": "string",
                "technicalAcknowledgment": "string"
            }
        }
    },
    "outboundEdi": { ... }
},
"createdAt": "string",
"email": "string",
"name": "string",
"partnershipArn": "string",
"partnershipId": "string",
"phone": "string",
"profileId": "string",
"tradingPartnerId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

capabilityOptions

Returns the structure that contains the details for the associated capabilities.

Type: [CapabilityOptions](#) object

createdAt

Returns a timestamp for creation date and time of the partnership.

Type: Timestamp

email

Returns the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

name

Returns a descriptive name for the partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

partnershipArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

partnershipId

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

phone

Returns the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\\s*(?:#|x\\.?|ext\\.?|extension) \\t*(\\d+))?

profileId

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

tradingPartnerId

Returns the unique, system-generated identifier for a trading partner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a partnership. In the command, replace the parameters with your actual values for the new partnership.

The API call returns the details for your new partnership.

```
//Listing for createNewPartnership.txt
{
```

```
"profileId": "p-ABCDE111122223333",
"name": "John Smith",
"email": "johns@example.com",
"phone": "5555555555",
"capabilities": [
    "ca-1111aaaa2222bbbb3"
],
"capabilityOptions": {
    "outboundEdi": {
        "x12": {
            "common": {
                "delimiters": {
                    "componentSeparator": ":",
                    "dataElementSeparator": ";",
                    "replacementCharacterSeparator": ",",
                    "segmentTerminator": "/"
                },
                "ediValidate": true
            }
        }
    }
},
"clientToken": "foo",
"tags": [
    {
        "Key": "Test",
        "Value": "True"
    }
]
}
```

Sample Request

```
aws b2bi create-partnership --cli-input-json file://createNewPartnership.txt
```

Sample Response

```
{
    "profileId": "p-ABCDE111122223333",
    "partnershipId": "ps-7444460000cccc1111",
    "partnershipArn": "arn:aws:b2bi:us-east-1:500655546075:partnership/
ps-4444460000cccc1111",
```

```
"name": "John Smith",
"email": "johns@example.com",
"phone": "5555555555",
"capabilities": [
    "ca-1111aaaa2222bbbb3"
],
"capabilityOptions": {
    "outboundEdi": {
        "x12": {
            "common": {
                "delimiters": {
                    "componentSeparator": ":",
                    "dataElementSeparator": ";",
                    "segmentTerminator": "/"
                }
            }
        }
    }
},
"tradingPartnerId": tp-1234abcd5678efghj",
"createdAt": "2024-10-15T17:27:20.972Z"
}
```

Example

The following example creates a partnership with acknowledgment configuration, format configuration, and control number settings.

```
//Listing for createPartnershipWithAcknowledgment.txt
{
    "profileId": "p-ABCDE111122223333",
    "name": "John Smith",
    "email": "johns@example.com",
    "phone": "5555555555",
    "capabilities": [
        "ca-1111aaaa2222bbbb3"
    ],
    "capabilityOptions": {
        "outboundEdi": {
            "x12": {
                "common": {
                    "delimiters": {
                        "componentSeparator": ":",
                        "dataElementSeparator": ";",
                        "segmentTerminator": "/"
                    }
                }
            }
        }
    }
}
```

```
        "dataElementSeparator": ";",
        "replacementCharacterSeparator": ",",
        "segmentTerminator": "/"
    },
    "ediValidate": true,
    "wrapOptions": {
        "wrapBy": "SEGMENT",
        "lineTerminator": "\n"
    }
},
"headers": {
    "controlNumbers": {
        "startingInterchangeControlNumber": "000000001",
        "startingFunctionalGroupControlNumber": "1",
        "startingTransactionSetControlNumber": "0001"
    },
    "gs05TimeFormat": "HHMMSS"
}
}
},
"inboundEdi": {
    "x12": {
        "acknowledgmentOptions": {
            "functionalAcknowledgment": "GENERATE_ALL_SEGMENTS",
            "technicalAcknowledgment": "GENERATE_ALL_SEGMENTS"
        }
    }
}
},
"clientToken": "foo",
"tags": [
{
    "Key": "Test",
    "Value": "True"
}
]
}
```

Sample Request

```
aws b2bi create-partnership --cli-input-json file://
createPartnershipWithAcknowledgment.txt
```

Sample Response

```
{  
    "profileId": "p-ABCDE111122223333",  
    "partnershipId": "ps-7444460000cccc1111",  
    "partnershipArn": "arn:aws:b2bi:us-east-1:500655546075:partnership/  
ps-444460000cccc1111",  
    "name": "John Smith",  
    "email": "johns@example.com",  
    "phone": "5555555555",  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "capabilityOptions": {  
        "outboundEdi": {  
            "x12": {  
                "common": {  
                    "delimiters": {  
                        "componentSeparator": ":",  
                        "dataElementSeparator": ";",  
                        "segmentTerminator": "/"  
                    },  
                    "ediValidate": true,  
                    "wrapOptions": {  
                        "wrapBy": "SEGMENT",  
                        "lineTerminator": "\n"  
                    }  
                },  
                "headers": {  
                    "controlNumbers": {  
                        "startingInterchangeControlNumber": "000000001",  
                        "startingFunctionalGroupControlNumber": "1",  
                        "startingTransactionSetControlNumber": "0001"  
                    },  
                    "gs05TimeFormat": "HHMMSS"  
                }  
            }  
        },  
        "inboundEdi": {  
            "x12": {  
                "acknowledgmentOptions": {  
                    "functionalAcknowledgment": "GENERATE_ALL_SEGMENTS",  
                    "technicalAcknowledgment": "GENERATE_ALL_SEGMENTS"  
                }  
            }  
        }  
    }  
}
```

```
        }
    },
},
"tradingPartnerId": "tp-1234abcd5678efghj",
"createdAt": "2024-10-15T17:27:20.972Z"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateProfile

Creates a customer profile. You can have up to five customer profiles, each representing a distinct private network. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "businessName": "string",  
    "clientToken": "string",  
    "email": "string",  
    "logging": "string",  
    "name": "string",  
    "phone": "string",  
    "tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

businessName

Specifies the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

clientToken

Reserved for future use.

Type: String

Required: No

email

Specifies the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-\-]+@[\\w\.\-\-]+

Required: No

logging

Specifies whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

name

Specifies the name of the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

phone

Specifies the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\/\]{7,})(?:\\s*(?:#|x\.\.?|ext\.\.?|extension) \\t*(\\d+))?

Required: Yes

tags

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
  "businessName": "string",  
  "createdAt": "string",  
  "email": "string",  
  "logging": "string",  
  "logGroupName": "string",  
  "name": "string",  
  "phone": "string",  
  "profileArn": "string",  
  "profileId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

businessName

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

createdAt

Returns a timestamp representing the time the profile was created.

Type: Timestamp

email

Returns the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

logging

Returns whether or not logging is turned on for this profile.

Type: String

Valid Values: ENABLED | DISABLED

logGroupName

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

name

Returns the name of the profile, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

phone

Returns the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-()\/\]{7,})(?:\s*(?:#|x\.\.?|ext\.\.?|extension) \t*(\d+))?

profileArn

Returns an Amazon Resource Name (ARN) for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a profile.

Sample Request

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "clientToken": "foo",  
    "email": "john@example.com",  
    "name": "b2bipartner",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333",  
    "tags": [  
        {  
            "Key": "sampleKey1",  
            "Value": "sampleValue1"  
        }  
    ]  
}
```

```
    }
]
}
```

Sample Response

```
{
  "capabilities": [
    "ca-1111aaaa2222bbbb3"
  ],
  "createdAt": "2023-11-01T21:51:05.504Z",
  "email": "john@example.com",
  "name": "b2bipartner",
  "partnershipArn": "arn:aws:b2bi:us-west-2:123456789012:partnership/
ps-5555zzzz4444yyyyy",
  "partnershipId": "ps-5555zzzz4444yyyyy",
  "phone": "5555555555",
  "profileId": "p-ABCDE111122223333",
  "tradingPartnerId": "tp-11112222333344445"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStarterMappingTemplate

AWS B2B Data Interchange uses a mapping template in JSONata or XSLT format to transform a customer input file into a JSON or XML file that can be converted to EDI.

If you provide a sample EDI file with the same structure as the EDI files that you wish to generate, then the service can generate a mapping template. The starter template contains placeholder values which you can replace with JSONata or XSLT expressions to take data from your input file and insert it into the JSON or XML file that is used to generate the EDI.

If you do not provide a sample EDI file, then the service can generate a mapping template based on the EDI settings in the `templateDetails` parameter.

Currently, we only support generating a template that can generate the input to produce an Outbound X12 EDI file.

Request Syntax

```
{
  "mappingType": "string",
  "outputSampleLocation": {
    "bucketName": "string",
    "key": "string"
  },
  "templateDetails": { ... }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

mappingType

Specify the format for the mapping template: either JSONATA or XSLT.

Type: String

Valid Values: JSONATA | XSLT

Required: Yes

[outputSampleLocation](#)

Specify the location of the sample EDI file that is used to generate the mapping template.

Type: [S3Location](#) object

Required: No

[templateDetails](#)

Describes the details needed for generating the template. Specify the X12 transaction set and version for which the template is used: currently, we only support X12.

Type: [TemplateDetails](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Response Syntax

```
{  
    "mappingTemplate": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[mappingTemplate](#)

Returns a string that represents the mapping template.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTransformer

Creates a transformer. AWS B2B Data Interchange currently supports two scenarios:

- *Inbound EDI*: the AWS customer receives an EDI file from their trading partner. AWS B2B Data Interchange converts this EDI file into a JSON or XML file with a service-defined structure. A mapping template provided by the customer, in JSONata or XSLT format, is optionally applied to this file to produce a JSON or XML file with the structure the customer requires.
- *Outbound EDI*: the AWS customer has a JSON or XML file containing data that they wish to use in an EDI file. A mapping template, provided by the customer (in either JSONata or XSLT format) is applied to this file to generate a JSON or XML file in the service-defined structure. This file is then converted to an EDI file.

Note

The following fields are provided for backwards compatibility only: `fileFormat`, `mappingTemplate`, `ediType`, and `sampleDocument`.

- Use the `mapping` data type in place of `mappingTemplate` and `fileFormat`
- Use the `sampleDocuments` data type in place of `sampleDocument`
- Use either the `inputConversion` or `outputConversion` in place of `ediType`

Request Syntax

```
{  
  "clientToken": "string",  
  "ediType": { ... },  
  "fileFormat": "string",  
  "inputConversion": {  
    "advancedOptions": {  
      "x12": {  
        "splitOptions": {  
          "splitBy": "string"  
        }  
      }  
    },  
    "formatOptions": { ... },  
    "map": { ... },  
    "outputConversion": { ... },  
    "sampleDocument": "string",  
    "sampleDocuments": [ "string" ]  
  },  
  "mappingTemplate": "string",  
  "outputConversion": { ... },  
  "sampleDocument": "string",  
  "sampleDocuments": [ "string" ]  
}
```

```
  "fromFormat": "string"
},
"mapping": {
  "template": "string",
  "templateLanguage": "string"
},
"mappingTemplate": "string",
"name": "string",
"outputConversion": {
  "formatOptions": { ... },
  "toFormat": "string"
},
"sampleDocument": "string",
"sampleDocuments": {
  "bucketName": "string",
  "keys": [
    {
      "input": "string",
      "output": "string"
    }
  ]
},
"tags": [
  {
    "Key": "string",
    "Value": "string"
  }
]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[clientToken](#)

Reserved for future use.

Type: String

Required: No

ediType

This parameter has been deprecated.

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

fileFormat

This parameter has been deprecated.

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

Required: No

inputConversion

Specify the InputConversion object, which contains the format options for the inbound transformation.

Type: [InputConversion](#) object

Required: No

mapping

Specify the structure that contains the mapping template and its language (either XSLT or JSONATA).

Type: [Mapping](#) object

Required: No

mappingTemplate

This parameter has been deprecated.

Specifies the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

 **Note**

This parameter is available for backwards compatibility. Use the [Mapping](#) data type instead.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: No

name

Specifies the name of the transformer, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Pattern: [a-zA-Z0-9_-]{1,512}

Required: Yes

outputConversion

A structure that contains the OutputConversion object, which contains the format options for the outbound transformation.

Type: [OutputConversion](#) object

Required: No

sampleDocument

This parameter has been deprecated.

Specifies a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

[sampleDocuments](#)

Specify a structure that contains the Amazon S3 bucket and an array of the corresponding keys used to identify the location for your sample documents.

Type: [SampleDocuments](#) object

Required: No

[tags](#)

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
    "createdAt": "string",  
    "ediType": { ... },  
    "fileFormat": "string",  
    "inputConversion": {  
        "advancedOptions": {  
            "x12": {  
                "splitOptions": {  
                    "splitBy": "string"  
                }  
            }  
        },  
        "formatOptions": { ... },  
        "fromFormat": "string"  
    },  
    "mapping": {  
        "template": "string",  
    }  
}
```

```
        "templateLanguage": "string"
    },
    "mappingTemplate": "string",
    "name": "string",
    "outputConversion": {
        "formatOptions": { ... },
        "toFormat": "string"
    },
    "sampleDocument": "string",
    "sampleDocuments": {
        "bucketName": "string",
        "keys": [
            {
                "input": "string",
                "output": "string"
            }
        ]
    },
    "status": "string",
    "transformerArn": "string",
    "transformerId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[createdAt](#)

Returns a timestamp for creation date and time of the transformer.

Type: [Timestamp](#)

[ediType](#)

This parameter has been deprecated.

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

fileFormat

This parameter has been deprecated.

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

inputConversion

Returns the InputConversion object, which contains the format options for the inbound transformation.

Type: [InputConversion](#) object

mapping

Returns the structure that contains the mapping template and its language (either XSLT or JSONATA).

Type: [Mapping](#) object

mappingTemplate

This parameter has been deprecated.

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

name

Returns the name of the transformer, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Pattern: [a-zA-Z0-9_-]{1,512}

[outputConversion](#)

Returns the OutputConversion object, which contains the format options for the outbound transformation.

Type: [OutputConversion](#) object

[sampleDocument](#)

This parameter has been deprecated.

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

[sampleDocuments](#)

Returns a structure that contains the Amazon S3 bucket and an array of the corresponding keys used to identify the location for your sample documents.

Type: [SampleDocuments](#) object

[status](#)

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

[transformerArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[transformerId](#)

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example creates a transformer with advanced options for EDI splitting.

Sample Request

```
{
  "clientToken": "foo",
  "ediType": {
    "x12Details": {
      "transactionSet": "X12_110",
      "version": "VERSION_4010"
    }
  },
  "fileFormat": "JSON",
  "mapping": {
    "templateLanguage": "JSONATA",
    "template": "{}"
  },
  "name": "transformJSON",
  "sampleDocument": "s3://amzn-s3-demo-bucket/sampleDoc.txt",
  "advancedOptions": {
    "x12": {
      "splitOptions": {
        "splitBy": "TRANSACTION"
      }
    }
  }
},
```

```
"tags": [
  {
    "Key": "sampleKey",
    "Value": "sampleValue"
  }
]
```

Sample Response

```
{
  "createdAt": "2023-11-01T21:51:05.504Z",
  "ediType": {
    "x12Details": {
      "transactionSet": "X12_110",
      "version": "VERSION_4010"
    }
  },
  "fileFormat": "JSON",
  "mapping": {
    "templateLanguage": "JSONATA",
    "template": "$"
  },
  "name": "transformJSON",
  "sampleDocument": "s3://amzn-s3-demo-bucket/sampleDoc.txt",
  "advancedOptions": {
    "x12": {
      "splitOptions": {
        "splitBy": "TRANSACTION"
      }
    }
  },
  "status": "inactive",
  "transformerArn": "arn:aws:b2bi:us-west-2:123456789012:transformer/tr-1234abcd5678efghj",
  "transformerId": "tr-1234abcd5678efghj"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteCapability

Deletes the specified capability. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "capabilityId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilityId

Specifies a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a capability. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "capabilityId": "ca-1111aaaa2222bbbb3"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeletePartnership

Deletes the specified partnership. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "partnershipId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[partnershipId](#)

Specifies the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a partnership. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "partnershipId": "ps-5555zzz4444yyyyy"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteProfile

Deletes the specified profile. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

profileId

Specifies the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a profile. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "profileId": "p-ABCDE111122223333"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTransformer

Deletes the specified transformer. A transformer can take an EDI file as input and transform it into a JSON-or XML-formatted document. Alternatively, a transformer can take a JSON-or XML-formatted document as input and transform it into an EDI file.

Request Syntax

```
{  
    "transformerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

transformerId

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example deletes a transformer. If successful, an empty HTTP body, {} is returned.

Sample Request

```
{  
  "transformerId": "tr-1234abcd5678efghj"
```

{}

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GenerateMapping

Takes sample input and output documents and uses Amazon Bedrock to generate a mapping automatically. Depending on the accuracy and other factors, you can then edit the mapping for your needs.

Note

Before you can use the AI-assisted feature for AWS B2B Data Interchange you must enable models in Amazon Bedrock. For details, see [AI-assisted template mapping prerequisites](#) in the *AWS B2B Data Interchange User guide*.

To generate a mapping, perform the following steps:

1. Start with an X12 EDI document to use as the input.
2. Call TestMapping using your EDI document.
3. Use the output from the TestMapping operation as either input or output for your GenerateMapping call, along with your sample file.

Request Syntax

```
{  
  "inputFileContent": "string",  
  "mappingType": "string",  
  "outputFileContent": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[inputFileContent](#)

Provide the contents of a sample X12 EDI file, either in JSON or XML format, to use as a starting point for the mapping.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 5000000.

Required: Yes

[mappingType](#)

Specify the mapping type: either JSONATA or XSLT .

Type: String

Valid Values: JSONATA | XSLT

Required: Yes

[outputFileContent](#)

Provide the contents of a sample X12 EDI file, either in JSON or XML format, to use as a target for the mapping.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 5000000.

Required: Yes

Response Syntax

```
{  
  "mappingAccuracy": number,  
  "mappingTemplate": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[mappingAccuracy](#)

Returns a percentage that estimates the accuracy of the generated mapping.

Type: Float

Valid Range: Minimum value of 0.0. Maximum value of 1.0.

[mappingTemplate](#)

Returns a mapping template based on your inputs.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCapability

Retrieves the details for the specified capability. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
  "capabilityId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilityId

Specifies a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "capabilityArn": "string",  
  "capabilityId": "string",  
  "configuration": { ... },  
  "createdAt": "string",  
  "instructionsDocuments": [  
    {  
      "bucketName": "string",  
      "key": "string"  
    }  
  ]  
}
```

```
    }
],
"modifiedAt": "string",
"name": "string",
"type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[capabilityArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[capabilityId](#)

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[configuration](#)

Returns a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

[createdAt](#)

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

instructionsDocuments

Returns one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

modifiedAt

Returns a timestamp for last time the capability was modified.

Type: Timestamp

name

Returns the name of the capability, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified capability.

Sample Request

```
{  
    "capabilityId": "ca-1111aaaa2222bbbb3"  
}
```

Sample Response

```
{  
    "capabilityArn": "arn:aws:b2bi:us-west-2:123456789012:capability/  
ca-1111aaaa2222bbbb3",  
    "capabilityId": "ca-1111aaaa2222bbbb3",  
    "configuration": {  
        "edi": {  
            "type": {  
                "id": "edi-type-1",  
                "name": "EDI Type 1",  
                "description": "Detailed description of EDI Type 1",  
                "version": "1.0",  
                "status": "Active",  
                "lastUpdated": "2023-10-01T12:00:00Z",  
                "createdBy": "User A",  
                "modifiedBy": "User A",  
                "tags": [{"key": "tag1", "value": "value1"}, {"key": "tag2", "value": "value2"}]  
            }  
        }  
    }  
}
```

```
        "x12Details": {
            "transactionSet": "X12_110",
            "version": "VERSION_4010"
        },
        "inputLocation": {
            "bucketName": "amzn-s3-demo-bucket",
            "key": "input/"
        },
        "outputLocation": {
            "bucketName": "amzn-s3-demo-bucket",
            "key": "output/"
        },
        "transformerId": "tr-1234abcd5678efghj"
    },
    "createdAt": "2023-11-01T21:51:05.504Z",
    "instructionsDocuments": [
        {
            "bucketName": "amzn-s3-demo-bucket",
            "key": "instructiondoc.txt"
        }
    ],
    "modifiedAt": "2023-11-02T21:51:05.504Z",
    "name": "b2biexample",
    "type": "edi"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetPartnership

Retrieves the details for a partnership, based on the partner and profile IDs specified. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "partnerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

partnerId

Specifies the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "capabilities": [ "string" ],  
    "capabilityOptions": {  
        "inboundEdi": {  
            "x12": {  
                "acknowledgmentOptions": {  
                    "functionalAcknowledgment": "string",  
                    "technicalAcknowledgment": "string"  
                }  
            }  
        }  
    }  
}
```

```
        },
      ],
      "outboundEdi": { ... }
    },
    "createdAt": "string",
    "email": "string",
    "modifiedAt": "string",
    "name": "string",
    "partnershipArn": "string",
    "partnershipId": "string",
    "phone": "string",
    "profileId": "string",
    "tradingPartnerId": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[capabilities](#)

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[capabilityOptions](#)

Contains the details for an Outbound EDI capability.

Type: [CapabilityOptions](#) object

[createdAt](#)

Returns a timestamp for creation date and time of the partnership.

Type: Timestamp

[email](#)

Returns the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

[modifiedAt](#)

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

[name](#)

Returns the display name of the partnership

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[partnershipArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[partnershipId](#)

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[phone](#)

Returns the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\s*(?:#|x\.?|ext\.?|extension) \t*(\d+))?

[profileId](#)

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[tradingPartnerId](#)

Returns the unique identifier for the partner for this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified partnership.

Sample Request

```
{  
    "partnershipId": "ps-5555zzzz4444yyyyy"  
}
```

Sample Response

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "modifiedAt": "2023-11-01T21:51:05.504Z",  
    "name": "b2bipartner",  
    "partnershipArn": "arn:aws:b2bi:us-west-2:123456789012:partnership/  
ps-5555zzzz4444yyyyy",  
    "partnershipId": "ps-5555zzzz4444yyyyy",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333",  
    "tradingPartnerId": "tp-11112222333344445"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetProfile

Retrieves the details for the profile specified by the profile ID. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

profileId

Specifies the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "businessName": "string",  
    "createdAt": "string",  
    "email": "string",  
    "logging": "string",  
    "logGroupName": "string",  
    "modifiedAt": "string",  
    "name": "string",  
    "phone": "string",  
}
```

```
"profileArn": "string",
"profileId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[businessName](#)

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[createdAt](#)

Returns a timestamp for creation date and time of the transformer.

Type: Timestamp

[email](#)

Returns the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

[logging](#)

Returns whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

[logGroupName](#)

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

modifiedAt

Returns a timestamp for last time the profile was modified.

Type: Timestamp

name

Returns the name of the profile, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

phone

Returns the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\/]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

profileArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified profile.

Sample Request

```
{
```

```
"profileId": "p-ABCDE111122223333"
```

```
}
```

Sample Response

```
{  
    "businessName": "John's Trucking",  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "logging": "ENABLED",  
    "logGroupName": "b2bi/p-ABCDE111122223333-Logs",  
    "name": "Shipping Profile",  
    "phone": "5555555555",  
    "profileArn": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "profileId": "p-ABCDE111122223333"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTransformer

Retrieves the details for the transformer specified by the transformer ID. A transformer can take an EDI file as input and transform it into a JSON-or XML-formatted document. Alternatively, a transformer can take a JSON-or XML-formatted document as input and transform it into an EDI file.

Request Syntax

```
{  
    "transformerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

transformerId

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "createdAt": "string",  
    "ediType": { ... },  
    "fileFormat": "string",  
    "inputConversion": {  
        "advancedOptions": {  
            "x12": {
```

```
        "splitOptions": {  
            "splitBy": "string"  
        }  
    },  
    "formatOptions": { ... },  
    "fromFormat": "string"  
},  
"mapping": {  
    "template": "string",  
    "templateLanguage": "string"  
},  
"mappingTemplate": "string",  
"modifiedAt": "string",  
"name": "string",  
"outputConversion": {  
    "formatOptions": { ... },  
    "toFormat": "string"  
},  
"sampleDocument": "string",  
"sampleDocuments": {  
    "bucketName": "string",  
    "keys": [  
        {  
            "input": "string",  
            "output": "string"  
        }  
    ]  
},  
"status": "string",  
"transformerArn": "string",  
"transformerId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[createdAt](#)

Returns a timestamp for creation date and time of the transformer.

Type: Timestamp

ediType

This parameter has been deprecated.

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

fileFormat

This parameter has been deprecated.

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

inputConversion

Returns the InputConversion object, which contains the format options for the inbound transformation.

Type: [InputConversion](#) object

mapping

Returns the structure that contains the mapping template and its language (either XSLT or JSONATA).

Type: [Mapping](#) object

mappingTemplate

This parameter has been deprecated.

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

modifiedAt

Returns a timestamp for last time the transformer was modified.

Type: Timestamp

name

Returns the name of the transformer, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Pattern: [a-zA-Z0-9_-]{1,512}

outputConversion

Returns the OutputConversion object, which contains the format options for the outbound transformation.

Type: [OutputConversion](#) object

sampleDocument

This parameter has been deprecated.

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

sampleDocuments

Returns a structure that contains the Amazon S3 bucket and an array of the corresponding keys used to identify the location for your sample documents.

Type: [SampleDocuments](#) object

status

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

transformerArn

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

transformerId

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified transformer.

Sample Request

```
{  
    "transformerId": "tr-1234abcd5678efghj"  
}
```

Sample Response

```
{  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "ediType": {  
        "x12Details": {  
            "transactionSet": "X12_110",  
            "version": "VERSION_4010"  
        }  
    },  
    "fileFormat": "JSON",  
    "mapping": {  
        "templateLanguage": "JSONATA",  
        "template": "$"  
    },  
    "modifiedAt": "2023-11-01T21:51:05.504Z",  
    "name": "transformJSON",  
    "path": "transformJSON",  
    "status": "Active",  
    "type": "Transformation"  
}
```

```
"sampleDocument": "s3://amzn-s3-demo-bucket/sampleDoc.txt",
  "status": "inactive",
  "transformerArn": "arn:aws:b2bi:us-west-2:123456789012:transformer/
tr-1234abcd5678efghj",
  "transformerId": "tr-1234abcd5678efghj"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTransformerJob

Returns the details of the transformer run, based on the Transformer job ID.

Note

If 30 days have elapsed since your transformer job was started, the system deletes it. So, if you run GetTransformerJob and supply a `transformerId` and `transformerJobId` for a job that was started more than 30 days previously, you receive a 404 response.

Request Syntax

```
{  
  "transformerId": "string",  
  "transformerJobId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

transformerId

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

transformerJobId

Specifies the unique, system-generated identifier for a transformer run.

Type: String

Length Constraints: Fixed length of 25.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "message    "outputFiles        {  
            "bucketName            "key        }  
    ],  
    "status}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

message

Returns an optional error message, which gets populated when the job is not run successfully.

Type: String

outputFiles

Returns the location for the output files. If the caller specified a directory for the output, then this contains the full path to the output file, including the file name generated by the service.

Type: Array of [S3Location](#) objects

status

Returns the current state of the transformer job, either running, succeeded, or failed.

Type: String

Valid Values: running | succeeded | failed

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example retrieves details for the specified transformer run, which was successful.

Sample Request

```
{  
    "transformerId": "tr-1234abcd5678efghj",  
    "transformerJobId": "tj-zzzz9999yyyy8888xxxx77"  
}
```

Sample Response

```
{  
    "status": "succeeded",  
    "outputFiles": [  
        {  
            "bucketName": "edi-test",  
            "key": "output/sample-214.edi.2023-11-01T10:44:03.353Z.json"  
        }  
    ],  
    "message": "Transformed, writing output"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCapabilities

Lists the capabilities associated with your AWS account for your current or specified region. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[maxResults](#)

Specifies the maximum number of capabilities to return.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

[nextToken](#)

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

Response Syntax

```
{  
  "capabilities": [  
    {  
      "capabilityId": "string",  
      "createdAt": "string",  
      "modifiedAt": "string",  
      "name": "string",  
      "type": "string"  
    }  
  ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[capabilities](#)

Returns one or more capabilities associated with this partnership.

Type: Array of [CapabilitySummary](#) objects

[nextToken](#)

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example lists the capabilities for your account and in your region. Note that in this example, there is only one capability listed: however, this call would return up to 50 capabilities.

Sample Request

```
{  
    "maxResults": 50,  
    "nextToken": "foo"  
}
```

Sample Response

```
{  
    "capabilities": [  
        {  
            "name": "foo",  
            "value": "bar"  
        }  
    ]  
}
```

```
{  
    "capabilityId": "ca-1111aaaa2222bbbb3",  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "modifiedAt": "2023-11-01T21:51:05.504Z",  
    "name": "b2biexample",  
    "type": "edi"  
}  
,  
"nextToken": "foo"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPartnerships

Lists the partnerships associated with your AWS account for your current or specified region. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string",  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

maxResults

Specifies the maximum number of capabilities to return.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

profileId

Specifies the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

Response Syntax

```
{
  "nextToken": "string",
  "partnerships": [
    {
      "capabilities": [ "string" ],
      "capabilityOptions": {
        "inboundEdi": {
          "x12": {
            "acknowledgmentOptions": {
              "functionalAcknowledgment": "string",
              "technicalAcknowledgment": "string"
            }
          }
        },
        "outboundEdi": { ... }
      },
      "createdAt": "string",
      "modifiedAt": "string",
      "name": "string",
      "partnershipId": "string",
      "profileId": "string",
      "tradingPartnerId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

partnerships

Specifies a list of your partnerships.

Type: Array of [PartnershipSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example returns details for the partnerships for the specified profile. Note that in this example, there is only one partnership listed; however, this call would return up to 50 partnerships.

Sample Request

```
{  
    "maxResults": 50,  
    "nextToken": "foo",  
    "profileId": "p-ABCDE111122223333"  
}
```

Sample Response

```
{  
    "nextToken": "string",  
    "partnerships": [  
        {  
            "capabilities": [  
                "ca-1111aaaa2222bbbb3"  
            ],  
            "createdAt": "2023-11-01T21:51:05.504Z",  
            "modifiedAt": "2023-11-01T21:51:05.504Z",  
            "name": "b2bipartner",  
            "partnershipId": "ps-5555zzz4444yyyyy",  
            "profileId": "p-ABCDE111122223333",  
            "tradingPartnerId": "tp-1234abcd5678efghj"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListProfiles

Lists the profiles associated with your AWS account for your current or specified region. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

maxResults

Specifies the maximum number of profiles to return.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

Response Syntax

```
{  
    "nextToken": "string",  
    "profiles": [  
        {  
            "businessName": "string",  
            "createdAt": "string",  
            "logging": "string",  
            "logGroupName": "string",  
            "modifiedAt": "string",  
            "name": "string",  
            "profileId": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

profiles

Returns an array of ProfileSummary objects.

Type: Array of [ProfileSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example lists the profiles for your account and in your region. Note that in this example, there is only one profile listed: however, this call would return up to 5 profiles.

Sample Request

```
{  
    "maxResults": 5,  
    "nextToken": "foo"  
}
```

Sample Response

```
{  
    "nextToken": "foo",
```

```
"profiles": [  
    {  
        "businessName": "John's Trucking",  
        "createdAt": "2023-11-01T21:51:05.504Z",  
        "logging": "ENABLED",  
        "logGroupName": "b2bi/p-ABCDE111122223333-Logs",  
        "name": "Shipping Profile",  
        "profileId": "p-ABCDE111122223333"  
    }  
]
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists all of the tags associated with the Amazon Resource Name (ARN) that you specify. The resource can be a capability, partnership, profile, or transformer.

Request Syntax

```
{  
    "ResourceARN": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

Requests the tags associated with a particular Amazon Resource Name (ARN). An ARN is an identifier for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
{  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

Returns the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example lists the tags for the specified profile.

Sample Request

```
{  
    "ResourceARN": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333"  
}
```

Sample Response

```
{  
    "Tags": [  
        {  
            "Key": "sampleKey",  
            "Value": "SampleValue"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

ListTransformers

Lists the available transformers. A transformer can take an EDI file as input and transform it into a JSON-or XML-formatted document. Alternatively, a transformer can take a JSON-or XML-formatted document as input and transform it into an EDI file.

Request Syntax

```
{  
    "maxResults": number,  
    "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[maxResults](#)

Specifies the number of items to return for the API response.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

[nextToken](#)

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

Response Syntax

```
{  
    "nextToken": "string",  
    "transformers": [  
        {  
            "createdAt": "string",  
            "ediType": { ... },  
            "fileFormat": "string",  
            "inputConversion": {  
                "advancedOptions": {  
                    "x12": {  
                        "splitOptions": {  
                            "splitBy": "string"  
                        }  
                    }  
                }  
            },  
            "formatOptions": { ... },  
            "fromFormat": "string"  
        },  
        "mapping": {  
            "template": "string",  
            "templateLanguage": "string"  
        },  
        "mappingTemplate": "string",  
        "modifiedAt": "string",  
        "name": "string",  
        "outputConversion": {  
            "formatOptions": { ... },  
            "toFormat": "string"  
        },  
        "sampleDocument": "string",  
        "sampleDocuments": {  
            "bucketName": "string",  
            "keys": [  
                {  
                    "input": "string",  
                    "output": "string"  
                }  
            ]  
        },  
        "status": "string",  
        "transformerId": "string"  
    ]  
}
```

```
    }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

When additional results are obtained from the command, a NextToken parameter is returned in the output. You can then pass the NextToken parameter in a subsequent command to continue listing additional resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

[transformers](#)

Returns an array of one or more transformer objects.

For each transformer, a TransformerSummary object is returned. The TransformerSummary contains all the details for a specific transformer.

Type: Array of [TransformerSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example lists the transformers for your account and in your region. Note that in this example, there is only one transformer listed: however, this call would return up to 50 transformers.

Sample Request

```
{  
    "maxResults": 50,  
    "nextToken": "foo"  
}
```

Sample Response

```
{  
    "nextToken": "foo",  
    "transformers": [  
        {  
            "createdAt": "2023-11-01T21:51:05.504Z",  
            "ediType": {  
                "x12Details": {  
                    "transactionSet": "X12_110",  
                    "version": "VERSION_4010"  
                }  
            }  
        }  
    ]  
}
```

```
        },
        "fileFormat": "JSON",
        "mapping": {
            "templateLanguage": "JSONATA",
            "template": "$"
        },
        "modifiedAt": "2023-11-01T21:51:05.504Z",
        "name": "transformJSON",
        "sampleDocument": "s3://amzn-s3-demo-bucket/sampleDoc.txt",
        "status": "inactive",
        "transformerId": "tr-1234abcd5678efghj"
    }
]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTransformerJob

Runs a job, using a transformer, to parse input EDI (electronic data interchange) file into the output structures used by AWS B2B Data Interchange.

If you only want to transform EDI (electronic data interchange) documents, you don't need to create profiles, partnerships or capabilities. Just create and configure a transformer, and then run the `StartTransformerJob` API to process your files.

Note

The system stores transformer jobs for 30 days. During that period, you can run [GetTransformerJob](#) and supply its `transformerId` and `transformerJobId` to return details of the job.

Request Syntax

```
{  
    "clientToken": "string",  
    "inputFile": {  
        "bucketName": "string",  
        "key": "string"  
    },  
    "outputLocation": {  
        "bucketName": "string",  
        "key": "string"  
    },  
    "transformerId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[clientToken](#)

Reserved for future use.

Type: String

Required: No

[inputFile](#)

Specifies the location of the input file for the transformation. The location consists of an Amazon S3 bucket and prefix.

Type: [S3Location](#) object

Required: Yes

[outputLocation](#)

Specifies the location of the output file for the transformation. The location consists of an Amazon S3 bucket and prefix.

Type: [S3Location](#) object

Required: Yes

[transformerId](#)

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "transformerJobId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

transformerJobId

Returns the unique, system-generated identifier for a transformer run.

Type: String

Length Constraints: Fixed length of 25.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example starts the processing for the specified input and output files.

Sample Request

```
{  
    "clientToken": "foo",  
    "inputFile": {  
        "bucketName": "amzn-s3-demo-bucket",  
        "key": "input/inputFile.txt"  
    },  
    "outputLocation": {  
        "bucketName": "amzn-s3-demo-bucket",  
        "key": "output/"  
    },  
    "transformerId": "tr-1234abcd5678efghj"  
}
```

Sample Response

```
{  
    "transformerJobId": "tj-zzzz9999yyyy8888xxxx77"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Attaches a key-value pair to a resource, as identified by its Amazon Resource Name (ARN). Resources are capability, partnership, profile, transformers and other entities.

There is no response returned from this call.

Request Syntax

```
{  
    "ResourceARN": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

Specifies an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Tags

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example adds a tag to the specified profile.

Sample Request

```
{  
    "ResourceARN": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "Tags": [  
        {  
            "Key": "sampleKey",  
            "Value": "SampleValue"  
        }  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TestConversion

This operation mimics the latter half of a typical Outbound EDI request. It takes an input JSON/XML in the B2Bi shape as input, converts it to an X12 EDI string, and return that string.

Request Syntax

```
{  
    "source": {  
        "fileFormat": "string",  
        "inputFile": { ... }  
    },  
    "target": {  
        "fileFormat": "string",  
        "formatDetails": { ... },  
        "outputSampleFile": { ... }  
    }  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

source

Specify the source file for an outbound EDI request.

Type: [ConversionSource](#) object

Required: Yes

target

Specify the format (X12 is the only currently supported format), and other details for the conversion target.

Type: [ConversionTarget](#) object

Required: Yes

Response Syntax

```
{  
  "convertedFileContent": "string",  
  "validationMessages": [ "string" ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[convertedFileContent](#)

Returns the converted file content.

Type: String

[validationMessages](#)

Returns an array of strings, each containing a message that AWS B2B Data Interchange generates during the conversion.

Type: Array of strings

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TestMapping

Maps the input file according to the provided template file. The API call downloads the file contents from the Amazon S3 location, and passes the contents in as a string, to the `inputFileContent` parameter.

Request Syntax

```
{  
    "fileFormat": "string",  
    "inputFileContent": "string",  
    "mappingTemplate": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

fileFormat

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

Required: Yes

inputFileContent

Specify the contents of the EDI (electronic data interchange) XML or JSON file that is used as input for the transform.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 5000000.

Required: Yes

[mappingTemplate](#)

Specifies the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

 **Note**

This parameter is available for backwards compatibility. Use the [Mapping](#) data type instead.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: Yes

Response Syntax

```
{  
  "mappedFileContent": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[mappedFileContent](#)

Returns a string for the mapping that can be used to identify the mapping. Similar to a fingerprint

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example maps the sample input string, using the JSONata mapping template \$.

Sample Request

```
{  
  "fileFormat": "JSON",  
  "inputFileContent": "<sample input string>",  
  "mappingTemplate": "$"
```

```
}
```

Sample Response

```
{
  "mappedFileContent": "<mapped sample content >"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TestParsing

Parses the input EDI (electronic data interchange) file. The input file has a file size limit of 250 KB.

Request Syntax

```
{  
    "advancedOptions": {  
        "x12": {  
            "splitOptions": {  
                "splitBy": "string"  
            }  
        }  
    },  
    "ediType": { ... },  
    "fileFormat": "string",  
    "inputFile": {  
        "bucketName": "string",  
        "key": "string"  
    }  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

advancedOptions

Specifies advanced options for parsing the input EDI file. These options allow for more granular control over the parsing process, including split options for X12 files.

Type: [AdvancedOptions](#) object

Required: No

ediType

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

[fileFormat](#)

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

Required: Yes

[inputFile](#)

Specifies an S3Location object, which contains the Amazon S3 bucket and prefix for the location of the input file.

Type: [S3Location](#) object

Required: Yes

Response Syntax

```
{  
  "parsedFileContent": "string",  
  "parsedSplitFileContents": [ "string" ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[parsedFileContent](#)

Returns the contents of the input file being tested, parsed according to the specified EDI (electronic data interchange) type.

Type: String

parsedSplitFileContents

Returns an array of parsed file contents when the input file is split according to the specified split options. Each element in the array represents a separate split file's parsed content.

Type: Array of strings

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example parses the sample input file.

Sample Request

```
{  
    "ediType": {  
        "x12Details": {  
            "transactionSet": "X12_110",  
            "version": "VERSION_4010"  
        }  
    },  
    "fileFormat": "JSON",  
    "inputFile": {  
        "bucketName": "amzn-s3-demo-bucket",  
        "key": "sampleFile.txt"  
    }  
}
```

Sample Response

```
{  
    "parsedFileContent": "<Sample parsed file content>"  
}
```

Example

The following example parses the sample input file with EDI splitting enabled.

Sample Request

```
{  
    "ediType": {  
        "x12Details": {  
            "transactionSet": "X12_110",  
            "version": "VERSION_4010"  
        }  
    },  
    "fileFormat": "JSON",  
    "split": true  
}
```

```
"inputFile": {  
    "bucketName": "amzn-s3-demo-bucket",  
    "key": "input/batch-file.edi"  
},  
"advancedOptions": {  
    "x12": {  
        "splitOptions": {  
            "splitBy": "TRANSACTION"  
        }  
    }  
}  
}
```

Sample Response

```
{  
    "parsedFileContent": ""  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Detaches a key-value pair from the specified resource, as identified by its Amazon Resource Name (ARN). Resources are capability, partnership, profile, transformers and other entities.

Request Syntax

```
{  
    "ResourceARN": "string",  
    "TagKeys": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

Specifies an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

TagKeys

Specifies the key-value pairs assigned to ARNs that you can use to group and search for resources by type. You can attach this metadata to resources (capabilities, partnerships, and so on) for any purpose.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example removes the sampleKey tag from the specified profile..

Sample Request

```
{  
    "ResourceARN": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "TagKeys": [  
        "sampleKey"  
    ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateCapability

Updates some of the parameters for a capability, based on the specified parameters. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Request Syntax

```
{  
    "capabilityId": "string",  
    "configuration": { ... },  
    "instructionsDocuments": [  
        {  
            "bucketName": "string",  
            "key": "string"  
        }  
    ],  
    "name": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilityId

Specifies a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

configuration

Specifies a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

instructionsDocuments

Specifies one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Required: No

name

Specifies a new name for the capability, to replace the existing name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

Response Syntax

```
{
  "capabilityArn": "string",
  "capabilityId": "string",
  "configuration": { ... },
  "createdAt": "string",
  "instructionsDocuments": [
    {
      "bucketName": "string",
      "key": "string"
    }
  ],
  "modifiedAt": "string",
  "name": "string",
  "type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[capabilityArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[capabilityId](#)

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[configuration](#)

Returns a structure that contains the details for a capability.

Type: [CapabilityConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

[createdAt](#)

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

[instructionsDocuments](#)

Returns one or more locations in Amazon S3, each specifying an EDI document that can be used with this capability. Each item contains the name of the bucket and the key, to identify the document's location.

Type: Array of [S3Location](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

modifiedAt

Returns a timestamp for last time the capability was modified.

Type: Timestamp

name

Returns the name of the capability, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a capability.

Sample Request

```
{  
    "capabilityId": "ca-1111aaaa2222bbbb3",  
    "name": "b2biexample",  
    "instructionsDocuments": [  
        {  
            "bucketName": "amzn-s3-demo-bucket",  
            "key": "instructiondoc.txt"  
    ]  
}
```

```
        },
    ],
  "configuration": {
    "edi": {
      "type": {
        "x12Details": {
          "transactionSet": "X12_110",
          "version": "VERSION_4010"
        }
      },
      "inputLocation": {
        "bucketName": "amzn-s3-demo-bucket",
        "key": "input/"
      },
      "outputLocation": {
        "bucketName": "amzn-s3-demo-bucket",
        "key": "output/"
      },
      "transformerId": "tr-1234abcd5678efghj"
    }
  }
}
```

Sample Response

```
{
  "capabilityArn": "arn:aws:b2bi:us-west-2:123456789012:capability/
ca-1111aaaa2222bbbb3",
  "capabilityId": "ca-1111aaaa2222bbbb3",
  "configuration": {
    "edi": {
      "type": {
        "x12Details": {
          "transactionSet": "X12_110",
          "version": "VERSION_4010"
        }
      },
      "inputLocation": {
        "bucketName": "amzn-s3-demo-bucket",
        "key": "input/"
      },
      "outputLocation": {
        "bucketName": "amzn-s3-demo-bucket",
        "key": "output/"
      }
    }
  }
}
```

```
        "key": "output/",
    },
    "transformerId": "tr-1234abcd5678efghj"
}
},
"createdAt": "2023-11-01T21:51:05.504Z",
"instructionsDocuments": [
{
    "bucketName": "amzn-s3-demo-bucket",
    "key": "instructiondoc.txt"
}
],
"modifiedAt": "2023-11-01T21:51:05.504Z",
"name": "b2biexample",
"type": "edi"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdatePartnership

Updates some of the parameters for a partnership between a customer and trading partner. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Request Syntax

```
{  
    "capabilities": [ "string" ],  
    "capabilityOptions": {  
        "inboundEdi": {  
            "x12": {  
                "acknowledgmentOptions": {  
                    "functionalAcknowledgment": "string",  
                    "technicalAcknowledgment": "string"  
                }  
            }  
        },  
        "outboundEdi": { ... }  
    },  
    "name": "string",  
    "partnershipId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

capabilities

List of the capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

[capabilityOptions](#)

To update, specify the structure that contains the details for the associated capabilities.

Type: [CapabilityOptions](#) object

Required: No

[name](#)

The name of the partnership, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

[partnershipId](#)

Specifies the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "capabilities": [ "string" ],  
    "capabilityOptions": {  
        "inboundEdi": {  
            "x12": {  
                "acknowledgmentOptions": {  
                    "functionalAcknowledgment": "string",  
                    "technicalAcknowledgment": "string"  
                }  
            }  
        }  
    },  
}
```

```
    "outboundEdi": { ... }  
},  
"createdAt": "string",  
"email": "string",  
"modifiedAt": "string",  
"name": "string",  
"partnershipArn": "string",  
"partnershipId": "string",  
"phone": "string",  
"profileId": "string",  
"tradingPartnerId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

capabilityOptions

Returns the structure that contains the details for the associated capabilities.

Type: [CapabilityOptions](#) object

createdAt

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

email

Returns the email address associated with this trading partner.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-]+@[\\w\.\-]+

[modifiedAt](#)

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

[name](#)

The name of the partnership, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[partnershipArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[partnershipId](#)

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[phone](#)

Returns the phone number associated with the partnership.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\s*(?:#|x\.?|ext\.?|extension) \t*(\d+))?

[profileId](#)

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

[tradingPartnerId](#)

Returns the unique, system-generated identifier for a trading partner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a partnership.

Sample Request

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "name": "b2bipartner",  
    "partnershipId": "ps-5555zzzz4444yyyyy"  
}
```

Sample Response

```
{  
    "capabilities": [  
        "ca-1111aaaa2222bbbb3"  
    ],  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "modifiedAt": "2023-11-01T21:51:05.504Z",  
    "name": "b2bipartner",  
    "partnershipArn": "arn:aws:b2bi:us-west-2:123456789012:partnership/  
ps-5555zzzz4444yyyyy",  
    "partnershipId": "ps-5555zzzz4444yyyyy",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333",  
    "tradingPartnerId": "tp-11112222333344445"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateProfile

Updates the specified parameters for a profile. A profile is the mechanism used to create the concept of a private network.

Request Syntax

```
{  
    "businessName": "string",  
    "email": "string",  
    "name": "string",  
    "phone": "string",  
    "profileId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

businessName

Specifies the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

email

Specifies the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-\]+\@[\\w\.\-\]+

Required: No

[name](#)

The name of the profile, used to identify it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

[phone](#)

Specifies the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-()\/\]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

Required: No

[profileId](#)

Specifies the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
  "businessName": "string",  
  "createdAt": "string",  
  "email": "string",  
  "logging": "string",  
  "logGroupName": "string",  
  "modifiedAt": "string",  
}
```

```
"name": "string",
"phone": "string",
"profileArn": "string",
"profileId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[businessName](#)

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

[createdAt](#)

Returns a timestamp for creation date and time of the profile.

Type: Timestamp

[email](#)

Returns the email address associated with this customer profile.

Type: String

Length Constraints: Minimum length of 5. Maximum length of 254.

Pattern: [\w\.\-\-]+@[\\w\.\-\-]+

[logging](#)

Specifies whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

[logGroupName](#)

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

modifiedAt

Returns a timestamp for last time the profile was modified.

Type: Timestamp

name

Returns the name of the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

phone

Returns the phone number associated with the profile.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 22.

Pattern: \+?([0-9 \t\-\()\\]{7,})(?:\s*(?:#|x\.\?|ext\.\?|extension) \t*(\d+))?

profileArn

Returns an Amazon Resource Name (ARN) for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerError

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a profile.

Sample Request

```
{  
    "businessName": "John's Shipping",  
    "email": "john@example.com",  
    "name": "Shipping Profile",  
    "phone": "5555555555",  
    "profileId": "p-ABCDE111122223333"  
}
```

Sample Response

```
{  
    "businessName": "John's Trucking",  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "email": "john@example.com",  
    "logging": "ENABLED",  
    "logGroupName": "b2bi/p-ABCDE111122223333-Logs",  
    "modifiedAt": "2023-11-02T21:51:05.504Z",  
    "name": "Shipping Profile",  
    "phone": "5555555555",  
    "profileArn": "arn:aws:b2bi:us-west-2:123456789012:profile/p-ABCDE111122223333",  
    "profileId": "p-ABCDE111122223333"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTransformer

Updates the specified parameters for a transformer. A transformer can take an EDI file as input and transform it into a JSON-or XML-formatted document. Alternatively, a transformer can take a JSON-or XML-formatted document as input and transform it into an EDI file.

Request Syntax

```
{  
    "ediType": { ... },  
    "fileFormat": "string",  
    "inputConversion": {  
        "advancedOptions": {  
            "x12": {  
                "splitOptions": {  
                    "splitBy": "string"  
                }  
            }  
        },  
        "formatOptions": { ... },  
        "fromFormat": "string"  
    },  
    "mapping": {  
        "template": "string",  
        "templateLanguage": "string"  
    },  
    "mappingTemplate": "string",  
    "name": "string",  
    "outputConversion": {  
        "formatOptions": { ... },  
        "toFormat": "string"  
    },  
    "sampleDocument": "string",  
    "sampleDocuments": {  
        "bucketName": "string",  
        "keys": [  
            {  
                "input": "string",  
                "output": "string"  
            }  
        ]  
    },  
},
```

```
"status": "string",
"transformerId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ediType](#)

This parameter has been deprecated.

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

[fileFormat](#)

This parameter has been deprecated.

Specifies that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

Required: No

[inputConversion](#)

To update, specify the InputConversion object, which contains the format options for the inbound transformation.

Type: [InputConversion](#) object

Required: No

mapping

Specify the structure that contains the mapping template and its language (either XSLT or JSONATA).

Type: [Mapping](#) object

Required: No

mappingTemplate

This parameter has been deprecated.

Specifies the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

 **Note**

This parameter is available for backwards compatibility. Use the [Mapping](#) data type instead.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: No

name

Specify a new name for the transformer, if you want to update it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Pattern: [a-zA-Z0-9_-]{1,512}

Required: No

outputConversion

To update, specify the OutputConversion object, which contains the format options for the outbound transformation.

Type: [OutputConversion](#) object

Required: No

sampleDocument

This parameter has been deprecated.

Specifies a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

sampleDocuments

Specify a structure that contains the Amazon S3 bucket and an array of the corresponding keys used to identify the location for your sample documents.

Type: [SampleDocuments](#) object

Required: No

status

Specifies the transformer's status. You can update the state of the transformer from `inactive` to `active`.

Type: String

Valid Values: `active` | `inactive`

Required: No

transformerId

Specifies the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

Response Syntax

```
{  
    "createdAt": "string",  
    "ediType": { ... },  
    "fileFormat": "string",  
    "inputConversion": {  
        "advancedOptions": {  
            "x12": {  
                "splitOptions": {  
                    "splitBy": "string"  
                }  
            }  
        },  
        "formatOptions": { ... },  
        "fromFormat": "string"  
    },  
    "mapping": {  
        "template": "string",  
        "templateLanguage": "string"  
    },  
    "mappingTemplate": "string",  
    "modifiedAt": "string",  
    "name": "string",  
    "outputConversion": {  
        "formatOptions": { ... },  
        "toFormat": "string"  
    },  
    "sampleDocument": "string",  
    "sampleDocuments": {  
        "bucketName": "string",  
        "keys": [  
            {  
                "input": "string",  
                "output": "string"  
            }  
        ]  
    },  
    "status": "string",  
}
```

```
"transformerArn": "string",
"transformerId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

createdAt

Returns a timestamp for creation date and time of the transformer.

Type: Timestamp

ediType

This parameter has been deprecated.

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

fileFormat

This parameter has been deprecated.

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

inputConversion

Returns the InputConversion object, which contains the format options for the inbound transformation.

Type: [InputConversion](#) object

[mapping](#)

Returns the structure that contains the mapping template and its language (either XSLT or JSONATA).

Type: [Mapping](#) object

[mappingTemplate](#)

This parameter has been deprecated.

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

[modifiedAt](#)

Returns a timestamp for last time the transformer was modified.

Type: Timestamp

[name](#)

Returns the name of the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Pattern: [a-zA-Z0-9_-]{1,512}

[outputConversion](#)

Returns the OutputConversion object, which contains the format options for the outbound transformation.

Type: [OutputConversion](#) object

[sampleDocument](#)

This parameter has been deprecated.

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

[sampleDocuments](#)

Returns a structure that contains the Amazon S3 bucket and an array of the corresponding keys used to identify the location for your sample documents.

Type: [SampleDocuments](#) object

[status](#)

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

[transformerArn](#)

Returns an Amazon Resource Name (ARN) for a specific AWS resource, such as a capability, partnership, profile, or transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[transformerId](#)

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

ConflictException

A conflict exception is thrown when you attempt to delete a resource (such as a profile or a capability) that is being used by other resources.

HTTP Status Code: 400

InternalServerException

This exception is thrown when an error occurs in the AWS B2B Data Interchange service.

HTTP Status Code: 500

ResourceNotFoundException

Occurs when the requested resource does not exist, or cannot be found. In some cases, the resource exists in a region other than the region specified in the API call.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when the calling command attempts to exceed one of the service quotas, for example trying to create a capability when you already have the maximum number of capabilities allowed.

HTTP Status Code: 400

ThrottlingException

The request was denied due to throttling: the data speed and rendering may be limited depending on various parameters and conditions.

HTTP Status Code: 400

ValidationException

Occurs when a B2BI object cannot be validated against a request from another object.

HTTP Status Code: 400

Examples

Example

The following example updates a transformer.

Sample Request

```
{  
    "ediType": {  
        "x12Details": {  
            "transactionSet": "X12_110",  
            "version": "VERSION_4010"  
        }  
    },  
    "mapping": {  
        "templateLanguage": "JSONATA",  
        "template": "{}"  
    },  
    "name": "transformJSON",  
    "sampleDocument": "s3://amzn-s3-demo-bucket/sampleDoc.txt",  
    "status": "inactive",  
    "transformerId": "tr-1234abcd5678efghj"  
}
```

Sample Response

```
{  
    "createdAt": "2023-11-01T21:51:05.504Z",  
    "ediType": {  
        "x12Details": {  
            "transactionSet": "X12_110",  
            "version": "VERSION_4010"  
        }  
    },  
    "mapping": {  
        "templateLanguage": "JSONATA",  
        "template": "$"  
    },  
    "modifiedAt": "2023-11-01T21:51:05.504Z",  
    "name": "transformJSON",  
    "sampleDocument": "s3://amzn-s3-demo-bucket/sampleDoc.txt",  
    "status": "inactive",  
}
```

```
"transformerArn": "arn:aws:b2bi:us-west-2:607686414464:transformer/  
tr-1234abcd5678efghj",  
    "transformerId": "tr-1234abcd5678efghj"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS B2B Data Interchange API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AdvancedOptions](#)
- [CapabilityConfiguration](#)
- [CapabilityOptions](#)
- [CapabilitySummary](#)
- [ConversionSource](#)
- [ConversionTarget](#)
- [ConversionTargetFormatDetails](#)
- [EdiConfiguration](#)
- [EdiType](#)
- [FormatOptions](#)
- [InboundEdiOptions](#)
- [InputConversion](#)
- [InputFileSource](#)
- [Mapping](#)
- [OutboundEdiOptions](#)
- [OutputConversion](#)
- [OutputSampleFileSource](#)
- [PartnershipSummary](#)
- [ProfileSummary](#)
- [S3Location](#)

- [SampleDocumentKeys](#)
- [SampleDocuments](#)
- [Tag](#)
- [TemplateDetails](#)
- [TransformerSummary](#)
- [WrapOptions](#)
- [X12AcknowledgmentOptions](#)
- [X12AdvancedOptions](#)
- [X12ControlNumbers](#)
- [X12Delimiters](#)
- [X12Details](#)
- [X12Envelope](#)
- [X12FunctionalGroupHeaders](#)
- [X12InboundEdiOptions](#)
- [X12InterchangeControlHeaders](#)
- [X12OutboundEdiHeaders](#)
- [X12SplitOptions](#)

AdvancedOptions

A structure that contains advanced options for EDI processing. Currently, only X12 advanced options are supported.

Contents

x12

A structure that contains X12-specific advanced options, such as split options for processing X12 EDI files.

Type: [X12AdvancedOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CapabilityConfiguration

A capability object. Currently, only EDI (electronic data interchange) capabilities are supported. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

edi

An EDI (electronic data interchange) configuration object.

Type: [EdiConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CapabilityOptions

Contains the details for an Outbound EDI capability.

Contents

inboundEdi

A structure that contains the inbound EDI options for the capability.

Type: [InboundEdiOptions](#) object

Required: No

outboundEdi

A structure that contains the outbound EDI options.

Type: [OutboundEdiOptions](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CapabilitySummary

Returns the capability summary details. A trading capability contains the information required to transform incoming EDI documents into JSON or XML outputs.

Contents

capabilityId

Returns a system-assigned unique identifier for the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

createdAt

Returns a timestamp for creation date and time of the capability.

Type: Timestamp

Required: Yes

name

The display name of the capability.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

type

Returns the type of the capability. Currently, only edi is supported.

Type: String

Valid Values: edi

Required: Yes

modifiedAt

Returns a timestamp that identifies the most recent date and time that the capability was modified.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConversionSource

Describes the input for an outbound transformation.

Contents

fileFormat

The format for the input file: either JSON or XML.

Type: String

Valid Values: JSON | XML

Required: Yes

inputFile

The input file to use for an outbound transformation.

Type: [InputFileSource](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConversionTarget

Provide a sample of what the output of the transformation should look like.

Contents

fileFormat

Currently, only X12 format is supported.

Type: String

Valid Values: X12

Required: Yes

formatDetails

A structure that contains the formatting details for the conversion target.

Type: [ConversionTargetFormatDetails](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

outputSampleFile

Container for the location of a sample file used for outbound transformations.

Type: [OutputSampleFileSource](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ConversionTargetFormatDetails

Contains a structure describing the X12 details for the conversion target.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

x12

A structure that contains the X12 transaction set and version. The X12 structure is used when the system transforms an EDI (electronic data interchange) file.

Note

If an EDI input file contains more than one transaction, each transaction must have the same transaction set and version, for example 214/4010. If not, the transformer cannot parse the file.

Type: [X12Details](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EdiConfiguration

Specifies the details for the EDI (electronic data interchange) transformation.

Contents

inputLocation

Contains the Amazon S3 bucket and prefix for the location of the input file, which is contained in an S3Location object.

Type: [S3Location](#) object

Required: Yes

outputLocation

Contains the Amazon S3 bucket and prefix for the location of the output file, which is contained in an S3Location object.

Type: [S3Location](#) object

Required: Yes

transformerId

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

type

Returns the type of the capability. Currently, only edi is supported.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

capabilityDirection

Specifies whether this is capability is for inbound or outbound transformations.

Type: String

Valid Values: INBOUND | OUTBOUND

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EdiType

Specifies the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

x12Details

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [X12Details](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FormatOptions

A structure that contains the X12 transaction set and version.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

x12

A structure that contains the X12 transaction set and version. The X12 structure is used when the system transforms an EDI (electronic data interchange) file.

Note

If an EDI input file contains more than one transaction, each transaction must have the same transaction set and version, for example 214/4010. If not, the transformer cannot parse the file.

Type: [X12Details](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InboundEdiOptions

Contains options for processing inbound EDI files. These options allow for customizing how incoming EDI documents are processed.

Contents

x12

A structure that contains X12-specific options for processing inbound X12 EDI files.

Type: [X12InboundEdiOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputConversion

Contains the input formatting options for an inbound transformer (takes an X12-formatted EDI document as input and converts it to JSON or XML).

Contents

fromFormat

The format for the transformer input: currently only X12 is supported.

Type: String

Valid Values: X12

Required: Yes

advancedOptions

Specifies advanced options for the input conversion process. These options provide additional control over how EDI files are processed during transformation.

Type: [AdvancedOptions](#) object

Required: No

formatOptions

A structure that contains the formatting options for an inbound transformer.

Type: [FormatOptions](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputFileSource

The input file to use for an outbound transformation.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

fileContent

Specify the input contents, as a string, for the source of an outbound transformation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 5000000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Mapping

Specifies the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Contents

templateLanguage

The transformation language for the template, either XSLT or JSONATA.

Type: String

Valid Values: XSLT | JSONATA

Required: Yes

template

A string that represents the mapping template, in the transformation language specified in templateLanguage.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutboundEdiOptions

A container for outbound EDI options.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

x12

A structure that contains an X12 envelope structure.

Type: [X12Envelope](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutputConversion

Contains the formatting options for an outbound transformer (takes JSON or XML as input and converts it to an EDI document (currently only X12 format is supported).

Contents

toFormat

The format for the output from an outbound transformer: only X12 is currently supported.

Type: String

Valid Values: X12

Required: Yes

formatOptions

A structure that contains the X12 transaction set and version for the transformer output.

Type: [FormatOptions](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutputSampleFileSource

Container for the location of a sample file used for outbound transformations.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

fileLocation

Specifies the details for the Amazon S3 file location that is being used with AWS B2B Data Interchange. File locations in Amazon S3 are identified using a combination of the bucket and key.

Type: [S3Location](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PartnershipSummary

A structure that contains the details for a partnership. A partnership represents the connection between you and your trading partner. It ties together a profile and one or more trading capabilities.

Contents

createdAt

Returns a timestamp for creation date and time of the partnership.

Type: Timestamp

Required: Yes

partnershipId

Returns the unique, system-generated identifier for a partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

profileId

Returns the unique, system-generated identifier for the profile connected to this partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

capabilities

Returns one or more capabilities associated with this partnership.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

capabilityOptions

Contains the details for an Outbound EDI capability.

Type: [CapabilityOptions](#) object

Required: No

modifiedAt

Returns a timestamp that identifies the most recent date and time that the partnership was modified.

Type: Timestamp

Required: No

name

Returns the name of the partnership.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: No

tradingPartnerId

Returns the unique, system-generated identifier for a trading partner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProfileSummary

Contains the details for a profile. A profile is the mechanism used to create the concept of a private network.

Contents

businessName

Returns the name for the business associated with this profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

createdAt

Returns the timestamp for creation date and time of the profile.

Type: Timestamp

Required: Yes

name

Returns the display name for profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Required: Yes

profileId

Returns the unique, system-generated identifier for the profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

logging

Specifies whether or not logging is enabled for this profile.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

logGroupName

Returns the name of the logging group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

modifiedAt

Returns the timestamp that identifies the most recent date and time that the profile was modified.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Location

Specifies the details for the Amazon S3 file location that is being used with AWS B2B Data Interchange. File locations in Amazon S3 are identified using a combination of the bucket and key.

Contents

bucketName

Specifies the name of the Amazon S3 bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Required: No

key

Specifies the Amazon S3 key for the file location.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SampleDocumentKeys

An array of the Amazon S3 keys used to identify the location for your sample documents.

Contents

input

An array of keys for your input sample documents.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

output

An array of keys for your output sample documents.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SampleDocuments

Describes a structure that contains the Amazon S3 bucket and an array of the corresponding keys used to identify the location for your sample documents.

Contents

bucketName

Contains the Amazon S3 bucket that is used to hold your sample documents.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Required: Yes

keys

Contains an array of the Amazon S3 keys used to identify the location for your sample documents.

Type: Array of [SampleDocumentKeys](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

Creates a key-value pair for a specific resource. Tags are metadata that you can use to search for and group a resource for various purposes. You can apply tags to capabilities, partnerships, profiles and transformers. A tag key can take more than one value. For example, to group capabilities for accounting purposes, you might create a tag called Group and assign the values Research and Accounting to that group.

Contents

Key

Specifies the name assigned to the tag that you create.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Value

Contains one or more values that you assigned to the key name that you create.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TemplateDetails

A data structure that contains the information to use when generating a mapping template.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

x12

A structure that contains the X12 transaction set and version. The X12 structure is used when the system transforms an EDI (electronic data interchange) file.

Note

If an EDI input file contains more than one transaction, each transaction must have the same transaction set and version, for example 214/4010. If not, the transformer cannot parse the file.

Type: [X12Details](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TransformerSummary

Contains the details for a transformer object. A transformer can take an EDI file as input and transform it into a JSON-or XML-formatted document. Alternatively, a transformer can take a JSON-or XML-formatted document as input and transform it into an EDI file.

Contents

createdAt

Returns a timestamp indicating when the transformer was created. For example, 2023-07-20T19:58:44.624Z.

Type: Timestamp

Required: Yes

name

Returns the descriptive name for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 254.

Pattern: [a-zA-Z0-9_-]{1,512}

Required: Yes

status

Returns the state of the newly created transformer. The transformer can be either active or inactive. For the transformer to be used in a capability, its status must active.

Type: String

Valid Values: active | inactive

Required: Yes

transformerId

Returns the system-assigned unique identifier for the transformer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9_-]+

Required: Yes

ediType

This member has been deprecated.

Returns the details for the EDI standard that is being used for the transformer. Currently, only X12 is supported. X12 is a set of standards and corresponding messages that define specific business documents.

Type: [EdiType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

fileFormat

This member has been deprecated.

Returns that the currently supported file formats for EDI transformations are JSON and XML.

Type: String

Valid Values: XML | JSON | NOT_USED

Required: No

inputConversion

Returns a structure that contains the format options for the transformation.

Type: [InputConversion](#) object

Required: No

mapping

Returns the structure that contains the mapping template and its language (either XSLT or JSONATA).

Type: [Mapping object](#)

Required: No

mappingTemplate

This member has been deprecated.

Returns the mapping template for the transformer. This template is used to map the parsed EDI file using JSONata or XSLT.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 350000.

Required: No

modifiedAt

Returns a timestamp representing the date and time for the most recent change for the transformer object.

Type: Timestamp

Required: No

outputConversion

Returns the OutputConversion object, which contains the format options for the outbound transformation.

Type: [OutputConversion object](#)

Required: No

sampleDocument

This member has been deprecated.

Returns a sample EDI document that is used by a transformer as a guide for processing the EDI data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

sampleDocuments

Returns a structure that contains the Amazon S3 bucket and an array of the corresponding keys used to identify the location for your sample documents.

Type: [SampleDocuments](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WrapOptions

Contains options for wrapping (line folding) in X12 EDI files. Wrapping controls how long lines are handled in the EDI output.

Contents

wrapBy

Specifies the method used for wrapping lines in the EDI output. Valid values:

- SEGMENT: Wraps by segment.
- ONE_LINE: Indicates that the entire content is on a single line.

 **Note**

When you specify ONE_LINE, do not provide either the line length nor the line terminator value.

- LINE_LENGTH: Wraps by character count, as specified by lineLength value.

Type: String

Valid Values: SEGMENT | ONE_LINE | LINE_LENGTH

Required: Yes

lineLength

Specifies the maximum length of a line before wrapping occurs. This value is used when wrapBy is set to LINE_LENGTH.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

lineTerminator

Specifies the character sequence used to terminate lines when wrapping. Valid values:

- CRLF: carriage return and line feed

- LF: line feed)
- CR: carriage return

Type: String

Valid Values: CRLF | LF | CR

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12AcknowledgmentOptions

Contains options for configuring X12 acknowledgments. These options control how functional and technical acknowledgments are handled.

Contents

functionalAcknowledgment

Specifies whether functional acknowledgments (997/999) should be generated for incoming X12 transactions. Valid values are DO_NOT_GENERATE, GENERATE_ALL_SEGMENTS and GENERATE_WITHOUT_TRANSACTION_SET_RESPONSE_LOOP.

If you choose GENERATE_WITHOUT_TRANSACTION_SET_RESPONSE_LOOP, AWS B2B Data Interchange skips the AK2_Loop when generating an acknowledgment document.

Type: String

Valid Values: DO_NOT_GENERATE | GENERATE_ALL_SEGMENTS |
GENERATE_WITHOUT_TRANSACTION_SET_RESPONSE_LOOP

Required: Yes

technicalAcknowledgment

Specifies whether technical acknowledgments (TA1) should be generated for incoming X12 interchanges. Valid values are DO_NOT_GENERATE and GENERATE_ALL_SEGMENTS and.

Type: String

Valid Values: DO_NOT_GENERATE | GENERATE_ALL_SEGMENTS

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

X12AdvancedOptions

Contains advanced options specific to X12 EDI processing, such as splitting large X12 files into smaller units.

Contents

splitOptions

Specifies options for splitting X12 EDI files. These options control how large X12 files are divided into smaller, more manageable units.

Type: [X12SplitOptions object](#)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12ControlNumbers

Contains configuration for X12 control numbers used in X12 EDI generation. Control numbers are used to uniquely identify interchanges, functional groups, and transaction sets.

Contents

startingFunctionalGroupControlNumber

Specifies the starting functional group control number (GS06) to use for X12 EDI generation. This number is incremented for each new functional group. For the GS (functional group) envelope, AWS B2B Data Interchange generates a functional group control number that is unique to the sender ID, receiver ID, and functional identifier code combination.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 999999999.

Required: No

startingInterchangeControlNumber

Specifies the starting interchange control number (ISA13) to use for X12 EDI generation. This number is incremented for each new interchange. For the ISA (interchange) envelope, AWS B2B Data Interchange generates an interchange control number that is unique for the ISA05 and ISA06 (sender) & ISA07 and ISA08 (receiver) combination.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 999999999.

Required: No

startingTransactionSetControlNumber

Specifies the starting transaction set control number (ST02) to use for X12 EDI generation. This number is incremented for each new transaction set.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 999999999.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12Delimiters

In X12 EDI messages, delimiters are used to mark the end of segments or elements, and are defined in the interchange control header. The delimiters are part of the message's syntax and divide up its different elements.

Contents

componentSeparator

The component, or sub-element, separator. The default value is : (colon).

Type: String

Length Constraints: Fixed length of 1.

Pattern: [!& ' ()*+, \- ./: ;?= % @ \[\] _ {} | <> ~ ^ ` "]

Required: No

dataElementSeparator

The data element separator. The default value is * (asterisk).

Type: String

Length Constraints: Fixed length of 1.

Pattern: [!& ' ()*+, \- ./: ;?= % @ \[\] _ {} | <> ~ ^ ` "]

Required: No

segmentTerminator

The segment terminator. The default value is ~ (tilde).

Type: String

Length Constraints: Fixed length of 1.

Pattern: [!& ' ()*+, \- ./: ;?= % @ \[\] _ {} | <> ~ ^ ` "]

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12Details

A structure that contains the X12 transaction set and version. The X12 structure is used when the system transforms an EDI (electronic data interchange) file.

Note

If an EDI input file contains more than one transaction, each transaction must have the same transaction set and version, for example 214/4010. If not, the transformer cannot parse the file.

Contents

transactionSet

Returns an enumerated type where each value identifies an X12 transaction set. Transaction sets are maintained by the X12 Accredited Standards Committee.

Type: String

Valid Values: X12_100 | X12_101 | X12_102 | X12_103 | X12_104 | X12_105 | X12_106 | X12_107 | X12_108 | X12_109 | X12_110 | X12_111 | X12_112 | X12_113 | X12_120 | X12_121 | X12_124 | X12_125 | X12_126 | X12_127 | X12_128 | X12_129 | X12_130 | X12_131 | X12_132 | X12_133 | X12_135 | X12_138 | X12_139 | X12_140 | X12_141 | X12_142 | X12_143 | X12_144 | X12_146 | X12_147 | X12_148 | X12_149 | X12_150 | X12_151 | X12_152 | X12_153 | X12_154 | X12_155 | X12_157 | X12_158 | X12_159 | X12_160 | X12_161 | X12_163 | X12_170 | X12_175 | X12_176 | X12_179 | X12_180 | X12_185 | X12_186 | X12_187 | X12_188 | X12_189 | X12_190 | X12_191 | X12_194 | X12_195 | X12_196 | X12_197 | X12_198 | X12_199 | X12_200 | X12_201 | X12_202 | X12_203 | X12_204 | X12_205 | X12_206 | X12_210 | X12_211 | X12_212 | X12_213 | X12_214 | X12_215 | X12_216 | X12_217 | X12_218 | X12_219 | X12_220 | X12_222 | X12_223 | X12_224 | X12_225 | X12_227 | X12_228 | X12_240 | X12_242 | X12_244 | X12_245 | X12_248 | X12_249 | X12_250 | X12_251 | X12_252 | X12_255 | X12_256 | X12_259 | X12_260 | X12_261 | X12_262 | X12_263 | X12_264 | X12_265 | X12_266 | X12_267 | X12_268 | X12_269 | X12_270 | X12_271 | X12_272 | X12_273

| |
|--|
| X12_274 X12_275 X12_276 X12_277 X12_278 X12_280 X12_283 |
| X12_284 X12_285 X12_286 X12_288 X12_290 X12_300 X12_301 |
| X12_303 X12_304 X12_309 X12_310 X12_311 X12_312 X12_313 |
| X12_315 X12_317 X12_319 X12_322 X12_323 X12_324 X12_325 |
| X12_326 X12_350 X12_352 X12_353 X12_354 X12_355 X12_356 |
| X12_357 X12_358 X12_361 X12_362 X12_404 X12_410 X12_412 |
| X12_414 X12_417 X12_418 X12_419 X12_420 X12_421 X12_422 |
| X12_423 X12_424 X12_425 X12_426 X12_429 X12_431 X12_432 |
| X12_433 X12_434 X12_435 X12_436 X12_437 X12_440 X12_451 |
| X12_452 X12_453 X12_455 X12_456 X12_460 X12_463 X12_466 |
| X12_468 X12_470 X12_475 X12_485 X12_486 X12_490 X12_492 |
| X12_494 X12_500 X12_501 X12_503 X12_504 X12_511 X12_517 |
| X12_521 X12_527 X12_536 X12_540 X12_561 X12_567 X12_568 |
| X12_601 X12_602 X12_620 X12_625 X12_650 X12_715 X12_753 |
| X12_754 X12_805 X12_806 X12_810 X12_811 X12_812 X12_813 |
| X12_814 X12_815 X12_816 X12_818 X12_819 X12_820 X12_821 |
| X12_822 X12_823 X12_824 X12_826 X12_827 X12_828 X12_829 |
| X12_830 X12_831 X12_832 X12_833 X12_834 X12_835 X12_836 |
| X12_837 X12_838 X12_839 X12_840 X12_841 X12_842 X12_843 |
| X12_844 X12_845 X12_846 X12_847 X12_848 X12_849 X12_850 |
| X12_851 X12_852 X12_853 X12_854 X12_855 X12_856 X12_857 |
| X12_858 X12_859 X12_860 X12_861 X12_862 X12_863 X12_864 |
| X12_865 X12_866 X12_867 X12_868 X12_869 X12_870 X12_871 |
| X12_872 X12_873 X12_874 X12_875 X12_876 X12_877 X12_878 |
| X12_879 X12_880 X12_881 X12_882 X12_883 X12_884 X12_885 |
| X12_886 X12_887 X12_888 X12_889 X12_891 X12_893 X12_894 |
| X12_895 X12_896 X12_920 X12_924 X12_925 X12_926 X12_928 |
| X12_940 X12_943 X12_944 X12_945 X12_947 X12_980 X12_990 |
| X12_993 X12_996 X12_997 X12_998 X12_999 X12_270_X279 |
| X12_271_X279 X12_275_X210 X12_275_X211 X12_276_X212 X12_277_X212 |
| X12_277_X214 X12_277_X364 X12_278_X217 X12_820_X218 |
| X12_820_X306 X12_824_X186 X12_834_X220 X12_834_X307 X12_834_X318 |
| X12_835_X221 X12_837_X222 X12_837_X223 X12_837_X224 |
| X12_837_X291 X12_837_X292 X12_837_X298 X12_999_X231 |

Required: No

version

Returns the version to use for the specified X12 transaction set.

Type: String

Valid Values: VERSION_4010 | VERSION_4030 | VERSION_4050 | VERSION_4060 | VERSION_5010 | VERSION_5010_HIPAA

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12Envelope

A wrapper structure for an X12 definition object.

The X12 envelope ensures the integrity of the data and the efficiency of the information exchange. The X12 message structure has hierarchical levels. From highest to the lowest, they are:

- Interchange Envelope
- Functional Group
- Transaction Set

Contents

common

A container for the X12 outbound EDI headers.

Type: [X12OutboundEdiHeaders](#) object

Required: No

wrapOptions

Contains options for wrapping (line folding) in X12 EDI files. Wrapping controls how long lines are handled in the EDI output.

Type: [WrapOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12FunctionalGroupHeaders

Part of the X12 message structure. These are the functional group headers for the X12 EDI object.

Contents

applicationReceiverCode

A value representing the code used to identify the party receiving a message, at position GS-03.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 15.

Pattern: [a-zA-Z0-9]*

Required: No

applicationSenderCode

A value representing the code used to identify the party transmitting a message, at position GS-02.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 15.

Pattern: [a-zA-Z0-9]*

Required: No

responsibleAgencyCode

A code that identifies the issuer of the standard, at position GS-07.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2.

Pattern: [a-zA-Z0-9]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12InboundEdiOptions

Contains options specific to processing inbound X12 EDI files.

Contents

acknowledgmentOptions

Specifies acknowledgment options for inbound X12 EDI files. These options control how functional and technical acknowledgments are handled.

Type: [X12AcknowledgmentOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12InterchangeControlHeaders

In X12, the Interchange Control Header is the first segment of an EDI document and is part of the Interchange Envelope. It contains information about the sender and receiver, the date and time of transmission, and the X12 version being used. It also includes delivery information, such as the sender and receiver IDs.

Contents

acknowledgmentRequestedCode

Located at position ISA-14 in the header. The value "1" indicates that the sender is requesting an interchange acknowledgment at receipt of the interchange. The value "0" is used otherwise.

Type: String

Length Constraints: Fixed length of 1.

Pattern: [a-zA-Z0-9]*

Required: No

receiverId

Located at position ISA-08 in the header. This value (along with the receiverIdQualifier) identifies the intended recipient of the interchange.

Type: String

Length Constraints: Fixed length of 15.

Pattern: [a-zA-Z0-9]*

Required: No

receiverIdQualifier

Located at position ISA-07 in the header. Qualifier for the receiver ID. Together, the ID and qualifier uniquely identify the receiving trading partner.

Type: String

Length Constraints: Fixed length of 2.

Pattern: [a-zA-Z0-9]*

Required: No

repetitionSeparator

Located at position ISA-11 in the header. This string makes it easier when you need to group similar adjacent element values together without using extra segments.

Note

This parameter is only honored for version greater than 401 (VERSION_4010 and higher).

For versions less than 401, this field is called [StandardId](#), in which case our service sets the value to U.

Type: String

Length Constraints: Fixed length of 1.

Required: No

senderId

Located at position ISA-06 in the header. This value (along with the senderIdQualifier) identifies the sender of the interchange.

Type: String

Length Constraints: Fixed length of 15.

Pattern: [a-zA-Z0-9]*

Required: No

senderIdQualifier

Located at position ISA-05 in the header. Qualifier for the sender ID. Together, the ID and qualifier uniquely identify the sending trading partner.

Type: String

Length Constraints: Fixed length of 2.

Pattern: [a-zA-Z0-9]*

Required: No

usageIndicatorCode

Located at position ISA-15 in the header. Specifies how this interchange is being used:

- T indicates this interchange is for testing.
- P indicates this interchange is for production.
- I indicates this interchange is informational.

Type: String

Length Constraints: Fixed length of 1.

Pattern: [a-zA-Z0-9]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12OutboundEdiHeaders

A structure containing the details for an outbound EDI object.

Contents

controlNumbers

Specifies control number configuration for outbound X12 EDI headers. These settings determine the starting values for interchange, functional group, and transaction set control numbers.

Type: [X12ControlNumbers](#) object

Required: No

delimiters

The delimiters, for example semicolon (;), that separates sections of the headers for the X12 object.

Type: [X12Delimiters](#) object

Required: No

functionalGroupHeaders

The functional group headers for the X12 object.

Type: [X12FunctionalGroupHeaders](#) object

Required: No

gs05TimeFormat

Specifies the time format in the GS05 element (time) of the functional group header. The following formats use 24-hour clock time:

- HHMM - Hours and minutes
- HHMMSS - Hours, minutes, and seconds
- HHMMSSDD - Hours, minutes, seconds, and decimal seconds

Where:

- HH - Hours (00-23)
- MM - Minutes (00-59)
- SS - Seconds (00-59)
- DD - Hundredths of seconds (00-99)

Type: String

Valid Values: HHMM | HHMMSS | HHMMSSDD

Required: No

interchangeControlHeaders

In X12 EDI messages, delimiters are used to mark the end of segments or elements, and are defined in the interchange control header.

Type: [X12InterchangeControlHeaders](#) object

Required: No

validateEdi

Specifies whether or not to validate the EDI for this X12 object: TRUE or FALSE.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

X12SplitOptions

Contains options for splitting X12 EDI files into smaller units. This is useful for processing large EDI files more efficiently.

Contents

splitBy

Specifies the method used to split X12 EDI files. Valid values include TRANSACTION (split by individual transaction sets), or NONE (no splitting).

Type: String

Valid Values: NONE | TRANSACTION

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400