



API Reference

AWS Clean Rooms ML



API Version 2023-09-06

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Clean Rooms ML: API Reference

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CancelTrainedModel	5
Request Syntax	5
URI Request Parameters	5
Request Body	6
Response Syntax	6
Response Elements	6
Errors	6
See Also	7
CancelTrainedModelInferenceJob	8
Request Syntax	8
URI Request Parameters	8
Request Body	8
Response Syntax	8
Response Elements	9
Errors	9
See Also	9
CreateAudienceModel	11
Request Syntax	11
URI Request Parameters	11
Request Body	11
Response Syntax	14
Response Elements	14
Errors	14
See Also	15
CreateConfiguredAudienceModel	16
Request Syntax	16
URI Request Parameters	16
Request Body	16
Response Syntax	20
Response Elements	20
Errors	20
See Also	21

CreateConfiguredModelAlgorithm	22
Request Syntax	22
URI Request Parameters	22
Request Body	22
Response Syntax	25
Response Elements	25
Errors	25
See Also	26
CreateConfiguredModelAlgorithmAssociation	27
Request Syntax	27
URI Request Parameters	28
Request Body	28
Response Syntax	30
Response Elements	30
Errors	31
See Also	32
CreateMLInputChannel	33
Request Syntax	33
URI Request Parameters	33
Request Body	33
Response Syntax	36
Response Elements	36
Errors	36
See Also	37
CreateTrainedModel	39
Request Syntax	39
URI Request Parameters	40
Request Body	40
Response Syntax	44
Response Elements	44
Errors	45
See Also	46
CreateTrainingDataset	48
Request Syntax	48
URI Request Parameters	49
Request Body	49

Response Syntax	51
Response Elements	51
Errors	51
See Also	52
DeleteAudienceGenerationJob	53
Request Syntax	53
URI Request Parameters	53
Request Body	53
Response Syntax	53
Response Elements	53
Errors	53
See Also	54
DeleteAudienceModel	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	55
Response Elements	55
Errors	55
See Also	56
DeleteConfiguredAudienceModel	57
Request Syntax	57
URI Request Parameters	57
Request Body	57
Response Syntax	57
Response Elements	57
Errors	57
See Also	58
DeleteConfiguredAudienceModelPolicy	59
Request Syntax	59
URI Request Parameters	59
Request Body	59
Response Syntax	59
Response Elements	59
Errors	59
See Also	60

DeleteConfiguredModelAlgorithm	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	61
Errors	61
See Also	62
DeleteConfiguredModelAlgorithmAssociation	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	64
Response Elements	64
Errors	64
See Also	65
DeleteMLConfiguration	66
Request Syntax	66
URI Request Parameters	66
Request Body	66
Response Syntax	66
Response Elements	66
Errors	66
See Also	67
DeleteMLInputChannelData	68
Request Syntax	68
URI Request Parameters	68
Request Body	68
Response Syntax	68
Response Elements	69
Errors	69
See Also	69
DeleteTrainedModelOutput	71
Request Syntax	71
URI Request Parameters	71
Request Body	72

Response Syntax	72
Response Elements	72
Errors	72
See Also	73
DeleteTrainingDataset	74
Request Syntax	74
URI Request Parameters	74
Request Body	74
Response Syntax	74
Response Elements	74
Errors	75
See Also	75
GetAudienceGenerationJob	77
Request Syntax	77
URI Request Parameters	77
Request Body	77
Response Syntax	77
Response Elements	78
Errors	81
See Also	82
GetAudienceModel	83
Request Syntax	83
URI Request Parameters	83
Request Body	83
Response Syntax	83
Response Elements	84
Errors	86
See Also	87
GetCollaborationConfiguredModelAlgorithmAssociation	88
Request Syntax	88
URI Request Parameters	88
Request Body	88
Response Syntax	89
Response Elements	90
Errors	92
See Also	93

GetCollaborationMLInputChannel	94
Request Syntax	94
URI Request Parameters	94
Request Body	94
Response Syntax	95
Response Elements	95
Errors	98
See Also	98
GetCollaborationTrainedModel	100
Request Syntax	100
URI Request Parameters	100
Request Body	101
Response Syntax	101
Response Elements	102
Errors	106
See Also	106
GetConfiguredAudienceModel	108
Request Syntax	108
URI Request Parameters	108
Request Body	108
Response Syntax	108
Response Elements	109
Errors	112
See Also	112
GetConfiguredAudienceModelPolicy	114
Request Syntax	114
URI Request Parameters	114
Request Body	114
Response Syntax	114
Response Elements	114
Errors	115
See Also	116
GetConfiguredModelAlgorithm	117
Request Syntax	117
URI Request Parameters	117
Request Body	117

Response Syntax	117
Response Elements	118
Errors	121
See Also	121
GetConfiguredModelAlgorithmAssociation	122
Request Syntax	122
URI Request Parameters	122
Request Body	122
Response Syntax	123
Response Elements	124
Errors	127
See Also	127
GetMLConfiguration	129
Request Syntax	129
URI Request Parameters	129
Request Body	129
Response Syntax	129
Response Elements	130
Errors	130
See Also	131
GetMLInputChannel	132
Request Syntax	132
URI Request Parameters	132
Request Body	132
Response Syntax	132
Response Elements	133
Errors	137
See Also	138
GetTrainedModel	139
Request Syntax	139
URI Request Parameters	139
Request Body	140
Response Syntax	140
Response Elements	141
Errors	147
See Also	147

GetTrainedModelInferenceJob	149
Request Syntax	149
URI Request Parameters	149
Request Body	149
Response Syntax	150
Response Elements	151
Errors	156
See Also	156
GetTrainingDataset	158
Request Syntax	158
URI Request Parameters	158
Request Body	158
Response Syntax	158
Response Elements	159
Errors	161
See Also	161
ListAudienceExportJobs	163
Request Syntax	163
URI Request Parameters	163
Request Body	163
Response Syntax	163
Response Elements	164
Errors	165
See Also	165
ListAudienceGenerationJobs	166
Request Syntax	166
URI Request Parameters	166
Request Body	167
Response Syntax	167
Response Elements	167
Errors	168
See Also	168
ListAudienceModels	169
Request Syntax	169
URI Request Parameters	169
Request Body	169

Response Syntax	169
Response Elements	170
Errors	170
See Also	171
ListCollaborationConfiguredModelAlgorithmAssociations	172
Request Syntax	172
URI Request Parameters	172
Request Body	172
Response Syntax	172
Response Elements	173
Errors	173
See Also	174
ListCollaborationMLInputChannels	175
Request Syntax	175
URI Request Parameters	175
Request Body	175
Response Syntax	175
Response Elements	176
Errors	176
See Also	177
ListCollaborationTrainedModelExportJobs	178
Request Syntax	178
URI Request Parameters	178
Request Body	179
Response Syntax	179
Response Elements	180
Errors	180
See Also	181
ListCollaborationTrainedModelInferenceJobs	182
Request Syntax	182
URI Request Parameters	182
Request Body	183
Response Syntax	183
Response Elements	184
Errors	184
See Also	185

ListCollaborationTrainedModels	186
Request Syntax	186
URI Request Parameters	186
Request Body	186
Response Syntax	186
Response Elements	187
Errors	188
See Also	188
ListConfiguredAudienceModels	190
Request Syntax	190
URI Request Parameters	190
Request Body	190
Response Syntax	190
Response Elements	191
Errors	191
See Also	192
ListConfiguredModelAlgorithmAssociations	193
Request Syntax	193
URI Request Parameters	193
Request Body	193
Response Syntax	193
Response Elements	194
Errors	194
See Also	195
ListConfiguredModelAlgorithms	196
Request Syntax	196
URI Request Parameters	196
Request Body	196
Response Syntax	196
Response Elements	197
Errors	197
See Also	198
ListMLInputChannels	199
Request Syntax	199
URI Request Parameters	199
Request Body	199

Response Syntax	199
Response Elements	200
Errors	200
See Also	201
ListTagsForResource	202
Request Syntax	202
URI Request Parameters	202
Request Body	202
Response Syntax	202
Response Elements	203
Errors	203
See Also	204
ListTrainedModelInferenceJobs	205
Request Syntax	205
URI Request Parameters	205
Request Body	206
Response Syntax	206
Response Elements	207
Errors	207
See Also	208
ListTrainedModels	209
Request Syntax	209
URI Request Parameters	209
Request Body	209
Response Syntax	209
Response Elements	210
Errors	211
See Also	211
ListTrainedModelVersions	213
Request Syntax	213
URI Request Parameters	213
Request Body	214
Response Syntax	214
Response Elements	215
Errors	215
See Also	216

ListTrainingDatasets	217
Request Syntax	217
URI Request Parameters	217
Request Body	217
Response Syntax	217
Response Elements	218
Errors	218
See Also	219
PutConfiguredAudienceModelPolicy	220
Request Syntax	220
URI Request Parameters	220
Request Body	220
Response Syntax	221
Response Elements	221
Errors	222
See Also	222
PutMLConfiguration	224
Request Syntax	224
URI Request Parameters	224
Request Body	224
Response Syntax	225
Response Elements	225
Errors	225
See Also	225
StartAudienceExportJob	227
Request Syntax	227
URI Request Parameters	227
Request Body	227
Response Syntax	228
Response Elements	228
Errors	228
See Also	229
StartAudienceGenerationJob	231
Request Syntax	231
URI Request Parameters	231
Request Body	231

Response Syntax	234
Response Elements	234
Errors	234
See Also	235
StartTrainedModelExportJob	237
Request Syntax	237
URI Request Parameters	237
Request Body	238
Response Syntax	239
Response Elements	239
Errors	239
See Also	240
StartTrainedModelInferenceJob	241
Request Syntax	241
URI Request Parameters	242
Request Body	242
Response Syntax	246
Response Elements	246
Errors	246
See Also	247
TagResource	248
Request Syntax	248
URI Request Parameters	248
Request Body	248
Response Syntax	249
Response Elements	249
Errors	250
See Also	250
UntagResource	251
Request Syntax	251
URI Request Parameters	251
Request Body	251
Response Syntax	252
Response Elements	252
Errors	252
See Also	252

UpdateConfiguredAudienceModel	254
Request Syntax	254
URI Request Parameters	254
Request Body	255
Response Syntax	256
Response Elements	256
Errors	257
See Also	257
Data Types	259
AudienceDestination	262
Contents	262
See Also	262
AudienceExportJobSummary	263
Contents	263
See Also	265
AudienceGenerationJobDataSource	266
Contents	266
See Also	267
AudienceGenerationJobSummary	268
Contents	268
See Also	270
AudienceModelSummary	271
Contents	271
See Also	272
AudienceQualityMetrics	274
Contents	274
See Also	274
AudienceSize	275
Contents	275
See Also	275
AudienceSizeConfig	276
Contents	276
See Also	276
CollaborationConfiguredModelAlgorithmAssociationSummary	278
Contents	278
See Also	280

CollaborationMLInputChannelSummary	281
Contents	281
See Also	283
CollaborationTrainedModelExportJobSummary	284
Contents	284
See Also	286
CollaborationTrainedModelInferenceJobSummary	288
Contents	288
See Also	292
CollaborationTrainedModelSummary	293
Contents	293
See Also	296
ColumnSchema	297
Contents	297
See Also	297
ComputeConfiguration	298
Contents	298
See Also	298
ConfiguredAudienceModelOutputConfig	299
Contents	299
See Also	299
ConfiguredAudienceModelSummary	300
Contents	300
See Also	302
ConfiguredModelAlgorithmAssociationSummary	303
Contents	303
See Also	305
ConfiguredModelAlgorithmSummary	306
Contents	306
See Also	307
ContainerConfig	308
Contents	308
See Also	309
Dataset	310
Contents	310
See Also	310

DatasetInputConfig	311
Contents	311
See Also	311
DataSource	312
Contents	312
See Also	312
Destination	313
Contents	313
See Also	313
GlueDataSource	314
Contents	314
See Also	315
IncrementalTrainingDataChannel	316
Contents	316
See Also	317
IncrementalTrainingDataChannelOutput	318
Contents	318
See Also	319
InferenceContainerConfig	320
Contents	320
See Also	320
InferenceContainerExecutionParameters	321
Contents	321
See Also	321
InferenceOutputConfiguration	322
Contents	322
See Also	322
InferenceReceiverMember	323
Contents	323
See Also	323
InferenceResourceConfig	324
Contents	324
See Also	325
InputChannel	326
Contents	326
See Also	326

InputChannelDataSource	327
Contents	327
See Also	327
LogsConfigurationPolicy	328
Contents	328
See Also	328
MetricDefinition	329
Contents	329
See Also	329
MetricsConfigurationPolicy	330
Contents	330
See Also	330
MLInputChannelSummary	331
Contents	331
See Also	333
MLOutputConfiguration	334
Contents	334
See Also	334
ModelInferenceDataSource	335
Contents	335
See Also	335
ModelTrainingDataChannel	336
Contents	336
See Also	337
PrivacyConfiguration	338
Contents	338
See Also	338
PrivacyConfigurationPolicies	339
Contents	339
See Also	339
ProtectedQueryInputParameters	340
Contents	340
See Also	340
ProtectedQuerySQLParameters	342
Contents	342
See Also	343

RelevanceMetric	344
Contents	344
See Also	344
ResourceConfig	345
Contents	345
See Also	346
S3ConfigMap	347
Contents	347
See Also	347
StatusDetails	348
Contents	348
See Also	348
StoppingCondition	349
Contents	349
See Also	349
TrainedModelArtifactMaxSize	350
Contents	350
See Also	350
TrainedModelExportOutputConfiguration	351
Contents	351
See Also	351
TrainedModelExportReceiverMember	352
Contents	352
See Also	352
TrainedModelExportsConfigurationPolicy	353
Contents	353
See Also	353
TrainedModelExportsMaxSize	354
Contents	354
See Also	354
TrainedModelInferenceJobsConfigurationPolicy	355
Contents	355
See Also	355
TrainedModelInferenceJobSummary	356
Contents	356
See Also	359

TrainedModelInferenceMaxOutputSize	361
Contents	361
See Also	361
TrainedModelsConfigurationPolicy	362
Contents	362
See Also	362
TrainedModelSummary	364
Contents	364
See Also	366
TrainingDatasetSummary	368
Contents	368
See Also	369
WorkerComputeConfiguration	370
Contents	370
See Also	370
Common Parameters	371
Common Errors	374

Welcome

Welcome to the *AWS Clean Rooms ML API Reference*.

AWS Clean Rooms ML provides a privacy-enhancing method for two parties to identify similar users in their data without the need to share their data with each other. The first party brings the training data to AWS Clean Rooms so that they can create and configure an audience model (lookalike model) and associate it with a collaboration. The second party then brings their seed data to AWS Clean Rooms and generates an audience (lookalike segment) that resembles the training data.

To learn more about AWS Clean Rooms ML concepts, procedures, and best practices, see the [AWS Clean Rooms User Guide](#).

To learn more about SQL commands, functions, and conditions supported in AWS Clean Rooms, see the [AWS Clean Rooms SQL Reference](#).

This document was last published on July 25, 2025.

Actions

The following actions are supported:

- [CancelTrainedModel](#)
- [CancelTrainedModelInferenceJob](#)
- [CreateAudienceModel](#)
- [CreateConfiguredAudienceModel](#)
- [CreateConfiguredModelAlgorithm](#)
- [CreateConfiguredModelAlgorithmAssociation](#)
- [CreateMLInputChannel](#)
- [CreateTrainedModel](#)
- [CreateTrainingDataset](#)
- [DeleteAudienceGenerationJob](#)
- [DeleteAudienceModel](#)
- [DeleteConfiguredAudienceModel](#)
- [DeleteConfiguredAudienceModelPolicy](#)
- [DeleteConfiguredModelAlgorithm](#)
- [DeleteConfiguredModelAlgorithmAssociation](#)
- [DeleteMLConfiguration](#)
- [DeleteMLInputChannelData](#)
- [DeleteTrainedModelOutput](#)
- [DeleteTrainingDataset](#)
- [GetAudienceGenerationJob](#)
- [GetAudienceModel](#)
- [GetCollaborationConfiguredModelAlgorithmAssociation](#)
- [GetCollaborationMLInputChannel](#)
- [GetCollaborationTrainedModel](#)
- [GetConfiguredAudienceModel](#)
- [GetConfiguredAudienceModelPolicy](#)
- [GetConfiguredModelAlgorithm](#)

- [GetConfiguredModelAlgorithmAssociation](#)
- [GetMLConfiguration](#)
- [GetMLInputChannel](#)
- [GetTrainedModel](#)
- [GetTrainedModelInferenceJob](#)
- [GetTrainingDataset](#)
- [ListAudienceExportJobs](#)
- [ListAudienceGenerationJobs](#)
- [ListAudienceModels](#)
- [ListCollaborationConfiguredModelAlgorithmAssociations](#)
- [ListCollaborationMLInputChannels](#)
- [ListCollaborationTrainedModelExportJobs](#)
- [ListCollaborationTrainedModelInferenceJobs](#)
- [ListCollaborationTrainedModels](#)
- [ListConfiguredAudienceModels](#)
- [ListConfiguredModelAlgorithmAssociations](#)
- [ListConfiguredModelAlgorithms](#)
- [ListMLInputChannels](#)
- [ListTagsForResource](#)
- [ListTrainedModelInferenceJobs](#)
- [ListTrainedModels](#)
- [ListTrainedModelVersions](#)
- [ListTrainingDatasets](#)
- [PutConfiguredAudienceModelPolicy](#)
- [PutMLConfiguration](#)
- [StartAudienceExportJob](#)
- [StartAudienceGenerationJob](#)
- [StartTrainedModelExportJob](#)
- [StartTrainedModelInferenceJob](#)
- [TagResource](#)

- [UntagResource](#)
- [UpdateConfiguredAudienceModel](#)

CancelTrainedModel

Submits a request to cancel the trained model job.

Request Syntax

```
PATCH /memberships/membershipIdentifier/trained-models/trainedModelArn?  
versionIdentifier=versionIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the trained model job that you want to cancel.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[trainedModelArn](#)

The Amazon Resource Name (ARN) of the trained model job that you want to cancel.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+

Required: Yes

[versionIdentifier](#)

The version identifier of the trained model to cancel. This parameter allows you to specify which version of the trained model you want to cancel when multiple versions exist.

If `versionIdentifier` is not specified, the base model will be cancelled.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CancelTrainedModelInferenceJob

Submits a request to cancel a trained model inference job.

Request Syntax

```
PATCH /memberships/membershipIdentifier/trained-model-inference-jobs/trainedModelInferenceJobArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the trained model inference job that you want to cancel.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[trainedModelInferenceJobArn](#)

The Amazon Resource Name (ARN) of the trained model inference job that you want to cancel.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model-inference-job/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAudienceModel

Defines the information necessary to create an audience model. An audience model is a machine learning model that Clean Rooms ML trains to measure similarity between users. Clean Rooms ML manages training and storing the audience model. The audience model can be used in multiple calls to the [StartAudienceGenerationJob](#) API.

Request Syntax

```
POST /audience-model HTTP/1.1
Content-type: application/json

{
  "description": "string",
  "kmsKeyArn": "string",
  "name": "string",
  "tags": {
    "string" : "string"
  },
  "trainingDataEndTime": "string",
  "trainingDatasetArn": "string",
  "trainingDataStartTime": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[description](#)

The description of the audience model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

kmsKeyArn

The Amazon Resource Name (ARN) of the AWS KMS key. This key is used to encrypt and decrypt customer-owned data in the trained ML model and the associated data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+`

Required: No

name

The name of the audience model resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!\\s*$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*`

Required: Yes

tags

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.

- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[trainingDataEndTime](#)

The end date and time of the training window.

Type: Timestamp

Required: No

[trainingDatasetArn](#)

The Amazon Resource Name (ARN) of the training dataset for this audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[-a-zA-Z0-9_.]+

Required: Yes

[trainingDataStartTime](#)

The start date and time of the training window.

Type: Timestamp

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "audienceModelArn
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[audienceModelArn](#)

The Amazon Resource Name (ARN) of the audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/[-a-zA-Z0-9_.]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateConfiguredAudienceModel

Defines the information necessary to create a configured audience model.

Request Syntax

```
POST /configured-audience-model HTTP/1.1
Content-type: application/json

{
  "audienceModelArn": "string",
  "audienceSizeConfig": {
    "audienceSizeBins": [ number ],
    "audienceSizeType": "string"
  },
  "childResourceTagOnCreatePolicy": "string",
  "description": "string",
  "minMatchingSeedSize": number,
  "name": "string",
  "outputConfig": {
    "destination": {
      "s3Destination": {
        "s3Uri": "string"
      }
    },
    "roleArn": "string"
  },
  "sharedAudienceMetrics": [ "string" ],
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[audienceModelArn](#)

The Amazon Resource Name (ARN) of the audience model to use for the configured audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-zA-Z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/-[a-zA-Z0-9_.]+`

Required: Yes

[audienceSizeConfig](#)

Configure the list of output sizes of audiences that can be created using this configured audience model. A request to [StartAudienceGenerationJob](#) that uses this configured audience model must have an audienceSize selected from this list. You can use the ABSOLUTE [AudienceSize](#) to configure out audience sizes using the count of identifiers in the output. You can use the Percentage [AudienceSize](#) to configure sizes in the range 1-100 percent.

Type: [AudienceSizeConfig](#) object

Required: No

[childResourceTagOnCreatePolicy](#)

Configure how the service tags audience generation jobs created using this configured audience model. If you specify NONE, the tags from the [StartAudienceGenerationJob](#) request determine the tags of the audience generation job. If you specify FROM_PARENT_RESOURCE, the audience generation job inherits the tags from the configured audience model, by default. Tags in the [StartAudienceGenerationJob](#) will override the default.

When the client is in a different account than the configured audience model, the tags from the client are never applied to a resource in the caller's account.

Type: String

Valid Values: FROM_PARENT_RESOURCE | NONE

Required: No

[description](#)

The description of the configured audience model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

[minMatchingSeedSize](#)

The minimum number of users from the seed audience that must match with users in the training data of the audience model. The default value is 500.

Type: Integer

Valid Range: Minimum value of 25. Maximum value of 500000.

Required: No

[name](#)

The name of the configured audience model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

[outputConfig](#)

Configure the Amazon S3 location and IAM Role for audiences created using this configured audience model. Each audience will have a unique location. The IAM Role must have s3:PutObject permission on the destination Amazon S3 location. If the destination is protected with Amazon S3 KMS-SSE, then the Role must also have the required AWS KMS permissions.

Type: [ConfiguredAudienceModelOutputConfig](#) object

Required: Yes

sharedAudienceMetrics

Whether audience metrics are shared.

Type: Array of strings

Array Members: Fixed number of 1 item.

Valid Values: ALL | NONE

Required: Yes

tags

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredAudienceModelArn
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**configuredAudienceModelArn**](#)

The Amazon Resource Name (ARN) of the configured audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateConfiguredModelAlgorithm

Creates a configured model algorithm using a container image stored in an ECR repository.

Request Syntax

```
POST /configured-model-algorithms HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "inferenceContainerConfig": {
    "imageUri": "string"
  },
  "kmsKeyArn": "string",
  "name": "string",
  "roleArn": "string",
  "tags": {
    "string" : "string"
  },
  "trainingContainerConfig": {
    "arguments": [ "string" ],
    "entrypoint": [ "string" ],
    "imageUri": "string",
    "metricDefinitions": [
      {
        "name": "string",
        "regex": "string"
      }
    ]
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[description](#)

The description of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

[inferenceContainerConfig](#)

Configuration information for the inference container that is used when you run an inference job on a configured model algorithm.

Type: [InferenceContainerConfig](#) object

Required: No

[kmsKeyArn](#)

The Amazon Resource Name (ARN) of the AWS KMS key. This key is used to encrypt and decrypt customer-owned data in the configured ML model algorithm and associated data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+

Required: No

[name](#)

The name of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

roleArn

The Amazon Resource Name (ARN) of the role that is used to access the repository.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:iam::[0-9]{12}:role/.+

Required: Yes

tags

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

trainingContainerConfig

Configuration information for the training container, including entrypoints and arguments.

Type: [ContainerConfig](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredModelAlgorithmArn
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredModelAlgorithmArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/[a-zA-Z0-9_.]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateConfiguredModelAlgorithmAssociation

Associates a configured model algorithm to a collaboration for use by any member of the collaboration.

Request Syntax

```
POST /memberships/membershipIdentifier/configured-model-algorithm-associations HTTP/1.1
Content-type: application/json
```

```
{
  "configuredModelAlgorithmArndescriptionnameprivacyConfigurationpoliciestrainedModelExportsfilesToExportmaxSizeunitvaluetrainedModelInferenceJobscontainerLogsallowedAccountIdsfilterPatternmaxOutputSizeunitvaluetrainedModelscontainerLogsallowedAccountIdsfilterPatterncontainerMetrics
```

```
        "noiseLevel": "string"
    },
    "maxArtifactSize": {
        "unit": "string",
        "value": number
    }
}
},
{
    "tags": {
        "string" : "string"
    }
}
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the member who is associating this configured model algorithm.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request accepts the following data in JSON format.

[configuredModelAlgorithmArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm that you want to associate.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/-[a-zA-Z0-9_.]+

Required: Yes

[description](#)

The description of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

[name](#)

The name of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

[privacyConfiguration](#)

Specifies the privacy configuration information for the configured model algorithm association. This information includes the maximum data size that can be exported.

Type: [PrivacyConfiguration](#) object

Required: No

[tags](#)

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.

- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredModelAlgorithmAssociationArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**configuredModelAlgorithmAssociationArn**](#)

The Amazon Resource Name (ARN) of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateMLInputChannel

Provides the information to create an ML input channel. An ML input channel is the result of a query that can be used for ML modeling.

Request Syntax

```
POST /memberships/membershipIdentifier/ml-input-channels HTTP/1.1
Content-type: application/json

{
  "configuredModelAlgorithmAssociationsdescriptioninputChanneldataSourceroleArnkmsKeyArnnameretentionInDaystags
```

URI Request Parameters

The request uses the following URI parameters.

membershipIdentifier

The membership ID of the member that is creating the ML input channel.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request accepts the following data in JSON format.

[configuredModelAlgorithmAssociations](#)

The associated configured model algorithms that are necessary to create this ML input channel.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

Required: Yes

[description](#)

The description of the ML input channel.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

[inputChannel](#)

The input data that is used to create this ML input channel.

Type: [InputChannel](#) object

Required: Yes

[kmsKeyArn](#)

The Amazon Resource Name (ARN) of the KMS key that is used to access the input channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:kms:[-a-zA-Z0-9]+:[0-9]{12}:key/.+

Required: No

[name](#)

The name of the ML input channel.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

[retentionInDays](#)

The number of days that the data in the ML input channel is retained.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 30.

Required: Yes

[tags](#)

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "mlInputChannelArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[mlInputChannelArn](#)

The Amazon Resource Name (ARN) of the ML input channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTrainedModel

Creates a trained model from an associated configured model algorithm using data from any member of the collaboration.

Request Syntax

```
POST /memberships/membershipIdentifier/trained-models HTTP/1.1
Content-type: application/json

{
  "configuredModelAlgorithmAssociationArndataChannelschannelNamemlInputChannelArns3DataDistributionTypedescriptionenvironmenthyperparametersincrementalTrainingDataChannelschannelNametrainedModelArnversionIdentifierkmsKeyArnnameresourceConfiginstanceCountinstanceTypevolumeSizeInGBstoppingConditionmaxRuntimeInSeconds
```

```
"tags": {  
    "string" : "string"  
},  
"trainingInputMode": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the member that is creating the trained model.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request accepts the following data in JSON format.

[configuredModelAlgorithmAssociationArn](#)

The associated configured model algorithm used to train this model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

Required: Yes

[dataChannels](#)

Defines the data channels that are used as input for the trained model request.

Limit: Maximum of 20 channels total (including both `dataChannels` and `incrementalTrainingDataChannels`).

Type: Array of [ModelTrainingDataChannel](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

[description](#)

The description of the trained model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

[environment](#)

The environment variables to set in the Docker container.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 100 items.

Key Length Constraints: Minimum length of 1. Maximum length of 512.

Key Pattern: [a-zA-Z_][a-zA-Z0-9_]*

Value Length Constraints: Minimum length of 1. Maximum length of 512.

Value Pattern: [\S\s]*

Required: No

[hyperparameters](#)

Algorithm-specific parameters that influence the quality of the model. You set hyperparameters before you start the learning process.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 100 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: . *

Value Length Constraints: Minimum length of 1. Maximum length of 2500.

Value Pattern: . *

Required: No

incrementalTrainingDataChannels

Specifies the incremental training data channels for the trained model.

Incremental training allows you to create a new trained model with updates without retraining from scratch. You can specify up to one incremental training data channel that references a previously trained model and its version.

Limit: Maximum of 20 channels total (including both `incrementalTrainingDataChannels` and `dataChannels`).

Type: Array of [IncrementalTrainingDataChannel](#) objects

Array Members: Fixed number of 1 item.

Required: No

kmsKeyArn

The Amazon Resource Name (ARN) of the AWS KMS key. This key is used to encrypt and decrypt customer-owned data in the trained ML model and the associated data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:kms:[-a-zA-Z0-9]+:[0-9]{12}:key/.+`

Required: No

name

The name of the trained model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

[resourceConfig](#)

Information about the EC2 resources that are used to train this model.

Type: [ResourceConfig](#) object

Required: Yes

[stoppingCondition](#)

The criteria that is used to stop model training.

Type: [StoppingCondition](#) object

Required: No

[tags](#)

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[trainingInputMode](#)

The input mode for accessing the training data. This parameter determines how the training data is made available to the training algorithm. Valid values are:

- File - The training data is downloaded to the training instance and made available as files.
- FastFile - The training data is streamed directly from Amazon S3 to the training algorithm, providing faster access for large datasets.
- Pipe - The training data is streamed to the training algorithm using named pipes, which can improve performance for certain algorithms.

Type: String

Valid Values: File | FastFile | Pipe

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "trainedModelArn": "string",
  "versionIdentifier": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

trainedModelArn

The Amazon Resource Name (ARN) of the trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+`

versionIdentifier

The unique version identifier assigned to the newly created trained model. This identifier can be used to reference this specific version of the trained model in subsequent operations such as inference jobs or incremental training.

The initial version identifier for the base version of the trained model is "NULL".

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

InternalServiceException

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTrainingDataset

Defines the information necessary to create a training dataset. In Clean Rooms ML, the TrainingDataset is metadata that points to a Glue table, which is read only during AudienceModel creation.

Request Syntax

```
POST /training-dataset HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "name": "string",
  "roleArn": "string",
  "tags": {
    "string" : "string"
  },
  "trainingData": [
    {
      "inputConfig": {
        "dataSource": {
          "glueDataSource": {
            "catalogId": "string",
            "databaseName": "string",
            "tableName": "string"
          }
        },
        "schema": [
          {
            "columnName": "string",
            "columnTypes": [ "string" ]
          }
        ]
      },
      "type": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

description

The description of the training dataset.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

name

The name of the training dataset. This name must be unique in your account and region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

roleArn

The ARN of the IAM role that Clean Rooms ML can assume to read the data referred to in the dataSource field of each dataset.

Passing a role across AWS accounts is not allowed. If you pass a role that isn't in your account, you get an AccessDeniedException error.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:iam::[0-9]{12}:role/.+

Required: Yes

tags

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

trainingData

An array of information that lists the Dataset objects, which specifies the dataset type and details on its location and schema. You must provide a role that has read access to these tables.

Type: Array of [Dataset](#) objects

Array Members: Fixed number of 1 item.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "trainingDatasetArn
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**trainingDatasetArn**](#)

The Amazon Resource Name (ARN) of the training dataset resource.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[-a-zA-Z0-9_.]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAudienceGenerationJob

Deletes the specified audience generation job, and removes all data associated with the job.

Request Syntax

```
DELETE /audience-generation-job/audienceGenerationJobArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[audienceGenerationJobArn](#)

The Amazon Resource Name (ARN) of the audience generation job that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAudienceModel

Specifies an audience model that you want to delete. You can't delete an audience model if there are any configured audience models that depend on the audience model.

Request Syntax

```
DELETE /audience-model/audienceModelArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[audienceModelArn](#)

The Amazon Resource Name (ARN) of the audience model that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteConfiguredAudienceModel

Deletes the specified configured audience model. You can't delete a configured audience model if there are any lookalike models that use the configured audience model. If you delete a configured audience model, it will be removed from any collaborations that it is associated to.

Request Syntax

```
DELETE /configured-audience-model/configuredAudienceModelArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteConfiguredAudienceModelPolicy

Deletes the specified configured audience model policy.

Request Syntax

```
DELETE /configured-audience-model/configuredAudienceModelArn/policy HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model policy that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteConfiguredModelAlgorithm

Deletes a configured model algorithm.

Request Syntax

```
DELETE /configured-model-algorithms/configuredModelAlgorithmArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredModelAlgorithmArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteConfiguredModelAlgorithmAssociation

Deletes a configured model algorithm association.

Request Syntax

```
DELETE /memberships/membershipIdentifier/configured-model-algorithm-  
associations/configuredModelAlgorithmAssociationArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

Required: Yes

[membershipIdentifier](#)

The membership ID of the member that is deleting the configured model algorithm association.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteMLConfiguration

Deletes a ML modeling configuration.

Request Syntax

```
DELETE /memberships/membershipIdentifier/ml-configurations HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the member that is deleting the ML modeling configuration.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteMLInputChannelData

Provides the information necessary to delete an ML input channel.

Request Syntax

```
DELETE /memberships/membershipIdentifier/ml-input-channels/mlInputChannelArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the membership that contains the ML input channel you want to delete.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[mlInputChannelArn](#)

The Amazon Resource Name (ARN) of the ML input channel that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTrainedModelOutput

Deletes the model artifacts stored by the service.

Request Syntax

```
DELETE /memberships/membershipIdentifier/trained-models/trainedModelArn?  
versionIdentifier=versionIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the member that is deleting the trained model output.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[trainedModelArn](#)

The Amazon Resource Name (ARN) of the trained model whose output you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+

Required: Yes

[versionIdentifier](#)

The version identifier of the trained model to delete. If not specified, the operation will delete the base version of the trained model. When specified, only the particular version will be deleted.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTrainingDataset

Specifies a training dataset that you want to delete. You can't delete a training dataset if there are any audience models that depend on the training dataset. In Clean Rooms ML, the TrainingDataset is metadata that points to a Glue table, which is read only during AudienceModel creation. This action deletes the metadata.

Request Syntax

```
DELETE /training-dataset/trainingDatasetArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[trainingDatasetArn](#)

The Amazon Resource Name (ARN) of the training dataset that you want to delete.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAudienceGenerationJob

Returns information about an audience generation job.

Request Syntax

```
GET /audience-generation-job/audienceGenerationJobArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[audienceGenerationJobArn](#)

The Amazon Resource Name (ARN) of the audience generation job that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "audienceGenerationJobArn": "string",
  "collaborationId": "string",
  "configuredAudienceModelArn": "string",
  "createTimedescription": "string",
  "includeSeedInOutput": boolean,
  "metrics": {
    "recallMetric": number,
```

```
"relevanceMetricsaudienceSizetypevaluescorenameprotectedQueryIdentifierseedAudiencedataSources3UriroleArnsqlComputeConfigurationsqlParametersanalysisTemplateArnparametersqueryStringstartedBystatusstatusDetailsmessagestatusCodetagsupdateTime
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[audienceGenerationJobArn](#)

The Amazon Resource Name (ARN) of the audience generation job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[a-zA-Z0-9_.]+`

[collaborationId](#)

The identifier of the collaboration that this audience generation job is associated with.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model used for this audience generation job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[a-zA-Z0-9_.]+`

[createTime](#)

The time at which the audience generation job was created.

Type: Timestamp

[description](#)

The description of the audience generation job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[includeSeedInOutput](#)

Configure whether the seed users are included in the output audience. By default, Clean Rooms ML removes seed users from the output audience. If you specify TRUE, the seed users will appear first in the output. Clean Rooms ML does not explicitly reveal whether a user was in the seed, but the recipient of the audience will know that the first `minimumSeedSize` count of users are from the seed.

Type: Boolean

[metrics](#)

The relevance scores for different audience sizes and the recall score of the generated audience.

Type: [AudienceQualityMetrics](#) object

[name](#)

The name of the audience generation job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

[protectedQueryIdentifier](#)

The unique identifier of the protected query for this audience generation job.

Type: String

[seedAudience](#)

The seed audience that was used for this audience generation job. This field will be null if the account calling the API is the account that started this audience generation job.

Type: [AudienceGenerationJobDataSource](#) object

[startedBy](#)

The AWS account that started this audience generation job.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

[status](#)

The status of the audience generation job.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED

[statusDetails](#)

Details about the status of the audience generation job.

Type: [StatusDetails](#) object

[tags](#)

The tags that are associated to this audience generation job.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[updateTime](#)

The most recent time at which the audience generation job was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAudienceModel

Returns information about an audience model

Request Syntax

```
GET /audience-model/audienceModelArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

audienceModelArn

The Amazon Resource Name (ARN) of the audience model that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "audienceModelArncreateTimedescriptionkmsKeyArnnamestatusstatusDetails
```

```
        "message": "string",
        "statusCode": "string"
    },
    "tags": {
        "string" : "string"
    },
    "trainingDataEndTime": "string",
    "trainingDatasetArn": "string",
    "trainingDataStartTime": "string",
    "updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[audienceModelArn](#)

The Amazon Resource Name (ARN) of the audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-zA-Z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/[-a-zA-Z0-9_.]+

[createTime](#)

The time at which the audience model was created.

Type: Timestamp

[description](#)

The description of the audience model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[kmsKeyArn](#)

The KMS key ARN used for the audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+`

[name](#)

The name of the audience model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!s*$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*`

[status](#)

The status of the audience model.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED

[statusDetails](#)

Details about the status of the audience model.

Type: [StatusDetails](#) object

[tags](#)

The tags that are assigned to the audience model.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[trainingDataEndTime](#)

The end date specified for the training window.

Type: Timestamp

[trainingDatasetArn](#)

The Amazon Resource Name (ARN) of the training dataset that was used for this audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[-a-zA-Z0-9_.]+

[trainingDataStartTime](#)

The start date specified for the training window.

Type: Timestamp

[updateTime](#)

The most recent time at which the audience model was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCollaborationConfiguredModelAlgorithmAssociation

Returns information about the configured model algorithm association in a collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/configured-model-algorithm-  
associations/configuredModelAlgorithmAssociationArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[collaborationIdentifier](#)

The collaboration ID for the collaboration that contains the configured model algorithm association that you want to return information about.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association that you want to return information about.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
    "collaborationIdentifier": "string",  
    "configuredModelAlgorithmArn": "string",  
    "configuredModelAlgorithmAssociationArn": "string",  
    "createTime": "string",  
    "creatorAccountId": "string",  
    "description": "string",  
    "membershipIdentifier": "string",  
    "name": "string",  
    "privacyConfiguration": {  
        "policies": {  
            "trainedModelExports": {  
                "filesToExport": [ "string" ],  
                "maxSize": {  
                    "unit": "string",  
                    "value": number  
                }  
            },  
            "trainedModelInferenceJobs": {  
                "containerLogs": [  
                    {  
                        "allowedAccountIds": [ "string" ],  
                        "filterPattern": "string"  
                    }  
                ],  
                "maxOutputSize": {  
                    "unit": "string",  
                    "value": number  
                }  
            },  
            "trainedModels": {  
                "containerLogs": [  
                    {  
                        "allowedAccountIds": [ "string" ],  
                        "filterPattern": "string"  
                    }  
                ],  
                "containerMetrics": {  
                    "maxSize": {  
                        "unit": "string",  
                        "value": number  
                    }  
                }  
            }  
        }  
    }  
}
```

```
        "noiseLevel": "string"
    },
    "maxArtifactSize": {
        "unit": "string",
        "value": number
    }
}
},
"updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationIdentifier](#)

The collaboration ID of the collaboration that contains the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

[configuredModelAlgorithmArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/-[a-zA-Z0-9_.]+

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

createTime

The time at which the configured model algorithm association was created.

Type: Timestamp

creatorAccountId

The account ID of the member that created the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

description

The description of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

membershipIdentifier

The membership ID of the member that created the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

name

The name of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!\\s*\\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*`

[privacyConfiguration](#)

Information about the privacy configuration for a configured model algorithm association.

Type: [PrivacyConfiguration](#) object

[updateTime](#)

The most recent time at which the configured model algorithm association was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCollaborationMLInputChannel

Returns information about a specific ML input channel in a collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/ml-input-channels/mlInputChannelArn
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[collaborationIdentifier](#)

The collaboration ID of the collaboration that contains the ML input channel that you want to get.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[mlInputChannelArn](#)

The Amazon Resource Name (ARN) of the ML input channel that you want to get.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "collaborationIdentifier": "string",
  "configuredModelAlgorithmAssociations": [ "string" ],
  "createTime": "string",
  "creatorAccountId": "string",
  "description": "string",
  "membershipIdentifier": "string",
  "mlInputChannelArn": "string",
  "name": "string",
  "numberOfRecords": number,
  "retentionInDays": number,
  "status": "string",
  "statusDetails": {
    "message": "string",
    "statusCode": "string"
  },
  "updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationIdentifier](#)

The collaboration ID of the collaboration that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

[configuredModelAlgorithmAssociations](#)

The configured model algorithm associations that were used to create the ML input channel.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

createTime

The time at which the ML input channel was created.

Type: Timestamp

creatorAccountId

The account ID of the member who created the ML input channel.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

description

The description of the ML input channel.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

membershipIdentifier

The membership ID of the membership that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

mlInputChannelArn

The Amazon Resource Name (ARN) of the ML input channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+`

name

The name of the ML input channel.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!\\s*\\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*`

numberOfRecords

The number of records in the ML input channel.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 100000000000.

retentionInDays

The number of days to retain the data for the ML input channel.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 30.

status

The status of the ML input channel.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE

[statusDetails](#)

Details about the status of a resource.

Type: [StatusDetails](#) object

[updateTime](#)

The most recent time at which the ML input channel was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCollaborationTrainedModel

Returns information about a trained model in a collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/trained-models/trainedModelArn?  
versionIdentifier=versionIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[collaborationIdentifier](#)

The collaboration ID that contains the trained model that you want to return information about.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[trainedModelArn](#)

The Amazon Resource Name (ARN) of the trained model that you want to return information about.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+

Required: Yes

[versionIdentifier](#)

The version identifier of the trained model to retrieve. If not specified, the operation returns information about the latest version of the trained model.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "collaborationIdentifier": "string",
  "configuredModelAlgorithmAssociationArn": "string",
  "createTime": "string",
  "creatorAccountId": "string",
  "description": "string",
  "incrementalTrainingDataChannels": [
    {
      "channelName": "string",
      "modelName": "string",
      "versionIdentifier": "string"
    }
  ],
  "logsStatus": "string",
  "logsStatusDetails": "string",
  "membershipIdentifier": "string",
  "metricsStatus": "string",
  "metricsStatusDetails": "string",
  "name": "string",
  "resourceConfig": {
    "instanceCount": number,
    "instanceType": "string",
    "volumeSizeInGB": number
  },
  "status": "string",
  "statusDetails": {
    "message": "string",
    "statusCode": "string"
  }
},
```

```
"stoppingCondition": {  
    "maxRuntimeInSecondsnumber  
},  
"trainedModelArn": "string",  
"trainingContainerImageDigest": "string",  
"trainingInputMode": "string",  
"updateTime": "string",  
"versionIdentifier": "string  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

configuredModelAlgorithmAssociationArn

The Amazon Resource Name (ARN) of the configured model algorithm association that was used to create this trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

createTime

The time at which the trained model was created.

Type: Timestamp

creatorAccountId

The account ID of the member that created the trained model.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

description

The description of the trained model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

incrementalTrainingDataChannels

Information about the incremental training data channels used to create this version of the trained model. This includes details about the base model that was used for incremental training and the channel configuration.

Type: Array of [IncrementalTrainingDataChannelOutput](#) objects

Array Members: Fixed number of 1 item.

logsStatus

Status information for the logs.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

logsStatusDetails

Details about the status information for the logs.

Type: String

membershipIdentifier

The membership ID of the member that created the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

metricsStatus

The status of the model metrics.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

metricsStatusDetails

Details about the status information for the model metrics.

Type: String

name

The name of the trained model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

resourceConfig

The EC2 resource configuration that was used to train this model.

Type: [ResourceConfig](#) object

status

The status of the trained model.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED

statusDetails

Details about the status of a resource.

Type: [StatusDetails](#) object

stoppingCondition

The stopping condition that determined when model training ended.

Type: [StoppingCondition](#) object

trainedModelArn

The Amazon Resource Name (ARN) of the trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+

trainingContainerImageDigest

Information about the training container image.

Type: String

trainingInputMode

The input mode that was used for accessing the training data when this trained model was created. This indicates how the training data was made available to the training algorithm.

Type: String

Valid Values: File | FastFile | Pipe

updateTime

The most recent time at which the trained model was updated.

Type: Timestamp

versionIdentifier

The version identifier of the trained model. This unique identifier distinguishes this version from other versions of the same trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetConfiguredAudienceModel

Returns information about a specified configured audience model.

Request Syntax

```
GET /configured-audience-model/configuredAudienceModelArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "audienceModelArn": "string",
    "audienceSizeConfig": {
        "audienceSizeBinsnumber \],
        "audienceSizeType": "string"
    },
    "childResourceTagOnCreatePolicy": "string",
    "configuredAudienceModelArn": "string",
```

```
"createTime": "string",
"description": "string",
"minMatchingSeedSize": number,
"name": "string",
"outputConfig": {
    "destination": {
        "s3Destination": {
            "s3Uri": "string"
        }
    },
    "roleArn": "string"
},
"sharedAudienceMetrics": [ "string" ],
"status": "string",
"tags": {
    "string" : "string"
},
"updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[audienceModelArn](#)

The Amazon Resource Name (ARN) of the audience model used for this configured audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-zA-Z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/[-a-zA-Z0-9_.]+

[audienceSizeConfig](#)

The list of output sizes of audiences that can be created using this configured audience model. A request to [StartAudienceGenerationJob](#) that uses this configured audience model must have an audienceSize selected from this list. You can use the ABSOLUTE [AudienceSize](#) to configure

out audience sizes using the count of identifiers in the output. You can use the Percentage [AudienceSize](#) to configure sizes in the range 1-100 percent.

Type: [AudienceSizeConfig](#) object

[childResourceTagOnCreatePolicy](#)

Provides the childResourceTagOnCreatePolicy that was used for this configured audience model.

Type: String

Valid Values: FROM_PARENT_RESOURCE | NONE

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

[createTime](#)

The time at which the configured audience model was created.

Type: Timestamp

[description](#)

The description of the configured audience model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[minMatchingSeedSize](#)

The minimum number of users from the seed audience that must match with users in the training data of the audience model.

Type: Integer

Valid Range: Minimum value of 25. Maximum value of 500000.

[name](#)

The name of the configured audience model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*

[outputConfig](#)

The output configuration of the configured audience model

Type: [ConfiguredAudienceModelOutputConfig](#) object

[sharedAudienceMetrics](#)

Whether audience metrics are shared.

Type: Array of strings

Array Members: Fixed number of 1 item.

Valid Values: ALL | NONE

[status](#)

The status of the configured audience model.

Type: String

Valid Values: ACTIVE

[tags](#)

The tags that are associated to this configured audience model.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

updateTime

The most recent time at which the configured audience model was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetConfiguredAudienceModelPolicy

Returns information about a configured audience model policy.

Request Syntax

```
GET /configured-audience-model/configuredAudienceModelArn/policy HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredAudienceModelArn": "string",
  "configuredAudienceModelPolicy": "string",
  "policyHash": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

[configuredAudienceModelPolicy](#)

The configured audience model policy. This is a JSON IAM resource policy.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20480.

[policyHash](#)

A cryptographic hash of the contents of the policy used to prevent unexpected concurrent modification of the policy.

Type: String

Length Constraints: Minimum length of 64. Maximum length of 128.

Pattern: [0-9a-f]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetConfiguredModelAlgorithm

Returns information about a configured model algorithm.

Request Syntax

```
GET /configured-model-algorithms/configuredModelAlgorithmArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredModelAlgorithmArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm that you want to return information about.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "configuredModelAlgorithmArn": "string",
    "createTimedescription": "string",
    "inferenceContainerConfig": {
        "imageUri": "string"
}
```

```
},
"kmsKeyArn": "string",
"name": "string",
"roleArn": "string",
"tags": {
  "string" : "string"
},
"trainingContainerConfig": {
  "arguments": [ "string" ],
  "entrypoint": [ "string" ],
  "imageUri": "string",
  "metricDefinitions": [
    {
      "name": "string",
      "regex": "string"
    }
  ]
},
"updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredModelAlgorithmArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/[a-zA-Z0-9_.]+

[createTime](#)

The time at which the configured model algorithm was created.

Type: Timestamp

[description](#)

The description of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[inferenceContainerConfig](#)

Configuration information for the inference container.

Type: [InferenceContainerConfig](#) object

[kmsKeyArn](#)

The Amazon Resource Name (ARN) of the AWS KMS key. This key is used to encrypt and decrypt customer-owned data in the configured ML model and associated data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+

[name](#)

The name of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

[roleArn](#)

The Amazon Resource Name (ARN) of the service role that was used to create the configured model algorithm.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

tags

The optional metadata that you applied to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use `aws:`, `AWS:`, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has `aws` as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of `aws` do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

trainingContainerConfig

The configuration information of the training container for the configured model algorithm.

Type: [ContainerConfig](#) object

updateTime

The most recent time at which the configured model algorithm was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetConfiguredModelAlgorithmAssociation

Returns information about a configured model algorithm association.

Request Syntax

```
GET /memberships/membershipIdentifier/configured-model-algorithm-  
associations/configuredModelAlgorithmAssociationArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association that you want to return information about.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

Required: Yes

[membershipIdentifier](#)

The membership ID of the member that created the configured model algorithm association.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
    "collaborationIdentifier": "string",  
    "configuredModelAlgorithmArn": "string",  
    "configuredModelAlgorithmAssociationArn": "string",  
    "createTime": "string",  
    "description": "string",  
    "membershipIdentifier": "string",  
    "name": "string",  
    "privacyConfiguration": {  
        "policies": {  
            "trainedModelExports": {  
                "filesToExport": [ "string" ],  
                "maxSize": {  
                    "unit": "string",  
                    "value": number  
                }  
            },  
            "trainedModelInferenceJobs": {  
                "containerLogs": [  
                    {  
                        "allowedAccountIds": [ "string" ],  
                        "filterPattern": "string"  
                    }  
                ],  
                "maxOutputSize": {  
                    "unit": "string",  
                    "value": number  
                }  
            },  
            "trainedModels": {  
                "containerLogs": [  
                    {  
                        "allowedAccountIds": [ "string" ],  
                        "filterPattern": "string"  
                    }  
                ],  
                "containerMetrics": {  
                    "noiseLevel": "string"  
                }  
            }  
        }  
    }  
}
```

```
        },
        "maxArtifactSize": {
            "unit": "string",
            "value": number
        }
    }
},
"tags": {
    "string" : "string"
},
"updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationIdentifier](#)

The collaboration ID of the collaboration that contains the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

[configuredModelAlgorithmArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm that was associated to the collaboration.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/-[a-zA-Z0-9_.]+

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

[createTime](#)

The time at which the configured model algorithm association was created.

Type: Timestamp

[description](#)

The description of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[membershipIdentifier](#)

The membership ID of the member that created the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

[name](#)

The name of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

[privacyConfiguration](#)

The privacy configuration information for the configured model algorithm association.

Type: [PrivacyConfiguration](#) object

[tags](#)

The optional metadata that you applied to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[updateTime](#)

The most recent time at which the configured model algorithm association was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetMLConfiguration

Returns information about a specific ML configuration.

Request Syntax

```
GET /memberships/membershipIdentifier/ml-configurations HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

membershipIdentifier

The membership ID of the member that owns the ML configuration you want to return information about.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "createTimedefaultOutputLocationdestinations3Destinations3Uri
```

```
    "roleArn": "string"
},
"membershipIdentifier": "string",
"updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[createTime](#)

The time at which the ML configuration was created.

Type: Timestamp

[defaultOutputLocation](#)

The Amazon S3 location where ML model output is stored.

Type: [MLOutputConfiguration](#) object

[membershipIdentifier](#)

The membership ID of the member that owns the ML configuration you requested.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

[updateTime](#)

The most recent time at which the ML configuration was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetMLInputChannel

Returns information about an ML input channel.

Request Syntax

```
GET /memberships/membershipIdentifier/ml-input-channels/mlInputChannelArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the membership that contains the ML input channel that you want to get.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[mlInputChannelArn](#)

The Amazon Resource Name (ARN) of the ML input channel that you want to get.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
    "collaborationIdentifier": "string",  
    "configuredModelAlgorithmAssociations": [ "string" ],  
    "createTime": "string",  
    "description": "string",  
    "inputChannel": {  
        "dataSource": { ... },  
        "roleArn": "string"  
    },  
    "kmsKeyArn": "string",  
    "membershipIdentifier": "string",  
    "mlInputChannelArn": "string",  
    "name": "string",  
    "numberOfFiles": number,  
    "numberOfRecords": number,  
    "protectedQueryIdentifier": "string",  
    "retentionInDays": number,  
    "sizeInGb": number,  
    "status": "string",  
    "statusDetails": {  
        "message": "string",  
        "statusCode": "string"  
    },  
    "tags": {  
        "string" : "string"  
    },  
    "updateTime": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

collaborationIdentifier

The collaboration ID of the collaboration that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

[configuredModelAlgorithmAssociations](#)

The configured model algorithm associations that were used to create the ML input channel.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

[createTime](#)

The time at which the ML input channel was created.

Type: Timestamp

[description](#)

The description of the ML input channel.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[inputChannel](#)

The input channel that was used to create the ML input channel.

Type: [InputChannel](#) object

[kmsKeyArn](#)

The Amazon Resource Name (ARN) of the KMS key that was used to create the ML input channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+`

[membershipIdentifier](#)

The membership ID of the membership that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

[mlInputChannelArn](#)

The Amazon Resource Name (ARN) of the ML input channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+`

[name](#)

The name of the ML input channel.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!\\s*$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDCC0\\uDFFF\\t]*`

[numberOfFiles](#)

The number of files in the ML input channel.

Type: Double

Valid Range: Minimum value of 0. Maximum value of 1000000.

[numberOfRecords](#)

The number of records in the ML input channel.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 100000000000.

protectedQueryIdentifier

The ID of the protected query that was used to create the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

retentionInDays

The number of days to keep the data in the ML input channel.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 30.

sizeInGb

The size, in GB, of the ML input channel.

Type: Double

Valid Range: Minimum value of 0. Maximum value of 1000000.

status

The status of the ML input channel.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE

statusDetails

Details about the status of a resource.

Type: [StatusDetails](#) object

tags

The optional metadata that you applied to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

updateTime

The most recent time at which the ML input channel was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTrainedModel

Returns information about a trained model.

Request Syntax

```
GET /memberships/membershipIdentifier/trained-models/trainedModelArn?  
versionIdentifier=versionIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the member that created the trained model that you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[trainedModelArn](#)

The Amazon Resource Name (ARN) of the trained model that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model1/-[a-zA-Z0-9_.]+

Required: Yes

[versionIdentifier](#)

The version identifier of the trained model to retrieve. If not specified, the operation returns information about the latest version of the trained model.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "collaborationIdentifier": "string",
  "configuredModelAlgorithmAssociationArn": "string",
  "createTime": "string",
  "dataChannels": [
    {
      "channelName": "string",
      "mlInputChannelArn": "string",
      "s3DataDistributionType": "string"
    }
  ],
  "description": "string",
  "environment": {
    "string" : "string"
  },
  "hyperparameters": {
    "string" : "string"
  },
  "incrementalTrainingDataChannels": [
    {
      "channelName": "string",
      "modelName": "string",
      "versionIdentifier": "string"
    }
  ],
  "kmsKeyArn": "string",
  "logsStatus": "string",
  "logsStatusDetails": "string",
  "membershipIdentifier": "string",
  "metricsStatus": "string",
  "metricsStatusDetails": "string",
  "name": "string",
  "resourceConfig": {
    "instanceCount": number,
  }
}
```

```
  "instanceType": "string",
  "volumeSizeInGB": number
},
"status": "string",
"statusDetails": {
  "message": "string",
  "statusCode": "string"
},
"stoppingCondition": {
  "maxRuntimeInSeconds": number
},
tags": {
  "string" : "string"
},
"trainedModelArn": "string",
"trainingContainerImageDigest": "string",
"trainingInputMode": "string",
"updateTime": "string",
"versionIdentifier": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationIdentifier](#)

The collaboration ID of the collaboration that contains the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association that was used to create the trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

[createTime](#)

The time at which the trained model was created.

Type: Timestamp

[dataChannels](#)

The data channels that were used for the trained model.

Type: Array of [ModelTrainingDataChannel](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

[description](#)

The description of the trained model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[environment](#)

The EC2 environment that was used to create the trained model.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 100 items.

Key Length Constraints: Minimum length of 1. Maximum length of 512.

Key Pattern: [a-zA-Z_][a-zA-Z0-9_]*

Value Length Constraints: Minimum length of 1. Maximum length of 512.

Value Pattern: [\S\s]*

hyperparameters

The hyperparameters that were used to create the trained model.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 100 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: .*

Value Length Constraints: Minimum length of 1. Maximum length of 2500.

Value Pattern: .*

incrementalTrainingDataChannels

Information about the incremental training data channels used to create this version of the trained model. This includes details about the base model that was used for incremental training and the channel configuration.

Type: Array of [IncrementalTrainingDataChannelOutput](#) objects

Array Members: Fixed number of 1 item.

kmsKeyArn

The Amazon Resource Name (ARN) of the AWS KMS key. This key is used to encrypt and decrypt customer-owned data in the trained ML model and associated data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+

logsStatus

The logs status for the trained model.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

logsStatusDetails

Details about the logs status for the trained model.

Type: String

membershipIdentifier

The membership ID of the member that created the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

metricsStatus

The status of the model metrics.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

metricsStatusDetails

Details about the metrics status for the trained model.

Type: String

name

The name of the trained model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\\\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

resourceConfig

The EC2 resource configuration that was used to create the trained model.

Type: [ResourceConfig](#) object

status

The status of the trained model.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED

[statusDetails](#)

Details about the status of a resource.

Type: [StatusDetails](#) object

[stoppingCondition](#)

The stopping condition that was used to terminate model training.

Type: [StoppingCondition](#) object

[tags](#)

The optional metadata that you applied to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[trainedModelArn](#)

The Amazon Resource Name (ARN) of the trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+

[trainingContainerImageDigest](#)

Information about the training image container.

Type: String

[trainingInputMode](#)

The input mode that was used for accessing the training data when this trained model was created. This indicates how the training data was made available to the training algorithm.

Type: String

Valid Values: File | FastFile | Pipe

[updateTime](#)

The most recent time at which the trained model was updated.

Type: Timestamp

[versionIdentifier](#)

The version identifier of the trained model. This unique identifier distinguishes this version from other versions of the same trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTrainedModelInferenceJob

Returns information about a trained model inference job.

Request Syntax

```
GET /memberships/membershipIdentifier/trained-model-inference-jobs/trainedModelInferenceJobArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

Provides the membership ID of the membership that contains the trained model inference job that you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[trainedModelInferenceJobArn](#)

Provides the Amazon Resource Name (ARN) of the trained model inference job that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model-inference-job/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredModelAlgorithmAssociationArn": "string",
  "containerExecutionParameters": {
    "maxPayloadInMB": number
  },
  "createTime": "string",
  "dataSource": {
    "mlInputChannelArn": "string"
  },
  "description": "string",
  "environment": {
    "string" : "string"
  },
  "inferenceContainerImageDigest": "string",
  "kmsKeyArn": "string",
  "logsStatus": "string",
  "logsStatusDetails": "string",
  "membershipIdentifier": "string",
  "metricsStatus": "string",
  "metricsStatusDetails": "string",
  "name": "string",
  "outputConfiguration": {
    "accept": "string",
    "members": [
      {
        "accountId": "string"
      }
    ]
  },
  "resourceConfig": {
    "instanceCount": number,
    "instanceType": "string"
  },
  "status": "string",
  "statusDetails": {
    "message": "string",
    "statusCode": "string"
  }
},
```

```
"tags": {  
    "string" : "string"  
},  
"trainedModelArn": "string",  
"trainedModelInferenceJobArn": "string",  
"trainedModelVersionIdentifier": "string",  
"updateTime": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association that was used for the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+`

[containerExecutionParameters](#)

The execution parameters for the model inference job container.

Type: [InferenceContainerExecutionParameters](#) object

[createTime](#)

The time at which the trained model inference job was created.

Type: Timestamp

[dataSource](#)

The data source that was used for the trained model inference job.

Type: [ModelInferenceDataSource](#) object

[description](#)

The description of the trained model inference job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[environment](#)

The environment variables to set in the Docker container.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 16 items.

Key Length Constraints: Minimum length of 1. Maximum length of 1024.

Key Pattern: [a-zA-Z_][a-zA-Z0-9_]*

Value Length Constraints: Minimum length of 1. Maximum length of 10240.

Value Pattern: [\S\s]*

[inferenceContainerImageDigest](#)

Information about the training container image.

Type: String

[kmsKeyArn](#)

The Amazon Resource Name (ARN) of the AWS KMS key. This key is used to encrypt and decrypt customer-owned data in the ML inference job and associated data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+

[logsStatus](#)

The logs status for the trained model inference job.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

logsStatusDetails

Details about the logs status for the trained model inference job.

Type: String

membershipIdentifier

The membership ID of the membership that contains the trained model inference job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

metricsStatus

The metrics status for the trained model inference job.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

metricsStatusDetails

Details about the metrics status for the trained model inference job.

Type: String

name

The name of the trained model inference job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

outputConfiguration

The output configuration information for the trained model inference job.

Type: [InferenceOutputConfiguration](#) object

resourceConfig

The resource configuration information for the trained model inference job.

Type: [InferenceResourceConfig](#) object

status

The status of the trained model inference job.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED | INACTIVE

statusDetails

Details about the status of a resource.

Type: [StatusDetails](#) object

tags

The optional metadata that you applied to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[trainedModelArn](#)

The Amazon Resource Name (ARN) for the trained model that was used for the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+`

[trainedModelInferenceJobArn](#)

The Amazon Resource Name (ARN) of the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model-inference-job/[a-zA-Z0-9_.]+`

[trainedModelVersionIdentifier](#)

The version identifier of the trained model used for this inference job. This identifies the specific version of the trained model that was used to generate the inference results.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

updateTime

The most recent time at which the trained model inference job was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTrainingDataset

Returns information about a training dataset.

Request Syntax

```
GET /training-dataset/trainingDatasetArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

trainingDatasetArn

The Amazon Resource Name (ARN) of the training dataset that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-zA-Z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "createTime": "string",
  "description": "string",
  "name": "string",
  "roleArn": "string",
  "status": "string",
  "tags": {
    "string" : "string"
  }
}
```

```
},
"trainingData": [
  {
    "inputConfig": {
      "dataSource": {
        "glueDataSource": {
          "catalogId": "string",
          "databaseName": "string",
          "tableName": "string"
        }
      },
      "schema": [
        {
          "columnName": "string",
          "columnTypes": [ "string" ]
        }
      ]
    },
    "type": "string"
  }
],
"trainingDatasetArn": "string",
"updateTime": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[createTime](#)

The time at which the training dataset was created.

Type: Timestamp

[description](#)

The description of the training dataset.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

[name](#)

The name of the training dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

[roleArn](#)

The IAM role used to read the training data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:iam::[0-9]{12}:role/.+

[status](#)

The status of the training dataset.

Type: String

Valid Values: ACTIVE

[tags](#)

The tags that are assigned to this training dataset.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

[trainingData](#)

Metadata about the requested training data.

Type: Array of [Dataset](#) objects

[trainingDatasetArn](#)

The Amazon Resource Name (ARN) of the training dataset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[-a-zA-Z0-9_.]+

[updateTime](#)

The most recent time at which the training dataset was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAudienceExportJobs

Returns a list of the audience export jobs.

Request Syntax

```
GET /audience-export-job?  
audienceGenerationJobArn=audienceGenerationJobArn&maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[audienceGenerationJobArn](#)

The Amazon Resource Name (ARN) of the audience generation job that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[-a-zA-Z0-9_.]+

[maxResults](#)

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "audienceExportJobs": [
    {
      "audienceGenerationJobArn": "string",
      "audienceSize": {
        "type": "string",
        "value": number
      },
      "createTime": "string",
      "description": "string",
      "name": "string",
      "outputLocation": "string",
      "status": "string",
      "statusDetails": {
        "message": "string",
        "statusCode": "string"
      },
      "updateTime": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[audienceExportJobs](#)

The audience export jobs that match the request.

Type: Array of [AudienceExportJobSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAudienceGenerationJobs

Returns a list of audience generation jobs.

Request Syntax

```
GET /audience-generation-job?  
collaborationId=collaborationId&configuredAudienceModelArn=configuredAudienceModelArn&maxResults=100  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

collaborationId

The identifier of the collaboration that contains the audience generation jobs that you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

configuredAudienceModelArn

The Amazon Resource Name (ARN) of the configured audience model that was used for the audience generation jobs that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "audienceGenerationJobs": [
    {
      "audienceGenerationJobArn": "string",
      "collaborationId": "string",
      "configuredAudienceModelArn": "string",
      "createTime": "string",
      "description": "string",
      "name": "string",
      "startedBy": "string",
      "status": "string",
      "updateTime": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[audienceGenerationJobs](#)

The audience generation jobs that match the request.

Type: Array of [AudienceGenerationJobSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAudienceModels

Returns a list of audience models.

Request Syntax

```
GET /audience-model?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "audienceModels": [
    {
      "audienceModelArn": "string",
      "createTime": "string",
      "description": "string",
      "name": "string",
```

```
        "status": "string",
        "trainingDatasetArn": "string",
        "updateTime": "string"
    }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[audienceModels](#)

The audience models that match the request.

Type: Array of [AudienceModelSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCollaborationConfiguredModelAlgorithmAssociations

Returns a list of the configured model algorithm associations in a collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/configured-model-algorithm-associations?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

collaborationIdentifier

The collaboration ID of the collaboration that contains the configured model algorithm associations that you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "collaborationConfiguredModelAlgorithmAssociations": [
    {
      "collaborationIdentifier": "string",
      "configuredModelAlgorithmArn": "string",
      "configuredModelAlgorithmAssociationArn": "string",
      "createTime": "string",
      "creatorAccountId": "string",
      "description": "string",
      "membershipIdentifier": "string",
      "name": "string",
      "updateTime": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationConfiguredModelAlgorithmAssociations](#)

The configured model algorithm associations that belong to this collaboration.

Type: Array of [CollaborationConfiguredModelAlgorithmAssociationSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCollaborationMLInputChannels

Returns a list of the ML input channels in a collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/ml-input-channels?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

collaborationIdentifier

The collaboration ID of the collaboration that contains the ML input channels that you want to list.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

maxResults

The maximum number of results to return.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
    "collaborationMLInputChannelsList": [
        {
            "collaborationIdentifier": "string",
            "configuredModelAlgorithmAssociations": [ "string" ],
            "createTime": "string",
            "creatorAccountId": "string",
            "description": "string",
            "membershipIdentifier": "string",
            "mlInputChannelArn": "string",
            "name": "string",
            "status": "string",
            "updateTime": "string"
        }
    ],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationMLInputChannelsList](#)

The list of ML input channels that you wanted.

Type: Array of [CollaborationMLInputChannelSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCollaborationTrainedModelExportJobs

Returns a list of the export jobs for a trained model in a collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/trained-models/trainedModelArn/export-jobs?  
maxResults=maxResults&nextToken=nextToken&trainedModelVersionIdentifier=trainedModelVersionIdentifier  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model export jobs that you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

trainedModelArn

The Amazon Resource Name (ARN) of the trained model that was used to create the export jobs that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9_.]+`

Required: Yes

[trainedModelVersionIdentifier](#)

The version identifier of the trained model to filter export jobs by. When specified, only export jobs for this specific version of the trained model are returned.

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "collaborationTrainedModelExportJobs": [
    {
      "collaborationIdentifiercreateTimecreatorAccountIddescriptionmembershipIdentifiernameoutputConfigurationmembersaccountIdstatusstatusDetails
```

```
        "message": "string",
        "statusCode": "string"
    },
    "trainedModelArn": "string",
    "trainedModelVersionIdentifier": "string",
    "updateTime": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**collaborationTrainedModelExportJobs**](#)

The exports jobs that exist for the requested trained model in the requested collaboration.

Type: Array of [CollaborationTrainedModelExportJobSummary](#) objects

[**nextToken**](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCollaborationTrainedModelInferenceJobs

Returns a list of trained model inference jobs in a specified collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/trained-model-inference-jobs?  
maxResults=maxResults&nextToken=nextToken&trainedModelArn=trainedModelArn&trainedModelVersionId=trainedModelVersionId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model inference jobs that you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

trainedModelArn

The Amazon Resource Name (ARN) of the trained model that was used to create the trained model inference jobs that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model1/-[a-zA-Z0-9_.]+

trainedModelVersionIdentifier

The version identifier of the trained model to filter inference jobs by. When specified, only inference jobs that used this specific version of the trained model are returned.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "collaborationTrainedModelInferenceJobscollaborationIdentifierconfiguredModelAlgorithmAssociationArncreateTimecreatorAccountIddescriptionlogsStatuslogsStatusDetailsmembershipIdentifiermetricsStatusmetricsStatusDetailsnameoutputConfigurationacceptmembersaccountId
```

```
        },
        "status": "string",
        "trainedModelArn": "string",
        "trainedModelInferenceJobArn": "string",
        "trainedModelVersionIdentifier": "string",
        "updateTime": "string"
    }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationTrainedModelInferenceJobs](#)

The trained model inference jobs that you are interested in.

Type: Array of [CollaborationTrainedModelInferenceJobSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCollaborationTrainedModels

Returns a list of the trained models in a collaboration.

Request Syntax

```
GET /collaborations/collaborationIdentifier/trained-models?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained models you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "collaborationTrainedModels": [  
    {  
      "collaborationIdentifier": "string",  
      "configuredModelAlgorithmAssociationArn": "string",  
      "createTime": "string",  
      "creatorAccountId": "string",  
      "description": "string",  
      "incrementalTrainingDataChannels": [  
        {  
          "channelName": "string",  
          "modelName": "string",  
          "versionIdentifier": "string"  
        }  
      ],  
      "membershipIdentifier": "string",  
      "name": "string",  
      "status": "string",  
      "trainedModelArn": "string",  
      "updateTime": "string",  
      "versionIdentifier": "string"  
    }  
  ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[collaborationTrainedModels](#)

The trained models in the collaboration that you requested.

Type: Array of [CollaborationTrainedModelSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListConfiguredAudienceModels

Returns a list of the configured audience models.

Request Syntax

```
GET /configured-audience-model?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredAudienceModels": [
    {
      "audienceModelArn": "string",
      "configuredAudienceModelArn": "string",
      "createTime": "string",
      "description": "string",
```

```
"name": "string",
"outputConfig": {
    "destination": {
        "s3Destination": {
            "s3Uri": "string"
        }
    },
    "roleArn": "string"
},
"status": "string",
"updateTime": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredAudienceModels](#)

The configured audience models.

Type: Array of [ConfiguredAudienceModelSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListConfiguredModelAlgorithmAssociations

Returns a list of configured model algorithm associations.

Request Syntax

```
GET /memberships/membershipIdentifier/configured-model-algorithm-associations?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

membershipIdentifier

The membership ID of the member that created the configured model algorithm associations you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "configuredModelAlgorithmAssociations": [
    {
      "collaborationIdentifier": "string",
      "configuredModelAlgorithmArn": "string",
      "configuredModelAlgorithmAssociationArn": "string",
      "createTime": "string",
      "description": "string",
      "membershipIdentifier": "string",
      "name": "string",
      "updateTime": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredModelAlgorithmAssociations](#)

The list of configured model algorithm associations.

Type: Array of [ConfiguredModelAlgorithmAssociationSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListConfiguredModelAlgorithms

Returns a list of configured model algorithms.

Request Syntax

```
GET /configured-model-algorithms?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredModelAlgorithms": [
    {
      "configuredModelAlgorithmArnstring",
      "createTimestring",
      "descriptionstring",
```

```
        "name": "string",
        "updateTime": "string"
    },
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredModelAlgorithms](#)

The list of configured model algorithms.

Type: Array of [ConfiguredModelAlgorithmSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListMLInputChannels

Returns a list of ML input channels.

Request Syntax

```
GET /memberships/membershipIdentifier/ml-input-channels?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of ML input channels to return.

Valid Range: Minimum value of 1. Maximum value of 100.

membershipIdentifier

The membership ID of the membership that contains the ML input channels that you want to list.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
    "mlInputChannelsList": [  
        {  
            "collaborationIdentifier": "string",  
            "configuredModelAlgorithmAssociations": [ "string" ],  
            "createTime": "string",  
            "description": "string",  
            "membershipIdentifier": "string",  
            "mlInputChannelArn": "string",  
            "name": "string",  
            "protectedQueryIdentifier": "string",  
            "status": "string",  
            "updateTime": "string"  
        }  
    ],  
    "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[mlInputChannelsList](#)

The list of ML input channels that you wanted.

Type: Array of [MLInputChannelSummary](#) objects

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Returns a list of tags for a provided resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:((membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12})/(configured-model-algorithm-association|trained-model|trained-model-inference-job|ml-input-channel)|training-dataset|audience-model|configured-audience-model|audience-generation-job|configured-model-algorithm)/[-a-zA-Z0-9_.]+)

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

```
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The tags that are associated with the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTrainedModelInferenceJobs

Returns a list of trained model inference jobs that match the request parameters.

Request Syntax

```
GET /memberships/membershipIdentifier/trained-model-inference-jobs?
```

```
maxResults=maxResults&nextToken=nextToken&trainedModelArn=trainedModelArn&trainedModelVersionId
```

```
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

[membershipIdentifier](#)

The membership

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[nextToken](#)

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

[trainedModelArn](#)

The Amazon Resource Name (ARN) of a trained model that was used to create the trained model inference jobs that you are interested in.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model1/-[a-zA-Z0-9_.]+

trainedModelVersionIdentifier

The version identifier of the trained model to filter inference jobs by. When specified, only inference jobs that used this specific version of the trained model are returned.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextTokentrainedModelInferenceJobscollaborationIdentifierconfiguredModelAlgorithmAssociationArncreateTimedescriptionlogsStatuslogsStatusDetailsmembershipIdentifiermetricsStatusmetricsStatusDetailsnameoutputConfigurationacceptmembersaccountId
```

```
        ],
      },
      "status": "string",
      "trainedModelArn": "string",
      "trainedModelInferenceJobArn": "string",
      "trainedModelVersionIdentifier": "string",
      "updateTime": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

[trainedModelInferenceJobs](#)

Returns the requested trained model inference jobs.

Type: Array of [TrainedModelInferenceJobSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTrainedModels

Returns a list of trained models.

Request Syntax

```
GET /memberships/membershipIdentifier/trained-models?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

membershipIdentifier

The membership ID of the member that created the trained models you are interested in.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
    "nextToken": "string",
    "trainedModels": [
        {
            "collaborationIdentifier": "string",
            "configuredModelAlgorithmAssociationArn": "string",
            "createTime": "string",
            "description": "string",
            "incrementalTrainingDataChannels": [
                {
                    "channelName": "string",
                    "modelName": "string",
                    "versionIdentifier": "string"
                }
            ],
            "membershipIdentifier": "string",
            "name": "string",
            "status": "string",
            "trainedModelArn": "string",
            "updateTime": "string",
            "versionIdentifier": "string"
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

trainedModels

The list of trained models.

Type: Array of [TrainedModelSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTrainedModelVersions

Returns a list of trained model versions for a specified trained model. This operation allows you to view all versions of a trained model, including information about their status and creation details. You can use this to track the evolution of your trained models and select specific versions for inference or further training.

Request Syntax

```
GET /memberships/membershipIdentifier/trained-models/trainedModelArn/versions?  
maxResults=maxResults&nextToken=nextToken&status=status HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of trained model versions to return in a single page. The default value is 10, and the maximum value is 100.

Valid Range: Minimum value of 1. Maximum value of 100.

membershipIdentifier

The membership identifier for the collaboration that contains the trained model.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

nextToken

The pagination token from a previous ListTrainedModelVersions request. Use this token to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

status

Filter the results to only include trained model versions with the specified status. Valid values include CREATE_PENDING, CREATE_IN_PROGRESS, ACTIVE, CREATE_FAILED, and others.

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED

[trainedModelArn](#)

The Amazon Resource Name (ARN) of the trained model for which to list versions.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model1/-[a-zA-Z0-9_.]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "trainedModels": [
        {
            "collaborationIdentifier": "string",
            "configuredModelAlgorithmAssociationArn": "string",
            "createTime": "string",
            "description": "string",
            "incrementalTrainingDataChannels": [
                {
                    "channelName": "string",
                    "modelName": "string",
                    "versionIdentifier": "string"
                }
            ],
            "membershipIdentifier": "string",
            "name": "string",
        }
    ]
}
```

```
        "status": "string",
        "trainedModelArn": "string",
        "updateTime": "string",
        "versionIdentifier": "string"
    }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The pagination token to use in a subsequent `ListTrainedModelVersions` request to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

[trainedModels](#)

A list of trained model versions that match the specified criteria. Each entry contains summary information about a trained model version, including its version identifier, status, and creation details.

Type: Array of [TrainedModelSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTrainingDatasets

Returns a list of training datasets.

Request Syntax

```
GET /training-dataset?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum size of the results that is returned per call.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token value retrieved from a previous call to access the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 10240.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "trainingDatasets": [
        {
            "createTimestring",
            "description": "string",
            "name": "string",
```

```
    "status": "string",
    "trainingDatasetArn": "string",
    "updateTime": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The token value used to access the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10240.

[trainingDatasets](#)

The training datasets that match the request.

Type: Array of [TrainingDatasetSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutConfiguredAudienceModelPolicy

Create or update the resource policy for a configured audience model.

Request Syntax

```
PUT /configured-audience-model/configuredAudienceModelArn/policy HTTP/1.1
Content-type: application/json

{
  "configuredAudienceModelPolicypolicyExistenceConditionpreviousPolicyHash
```

URI Request Parameters

The request uses the following URI parameters.

configuredAudienceModelArn

The Amazon Resource Name (ARN) of the configured audience model that the resource policy will govern.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

configuredAudienceModelPolicy

The IAM resource policy.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20480.

Required: Yes

[policyExistenceCondition](#)

Use this to prevent unexpected concurrent modification of the policy.

Type: String

Valid Values: POLICY_MUST_EXIST | POLICY_MUST_NOT_EXIST

Required: No

[previousPolicyHash](#)

A cryptographic hash of the contents of the policy used to prevent unexpected concurrent modification of the policy.

Type: String

Length Constraints: Minimum length of 64. Maximum length of 128.

Pattern: [0-9a-f]+

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredAudienceModelPolicy": "string",
  "policyHash
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredAudienceModelPolicy](#)

The IAM resource policy.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20480.

policyHash

A cryptographic hash of the contents of the policy used to prevent unexpected concurrent modification of the policy.

Type: String

Length Constraints: Minimum length of 64. Maximum length of 128.

Pattern: [0-9a-f]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutMLConfiguration

Assigns information about an ML configuration.

Request Syntax

```
PUT /memberships/membershipIdentifier/ml-configurations HTTP/1.1
Content-type: application/json

{
  "defaultOutputLocationdestinations3Destinations3Uristring"
      }
    },
    "roleArnstring"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

membershipIdentifier

The membership ID of the member that is being configured.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request accepts the following data in JSON format.

defaultOutputLocation

The default Amazon S3 location where ML output is stored for the specified member.

Type: [MLOutputConfiguration](#) object

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartAudienceExportJob

Export an audience of a specified size after you have generated an audience.

Request Syntax

```
POST /audience-export-job HTTP/1.1
Content-type: application/json

{
  "audienceGenerationJobArn": "string",
  "audienceSize": {
    "type": "string",
    "value": number
  },
  "description": "string",
  "name": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[audienceGenerationJobArn](#)

The Amazon Resource Name (ARN) of the audience generation job that you want to export.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[-a-zA-Z0-9_.]+

Required: Yes

audienceSize

The size of the generated audience. Must match one of the sizes in the configured audience model.

Type: [AudienceSize](#) object

Required: Yes

description

The description of the audience export job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

name

The name of the audience export job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartAudienceGenerationJob

Information necessary to start the audience generation job.

Request Syntax

```
POST /audience-generation-job HTTP/1.1
Content-type: application/json

{
  "collaborationId": "string",
  "configuredAudienceModelArn": "string",
  "description": "string",
  "includeSeedInOutput": boolean,
  "name": "string",
  "seedAudience": {
    "dataSource": {
      "s3Uri": "string"
    },
    "roleArn": "string",
    "sqlComputeConfiguration": { ... },
    "sqlParameters": {
      "analysisTemplateArn": "string",
      "parameters": {
        "string" : "string"
      },
      "queryString": "string"
    }
  },
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

collaborationId

The identifier of the collaboration that contains the audience generation job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

configuredAudienceModelArn

The Amazon Resource Name (ARN) of the configured audience model that is used for this audience generation job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Required: Yes

description

The description of the audience generation job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

includeSeedInOutput

Whether the seed audience is included in the audience generation output.

Type: Boolean

Required: No

[name](#)

The name of the audience generation job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

[seedAudience](#)

The seed audience that is used to generate the audience.

Type: [AudienceGenerationJobDataSource](#) object

Required: Yes

[tags](#)

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "audienceGenerationJobArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**audienceGenerationJobArn**](#)

The Amazon Resource Name (ARN) of the audience generation job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[-a-zA-Z0-9_.]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTrainedModelExportJob

Provides the information necessary to start a trained model export job.

Request Syntax

```
POST /memberships/membershipIdentifier/trained-models/trainedModelArn/export-jobs
HTTP/1.1
Content-type: application/json

{
    "description": "string",
    "name": "string",
    "outputConfiguration": {
        "members": [
            {
                "accountId": "string"
            }
        ]
    },
    "trainedModelVersionIdentifier": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the member that is receiving the exported trained model artifacts.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

[trainedModelArn](#)

The Amazon Resource Name (ARN) of the trained model that you want to export.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[-a-zA-Z0-9_.]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[description](#)

The description of the trained model export job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*`

Required: No

[name](#)

The name of the trained model export job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!s*$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*`

Required: Yes

[outputConfiguration](#)

The output configuration information for the trained model export job.

Type: [TrainedModelExportOutputConfiguration](#) object

Required: Yes

[trainedModelVersionIdentifier](#)

The version identifier of the trained model to export. This specifies which version of the trained model should be exported to the specified destination.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTrainedModelInferenceJob

Defines the information necessary to begin a trained model inference job.

Request Syntax

```
POST /memberships/membershipIdentifier/trained-model-inference-jobs HTTP/1.1
Content-type: application/json

{
  "configuredModelAlgorithmAssociationArn": "string",",
  "containerExecutionParameters": {
    "maxPayloadInMB": number
  },
  "dataSource": {
    "mlInputChannelArn": "string"
  },
  "description": "string",
  "environment": {
    "string" : "string"
  },
  "kmsKeyArn": "string",
  "name": "string",
  "outputConfiguration": {
    "accept": "string",
    "members": [
      {
        "accountId": "string"
      }
    ]
  },
  "resourceConfig": {
    "instanceCount": number,
    "instanceType": "string"
  },
  "tags": {
    "string" : "string"
  },
  "trainedModelArn": "string",
  "trainedModelVersionIdentifier": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[membershipIdentifier](#)

The membership ID of the membership that contains the trained model inference job.

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

Request Body

The request accepts the following data in JSON format.

[configuredModelAlgorithmAssociationArn](#)

The Amazon Resource Name (ARN) of the configured model algorithm association that is used for this trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

Required: No

[containerExecutionParameters](#)

The execution parameters for the container.

Type: [InferenceContainerExecutionParameters](#) object

Required: No

[dataSource](#)

Defines the data source that is used for the trained model inference job.

Type: [ModelInferenceDataSource](#) object

Required: Yes

[description](#)

The description of the trained model inference job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

[environment](#)

The environment variables to set in the Docker container.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 16 items.

Key Length Constraints: Minimum length of 1. Maximum length of 1024.

Key Pattern: [a-zA-Z_][a-zA-Z0-9_]*

Value Length Constraints: Minimum length of 1. Maximum length of 10240.

Value Pattern: [\S\s]*

Required: No

[kmsKeyArn](#)

The Amazon Resource Name (ARN) of the AWS KMS key. This key is used to encrypt and decrypt customer-owned data in the ML inference job and associated data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/.+

Required: No

[name](#)

The name of the trained model inference job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

[outputConfiguration](#)

Defines the output configuration information for the trained model inference job.

Type: [InferenceOutputConfiguration](#) object

Required: Yes

[resourceConfig](#)

Defines the resource configuration for the trained model inference job.

Type: [InferenceResourceConfig](#) object

Required: Yes

[tags](#)

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.

- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms ML considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

trainedModelArn

The Amazon Resource Name (ARN) of the trained model that is used for this trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[a-zA-Z0-9/_/.]+

Required: Yes

trainedModelVersionIdentifier

The version identifier of the trained model to use for inference. This specifies which version of the trained model should be used to generate predictions on the input data.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "trainedModelInferenceJobArn
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[trainedModelInferenceJobArn](#)

The Amazon Resource Name (ARN) of the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model-inference-job/[-a-zA-Z0-9_.]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds metadata tags to a specified resource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn](#)

The Amazon Resource Name (ARN) of the resource that you want to assign tags.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:((membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12})/(configured-model-algorithm-association|trained-model|trained-model-inference-job|ml-input-channel))|training-dataset|audience-model|configured-audience-model|audience-generation-job|configured-model-algorithm)/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

The optional metadata that you apply to the resource to help you categorize and organize them. Each tag consists of a key and an optional value, both of which you define.

The following basic restrictions apply to tags:

- Maximum number of tags per resource - 50.
- For each resource, each tag key must be unique, and each tag key can have only one value.
- Maximum key length - 128 Unicode characters in UTF-8.
- Maximum value length - 256 Unicode characters in UTF-8.
- If your tagging schema is used across multiple services and resources, remember that other services may have restrictions on allowed characters. Generally allowed characters are: letters, numbers, and spaces representable in UTF-8, and the following characters: + - = . _ : / @.
- Tag keys and values are case sensitive.
- Do not use aws:, AWS:, or any upper or lowercase combination of such as a prefix for keys as it is reserved for AWS use. You cannot edit or delete tag keys with this prefix. Values can have this prefix. If a tag value has aws as its prefix but the key does not, then Clean Rooms considers it to be a user tag and will count against the limit of 50 tags. Tags with only the key prefix of aws do not count against your tags per resource limit.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes metadata tags from a specified resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource that you want to remove tags from.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:((membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12})/(configured-model-algorithm-association|trained-model|trained-model-inference-job|ml-input-channel))|training-dataset|audience-model|configured-audience-model|audience-generation-job|configured-model-algorithm)/[-a-zA-Z0-9_.]+

Required: Yes

tagKeys

The key values of tags that you want to remove.

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateConfiguredAudienceModel

Provides the information necessary to update a configured audience model. Updates that impact audience generation jobs take effect when a new job starts, but do not impact currently running jobs.

Request Syntax

```
PATCH /configured-audience-model/configuredAudienceModelArn HTTP/1.1
Content-type: application/json

{
  "audienceModelArnaudienceSizeConfigaudienceSizeBinsaudienceSizeTypedescriptionminMatchingSeedSizeoutputConfigdestinations3Destinations3UriroleArnsharedAudienceMetrics
```

URI Request Parameters

The request uses the following URI parameters.

configuredAudienceModelArn

The Amazon Resource Name (ARN) of the configured audience model that you want to update.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[audienceModelArn](#)

The Amazon Resource Name (ARN) of the new audience model that you want to use.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-zA-Z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/[-a-zA-Z0-9_.]+`

Required: No

[audienceSizeConfig](#)

The new audience size configuration.

Type: [AudienceSizeConfig](#) object

Required: No

[description](#)

The new description of the configured audience model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*`

Required: No

[minMatchingSeedSize](#)

The minimum number of users from the seed audience that must match with users in the training data of the audience model.

Type: Integer

Valid Range: Minimum value of 25. Maximum value of 500000.

Required: No

[outputConfig](#)

The new output configuration.

Type: [ConfiguredAudienceModelOutputConfig](#) object

Required: No

[sharedAudienceMetrics](#)

The new value for whether to share audience metrics.

Type: Array of strings

Array Members: Fixed number of 1 item.

Valid Values: ALL | NONE

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuredAudienceModelArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuredAudienceModelArn](#)

The Amazon Resource Name (ARN) of the configured audience model that was updated.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[-a-zA-Z0-9_.]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

You can't complete this action because another resource depends on this resource.

HTTP Status Code: 409

ResourceNotFoundException

The resource you are requesting does not exist.

HTTP Status Code: 404

ValidationException

The request parameters for this request are incorrect.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Clean Rooms ML API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AudienceDestination](#)
- [AudienceExportJobSummary](#)
- [AudienceGenerationJobDataSource](#)
- [AudienceGenerationJobSummary](#)
- [AudienceModelSummary](#)
- [AudienceQualityMetrics](#)
- [AudienceSize](#)
- [AudienceSizeConfig](#)
- [CollaborationConfiguredModelAlgorithmAssociationSummary](#)
- [CollaborationMLInputChannelSummary](#)
- [CollaborationTrainedModelExportJobSummary](#)
- [CollaborationTrainedModelInferenceJobSummary](#)
- [CollaborationTrainedModelSummary](#)
- [ColumnSchema](#)
- [ComputeConfiguration](#)
- [ConfiguredAudienceModelOutputConfig](#)
- [ConfiguredAudienceModelSummary](#)
- [ConfiguredModelAlgorithmAssociationSummary](#)
- [ConfiguredModelAlgorithmSummary](#)
- [ContainerConfig](#)

- [Dataset](#)
- [DatasetInputConfig](#)
- [DataSource](#)
- [Destination](#)
- [GlueDataSource](#)
- [IncrementalTrainingDataChannel](#)
- [IncrementalTrainingDataChannelOutput](#)
- [InferenceContainerConfig](#)
- [InferenceContainerExecutionParameters](#)
- [InferenceOutputConfiguration](#)
- [InferenceReceiverMember](#)
- [InferenceResourceConfig](#)
- [InputChannel](#)
- [InputChannelDataSource](#)
- [LogsConfigurationPolicy](#)
- [MetricDefinition](#)
- [MetricsConfigurationPolicy](#)
- [MLInputChannelSummary](#)
- [MLOutputConfiguration](#)
- [ModelInferenceDataSource](#)
- [ModelTrainingDataChannel](#)
- [PrivacyConfiguration](#)
- [PrivacyConfigurationPolicies](#)
- [ProtectedQueryInputParameters](#)
- [ProtectedQuerySQLParameters](#)
- [RelevanceMetric](#)
- [ResourceConfig](#)
- [S3ConfigMap](#)
- [StatusDetails](#)
- [StoppingCondition](#)

- [TrainedModelArtifactMaxSize](#)
- [TrainedModelExportOutputConfiguration](#)
- [TrainedModelExportReceiverMember](#)
- [TrainedModelExportsConfigurationPolicy](#)
- [TrainedModelExportsMaxSize](#)
- [TrainedModelInferenceJobsConfigurationPolicy](#)
- [TrainedModelInferenceJobSummary](#)
- [TrainedModelInferenceMaxOutputSize](#)
- [TrainedModelsConfigurationPolicy](#)
- [TrainedModelSummary](#)
- [TrainingDatasetSummary](#)
- [WorkerComputeConfiguration](#)

AudienceDestination

Defines the Amazon S3 bucket where the configured audience is stored.

Contents

s3Destination

The Amazon S3 bucket and path for the configured audience.

Type: [S3ConfigMap](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AudienceExportJobSummary

Provides information about the audience export job.

Contents

audienceGenerationJobArn

The Amazon Resource Name (ARN) of the audience generation job that was exported.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[-a-zA-Z0-9_.]+`

Required: Yes

audienceSize

The size of the generated audience. Must match one of the sizes in the configured audience model.

Type: [AudienceSize](#) object

Required: Yes

createTime

The time at which the audience export job was created.

Type: Timestamp

Required: Yes

name

The name of the audience export job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!\\s*$)[\\u0020-\\uD7FF\\uE000-\\uFFFF\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*`

Required: Yes

status

The status of the audience export job.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE

Required: Yes

updateTime

The most recent time at which the audience export job was updated.

Type: Timestamp

Required: Yes

description

The description of the audience export job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

outputLocation

The Amazon S3 bucket where the audience export is stored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1285.

Pattern: s3://.+

Required: No

statusDetails

Details about the status of a resource.

Type: [StatusDetails](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AudienceGenerationJobDataSource

Defines the Amazon S3 bucket where the seed audience for the generating audience is stored.

Contents

roleArn

The ARN of the IAM role that can read the Amazon S3 bucket where the seed audience is stored.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

Required: Yes

dataSource

Defines the Amazon S3 bucket where the seed audience for the generating audience is stored. A valid data source is a JSON line file in the following format:

```
{"user_id": "111111"}
```

```
{"user_id": "222222"}
```

...

Type: [S3ConfigMap](#) object

Required: No

sqlComputeConfiguration

Provides configuration information for the instances that will perform the compute work.

Type: [ComputeConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

sqlParameters

The protected SQL query parameters.

Type: [ProtectedQuerySQLParameters](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AudienceGenerationJobSummary

Provides information about the configured audience generation job.

Contents

audienceGenerationJobArn

The Amazon Resource Name (ARN) of the audience generation job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-generation-job/[a-zA-Z0-9_.]+`

Required: Yes

configuredAudienceModelArn

The Amazon Resource Name (ARN) of the configured audience model that was used for this audience generation job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/[a-zA-Z0-9_.]+`

Required: Yes

createTime

The time at which the audience generation job was created.

Type: Timestamp

Required: Yes

name

The name of the audience generation job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

status

The status of the audience generation job.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED

Required: Yes

updateTime

The most recent time at which the audience generation job was updated.

Type: Timestamp

Required: Yes

collaborationId

The identifier of the collaboration that contains this audience generation job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

description

The description of the audience generation job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

startedBy

The AWS Account that submitted the job.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AudienceModelSummary

Information about the audience model.

Contents

audienceModelArn

The Amazon Resource Name (ARN) of the audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-zA-Z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/[-a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the audience model was created.

Type: Timestamp

Required: Yes

name

The name of the audience model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

Required: Yes

status

The status of the audience model.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED

Required: Yes

trainingDatasetArn

The Amazon Resource Name (ARN) of the training dataset that was used for the audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[-a-zA-Z0-9_.]+`

Required: Yes

updateTime

The most recent time at which the audience model was updated.

Type: Timestamp

Required: Yes

description

The description of the audience model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AudienceQualityMetrics

Metrics that describe the quality of the generated audience.

Contents

relevanceMetrics

The relevance scores of the generated audience.

Type: Array of [RelevanceMetric](#) objects

Required: Yes

recallMetric

The recall score of the generated audience. Recall is the percentage of the most similar users (by default, the most similar 20%) from a sample of the training data that are included in the seed audience by the audience generation job. Values range from 0-1, larger values indicate a better audience. A recall value approximately equal to the maximum bin size indicates that the audience model is equivalent to random selection.

Type: Double

Valid Range: Minimum value of 0.0. Maximum value of 1.0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AudienceSize

The size of the generated audience. Must match one of the sizes in the configured audience model.

Contents

type

Whether the audience size is defined in absolute terms or as a percentage. You can use the ABSOLUTE [AudienceSize](#) to configure out audience sizes using the count of identifiers in the output. You can use the Percentage [AudienceSize](#) to configure sizes in the range 1-100 percent.

Type: String

Valid Values: ABSOLUTE | PERCENTAGE

Required: Yes

value

Specify an audience size value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 20000000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AudienceSizeConfig

Returns the relevance scores at these audience sizes when used in the [GetAudienceGenerationJob](#) for a specified audience generation job and configured audience model.

Specifies the list of allowed audienceSize values when used in the [StartAudienceExportJob](#) for an audience generation job. You can use the ABSOLUTE [AudienceSize](#) to configure out audience sizes using the count of identifiers in the output. You can use the Percentage [AudienceSize](#) to configure sizes in the range 1-100 percent.

Contents

audienceSizeBins

An array of the different audience output sizes.

Type: Array of integers

Array Members: Minimum number of 1 item. Maximum number of 25 items.

Valid Range: Minimum value of 1. Maximum value of 20000000.

Required: Yes

audienceSizeType

Whether the audience output sizes are defined as an absolute number or a percentage.

Type: String

Valid Values: ABSOLUTE | PERCENTAGE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

CollaborationConfiguredModelAlgorithmAssociationSummary

Provides summary information about a configured model algorithm in a collaboration.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

configuredModelAlgorithmArn

The Amazon Resource Name (ARN) of the configured model algorithm that is associated to the collaboration.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/[-a-zA-Z0-9_.]+

Required: Yes

configuredModelAlgorithmAssociationArn

The Amazon Resource Name (ARN) of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the configured model algorithm association was created.

Type: Timestamp

Required: Yes

creatorAccountId

The account ID of the member that created the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: Yes

membershipIdentifier

The membership ID of the member that created the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

name

The name of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uFFFF\t]*

Required: Yes

updateTime

The most recent time at which the configured model algorithm association was updated.

Type: Timestamp

Required: Yes

description

The description of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CollaborationMLInputChannelSummary

Provides summary information about an ML input channel in a collaboration.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

configuredModelAlgorithmAssociations

The associated configured model algorithms used to create the ML input channel.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the ML input channel was created.

Type: Timestamp

Required: Yes

creatorAccountId

The account ID of the member who created the ML input channel.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: Yes

membershipIdentifier

The membership ID of the membership that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

mlInputChannelArn

The Amazon Resource Name (ARN) of the ML input channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+

Required: Yes

name

The name of the ML input channel.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

Required: Yes

status

The status of the ML input channel.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE

Required: Yes

updateTime

The most recent time at which the ML input channel was updated.

Type: Timestamp

Required: Yes

description

The description of the ML input channel.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CollaborationTrainedModelExportJobSummary

Provides summary information about a trained model export job in a collaboration.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model export job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

createTime

The time at which the trained model export job was created.

Type: Timestamp

Required: Yes

creatorAccountId

The account ID of the member that created the trained model.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: Yes

membershipIdentifier

The membership ID of the member that created the trained model export job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

name

The name of the trained model export job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

outputConfiguration

Information about the output of the trained model export job.

Type: [TrainedModelExportOutputConfiguration](#) object

Required: Yes

status

The status of the trained model.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE

Required: Yes

trainedModelArn

The Amazon Resource Name (ARN) of the trained model that is being exported.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model1/-[a-zA-Z0-9_.]+

Required: Yes

updateTime

The most recent time at which the trained model export job was updated.

Type: Timestamp

Required: Yes

description

The description of the trained model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

statusDetails

Details about the status of a resource.

Type: [StatusDetails](#) object

Required: No

trainedModelVersionIdentifier

The version identifier of the trained model that was exported in this job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CollaborationTrainedModelInferenceJobSummary

Provides summary information about a trained model inference job in a collaboration.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model inference job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

createTime

The time at which the trained model inference job was created.

Type: Timestamp

Required: Yes

creatorAccountId

The account ID that created the trained model inference job.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: Yes

membershipIdentifier

The membership ID of the membership that contains the trained model inference job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

name

The name of the trained model inference job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

outputConfiguration

Returns output configuration information for the trained model inference job.

Type: [InferenceOutputConfiguration](#) object

Required: Yes

status

The status of the trained model inference job.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED | INACTIVE

Required: Yes

trainedModelArn

The Amazon Resource Name (ARN) of the trained model that is used for the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model1/-[a-zA-Z0-9_.]+

Required: Yes

trainedModelInferenceJobArn

The Amazon Resource Name (ARN) of the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model-inference-job/[a-zA-Z0-9_.]+`

Required: Yes

updateTime

The most recent time at which the trained model inference job was updated.

Type: Timestamp

Required: Yes

configuredModelAlgorithmAssociationArn

The Amazon Resource Name (ARN) of the configured model algorithm association that is used for the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[a-zA-Z0-9_.]+`

Required: No

description

The description of the trained model inference job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

logsStatus

The trained model inference job logs status.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

Required: No

logsStatusDetails

Details about the logs status for the trained model inference job.

Type: String

Required: No

metricsStatus

the trained model inference job metrics status.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

Required: No

metricsStatusDetails

Details about the metrics status for trained model inference job.

Type: String

Required: No

trainedModelVersionIdentifier

The version identifier of the trained model that was used for inference in this job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CollaborationTrainedModelSummary

Provides summary information about a trained model in a collaboration.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

configuredModelAlgorithmAssociationArn

The Amazon Resource Name (ARN) of the configured model algorithm association that is used for this trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the trained model was created.

Type: Timestamp

Required: Yes

creatorAccountId

The account ID of the member that created the trained model.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: Yes

membershipIdentifier

The membership ID of the member that created the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

name

The name of the trained model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

Required: Yes

status

The status of the trained model.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED

Required: Yes

trainedModelArn

The Amazon Resource Name (ARN) of the trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[-a-zA-Z0-9_.]+

Required: Yes

updateTime

The most recent time at which the trained model was updated.

Type: Timestamp

Required: Yes

description

The description of the trained model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

incrementalTrainingDataChannels

Information about the incremental training data channels used to create this version of the trained model.

Type: Array of [IncrementalTrainingDataChannelOutput](#) objects

Array Members: Fixed number of 1 item.

Required: No

versionIdentifier

The version identifier of this trained model version.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ColumnSchema

Metadata for a column.

Contents

columnName

The name of a column.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9_](([a-zA-Z0-9_-]+-)*([a-zA-Z0-9_-]+))?

Required: Yes

columnTypes

The data type of column.

Type: Array of strings

Array Members: Fixed number of 1 item.

Valid Values: USER_ID | ITEM_ID | TIMESTAMP | CATEGORICAL_FEATURE | NUMERICAL_FEATURE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ComputeConfiguration

Provides configuration information for the instances that will perform the compute work.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

worker

The worker instances that will perform the compute work.

Type: [WorkerComputeConfiguration object](#)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConfiguredAudienceModelOutputConfig

Configuration information necessary for the configure audience model output.

Contents

destination

Defines the Amazon S3 bucket where the configured audience is stored.

Type: [AudienceDestination](#) object

Required: Yes

roleArn

The ARN of the IAM role that can write the Amazon S3 bucket.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConfiguredAudienceModelSummary

Information about the configured audience model.

Contents

audienceModelArn

The Amazon Resource Name (ARN) of the audience model that was used to create the configured audience model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:audience-model/-[a-zA-Z0-9_.]+`

Required: Yes

configuredAudienceModelArn

The Amazon Resource Name (ARN) of the configured audience model that you are interested in.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-audience-model/-[a-zA-Z0-9_.]+`

Required: Yes

createTime

The time at which the configured audience model was created.

Type: Timestamp

Required: Yes

name

The name of the configured audience model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `(?!\\s*\\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*`

Required: Yes

outputConfig

The output configuration of the configured audience model.

Type: [ConfiguredAudienceModelOutputConfig](#) object

Required: Yes

status

The status of the configured audience model.

Type: String

Valid Values: ACTIVE

Required: Yes

updateTime

The most recent time at which the configured audience model was updated.

Type: Timestamp

Required: Yes

description

The description of the configured audience model.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t\\r\\n]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConfiguredModelAlgorithmAssociationSummary

Provides summary information about the configured model algorithm association.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

configuredModelAlgorithmArn

The Amazon Resource Name (ARN) of the configured model algorithm that is being associated.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/[a-zA-Z0-9_.]+

Required: Yes

configuredModelAlgorithmAssociationArn

The Amazon Resource Name (ARN) of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the configured model algorithm association was created.

Type: Timestamp

Required: Yes

membershipIdentifier

The membership ID of the member that created the configured model algorithm association.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

name

The name of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

Required: Yes

updateTime

The most recent time at which the configured model algorithm association was updated.

Type: Timestamp

Required: Yes

description

The description of the configured model algorithm association.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConfiguredModelAlgorithmSummary

Provides summary information about a configured model algorithm.

Contents

configuredModelAlgorithmArn

The Amazon Resource Name (ARN) of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:configured-model-algorithm/-[a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the configured model algorithm was created.

Type: Timestamp

Required: Yes

name

The name of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\\s*\$)[\\u0020-\\uD7FF\\uE000-\\uFFFD\\uD800\\uDBFF-\\uDC00\\uDFFF\\t]*

Required: Yes

updateTime

The most recent time at which the configured model algorithm was updated.

Type: Timestamp

Required: Yes

description

The description of the configured model algorithm.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ContainerConfig

Provides configuration information for the dockerized container where the model algorithm is stored.

Contents

imageUri

The registry path of the docker image that contains the algorithm. Clean Rooms ML currently only supports the `registry/repository[:tag]` image path format. For more information about using images in Clean Rooms ML, see the [Sagemaker API reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `.*`

Required: Yes

arguments

The arguments for a container used to run a training job. See How Amazon SageMaker Runs Your Training Image for additional information. For more information, see [How Sagemaker runs your training image](#).

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `.*`

Required: No

entrypoint

The entrypoint script for a Docker container used to run a training job. This script takes precedence over the default train processing instructions. See How Amazon SageMaker Runs Your Training Image for additional information. For more information, see [How Sagemaker runs your training image](#).

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

metricDefinitions

A list of metric definition objects. Each object specifies the metric name and regular expressions used to parse algorithm logs. AWS Clean Rooms ML publishes each metric to all members' Amazon CloudWatch using IAM role configured in [PutMLConfiguration](#).

Type: Array of [MetricDefinition](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Dataset

Defines where the training dataset is located, what type of data it contains, and how to access the data.

Contents

inputConfig

A DatasetInputConfig object that defines the data source and schema mapping.

Type: [DatasetInputConfig](#) object

Required: Yes

type

What type of information is found in the dataset.

Type: String

Valid Values: INTERACTIONS

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatasetInputConfig

Defines the Glue data source and schema mapping information.

Contents

dataSource

A DataSource object that specifies the Glue data source for the training data.

Type: [DataSource](#) object

Required: Yes

schema

The schema information for the training data.

Type: Array of [ColumnSchema](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataSource

Defines information about the Glue data source that contains the training data.

Contents

glueDataSource

A GlueDataSource object that defines the catalog ID, database name, and table name for the training data.

Type: [GlueDataSource](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Destination

The Amazon S3 location where the exported model artifacts are stored.

Contents

s3Destination

Provides information about an Amazon S3 bucket and path.

Type: [S3ConfigMap](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GlueDataSource

Defines the Glue data source that contains the training data.

Contents

databaseName

The Glue database that contains the training data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9_](([a-zA-Z0-9_-]+-)*([a-zA-Z0-9_-]+))?

Required: Yes

tableName

The Glue table that contains the training data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9_](([a-zA-Z0-9_-]+-)*([a-zA-Z0-9_-]+))?

Required: Yes

catalogId

The Glue catalog that contains the training data.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IncrementalTrainingDataChannel

Defines an incremental training data channel that references a previously trained model. Incremental training allows you to update an existing trained model with new data, building upon the knowledge from a base model rather than training from scratch. This can significantly reduce training time and computational costs while improving model performance with additional data.

Contents

channelName

The name of the incremental training data channel. This name is used to identify the channel during the training process and must be unique within the training job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9\.\-_]+

Required: Yes

trainedModelArn

The Amazon Resource Name (ARN) of the base trained model to use for incremental training. This model serves as the starting point for the incremental training process.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[-a-zA-Z0-9/_/.]+

Required: Yes

versionIdentifier

The version identifier of the base trained model to use for incremental training. If not specified, the latest version of the trained model is used.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IncrementalTrainingDataChannelOutput

Contains information about an incremental training data channel that was used to create a trained model. This structure provides details about the base model and channel configuration used during incremental training.

Contents

channelName

The name of the incremental training data channel that was used.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9\.\-_]+

Required: Yes

modelName

The name of the base trained model that was used for incremental training.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

versionIdentifier

The version identifier of the trained model that was used for incremental training.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InferenceContainerConfig

Provides configuration information for the inference container.

Contents

imageUri

The registry path of the docker image that contains the inference algorithm. Clean Rooms ML currently only supports the `registry/repository[:tag]` image path format. For more information about using images in Clean Rooms ML, see the [Sagemaker API reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `.*`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InferenceContainerExecutionParameters

Provides execution parameters for the inference container.

Contents

maxPayloadInMB

The maximum size of the inference container payload, specified in MB.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InferenceOutputConfiguration

Configuration information about how the inference output is stored.

Contents

members

Defines the members that can receive inference output.

Type: Array of [InferenceReceiverMember](#) objects

Array Members: Fixed number of 1 item.

Required: Yes

accept

The MIME type used to specify the output data.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InferenceReceiverMember

Defines who will receive inference results.

Contents

accountId

The account ID of the member that can receive inference results.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InferenceResourceConfig

Defines the resources used to perform model inference.

Contents

instanceType

The type of instance that is used to perform model inference.

Type: String

Valid Values: ml.r7i.48xlarge | ml.r6i.16xlarge | ml.m6i.xlarge | ml.m5.4xlarge | ml.p2.xlarge | ml.m4.16xlarge | ml.r7i.16xlarge | ml.m7i.xlarge | ml.m6i.12xlarge | ml.r7i.8xlarge | ml.r7i.large | ml.m7i.12xlarge | ml.m6i.24xlarge | ml.m7i.24xlarge | ml.r6i.8xlarge | ml.r6i.large | ml.g5.2xlarge | ml.m5.large | ml.p3.16xlarge | ml.m7i.48xlarge | ml.m6i.16xlarge | ml.p2.16xlarge | ml.g5.4xlarge | ml.m7i.16xlarge | ml.c4.2xlarge | ml.c5.2xlarge | ml.c6i.32xlarge | ml.c4.4xlarge | ml.g5.8xlarge | ml.c6i.xlarge | ml.c5.4xlarge | ml.g4dn.xlarge | ml.c7i.xlarge | ml.c6i.12xlarge | ml.g4dn.12xlarge | ml.c7i.12xlarge | ml.c6i.24xlarge | ml.g4dn.2xlarge | ml.c7i.24xlarge | ml.c7i.2xlarge | ml.c4.8xlarge | ml.c6i.2xlarge | ml.g4dn.4xlarge | ml.c7i.48xlarge | ml.c7i.4xlarge | ml.c6i.16xlarge | ml.c5.9xlarge | ml.g4dn.16xlarge | ml.c7i.16xlarge | ml.c6i.4xlarge | ml.c5.xlarge | ml.c4.xlarge | ml.g4dn.8xlarge | ml.c7i.8xlarge | ml.c7i.large | ml.g5.xlarge | ml.c6i.8xlarge | ml.c6i.large | ml.g5.12xlarge | ml.g5.24xlarge | ml.m7i.2xlarge | ml.c5.18xlarge | ml.g5.48xlarge | ml.m6i.2xlarge | ml.g5.16xlarge | ml.m7i.4xlarge | ml.p3.2xlarge | ml.r6i.32xlarge | ml.m6i.4xlarge | ml.m5.xlarge | ml.m4.10xlarge | ml.r6i.xlarge | ml.m5.12xlarge | ml.m4.xlarge | ml.r7i.2xlarge | ml.r7i.xlarge | ml.r6i.12xlarge | ml.m5.24xlarge | ml.r7i.12xlarge | ml.m7i.8xlarge | ml.m7i.large | ml.r6i.24xlarge | ml.r6i.2xlarge | ml.m4.2xlarge | ml.r7i.24xlarge | ml.r7i.4xlarge | ml.m6i.8xlarge | ml.m6i.large | ml.m5.2xlarge | ml.p2.8xlarge | ml.r6i.4xlarge | ml.m6i.32xlarge | ml.p3.8xlarge | ml.m4.4xlarge

Required: Yes

instanceCount

The number of instances to use.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 10.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputChannel

Provides information about the data source that is used to create an ML input channel.

Contents

dataSource

The data source that is used to create the ML input channel.

Type: [InputChannelDataSource](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

roleArn

The Amazon Resource Name (ARN) of the role used to run the query specified in the dataSource field of the input channel.

Passing a role across AWS accounts is not allowed. If you pass a role that isn't in your account, you get an AccessDeniedException error.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputChannelDataSource

Provides the data source that is used to define an input channel.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

protectedQueryInputParameters

Provides information necessary to perform the protected query.

Type: [ProtectedQueryInputParameters](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogsConfigurationPolicy

Provides the information necessary for a user to access the logs.

Contents

allowedAccountIds

A list of account IDs that are allowed to access the logs.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: Yes

filterPattern

A regular expression pattern that is used to parse the logs and return information that matches the pattern.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MetricDefinition

Information about the model metric that is reported for a trained model.

Contents

name

The name of the model metric.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: .+

Required: Yes

regex

The regular expression statement that defines how the model metric is reported.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Pattern: .+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MetricsConfigurationPolicy

Provides the configuration policy for metrics generation.

Contents

noiseLevel

The noise level for the generated metrics.

Type: String

Valid Values: HIGH | MEDIUM | LOW | NONE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MLInputChannelSummary

Provides summary information about the ML input channel.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

configuredModelAlgorithmAssociations

The associated configured model algorithms used to create the ML input channel.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/-[a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the ML input channel was created.

Type: Timestamp

Required: Yes

membershipIdentifier

The membership ID of the membership that contains the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

mlInputChannelArn

The Amazon Resource Name (ARN) of the ML input channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+

Required: Yes

name

The name of the ML input channel.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

status

The status of the ML input channel.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE

Required: Yes

updateTime

The most recent time at which the ML input channel was updated.

Type: Timestamp

Required: Yes

description

The description of the ML input channel.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

protectedQueryIdentifier

The ID of the protected query that was used to create the ML input channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MLOutputConfiguration

Configuration information about how the exported model artifacts are stored.

Contents

roleArn

The Amazon Resource Name (ARN) of the service access role that is used to store the model artifacts.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:iam::[0-9]{12}:role/.+

Required: Yes

destination

The Amazon S3 location where exported model artifacts are stored.

Type: [Destination](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ModelInferenceDataSource

Defines information about the data source used for model inference.

Contents

mlInputChannelArn

The Amazon Resource Name (ARN) of the ML input channel for this model inference data source.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ModelTrainingDataChannel

Information about the model training data channel. A training data channel is a named data source that the training algorithms can consume.

Contents

channelName

The name of the training data channel.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [A-Za-z0-9\.\-_]+

Required: Yes

mlInputChannelArn

The Amazon Resource Name (ARN) of the ML input channel for this model training data channel.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/ml-input-channel/[-a-zA-Z0-9_.]+

Required: Yes

s3DataDistributionType

Specifies how the training data stored in Amazon S3 should be distributed to training instances. This parameter controls the data distribution strategy for the training job:

- FullyReplicated - The entire dataset is replicated on each training instance. This is suitable for smaller datasets and algorithms that require access to the complete dataset.
- ShardedByS3Key - The dataset is distributed across training instances based on Amazon S3 key names. This is suitable for larger datasets and distributed training scenarios where each instance processes a subset of the data.

Type: String

Valid Values: FullyReplicated | ShardedByS3Key

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PrivacyConfiguration

Information about the privacy configuration for a configured model algorithm association.

Contents

policies

The privacy configuration policies for a configured model algorithm association.

Type: [PrivacyConfigurationPolicies](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PrivacyConfigurationPolicies

Information about the privacy configuration policies for a configured model algorithm association.

Contents

trainedModelExports

Specifies who will receive the trained model export.

Type: [TrainedModelExportsConfigurationPolicy](#) object

Required: No

trainedModelInferenceJobs

Specifies who will receive the trained model inference jobs.

Type: [TrainedModelInferenceJobsConfigurationPolicy](#) object

Required: No

trainedModels

Specifies who will receive the trained models.

Type: [TrainedModelsConfigurationPolicy](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProtectedQueryInputParameters

Provides information necessary to perform the protected query.

Contents

sqlParameters

The parameters for the SQL type Protected Query.

Type: [ProtectedQuerySQLParameters](#) object

Required: Yes

computeConfiguration

Provides configuration information for the workers that will perform the protected query.

Type: [ComputeConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

resultFormat

The format in which the query results should be returned. If not specified, defaults to CSV.

Type: String

Valid Values: CSV | PARQUET

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProtectedQuerySQLParameters

The parameters for the SQL type Protected Query.

Contents

analysisTemplateArn

The Amazon Resource Name (ARN) associated with the analysis template within a collaboration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 200.

Pattern: `arn:aws[-a-z]*:cleanrooms:[\w]{2}-[\w]{4,9}-[\d]:[\d]{12}:membership/[\d\w-]+/analysistemplate/[\d\w-]+`

Required: No

parameters

The protected query SQL parameters.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: `[0-9a-zA-Z_-]+`

Value Length Constraints: Minimum length of 0. Maximum length of 250.

Required: No

queryString

The query string to be submitted.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RelevanceMetric

The relevance score of a generated audience.

Contents

audienceSize

The size of the generated audience. Must match one of the sizes in the configured audience model.

Type: [AudienceSize](#) object

Required: Yes

score

The relevance score of the generated audience.

Type: Double

Valid Range: Minimum value of 0.0. Maximum value of 10.0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceConfig

Information about the EC2 resources that are used to train the model.

Contents

instanceType

The instance type that is used to train the model.

Type: String

Valid Values: ml.m4.xlarge | ml.m4.2xlarge | ml.m4.4xlarge | ml.m4.10xlarge | ml.m4.16xlarge | ml.g4dn.xlarge | ml.g4dn.2xlarge | ml.g4dn.4xlarge | ml.g4dn.8xlarge | ml.g4dn.12xlarge | ml.g4dn.16xlarge | ml.m5.large | ml.m5.xlarge | ml.m5.2xlarge | ml.m5.4xlarge | ml.m5.12xlarge | ml.m5.24xlarge | ml.c4.xlarge | ml.c4.2xlarge | ml.c4.4xlarge | ml.c4.8xlarge | ml.p2.xlarge | ml.p2.8xlarge | ml.p2.16xlarge | ml.p3.2xlarge | ml.p3.8xlarge | ml.p3.16xlarge | ml.p3dn.24xlarge | ml.p4d.24xlarge | ml.p4de.24xlarge | ml.p5.48xlarge | ml.c5.xlarge | ml.c5.2xlarge | ml.c5.4xlarge | ml.c5.9xlarge | ml.c5.18xlarge | ml.c5n.xlarge | ml.c5n.2xlarge | ml.c5n.4xlarge | ml.c5n.9xlarge | ml.c5n.18xlarge | ml.g5.xlarge | ml.g5.2xlarge | ml.g5.4xlarge | ml.g5.8xlarge | ml.g5.16xlarge | ml.g5.12xlarge | ml.g5.24xlarge | ml.g5.48xlarge | ml.trn1.2xlarge | ml.trn1.32xlarge | ml.trn1n.32xlarge | ml.m6i.large | ml.m6i.xlarge | ml.m6i.2xlarge | ml.m6i.4xlarge | ml.m6i.8xlarge | ml.m6i.12xlarge | ml.m6i.16xlarge | ml.m6i.24xlarge | ml.m6i.32xlarge | ml.c6i.xlarge | ml.c6i.2xlarge | ml.c6i.8xlarge | ml.c6i.4xlarge | ml.c6i.12xlarge | ml.c6i.16xlarge | ml.c6i.24xlarge | ml.c6i.32xlarge | ml.r5d.large | ml.r5d.xlarge | ml.r5d.2xlarge | ml.r5d.4xlarge | ml.r5d.8xlarge | ml.r5d.12xlarge | ml.r5d.16xlarge | ml.r5d.24xlarge | ml.t3.medium | ml.t3.large | ml.t3.xlarge | ml.t3.2xlarge | ml.r5.large | ml.r5.xlarge | ml.r5.2xlarge | ml.r5.4xlarge | ml.r5.8xlarge | ml.r5.12xlarge | ml.r5.16xlarge | ml.r5.24xlarge

Required: Yes

volumeSizeInGB

The maximum size of the instance that is used to train the model.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 8192.

Required: Yes

instanceCount

The number of resources that are used to train the model.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 5.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3ConfigMap

Provides information about an Amazon S3 bucket and path.

Contents

s3Uri

The Amazon S3 location URI.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1285.

Pattern: s3://.+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StatusDetails

Details about the status of a resource.

Contents

message

The error message that was returned. The message is intended for human consumption and can change at any time. Use the `statusCode` for programmatic error handling.

Type: String

Required: No

statusCode

The status code that was returned. The status code is intended for programmatic error handling. Clean Rooms ML will not change the status code for existing error conditions.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StoppingCondition

The criteria used to stop model training.

Contents

maxRuntimeInSeconds

The maximum amount of time, in seconds, that model training can run before it is terminated.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2419200.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelArtifactMaxSize

Specifies the maximum size limit for trained model artifacts. This configuration helps control storage costs and ensures that trained models don't exceed specified size constraints. The size limit applies to the total size of all artifacts produced by the training job.

Contents

unit

The unit of measurement for the maximum artifact size. Valid values include common storage units such as bytes, kilobytes, megabytes, gigabytes, and terabytes.

Type: String

Valid Values: GB

Required: Yes

value

The numerical value for the maximum artifact size limit. This value is interpreted according to the specified unit.

Type: Double

Valid Range: Minimum value of 0.01. Maximum value of 10.0.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelExportOutputConfiguration

Information about the output of the trained model export job.

Contents

members

The members that will received the exported trained model output.

Type: Array of [TrainedModelExportReceiverMember](#) objects

Array Members: Fixed number of 1 item.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelExportReceiverMember

Provides information about the member who will receive trained model exports.

Contents

accountId

The account ID of the member who will receive trained model exports.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelExportsConfigurationPolicy

Information about how the trained model exports are configured.

Contents

filesToExport

The files that are exported during the trained model export job.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 2 items.

Valid Values: MODEL | OUTPUT

Required: Yes

maxSize

The maximum size of the data that can be exported.

Type: [TrainedModelExportsMaxSize](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelExportsMaxSize

The maximum size of the trained model metrics that can be exported. If the trained model metrics dataset is larger than this value, it will not be exported.

Contents

unit

The unit of measurement for the data size.

Type: String

Valid Values: GB

Required: Yes

value

The maximum size of the dataset to export.

Type: Double

Valid Range: Minimum value of 0.01. Maximum value of 10.0.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelInferenceJobsConfigurationPolicy

Provides configuration information for the trained model inference job.

Contents

containerLogs

The logs container for the trained model inference job.

Type: Array of [LogsConfigurationPolicy](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: No

maxOutputSize

The maximum allowed size of the output of the trained model inference job.

Type: [TrainedModelInferenceMaxOutputSize](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelInferenceJobSummary

Provides information about the trained model inference job.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model inference job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

createTime

The time at which the trained model inference job was created.

Type: Timestamp

Required: Yes

membershipIdentifier

The membership ID of the membership that contains the trained model inference job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

name

The name of the trained model inference job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

outputConfiguration

The output configuration information of the trained model job.

Type: [InferenceOutputConfiguration](#) object

Required: Yes

status

The status of the trained model inference job.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED | INACTIVE

Required: Yes

trainedModelArn

The Amazon Resource Name (ARN) of the trained model that is used for the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model/[-a-zA-Z0-9_.]+

Required: Yes

trainedModelInferenceJobArn

The Amazon Resource Name (ARN) of the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws:[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model-inference-job/[a-zA-Z0-9_.]+`

Required: Yes

updateTime

The most recent time at which the trained model inference job was updated.

Type: Timestamp

Required: Yes

configuredModelAlgorithmAssociationArn

The Amazon Resource Name (ARN) of the configured model algorithm association that is used for the trained model inference job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws:[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[a-zA-Z0-9_.]+`

Required: No

description

The description of the trained model inference job.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\u0020-\uD7FF\uE000-\uFFFF\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*`

Required: No

logsStatus

The log status of the trained model inference job.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

Required: No

logsStatusDetails

Details about the log status for the trained model inference job.

Type: String

Required: No

metricsStatus

The metric status of the trained model inference job.

Type: String

Valid Values: PUBLISH_SUCCEEDED | PUBLISH_FAILED

Required: No

metricsStatusDetails

Details about the metrics status for the trained model inference job.

Type: String

Required: No

trainedModelVersionIdentifier

The version identifier of the trained model that was used for inference in this job.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelInferenceMaxOutputSize

Information about the maximum output size for a trained model inference job.

Contents

unit

The measurement unit to use.

Type: String

Valid Values: GB

Required: Yes

value

The maximum output size value.

Type: Double

Valid Range: Minimum value of 0.01. Maximum value of 50.0.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelsConfigurationPolicy

The configuration policy for the trained models.

Contents

containerLogs

The container for the logs of the trained model.

Type: Array of [LogsConfigurationPolicy](#) objects

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Required: No

containerMetrics

The container for the metrics of the trained model.

Type: [MetricsConfigurationPolicy](#) object

Required: No

maxArtifactSize

The maximum size limit for trained model artifacts as defined in the configuration policy. This setting helps enforce consistent size limits across trained models in the collaboration.

Type: [TrainedModelArtifactMaxSize](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainedModelSummary

Summary information about the trained model.

Contents

collaborationIdentifier

The collaboration ID of the collaboration that contains the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

configuredModelAlgorithmAssociationArn

The Amazon Resource Name (ARN) of the configured model algorithm association that was used to create this trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/configured-model-algorithm-association/[-a-zA-Z0-9_.]+

Required: Yes

createTime

The time at which the trained model was created.

Type: Timestamp

Required: Yes

membershipIdentifier

The membership ID of the member that created the trained model.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}

Required: Yes

name

The name of the trained model.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t]*

Required: Yes

status

The status of the trained model.

Type: String

Valid Values: CREATE_PENDING | CREATE_IN_PROGRESS | CREATE_FAILED | ACTIVE | DELETE_PENDING | DELETE_IN_PROGRESS | DELETE_FAILED | INACTIVE | CANCEL_PENDING | CANCEL_IN_PROGRESS | CANCEL_FAILED

Required: Yes

trainedModelArn

The Amazon Resource Name (ARN) of the trained model.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:membership/[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}/trained-model1/[-a-zA-Z0-9_.]+

Required: Yes

updateTime

The most recent time at which the trained model was updated.

Type: **Timestamp**

Required: Yes

description

The description of the trained model.

Type: **String**

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*`

Required: No

incrementalTrainingDataChannels

Information about the incremental training data channels used to create this version of the trained model.

Type: Array of [IncrementalTrainingDataChannelOutput](#) objects

Array Members: Fixed number of 1 item.

Required: No

versionIdentifier

The version identifier of this trained model version.

Type: **String**

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrainingDatasetSummary

Provides information about the training dataset.

Contents

createTime

The time at which the training dataset was created.

Type: Timestamp

Required: Yes

name

The name of the training dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: (?!\s*\$)[\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDFFF\t]*

Required: Yes

status

The status of the training dataset.

Type: String

Valid Values: ACTIVE

Required: Yes

trainingDatasetArn

The Amazon Resource Name (ARN) of the training dataset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-zA-Z]*:cleanrooms-ml:[-a-zA-Z0-9]+:[0-9]{12}:training-dataset/[a-zA-Z0-9_.]+

Required: Yes

updateTime

The most recent time at which the training dataset was updated.

Type: Timestamp

Required: Yes

description

The description of the training dataset.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: [\u0020-\uD7FF\uE000-\uFFFD\uD800\uDBFF-\uDC00\uDFFF\t\r\n]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerComputeConfiguration

Configuration information about the compute workers that perform the transform job.

Contents

number

The number of compute workers that are used.

Type: Integer

Valid Range: Minimum value of 2. Maximum value of 400.

Required: No

type

The instance type of the compute workers that are used.

Type: String

Valid Values: CR.1X | CR.4X

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400