



Welcome

Amazon CloudWatch Application Insights



API Version 2018-11-25

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon CloudWatch Application Insights: Welcome

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AddWorkload	4
Request Syntax	4
Request Parameters	4
Response Syntax	5
Response Elements	5
Errors	6
See Also	6
CreateApplication	8
Request Syntax	8
Request Parameters	8
Response Syntax	11
Response Elements	11
Errors	11
See Also	12
CreateComponent	14
Request Syntax	14
Request Parameters	14
Response Elements	15
Errors	15
See Also	16
CreateLogPattern	17
Request Syntax	17
Request Parameters	17
Response Syntax	18
Response Elements	19
Errors	19
See Also	20
DeleteApplication	21
Request Syntax	21
Request Parameters	21
Response Elements	21
Errors	21

See Also	22
DeleteComponent	23
Request Syntax	23
Request Parameters	23
Response Elements	24
Errors	24
See Also	24
DeleteLogPattern	26
Request Syntax	26
Request Parameters	26
Response Elements	27
Errors	27
See Also	28
DescribeApplication	29
Request Syntax	29
Request Parameters	29
Response Syntax	30
Response Elements	30
Errors	30
See Also	31
DescribeComponent	32
Request Syntax	32
Request Parameters	32
Response Syntax	33
Response Elements	33
Errors	34
See Also	34
DescribeComponentConfiguration	36
Request Syntax	36
Request Parameters	36
Response Syntax	37
Response Elements	37
Errors	38
See Also	39
DescribeComponentConfigurationRecommendation	40
Request Syntax	40

Request Parameters	40
Response Syntax	42
Response Elements	42
Errors	42
See Also	43
DescribeLogPattern	44
Request Syntax	44
Request Parameters	44
Response Syntax	45
Response Elements	45
Errors	46
See Also	47
DescribeObservation	48
Request Syntax	48
Request Parameters	48
Response Syntax	49
Response Elements	50
Errors	50
See Also	51
DescribeProblem	52
Request Syntax	52
Request Parameters	52
Response Syntax	53
Response Elements	53
Errors	54
See Also	54
DescribeProblemObservations	56
Request Syntax	56
Request Parameters	56
Response Syntax	57
Response Elements	58
Errors	58
See Also	59
DescribeWorkload	60
Request Syntax	60
Request Parameters	60

Response Syntax	61
Response Elements	61
Errors	62
See Also	63
ListApplications	64
Request Syntax	64
Request Parameters	64
Response Syntax	65
Response Elements	65
Errors	66
See Also	66
ListComponents	68
Request Syntax	68
Request Parameters	68
Response Syntax	69
Response Elements	70
Errors	70
See Also	71
ListConfigurationHistory	72
Request Syntax	72
Request Parameters	72
Response Syntax	74
Response Elements	74
Errors	75
See Also	75
ListLogPatterns	77
Request Syntax	77
Request Parameters	77
Response Syntax	78
Response Elements	79
Errors	80
See Also	80
ListLogPatternSets	82
Request Syntax	82
Request Parameters	82
Response Syntax	83

Response Elements	83
Errors	84
See Also	85
ListProblems	86
Request Syntax	86
Request Parameters	86
Response Syntax	88
Response Elements	89
Errors	90
See Also	90
ListTagsForResource	92
Request Syntax	92
Request Parameters	92
Response Syntax	92
Response Elements	93
Errors	93
See Also	93
ListWorkloads	95
Request Syntax	95
Request Parameters	95
Response Syntax	96
Response Elements	97
Errors	97
See Also	98
RemoveWorkload	99
Request Syntax	99
Request Parameters	99
Response Elements	100
Errors	100
See Also	100
TagResource	102
Request Syntax	102
Request Parameters	102
Response Elements	103
Errors	103
See Also	103

UntagResource	105
Request Syntax	105
Request Parameters	105
Response Elements	106
Errors	106
See Also	106
UpdateApplication	108
Request Syntax	108
Request Parameters	108
Response Syntax	110
Response Elements	110
Errors	111
See Also	111
UpdateComponent	112
Request Syntax	112
Request Parameters	112
Response Elements	113
Errors	113
See Also	114
UpdateComponentConfiguration	115
Request Syntax	115
Request Parameters	115
Response Elements	117
Errors	117
See Also	118
UpdateLogPattern	119
Request Syntax	119
Request Parameters	119
Response Syntax	120
Response Elements	121
Errors	121
See Also	122
UpdateProblem	123
Request Syntax	123
Request Parameters	123
Response Elements	124

Errors	124
See Also	124
UpdateWorkload	126
Request Syntax	126
Request Parameters	126
Response Syntax	127
Response Elements	127
Errors	128
See Also	128
Data Types	130
ApplicationComponent	131
Contents	131
See Also	133
ApplicationInfo	134
Contents	134
See Also	136
ConfigurationEvent	137
Contents	137
See Also	138
LogPattern	140
Contents	140
See Also	141
Observation	142
Contents	142
See Also	149
Problem	151
Contents	151
See Also	154
RelatedObservations	155
Contents	155
See Also	155
Tag	156
Contents	156
See Also	157
Workload	158
Contents	158

See Also	159
WorkloadConfiguration	161
Contents	161
See Also	162
Common Parameters	163
Common Errors	166

Welcome

Amazon CloudWatch Application Insights is a service that helps you detect common problems with your applications. It enables you to pinpoint the source of issues in your applications (built with technologies such as Microsoft IIS, .NET, and Microsoft SQL Server), by providing key insights into detected problems.

After you onboard your application, CloudWatch Application Insights identifies, recommends, and sets up metrics and logs. It continuously analyzes and correlates your metrics and logs for unusual behavior to surface actionable problems with your application. For example, if your application is slow and unresponsive and leading to HTTP 500 errors in your Application Load Balancer (ALB), Application Insights informs you that a memory pressure problem with your SQL Server database is occurring. It bases this analysis on impactful metrics and log errors.

This document was last published on July 22, 2025.

Actions

The following actions are supported:

- [AddWorkload](#)
- [CreateApplication](#)
- [CreateComponent](#)
- [CreateLogPattern](#)
- [DeleteApplication](#)
- [DeleteComponent](#)
- [DeleteLogPattern](#)
- [DescribeApplication](#)
- [DescribeComponent](#)
- [DescribeComponentConfiguration](#)
- [DescribeComponentConfigurationRecommendation](#)
- [DescribeLogPattern](#)
- [DescribeObservation](#)
- [DescribeProblem](#)
- [DescribeProblemObservations](#)
- [DescribeWorkload](#)
- [ListApplications](#)
- [ListComponents](#)
- [ListConfigurationHistory](#)
- [ListLogPatterns](#)
- [ListLogPatternSets](#)
- [ListProblems](#)
- [ListTagsForResource](#)
- [ListWorkloads](#)
- [RemoveWorkload](#)
- [TagResource](#)
- [UntagResource](#)

- [UpdateApplication](#)
- [UpdateComponent](#)
- [UpdateComponentConfiguration](#)
- [UpdateLogPattern](#)
- [UpdateProblem](#)
- [UpdateWorkload](#)

AddWorkload

Adds a workload to a component. Each component can have at most five workloads.

Request Syntax

```
{  
    "ComponentName": "string",  
    "ResourceGroupName": "string",  
    "WorkloadConfiguration": {  
        "Configuration": "string",  
        "Tier": "string",  
        "WorkloadName": "string"  
    }  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (? : ^[\d\w\-_\.\+]*\$) | (? : ^arn:aws(-\w+)*:[\w\-\d-]+:([\w\-\d-]*):[\w\-\d-]*([:/]\.+)*\$)

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

WorkloadConfiguration

The configuration settings of the workload. The value is the escaped JSON of the configuration.

Type: [WorkloadConfiguration](#) object

Required: Yes

Response Syntax

```
{  
    "WorkloadConfiguration": {  
        "Configuration": "string",  
        "Tier": "string",  
        "WorkloadName": "string"  
    },  
    "WorkloadId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

WorkloadConfiguration

The configuration settings of the workload. The value is the escaped JSON of the configuration.

Type: [WorkloadConfiguration](#) object

WorkloadId

The ID of the workload.

Type: String

Length Constraints: Fixed length of 38.

Pattern: w-[0-9a-fA-F]{8}]-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceInUseException

The resource is already created or in use.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateApplication

Adds an application that is created from a resource group.

Request Syntax

```
{  
    "AttachMissingPermission": boolean,  
    "AutoConfigEnabled": boolean,  
    "AutoCreate": boolean,  
    "CWEMonitorEnabled": boolean,  
    "GroupingType": "string",  
    "OpsCenterEnabled": boolean,  
    "OpsItemSNSTopicArn": "string",  
    "ResourceGroupName": "string",  
    "SNSNotificationArn": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AttachMissingPermission

If set to true, the managed policies for SSM and CW will be attached to the instance roles if they are missing.

Type: Boolean

Required: No

AutoConfigEnabled

Indicates whether Application Insights automatically configures unmonitored resources in the resource group.

Type: Boolean

Required: No

[AutoCreate](#)

Configures all of the resources in the resource group by applying the recommended configurations.

Type: Boolean

Required: No

[CWEMonitorEnabled](#)

Indicates whether Application Insights can listen to CloudWatch events for the application resources, such as instance terminated, failed deployment, and others.

Type: Boolean

Required: No

[GroupingType](#)

Application Insights can create applications based on a resource group or on an account. To create an account-based application using all of the resources in the account, set this parameter to ACCOUNT_BASED.

Type: String

Valid Values: ACCOUNT_BASED

Required: No

[OpsCenterEnabled](#)

When set to true, creates opsItems for any problems detected on an application.

Type: Boolean

Required: No

[OpsItemSNSTopicArn](#)

The SNS topic provided to Application Insights that is associated to the created opsItem. Allows you to receive notifications for updates to the opsItem.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 300.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\\-_]*

Required: No

SNSNotificationArn

The SNS notification topic ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 300.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: No

Tags

List of tags to add to the application. tag key (Key) and an associated tag value (Value). The maximum length of a tag key is 128 characters. The maximum length of a tag value is 256 characters.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
    "ApplicationInfo": {  
        "AccountId": "string",  
        "AttachMissingPermission": boolean,  
        "AutoConfigEnabled": boolean,  
        "CWEMonitorEnabled": boolean,  
        "DiscoveryType": "string",  
        "LifeCycle": "string",  
        "OpsCenterEnabled": boolean,  
        "OpsItemSNSTopicArn": "string",  
        "Remarks": "string",  
        "ResourceGroupName": "string",  
        "SNSNotificationArn": "string"  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ApplicationInfo](#)

Information about the application.

Type: [ApplicationInfo](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

User does not have permissions to perform this action.

HTTP Status Code: 400

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceInUseException

The resource is already created or in use.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

TagsAlreadyExistException

Tags are already registered for the specified application ARN.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateComponent

Creates a custom component by grouping similar standalone instances to monitor.

Request Syntax

```
{  
    "ComponentName": "string",  
    "ResourceGroupName": "string",  
    "ResourceList": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^[\d\w\-_\.+]*\$

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

ResourceList

The list of resource ARNs that belong to the component.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceInUseException

The resource is already created or in use.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateLogPattern

Adds an log pattern to a LogPatternSet.

Request Syntax

```
{  
    "Pattern": "string",  
    "PatternName": "string",  
    "PatternSetName": "string",  
    "Rank": number,  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Pattern

The log pattern. The pattern must be DFA compatible. Patterns that utilize forward lookahead or backreference constructions are not supported.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `[\S\s]+`

Required: Yes

PatternName

The name of the log pattern.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `[a-zA-Z0-9\.\-_]*`

Required: Yes

PatternSetName

The name of the log pattern set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 30.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Rank

Rank of the log pattern. Must be a value between 1 and 1,000,000. The patterns are sorted by rank, so we recommend that you set your highest priority patterns with the lowest rank. A pattern of rank 1 will be the first to get matched to a log line. A pattern of rank 1,000,000 will be last to get matched. When you configure custom log patterns from the console, a Low severity pattern translates to a 750,000 rank. A Medium severity pattern translates to a 500,000 rank. And a High severity pattern translates to a 250,000 rank. Rank values less than 1 or greater than 1,000,000 are reserved for AWS provided patterns.

Type: Integer

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{
```

```
"LogPattern": {  
    "Pattern    "PatternName": "string",  
    "PatternSetName": "string",  
    "Rank": number  
,  
    "ResourceGroupName": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

LogPattern

The successfully created log pattern.

Type: [LogPattern](#) object

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceInUseException

The resource is already created or in use.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteApplication

Removes the specified application from monitoring. Does not delete the application.

Request Syntax

```
{  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

The request is not understood by the server.

HTTP Status Code: 400

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteComponent

Ungroups a custom component. When you ungroup custom components, all applicable monitors that are set up for the component are removed and the instances revert to their standalone status.

Request Syntax

```
{  
  "ComponentName": "string",  
  "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^[\d\w\-_\.+]*\$

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DeleteLogPattern

Removes the specified log pattern from a LogPatternSet.

Request Syntax

```
{  
    "PatternName": "string",  
    "PatternSetName": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

PatternName

The name of the log pattern.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

PatternSetName

The name of the log pattern set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 30.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequestException

The request is not understood by the server.

HTTP Status Code: 400

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeApplication

Describes the application.

Request Syntax

```
{  
    "AccountId": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{  
  "ApplicationInfo": {  
    "AccountId": "string",  
    "AttachMissingPermission": boolean,  
    "AutoConfigEnabled": boolean,  
    "CWEMonitorEnabled": boolean,  
    "DiscoveryType": "string",  
    "LifeCycle": "string",  
    "OpsCenterEnabled": boolean,  
    "OpsItemSNSTopicArn": "string",  
    "Remarks": "string",  
    "ResourceGroupName": "string",  
    "SNSNotificationArn": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ApplicationInfo](#)

Information about the application.

Type: [ApplicationInfo](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeComponent

Describes a component and lists the resources that are grouped together in a component.

Request Syntax

```
{  
    "AccountId": "string",  
    "ComponentName": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (?:^[\d\w\-_\.\+]*\$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/.+)*\$)

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{  
  "ApplicationComponent": {  
    "ComponentName": "string",  
    "ComponentRemarks": "string",  
    "DetectedWorkload": {  
      "string" : {  
        "string" : "string"  
      }  
    },  
    "Monitor": boolean,  
    "OsType": "string",  
    "ResourceType": "string",  
    "Tier": "string"  
  },  
  "ResourceList": [ "string" ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationComponent

Describes a standalone resource or similarly grouped resources that the application is made up of.

Type: [ApplicationComponent object](#)

[ResourceList](#)

The list of resource ARNs that belong to the component.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*):[\w\d_-]*(:/.+)*\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeComponentConfiguration

Describes the monitoring configuration of the component.

Request Syntax

```
{  
    "AccountId": "string",  
    "ComponentName": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (?:^[\d\w\-_\.\+]*\$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/.+)*\$)

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{  
    "ComponentConfiguration": "string",  
    "Monitor": boolean,  
    "Tier": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ComponentConfiguration

The configuration settings of the component. The value is the escaped JSON of the configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Pattern: [\S\s]+

Monitor

Indicates whether the application component is monitored.

Type: Boolean

Tier

The tier of the application component. Supported tiers include DOT_NET_CORE, DOT_NET_WORKER, DOT_NET_WEB, SQL_SERVER, and DEFAULT

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Valid Values: CUSTOM | DEFAULT | DOT_NET_CORE | DOT_NET_WORKER | DOT_NET_WEB_TIER | DOT_NET_WEB | SQL_SERVER | SQL_SERVER_ALWAYS_ON_AVAILABILITY_GROUP | MYSQL | POSTGRESQL | JAVA_JMX | ORACLE | SAP_HANA_MULTI_NODE | SAP_HANA_SINGLE_NODE | SAP_HANA_HIGH_AVAILABILITY | SAP_ASE_SINGLE_NODE | SAP_ASE_HIGH_AVAILABILITY | SQL_SERVER_FAILOVER_CLUSTER_INSTANCE | SHAREPOINT | ACTIVE_DIRECTORY | SAP_NETWEAVER_STANDARD | SAP_NETWEAVER_DISTRIBUTED | SAP_NETWEAVER_HIGH_AVAILABILITY

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeComponentConfigurationRecommendation

Describes the recommended monitoring configuration of the component.

Request Syntax

```
{  
    "ComponentName": "string",  
    "RecommendationType": "string",  
    "ResourceGroupName": "string",  
    "Tier": "string",  
    "WorkloadName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (?:^[\d\w\-_\.\+]*\$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/).+)*\$)

Required: Yes

RecommendationType

The recommended configuration type.

Type: String

Valid Values: INFRA_ONLY | WORKLOAD_ONLY | ALL

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Tier

The tier of the application component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Valid Values: CUSTOM | DEFAULT | DOT_NET_CORE | DOT_NET_WORKER
| DOT_NET_WEB_TIER | DOT_NET_WEB | SQL_SERVER |
SQL_SERVER_ALWAYS_ON_AVAILABILITY_GROUP | MYSQL | POSTGRESQL |
JAVA_JMX | ORACLE | SAP_HANA_MULTI_NODE | SAP_HANA_SINGLE_NODE
| SAP_HANA_HIGH_AVAILABILITY | SAP_ASE_SINGLE_NODE |
SAP_ASE_HIGH_AVAILABILITY | SQL_SERVER_FAILOVER_CLUSTER_INSTANCE
| SHAREPOINT | ACTIVE_DIRECTORY | SAP_NETWEAVER_STANDARD |
SAP_NETWEAVER_DISTRIBUTED | SAP_NETWEAVER_HIGH_AVAILABILITY

Required: Yes

WorkloadName

The name of the workload. The name of the workload is required when the tier of the application component is SAP_ASE_SINGLE_NODE or SAP_ASE_HIGH_AVAILABILITY.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

Response Syntax

```
{  
  "ComponentConfiguration": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ComponentConfiguration

The recommended configuration settings of the component. The value is the escaped JSON of the configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Pattern: [\S\s]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeLogPattern

Describe a specific log pattern from a LogPatternSet.

Request Syntax

```
{  
    "AccountId": "string",  
    "PatternName": "string",  
    "PatternSetName": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

PatternName

The name of the log pattern.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

PatternSetName

The name of the log pattern set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 30.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{  
  "AccountId": "string",  
  "LogPattern": {  
    "Pattern": "string",  
    "PatternName": "string",  
    "PatternSetName": "string",  
    "Rank": number  
  },  
  "ResourceGroupName": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

LogPattern

The successfully created log pattern.

Type: [LogPattern](#) object

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeObservation

Describes an anomaly or error with the application.

Request Syntax

```
{  
  "AccountId": "string",  
  "ObservationId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ObservationId

The ID of the observation.

Type: String

Length Constraints: Fixed length of 38.

Pattern: o-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: Yes

Response Syntax

```
{  
  "Observation": {  
    "CloudWatchEventDetailType": "string",  
    "CloudWatchEventId": "string",  
    "CloudWatchEventSource": "string",  
    "CodeDeployApplication": "string",  
    "CodeDeployDeploymentGroup": "string",  
    "CodeDeployDeploymentId": "string",  
    "CodeDeployInstanceGroupId": "string",  
    "CodeDeployState": "string",  
    "EbsCause": "string",  
    "EbsEvent": "string",  
    "EbsRequestId": "string",  
    "EbsResult": "string",  
    "Ec2State": "string",  
    "EndTime": number,  
    "HealthEventArn": "string",  
    "HealthEventDescription": "string",  
    "HealthEventTypeCategory": "string",  
    "HealthEventTypeCode": "string",  
    "HealthService": "string",  
    "Id": "string",  
    "LineTime": number,  
    "LogFilter": "string",  
    "LogGroup": "string",  
    "LogText": "string",  
    "MetricName": "string",  
    "MetricNamespace": "string",  
    "RdsEventCategories": "string",  
    "RdsEventMessage": "string",  
    "S3EventName": "string",  
    "SourceARN": "string",  
    "SourceType": "string",  
    "StartTime": number,  
    "StatesArn": "string",  
    "StatesExecutionArn": "string",  
    "StatesInput": "string",  
    "StatesStatus": "string",  
    "Unit": "string",  
    "Value": number,  
    "XRayErrorPercent": number,  
  }  
}
```

```
"XRayFaultPercent": number,  
"XRayNodeName": "string",  
"XRayNodeType": "string",  
"XRayRequestAverageLatency": number,  
"XRayRequestCount": number,  
"XRayThrottlePercent": number  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Observation

Information about the observation.

Type: [Observation](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeProblem

Describes an application problem.

Request Syntax

```
{  
    "AccountId": "string",  
    "ProblemId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the owner of the resource group affected by the problem.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ProblemId

The ID of the problem.

Type: String

Length Constraints: Fixed length of 38.

Pattern: p-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: Yes

Response Syntax

```
{  
  "Problem": {  
    "AccountId": "string",  
    "AffectedResource": "string",  
    "EndTime": number,  
    "Feedback": {  
      "string" : "string"  
    },  
    "Id": "string",  
    "Insights": "string",  
    "LastRecurrenceTime": number,  
    "RecurringCount": number,  
    "ResolutionMethod": "string",  
    "ResourceGroupName": "string",  
    "SeverityLevel": "string",  
    "ShortName": "string",  
    "StartTime": number,  
    "Status": "string",  
    "Title": "string",  
    "Visibility": "string"  
  },  
  "SNSNotificationArn": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Problem

Information about the problem.

Type: [Problem](#) object

SNSNotificationArn

The SNS notification topic ARN of the problem.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 300.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeProblemObservations

Describes the anomalies or errors associated with the problem.

Request Syntax

```
{  
    "AccountId": "string",  
    "ProblemId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

Required: No

ProblemId

The ID of the problem.

Type: String

Length Constraints: Fixed length of 38.

Pattern: p-[0-9a-fA-F]{8}[-[0-9a-fA-F]{4}]-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}[-[0-9a-fA-F]{12}]

Required: Yes

Response Syntax

```
{  
  "RelatedObservations": {  
    "ObservationList": [  
      {  
        "CloudWatchEventDetailType": "string",  
        "CloudWatchEventId": "string",  
        "CloudWatchEventSource": "string",  
        "CodeDeployApplication": "string",  
        "CodeDeployDeploymentGroup": "string",  
        "CodeDeployDeploymentId": "string",  
        "CodeDeployInstanceGroupId": "string",  
        "CodeDeployState": "string",  
        "EbsCause": "string",  
        "EbsEvent": "string",  
        "EbsRequestId": "string",  
        "EbsResult": "string",  
        "Ec2State": "string",  
        "EndTime": number,  
        "HealthEventArn": "string",  
        "HealthEventDescription": "string",  
        "HealthEventTypeCategory": "string",  
        "HealthEventTypeCode": "string",  
        "HealthService": "string",  
        "Id": "string",  
        "LineTime": number,  
        "LogFilter": "string",  
        "LogGroup": "string",  
        "LogText": "string",  
        "MetricName": "string",  
        "MetricNamespace": "string",  
        "RdsEventCategories": "string",  
        "RdsEventMessage": "string",  
        "S3EventName": "string",  
        "SourceARN": "string",  
        "SourceType": "string",  
        "StartTime": number,  
        "StatesArn": "string",  
        "StatesExecutionArn": "string",  
        "StatesInput": "string",  
        "StatesStatus": "string",  
        "Unit": "string",  
      }  
    ]  
  }  
}
```

```
        "Value": number,
        "XRayErrorPercent": number,
        "XRayFaultPercent": number,
        "XRayNodeName": "string",
        "XRayNodeType": "string",
        "XRayRequestAverageLatency": number,
        "XRayRequestCount": number,
        "XRayThrottlePercent": number
    }
]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RelatedObservations

Observations related to the problem.

Type: [RelatedObservations](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeWorkload

Describes a workload and its configuration.

Request Syntax

```
{  
    "AccountId": "string",  
    "ComponentName": "string",  
    "ResourceGroupName": "string",  
    "WorkloadId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the workload owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (?:^[\d\w\-_\.]*\$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_]*(:/.+)*\$)

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

WorkloadId

The ID of the workload.

Type: String

Length Constraints: Fixed length of 38.

Pattern: w-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: Yes

Response Syntax

```
{  
  "WorkloadConfiguration": {  
    "Configuration": "string",  
    "Tier": "string",  
    "WorkloadName": "string"  
  },  
  "WorkloadId": "string",  
  "WorkloadRemarks": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

WorkloadConfiguration

The configuration settings of the workload. The value is the escaped JSON of the configuration.

Type: [WorkloadConfiguration](#) object

WorkloadId

The ID of the workload.

Type: String

Length Constraints: Fixed length of 38.

Pattern: w-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

WorkloadRemarks

If logging is supported for the resource type, shows whether the component has configured logs to be monitored.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplications

Lists the IDs of the applications that you are monitoring.

Request Syntax

```
{  
    "AccountId": "string",  
    "MaxResults": number,  
    "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

Required: No

MaxResults

The maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned NextToken value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 40.

Required: No

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

Required: No

Response Syntax

```
{
  "ApplicationInfoList": [
    {
      "AccountId": "string",
      "AttachMissingPermission": boolean,
      "AutoConfigEnabled": boolean,
      "CWEMonitorEnabled": boolean,
      "DiscoveryType": "string",
      "LifeCycle": "string",
      "OpsCenterEnabled": boolean,
      "OpsItemSNSTopicArn": "string",
      "Remarks": "string",
      "ResourceGroupName": "string",
      "SNSNotificationArn": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationInfoList

The list of applications.

Type: Array of [ApplicationInfo](#) objects

NextToken

The token used to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListComponents

Lists the auto-grouped, standalone, and custom components of the application.

Request Syntax

```
{  
    "AccountId": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

Required: No

MaxResults

The maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned NextToken value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 40.

Required: No

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{
  "ApplicationComponentList": [
    {
      "ComponentNameComponentRemarksDetectedWorkloadMonitorOsTypeResourceTypeTierNextToken
```

}

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ApplicationComponentList](#)

The list of application components.

Type: Array of [ApplicationComponent](#) objects

[NextToken](#)

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListConfigurationHistory

Lists the INFO, WARN, and ERROR events for periodic configuration updates performed by Application Insights. Examples of events represented are:

- INFO: creating a new alarm or updating an alarm threshold.
- WARN: alarm not created due to insufficient data points used to predict thresholds.
- ERROR: alarm not created due to permission errors or exceeding quotas.

Request Syntax

```
{  
    "AccountId": "string",  
    "EndTime": number,  
    "EventStatus": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "ResourceGroupName": "string",  
    "StartTime": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

EndTime

The end time of the event.

Type: Timestamp

Required: No

EventStatus

The status of the configuration update event. Possible values include INFO, WARN, and ERROR.

Type: String

Valid Values: INFO | WARN | ERROR

Required: No

MaxResults

The maximum number of results returned by `ListConfigurationHistory` in paginated output. When this parameter is used, `ListConfigurationHistory` returns only `MaxResults` in a single page along with a `NextToken` response element. The remaining results of the initial request can be seen by sending another `ListConfigurationHistory` request with the returned `NextToken` value. If this parameter is not used, then `ListConfigurationHistory` returns all results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 40.

Required: No

NextToken

The `NextToken` value returned from a previous paginated `ListConfigurationHistory` request where `MaxResults` was used and the results exceeded the value of that parameter. Pagination continues from the end of the previous results that returned the `NextToken` value. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

Required: No

ResourceGroupName

Resource group to which the application belongs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

StartTime

The start time of the event.

Type: Timestamp

Required: No

Response Syntax

```
{
  "EventList": [
    {
      "AccountId": "string",
      "EventDetail": "string",
      "EventResourceName": "string",
      "EventResourceType": "string",
      "EventStatus": "string",
      "EventTime": number,
      "MonitoredResourceARN": "string",
      "ResourceGroupName": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

EventList

The list of configuration events and their corresponding details.

Type: Array of [ConfigurationEvent](#) objects

NextToken

The NextToken value to include in a future `ListConfigurationHistory` request. When the results of a `ListConfigurationHistory` request exceed `MaxResults`, this value can be used to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: . +

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListLogPatterns

Lists the log patterns in the specific log LogPatternSet.

Request Syntax

```
{  
    "AccountId": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "PatternSetName": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

MaxResults

The maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned NextToken value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 40.

Required: No

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: . +

Required: No

PatternSetName

The name of the log pattern set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 30.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{  
  "AccountId": "string",  
  "LogPatterns": [  
    {  
      "Pattern": "string",  
      "ResourceGroup": "string"  
    }  
  ]  
}
```

```
        "PatternName": "string",
        "PatternSetName": "string",
        "Rank": number
    },
],
"NextToken": "string",
"ResourceGroupName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[AccountId](#)

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

[LogPatterns](#)

The list of log patterns.

Type: Array of [LogPattern](#) objects

[NextToken](#)

The token used to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

[ResourceGroupName](#)

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListLogPatternSets

Lists the log pattern sets in the specific application.

Request Syntax

```
{  
    "AccountId": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

Required: No

MaxResults

The maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned NextToken value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 40.

Required: No

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{  
  "AccountId": "string",  
  "LogPatternSets": [ "string" ],  
  "NextToken": "string",  
  "ResourceGroupName": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

[LogPatternSets](#)

The list of log pattern sets.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 30.

Pattern: [a-zA-Z0-9\.\-_]*

[NextToken](#)

The token used to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

[ResourceGroupName](#)

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListProblems

Lists the problems with your application.

Request Syntax

```
{  
    "AccountId": "string",  
    "ComponentName": "string",  
    "EndTime": number,  
    "MaxResults": number,  
    "NextToken": "string",  
    "ResourceGroupName": "string",  
    "StartTime": number,  
    "Visibility": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `(?:^[\d\w\-_\.]+*$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/)\.+*$)`

Required: No

EndTime

The time when the problem ended, in epoch seconds. If not specified, problems within the past seven days are returned.

Type: Timestamp

Required: No

MaxResults

The maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned NextToken value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 40.

Required: No

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `.+`

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9\.\-_]*`

Required: No

StartTime

The time when the problem was detected, in epoch seconds. If you don't specify a time frame for the request, problems within the past seven days are returned.

Type: Timestamp

Required: No

Visibility

Specifies whether or not you can view the problem. If not specified, visible and ignored problems are returned.

Type: String

Valid Values: IGNORED | VISIBLE

Required: No

Response Syntax

```
{
  "AccountId": "string",
  "NextToken": "string",
  "ProblemList": [
    {
      "AccountId": "string",
      "AffectedResource": "string",
      "EndTime": number,
      "Feedback": {
        "string" : "string"
      },
      "Id": "string",
      "Insights": "string",
      "LastRecurrenceTime": number,
      "RecurringCount": number,
      "ResolutionMethod": "string",
      "ResourceGroupName": "string",
      "SeverityLevel": "string",
      "ShortName": "string",
    }
  ]
}
```

```
        "StartTime": number,
        "Status": "string",
        "Title": "string",
        "Visibility": "string"
    }
],
"ResourceGroupName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountId

The AWS account ID for the resource group owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

NextToken

The token used to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

ProblemList

The list of problems.

Type: Array of [Problem](#) objects

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Retrieve a list of the tags (keys and values) that are associated with a specified application. A *tag* is a label that you optionally define and associate with an application. Each tag consists of a required *tag key* and an optional associated *tag value*. A tag key is a general label that acts as a category for more specific tag values. A tag value acts as a descriptor within a tag key.

Request Syntax

```
{  
    "ResourceARN": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

The Amazon Resource Name (ARN) of the application that you want to retrieve tag information for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: Yes

Response Syntax

```
{  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]
```

```
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

An array that lists all the tags that are associated with the application. Each tag consists of a required tag key (Key) and an associated tag value (Value).

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListWorkloads

Lists the workloads that are configured on a given component.

Request Syntax

```
{  
    "AccountId": "string",  
    "ComponentName": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The AWS account ID of the owner of the workload.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\$

Required: No

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (?:^[\d\w\-_.+]*)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/.+)*\$)

Required: Yes

MaxResults

The maximum number of results to return in a single call. To retrieve the remaining results, make another call with the returned NextToken value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 40.

Required: No

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{  
  "NextToken": "string",  
  "WorkloadList": [  
    {  
      "ComponentName": "string",  
      "Metrics": [  
        {  
          "MetricName": "string",  
          "Dimensions": [  
            {  
              "Name": "string",  
              "Value": "string"  
            }  
          ]  
        }  
      ]  
    }  
  ]  
}
```

```
        "MissingWorkloadConfig": boolean,  
        "Tier": string,  
        "WorkloadId": string,  
        "WorkloadName": string,  
        "WorkloadRemarks": string  
    }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: .+

WorkloadList

The list of workloads.

Type: Array of [Workload](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveWorkload

Remove workload from a component.

Request Syntax

```
{  
    "ComponentName": "string",  
    "ResourceGroupName": "string",  
    "WorkloadId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (?:^[\d\w\-_\.\+]*\$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/.+)*\$)

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

WorkloadId

The ID of the workload.

Type: String

Length Constraints: Fixed length of 38.

Pattern: w-[0-9a-fA-F]{8}[-[0-9a-fA-F]{4}]-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}[-[0-9a-fA-F]{12}

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Add one or more tags (keys and values) to a specified application. A *tag* is a label that you optionally define and associate with an application. Tags can help you categorize and manage application in different ways, such as by purpose, owner, environment, or other criteria.

Each tag consists of a required *tag key* and an associated *tag value*, both of which you define. A tag key is a general label that acts as a category for more specific tag values. A tag value acts as a descriptor within a tag key.

Request Syntax

```
{
  "ResourceARNTagsKeyValue
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

The Amazon Resource Name (ARN) of the application that you want to add one or more tags to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: Yes

Tags

A list of tags that to add to the application. A tag consists of a required tag key (Key) and an associated tag value (Value). The maximum length of a tag key is 128 characters. The maximum length of a tag value is 256 characters.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

TooManyTagsException

The number of the provided tags is beyond the limit, or the number of total tags you are trying to attach to the specified resource exceeds the limit.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Remove one or more tags (keys and values) from a specified application.

Request Syntax

```
{  
  "ResourceARN": "string",  
  "TagKeys": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

The Amazon Resource Name (ARN) of the application that you want to remove one or more tags from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: Yes

TagKeys

The tags (tag keys) that you want to remove from the resource. When you specify a tag key, the action removes both that key and its associated tag value.

To remove more than one tag from the application, append the TagKeys parameter and argument for each additional tag to remove, separated by an ampersand.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^([\p{L}\p{Z}\p{N}_.:/-@]*)\$

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateApplication

Updates the application.

Request Syntax

```
{  
    "AttachMissingPermission": boolean,  
    "AutoConfigEnabled": boolean,  
    "CWEMonitorEnabled": boolean,  
    "OpsCenterEnabled": boolean,  
    "OpsItemSNSTopicArn": "string",  
    "RemoveSNSTopic": boolean,  
    "ResourceGroupName": "string",  
    "SNSNotificationArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[AttachMissingPermission](#)

If set to true, the managed policies for SSM and CW will be attached to the instance roles if they are missing.

Type: Boolean

Required: No

[AutoConfigEnabled](#)

Turns auto-configuration on or off.

Type: Boolean

Required: No

[CWEMonitorEnabled](#)

Indicates whether Application Insights can listen to CloudWatch events for the application resources, such as instance terminated, failed deployment, and others.

Type: Boolean

Required: No

[OpsCenterEnabled](#)

When set to true, creates opsItems for any problems detected on an application.

Type: Boolean

Required: No

[OpsItemSNSTopicArn](#)

The SNS topic provided to Application Insights that is associated to the created opsItem. Allows you to receive notifications for updates to the opsItem.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 300.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*):[\w\d_-]*(:/.+)*\$

Required: No

[RemoveSNSTopic](#)

Disassociates the SNS topic from the opsItem created for detected problems.

Type: Boolean

Required: No

[ResourceGroupName](#)

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

SNSNotificationArn

The SNS topic ARN. Allows you to receive SNS notifications for updates and issues with an application.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 300.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: No

Response Syntax

```
{  
    "ApplicationInfo": {  
        "AccountId": "string",  
        "AttachMissingPermission": boolean,  
        "AutoConfigEnabled": boolean,  
        "CWEMonitorEnabled": boolean,  
        "DiscoveryType": "string",  
        "LifeCycle": "string",  
        "OpsCenterEnabled": boolean,  
        "OpsItemSNSTopicArn": "string",  
        "Remarks": "string",  
        "ResourceGroupName": "string",  
        "SNSNotificationArn": "string"  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationInfo

Information about the application.

Type: ApplicationInfo object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateComponent

Updates the custom component name and/or the list of resources that make up the component.

Request Syntax

```
{  
    "ComponentName": "string",  
    "NewComponentName": "string",  
    "ResourceGroupName": "string",  
    "ResourceList": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^[\d\w\-_\.+]*\$

Required: Yes

NewComponentName

The new name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^[\d\w\-_\.+]*\$

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

ResourceList

The list of resource ARNs that belong to the component.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceInUseException

The resource is already created or in use.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateComponentConfiguration

Updates the monitoring configurations for the component. The configuration input parameter is an escaped JSON of the configuration and should match the schema of what is returned by [DescribeComponentConfigurationRecommendation](#).

Request Syntax

```
{  
    "AutoConfigEnabled": boolean,  
    "ComponentConfiguration": "string",  
    "ComponentName": "string",  
    "Monitor": boolean,  
    "ResourceGroupName": "string",  
    "Tier": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[AutoConfigEnabled](#)

Automatically configures the component by applying the recommended configurations.

Type: Boolean

Required: No

[ComponentConfiguration](#)

The configuration settings of the component. The value is the escaped JSON of the configuration. For more information about the JSON format, see [Working with JSON](#). You can send a request to [DescribeComponentConfigurationRecommendation](#) to see the recommended configuration for a component. For the complete format of the component configuration file, see [Component Configuration](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Pattern: `[\S\s]+`

Required: No

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `(?:^[\d\w\-_\.+]*$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/.+)*$)`

Required: Yes

Monitor

Indicates whether the application component is monitored.

Type: Boolean

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9\.\-_]*`

Required: Yes

Tier

The tier of the application component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Valid Values: CUSTOM | DEFAULT | DOT_NET_CORE | DOT_NET_WORKER
| DOT_NET_WEB_TIER | DOT_NET_WEB | SQL_SERVER |
SQL_SERVER_ALWAYSON_AVAILABILITY_GROUP | MYSQL | POSTGRESQL |
JAVA_JMX | ORACLE | SAP_HANA_MULTI_NODE | SAP_HANA_SINGLE_NODE
| SAP_HANA_HIGH_AVAILABILITY | SAP_ASE_SINGLE_NODE |
SAP_ASE_HIGH_AVAILABILITY | SQL_SERVER_FAILOVER_CLUSTER_INSTANCE
| SHAREPOINT | ACTIVE_DIRECTORY | SAP_NETWEAVER_STANDARD |
SAP_NETWEAVER_DISTRIBUTED | SAP_NETWEAVER_HIGH_AVAILABILITY

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceInUseException

The resource is already created or in use.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateLogPattern

Adds a log pattern to a LogPatternSet.

Request Syntax

```
{  
    "Pattern": "string",  
    "PatternName": "string",  
    "PatternSetName": "string",  
    "Rank": number,  
    "ResourceGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Pattern

The log pattern. The pattern must be DFA compatible. Patterns that utilize forward lookahead or backreference constructions are not supported.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: [\S\s]+

Required: No

PatternName

The name of the log pattern.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

PatternSetName

The name of the log pattern set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 30.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Rank

Rank of the log pattern. Must be a value between 1 and 1,000,000. The patterns are sorted by rank, so we recommend that you set your highest priority patterns with the lowest rank. A pattern of rank 1 will be the first to get matched to a log line. A pattern of rank 1,000,000 will be last to get matched. When you configure custom log patterns from the console, a Low severity pattern translates to a 750,000 rank. A Medium severity pattern translates to a 500,000 rank. And a High severity pattern translates to a 250,000 rank. Rank values less than 1 or greater than 1,000,000 are reserved for AWS provided patterns.

Type: Integer

Required: No

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

Response Syntax

```
{
```

```
"LogPattern": {  
    "Pattern    "PatternName": "string",  
    "PatternSetName": "string",  
    "Rank": number  
,  
    "ResourceGroupName": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

LogPattern

The successfully created log pattern.

Type: [LogPattern](#) object

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceInUseException

The resource is already created or in use.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateProblem

Updates the visibility of the problem or specifies the problem as RESOLVED.

Request Syntax

```
{  
    "ProblemId": "string",  
    "UpdateStatus": "string",  
    "Visibility": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ProblemId

The ID of the problem.

Type: String

Length Constraints: Fixed length of 38.

Pattern: p-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: Yes

UpdateStatus

The status of the problem. Arguments can be passed for only problems that show a status of RECOVERING.

Type: String

Valid Values: RESOLVED

Required: No

Visibility

The visibility of a problem. When you pass a value of IGNORED, the problem is removed from the default view, and all notifications for the problem are suspended. When VISIBLE is passed, the IGNORED action is reversed.

Type: String

Valid Values: IGNORED | VISIBLE

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateWorkload

Adds a workload to a component. Each component can have at most five workloads.

Request Syntax

```
{  
    "ComponentName": "string",  
    "ResourceGroupName": "string",  
    "WorkloadConfiguration": {  
        "Configuration": "string",  
        "Tier": "string",  
        "WorkloadName": "string"  
    },  
    "WorkloadId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (?:^[\d\w\-_\.]*\$)|(?:^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d\-_]*(:/.+)*\$)

Required: Yes

ResourceGroupName

The name of the resource group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: Yes

WorkloadConfiguration

The configuration settings of the workload. The value is the escaped JSON of the configuration.

Type: [WorkloadConfiguration](#) object

Required: Yes

WorkloadId

The ID of the workload.

Type: String

Length Constraints: Fixed length of 38.

Pattern: w-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: No

Response Syntax

```
{
  "WorkloadConfiguration": {
    "Configuration": "string",
    "Tier": "string",
    "WorkloadName": "string"
  },
  "WorkloadId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

WorkloadConfiguration

The configuration settings of the workload. The value is the escaped JSON of the configuration.

Type: [WorkloadConfiguration](#) object

WorkloadId

The ID of the workload.

Type: String

Length Constraints: Fixed length of 38.

Pattern: w-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

The server encountered an internal error and is unable to complete the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource does not exist in the customer account.

HTTP Status Code: 400

ValidationException

The parameter is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon CloudWatch Application Insights API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ApplicationComponent](#)
- [ApplicationInfo](#)
- [ConfigurationEvent](#)
- [LogPattern](#)
- [Observation](#)
- [Problem](#)
- [RelatedObservations](#)
- [Tag](#)
- [Workload](#)
- [WorkloadConfiguration](#)

ApplicationComponent

Describes a standalone resource or similarly grouped resources that the application is made up of.

Contents

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (? : ^ [\d\w\-_\.+] * \$) | (? : ^ arn : aws (- \w +) * : [\w\d-] + : ([\w\d-] *) ? : [\w\d-] * ([:/] .+) * \$)

Required: No

ComponentRemarks

If logging is supported for the resource type, indicates whether the component has configured logs to be monitored.

Type: String

Required: No

DetectedWorkload

Workloads detected in the application component.

Type: String to string to string map map

Key Length Constraints: Minimum length of 1. Maximum length of 50.

Valid Keys: CUSTOM | DEFAULT | DOT_NET_CORE | DOT_NET_WORKER | DOT_NET_WEB_TIER | DOT_NET_WEB | SQL_SERVER | SQL_SERVER_ALWAYS_ON_AVAILABILITY_GROUP | MYSQL | POSTGRESQL | JAVA_JMX | ORACLE | SAP_HANA_MULTI_NODE | SAP_HANA_SINGLE_NODE | SAP_HANA_HIGH_AVAILABILITY | SAP_ASE_SINGLE_NODE | SAP_ASE_HIGH_AVAILABILITY | SQL_SERVER_FAILOVER_CLUSTER_INSTANCE

| SHAREPOINT | ACTIVE_DIRECTORY | SAP_NETWEAVER_STANDARD |
SAP_NETWEAVER_DISTRIBUTED | SAP_NETWEAVER_HIGH_AVAILABILITY

Required: No

Monitor

Indicates whether the application component is monitored.

Type: Boolean

Required: No

OsType

The operating system of the component.

Type: String

Valid Values: WINDOWS | LINUX

Required: No

ResourceType

The resource type. Supported resource types include EC2 instances, Auto Scaling group, Classic ELB, Application ELB, and SQS Queue.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: [0-9a-zA-Z:_]*

Required: No

Tier

The stack tier of the application component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Valid Values: CUSTOM | DEFAULT | DOT_NET_CORE | DOT_NET_WORKER
| DOT_NET_WEB_TIER | DOT_NET_WEB | SQL_SERVER |

SQL_SERVER_ALWAYSON_AVAILABILITY_GROUP | MYSQL | POSTGRESQL |
JAVA_JMX | ORACLE | SAP_HANA_MULTI_NODE | SAP_HANA_SINGLE_NODE
| SAP_HANA_HIGH_AVAILABILITY | SAP_ASE_SINGLE_NODE |
SAP_ASE_HIGH_AVAILABILITY | SQL_SERVER_FAILOVER_CLUSTER_INSTANCE
| SHAREPOINT | ACTIVE_DIRECTORY | SAP_NETWEAVER_STANDARD |
SAP_NETWEAVER_DISTRIBUTED | SAP_NETWEAVER_HIGH_AVAILABILITY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApplicationInfo

Describes the status of the application.

Contents

AccountId

The AWS account ID for the owner of the application.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

Required: No

AttachMissingPermission

If set to true, the managed policies for SSM and CW will be attached to the instance roles if they are missing.

Type: Boolean

Required: No

AutoConfigEnabled

Indicates whether auto-configuration is turned on for this application.

Type: Boolean

Required: No

CWEMonitorEnabled

Indicates whether Application Insights can listen to CloudWatch events for the application resources, such as instance terminated, failed deployment, and others.

Type: Boolean

Required: No

DiscoveryType

The method used by Application Insights to onboard your resources.

Type: String

Valid Values: RESOURCE_GROUP_BASED | ACCOUNT_BASED

Required: No

LifeCycle

The lifecycle of the application.

Type: String

Required: No

OpsCenterEnabled

Indicates whether Application Insights will create opsItems for any problem detected by Application Insights for an application.

Type: Boolean

Required: No

OpsItemSNSTopicArn

The SNS topic provided to Application Insights that is associated to the created opsItems to receive SNS notifications for opsItem updates.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 300.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*):[\w\d_-]*(:/.+)*\$

Required: No

Remarks

The issues on the user side that block Application Insights from successfully monitoring an application. Example remarks include:

- “Configuring application, detected 1 Errors, 3 Warnings”

- "Configuring application, detected 1 Unconfigured Components"

Type: String

Required: No

ResourceGroupName

The name of the resource group used for the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\._\-]*

Required: No

SNSNotificationArn

The SNS topic ARN that is associated with SNS notifications for updates or issues.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 300.

Pattern: ^arn:aws(-\w+)*:[\w\d-]+:([\w\d-]*)?:[\w\d_-]*(:/.+)*\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConfigurationEvent

The event information.

Contents

AccountId

The AWS account ID for the owner of the application to which the configuration event belongs.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

Required: No

EventDetail

The details of the event in plain text.

Type: String

Required: No

EventResourceName

The name of the resource Application Insights attempted to configure.

Type: String

Required: No

EventResourceType

The resource type that Application Insights attempted to configure, for example, CLOUDWATCH_ALARM.

Type: String

Valid Values: CLOUDWATCH_ALARM | CLOUDWATCH_LOG | CLOUDFORMATION | SSM_ASSOCIATION

Required: No

EventStatus

The status of the configuration update event. Possible values include INFO, WARN, and ERROR.

Type: String

Valid Values: INFO | WARN | ERROR

Required: No

EventTime

The timestamp of the event.

Type: Timestamp

Required: No

MonitoredResourceARN

The resource monitored by Application Insights.

Type: String

Required: No

ResourceGroupName

The name of the resource group of the application to which the configuration event belongs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogPattern

An object that defines the log patterns that belongs to a LogPatternSet.

Contents

Pattern

A regular expression that defines the log pattern. A log pattern can contain as many as 50 characters, and it cannot be empty. The pattern must be DFA compatible. Patterns that utilize forward lookahead or backreference constructions are not supported.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `[\S\s]+`

Required: No

PatternName

The name of the log pattern. A log pattern name can contain as many as 50 characters, and it cannot be empty. The characters can be Unicode letters, digits, or one of the following symbols: period, dash, underscore.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `[a-zA-Z0-9\.\-_]*`

Required: No

PatternSetName

The name of the log pattern. A log pattern name can contain as many as 30 characters, and it cannot be empty. The characters can be Unicode letters, digits, or one of the following symbols: period, dash, underscore.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 30.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

Rank

Rank of the log pattern. Must be a value between 1 and 1,000,000. The patterns are sorted by rank, so we recommend that you set your highest priority patterns with the lowest rank. A pattern of rank 1 will be the first to get matched to a log line. A pattern of rank 1,000,000 will be last to get matched. When you configure custom log patterns from the console, a Low severity pattern translates to a 750,000 rank. A Medium severity pattern translates to a 500,000 rank. And a High severity pattern translates to a 250,000 rank. Rank values less than 1 or greater than 1,000,000 are reserved for AWS provided patterns.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Observation

Describes an anomaly or error with the application.

Contents

CloudWatchEventDetailType

The detail type of the CloudWatch Event-based observation, for example, EC2 Instance State-change Notification.

Type: String

Required: No

CloudWatchEventId

The ID of the CloudWatch Event-based observation related to the detected problem.

Type: String

Required: No

CloudWatchEventSource

The source of the CloudWatch Event.

Type: String

Valid Values: EC2 | CODE_DEPLOY | HEALTH | RDS

Required: No

CodeDeployApplication

The CodeDeploy application to which the deployment belongs.

Type: String

Required: No

CodeDeployDeploymentGroup

The deployment group to which the CodeDeploy deployment belongs.

Type: String

Required: No

CodeDeployDeploymentId

The deployment ID of the CodeDeploy-based observation related to the detected problem.

Type: String

Required: No

CodeDeployInstanceIdGroup

The instance group to which the CodeDeploy instance belongs.

Type: String

Required: No

CodeDeployState

The status of the CodeDeploy deployment, for example SUCCESS or FAILURE.

Type: String

Required: No

EbsCause

The cause of an EBS CloudWatch event.

Type: String

Required: No

EbsEvent

The type of EBS CloudWatch event, such as createVolume, deleteVolume or attachVolume.

Type: String

Required: No

EbsRequestId

The request ID of an EBS CloudWatch event.

Type: String

Required: No

EbsResult

The result of an EBS CloudWatch event, such as failed or succeeded.

Type: String

Required: No

Ec2State

The state of the instance, such as STOPPING or TERMINATING.

Type: String

Required: No

EndTime

The time when the observation ended, in epoch seconds.

Type: Timestamp

Required: No

HealthEventArn

The Amazon Resource Name (ARN) of the AWS Health Event-based observation.

Type: String

Required: No

HealthEventDescription

The description of the AWS Health event provided by the service, such as Amazon EC2.

Type: String

Required: No

HealthEventTypeCategory

The category of the AWS Health event, such as issue.

Type: String

Required: No

HealthEventTypeCode

The type of the AWS Health event, for example, AWS_EC2_POWER_CONNECTIVITY_ISSUE.

Type: String

Required: No

HealthService

The service to which the AWS Health Event belongs, such as EC2.

Type: String

Required: No

Id

The ID of the observation type.

Type: String

Length Constraints: Fixed length of 38.

Pattern: o-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: No

LineTime

The timestamp in the CloudWatch Logs that specifies when the matched line occurred.

Type: Timestamp

Required: No

LogFilter

The log filter of the observation.

Type: String

Valid Values: ERROR | WARN | INFO

Required: No

LogGroup

The log group name.

Type: String

Required: No

LogText

The log text of the observation.

Type: String

Required: No

MetricName

The name of the observation metric.

Type: String

Required: No

MetricNamespace

The namespace of the observation metric.

Type: String

Required: No

RdsEventCategories

The category of an RDS event.

Type: String

Required: No

RdsEventMessage

The message of an RDS event.

Type: String

Required: No

S3EventName

The name of the S3 CloudWatch Event-based observation.

Type: String

Required: No

SourceARN

The source resource ARN of the observation.

Type: String

Required: No

SourceType

The source type of the observation.

Type: String

Required: No

StartTime

The time when the observation was first detected, in epoch seconds.

Type: Timestamp

Required: No

StatesArn

The Amazon Resource Name (ARN) of the step function-based observation.

Type: String

Required: No

StatesExecutionArn

The Amazon Resource Name (ARN) of the step function execution-based observation.

Type: String

Required: No

StatesInput

The input to the step function-based observation.

Type: String

Required: No

StatesStatus

The status of the step function-related observation.

Type: String

Required: No

Unit

The unit of the source observation metric.

Type: String

Required: No

Value

The value of the source observation metric.

Type: Double

Required: No

XRayErrorPercent

The X-Ray request error percentage for this node.

Type: Integer

Required: No

XRayFaultPercent

The X-Ray request fault percentage for this node.

Type: Integer

Required: No

XRayNodeName

The name of the X-Ray node.

Type: String

Required: No

XRayNodeType

The type of the X-Ray node.

Type: String

Required: No

XRayRequestAverageLatency

The X-Ray node request average latency for this node.

Type: Long

Required: No

XRayRequestCount

The X-Ray request count for this node.

Type: Integer

Required: No

XRayThrottlePercent

The X-Ray request throttle percentage for this node.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Problem

Describes a problem that is detected by correlating observations.

Contents

AccountId

The AWS account ID for the owner of the resource group affected by the problem.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^\d{12}\\$

Required: No

AffectedResource

The resource affected by the problem.

Type: String

Required: No

EndTime

The time when the problem ended, in epoch seconds.

Type: Timestamp

Required: No

Feedback

Feedback provided by the user about the problem.

Type: String to string map

Map Entries: Maximum number of 10 items.

Valid Keys: INSIGHTS_FEEDBACK

Valid Values: NOT_SPECIFIED | USEFUL | NOT_USEFUL

Required: No

Id

The ID of the problem.

Type: String

Length Constraints: Fixed length of 38.

Pattern: p-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: No

Insights

A detailed analysis of the problem using machine learning.

Type: String

Required: No

LastRecurrenceTime

The last time that the problem reoccurred after its last resolution.

Type: Timestamp

Required: No

RecurringCount

The number of times that the same problem reoccurred after the first time it was resolved.

Type: Long

Required: No

ResolutionMethod

Specifies how the problem was resolved. If the value is AUTOMATIC, the system resolved the problem. If the value is MANUAL, the user resolved the problem. If the value is UNRESOLVED, then the problem is not resolved.

Type: String

Valid Values: MANUAL | AUTOMATIC | UNRESOLVED

Required: No

ResourceGroupName

The name of the resource group affected by the problem.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

SeverityLevel

A measure of the level of impact of the problem.

Type: String

Valid Values: Informative | Low | Medium | High

Required: No

ShortName

The short name of the problem associated with the SNS notification.

Type: String

Required: No

StartTime

The time when the problem started, in epoch seconds.

Type: Timestamp

Required: No

Status

The status of the problem.

Type: String

Valid Values: IGNORE | RESOLVED | PENDING | RECURRING | RECOVERING

Required: No

Title

The name of the problem.

Type: String

Required: No

Visibility

Specifies whether or not you can view the problem. Updates to ignored problems do not generate notifications.

Type: String

Valid Values: IGNORED | VISIBLE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RelatedObservations

Describes observations related to the problem.

Contents

ObservationList

The list of observations related to the problem.

Type: Array of [Observation](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

An object that defines the tags associated with an application. A *tag* is a label that you optionally define and associate with an application. Tags can help you categorize and manage resources in different ways, such as by purpose, owner, environment, or other criteria.

Each tag consists of a required *tag key* and an associated *tag value*, both of which you define. A tag key is a general label that acts as a category for a more specific tag value. A tag value acts as a descriptor within a tag key. A tag key can contain as many as 128 characters. A tag value can contain as many as 256 characters. The characters can be Unicode letters, digits, white space, or one of the following symbols: _ . : / = + -. The following additional restrictions apply to tags:

- Tag keys and values are case sensitive.
- For each associated resource, each tag key must be unique and it can have only one value.
- The aws : prefix is reserved for use by AWS; you can't use it in any tag keys or values that you define. In addition, you can't edit or remove tag keys or values that use this prefix.

Contents

Key

One part of a key-value pair that defines a tag. The maximum length of a tag key is 128 characters. The minimum length is 1 character.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: ^([\p{L}\p{Z}\p{N}_.:=/=+\-@\"]*)\$

Required: Yes

Value

The optional part of a key-value pair that defines a tag. The maximum length of a tag value is 256 characters. The minimum length is 0 characters. If you don't want an application to have a specific tag value, don't specify a value for this parameter.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: ^([\p{L}\p{Z}\p{N}_.:/-@]*\$)

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Workload

Describes the workloads on a component.

Contents

ComponentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: (? : ^ [\d\w\-_\.+] * \$) | (? : ^ arn : aws (- \w +) * : [\w\d-] + : ([\w\d-] *) ? : [\w\d-] * ([:/] .+) * \$)

Required: No

MissingWorkloadConfig

Indicates whether all of the component configurations required to monitor a workload were provided.

Type: Boolean

Required: No

Tier

The tier of the workload.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Valid Values: CUSTOM | DEFAULT | DOT_NET_CORE | DOT_NET_WORKER | DOT_NET_WEB_TIER | DOT_NET_WEB | SQL_SERVER | SQL_SERVER_ALWAYS_ON_AVAILABILITY_GROUP | MYSQL | POSTGRESQL | JAVA_JMX | ORACLE | SAP_HANA_MULTI_NODE | SAP_HANA_SINGLE_NODE | SAP_HANA_HIGH_AVAILABILITY | SAP_ASE_SINGLE_NODE | SAP_ASE_HIGH_AVAILABILITY | SQL_SERVER_FAILOVER_CLUSTER_INSTANCE

| SHAREPOINT | ACTIVE_DIRECTORY | SAP_NETWEAVER_STANDARD |
SAP_NETWEAVER_DISTRIBUTED | SAP_NETWEAVER_HIGH_AVAILABILITY

Required: No

WorkloadId

The ID of the workload.

Type: String

Length Constraints: Fixed length of 38.

Pattern: w-[0-9a-fA-F]{8}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{4}\-[0-9a-fA-F]{12}

Required: No

WorkloadName

The name of the workload.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

WorkloadRemarks

If logging is supported for the resource type, shows whether the component has configured logs to be monitored.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkloadConfiguration

The configuration of the workload.

Contents

Configuration

The configuration settings of the workload.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Pattern: [\S\s]+

Required: No

Tier

The configuration of the workload tier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Valid Values: CUSTOM | DEFAULT | DOT_NET_CORE | DOT_NET_WORKER
| DOT_NET_WEB_TIER | DOT_NET_WEB | SQL_SERVER |
SQL_SERVER_ALWAYSON_AVAILABILITY_GROUP | MYSQL | POSTGRESQL |
JAVA_JMX | ORACLE | SAP_HANA_MULTI_NODE | SAP_HANA_SINGLE_NODE
| SAP_HANA_HIGH_AVAILABILITY | SAP_ASE_SINGLE_NODE |
SAP_ASE_HIGH_AVAILABILITY | SQL_SERVER_FAILOVER_CLUSTER_INSTANCE
| SHAREPOINT | ACTIVE_DIRECTORY | SAP_NETWEAVER_STANDARD |
SAP_NETWEAVER_DISTRIBUTED | SAP_NETWEAVER_HIGH_AVAILABILITY

Required: No

WorkloadName

The name of the workload.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: [a-zA-Z0-9\.\-_]*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400