



API Reference

# Amazon Comprehend Medical



**API Version 2018-10-30**

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

## Amazon Comprehend Medical: API Reference

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

Welcome .....	1
Actions .....	2
DescribeEntitiesDetectionV2Job .....	3
Request Syntax .....	3
Request Parameters .....	3
Response Syntax .....	3
Response Elements .....	4
Errors .....	4
See Also .....	5
DescribeICD10CMInferenceJob .....	6
Request Syntax .....	6
Request Parameters .....	6
Response Syntax .....	6
Response Elements .....	7
Errors .....	7
See Also .....	8
DescribePHIDetectionJob .....	9
Request Syntax .....	9
Request Parameters .....	9
Response Syntax .....	9
Response Elements .....	10
Errors .....	10
See Also .....	11
DescribeRxNormInferenceJob .....	12
Request Syntax .....	12
Request Parameters .....	12
Response Syntax .....	12
Response Elements .....	13
Errors .....	13
See Also .....	14
DescribeSNOMEDCTInferenceJob .....	15
Request Syntax .....	15
Request Parameters .....	15
Response Syntax .....	15

Response Elements .....	16
Errors .....	16
See Also .....	17
DetectEntities .....	18
Request Syntax .....	18
Request Parameters .....	18
Response Syntax .....	18
Response Elements .....	20
Errors .....	21
See Also .....	22
DetectEntitiesV2 .....	23
Request Syntax .....	23
Request Parameters .....	23
Response Syntax .....	23
Response Elements .....	25
Errors .....	26
See Also .....	27
DetectPHI .....	28
Request Syntax .....	28
Request Parameters .....	28
Response Syntax .....	28
Response Elements .....	29
Errors .....	30
See Also .....	31
InferICD10CM .....	32
Request Syntax .....	32
Request Parameters .....	32
Response Syntax .....	32
Response Elements .....	33
Errors .....	34
See Also .....	35
InferRxNorm .....	37
Request Syntax .....	37
Request Parameters .....	37
Response Syntax .....	37
Response Elements .....	38

Errors .....	39
See Also .....	40
InferSNOMEDCT .....	42
Request Syntax .....	42
Request Parameters .....	42
Response Syntax .....	42
Response Elements .....	44
Errors .....	45
See Also .....	46
ListEntitiesDetectionV2Jobs .....	47
Request Syntax .....	47
Request Parameters .....	47
Response Syntax .....	48
Response Elements .....	48
Errors .....	49
See Also .....	50
ListICD10CMInferenceJobs .....	51
Request Syntax .....	51
Request Parameters .....	51
Response Syntax .....	52
Response Elements .....	52
Errors .....	53
See Also .....	54
ListPHIDetectionJobs .....	55
Request Syntax .....	55
Request Parameters .....	55
Response Syntax .....	56
Response Elements .....	56
Errors .....	57
See Also .....	58
ListRxNormInferenceJobs .....	59
Request Syntax .....	59
Request Parameters .....	59
Response Syntax .....	60
Response Elements .....	60
Errors .....	61

See Also .....	62
ListSNOMEDCTInferenceJobs .....	63
Request Syntax .....	63
Request Parameters .....	63
Response Syntax .....	64
Response Elements .....	64
Errors .....	65
See Also .....	66
StartEntitiesDetectionV2Job .....	67
Request Syntax .....	67
Request Parameters .....	67
Response Syntax .....	69
Response Elements .....	69
Errors .....	70
See Also .....	70
StartICD10CMInferenceJob .....	72
Request Syntax .....	72
Request Parameters .....	72
Response Syntax .....	74
Response Elements .....	74
Errors .....	75
See Also .....	75
StartPHIDetectionJob .....	77
Request Syntax .....	77
Request Parameters .....	77
Response Syntax .....	79
Response Elements .....	79
Errors .....	80
See Also .....	80
StartRxNormInferenceJob .....	82
Request Syntax .....	82
Request Parameters .....	82
Response Syntax .....	84
Response Elements .....	84
Errors .....	85
See Also .....	85

StartSNOMEDCTInferenceJob .....	87
Request Syntax .....	87
Request Parameters .....	87
Response Syntax .....	89
Response Elements .....	89
Errors .....	90
See Also .....	90
StopEntitiesDetectionV2Job .....	92
Request Syntax .....	92
Request Parameters .....	92
Response Syntax .....	92
Response Elements .....	92
Errors .....	93
See Also .....	93
StopICD10CMInferenceJob .....	95
Request Syntax .....	95
Request Parameters .....	95
Response Syntax .....	95
Response Elements .....	95
Errors .....	96
See Also .....	96
StopPHIDetectionJob .....	98
Request Syntax .....	98
Request Parameters .....	98
Response Syntax .....	98
Response Elements .....	98
Errors .....	99
See Also .....	99
StopRxNormInferenceJob .....	101
Request Syntax .....	101
Request Parameters .....	101
Response Syntax .....	101
Response Elements .....	101
Errors .....	102
See Also .....	102
StopSNOMEDCTInferenceJob .....	104

Request Syntax .....	104
Request Parameters .....	104
Response Syntax .....	104
Response Elements .....	104
Errors .....	105
See Also .....	106
<b>Data Types .....</b>	<b>107</b>
Attribute .....	109
Contents .....	109
See Also .....	111
Characters .....	112
Contents .....	112
See Also .....	112
ComprehendMedicalAsyncJobFilter .....	113
Contents .....	113
See Also .....	114
ComprehendMedicalAsyncJobProperties .....	115
Contents .....	115
See Also .....	118
Entity .....	119
Contents .....	119
See Also .....	121
ICD10CMAttribute .....	122
Contents .....	122
See Also .....	124
ICD10CMConcept .....	125
Contents .....	125
See Also .....	125
ICD10CMEntity .....	127
Contents .....	127
See Also .....	129
ICD10CMTrait .....	130
Contents .....	130
See Also .....	130
InputDataConfig .....	131
Contents .....	131

See Also .....	131
OutputDataConfig .....	132
Contents .....	132
See Also .....	132
RxNormAttribute .....	134
Contents .....	134
See Also .....	135
RxNormConcept .....	137
Contents .....	137
See Also .....	137
RxNormEntity .....	139
Contents .....	139
See Also .....	141
RxNormTrait .....	142
Contents .....	142
See Also .....	142
SNOMEDCTAttribute .....	143
Contents .....	143
See Also .....	145
SNOMEDCTConcept .....	146
Contents .....	146
See Also .....	146
SNOMEDCTDetails .....	148
Contents .....	148
See Also .....	148
SNOMEDCTEntity .....	150
Contents .....	150
See Also .....	152
SNOMEDCTTrait .....	153
Contents .....	153
See Also .....	153
Trait .....	154
Contents .....	154
See Also .....	154
UnmappedAttribute .....	155
Contents .....	155

See Also .....	155
<b>Common Parameters .....</b>	<b>156</b>
<b>Common Errors .....</b>	<b>159</b>

# Welcome

This is the *Amazon Comprehend Medical API Reference*. Amazon Comprehend Medical extracts structured information from unstructured clinical text. For an introduction to the service, see the [Amazon Comprehend Medical Developer Guide](#).

This document was last published on July 22, 2025.

# Actions

The following actions are supported:

- [DescribeEntitiesDetectionV2Job](#)
- [DescribeICD10CMInferenceJob](#)
- [DescribePHIDetectionJob](#)
- [DescribeRxNormInferenceJob](#)
- [DescribeSNOMEDCTInferenceJob](#)
- [DetectEntities](#)
- [DetectEntitiesV2](#)
- [DetectPHI](#)
- [InferICD10CM](#)
- [InferRxNorm](#)
- [InferSNOMEDCT](#)
- [ListEntitiesDetectionV2Jobs](#)
- [ListICD10CMInferenceJobs](#)
- [ListPHIDetectionJobs](#)
- [ListRxNormInferenceJobs](#)
- [ListSNOMEDCTInferenceJobs](#)
- [StartEntitiesDetectionV2Job](#)
- [StartICD10CMInferenceJob](#)
- [StartPHIDetectionJob](#)
- [StartRxNormInferenceJob](#)
- [StartSNOMEDCTInferenceJob](#)
- [StopEntitiesDetectionV2Job](#)
- [StopICD10CMInferenceJob](#)
- [StopPHIDetectionJob](#)
- [StopRxNormInferenceJob](#)
- [StopSNOMEDCTInferenceJob](#)

# DescribeEntitiesDetectionV2Job

Gets the properties associated with a medical entities detection job. Use this operation to get the status of a detection job.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier that Comprehend Medical generates for the job. The StartEntitiesDetectionV2Job operation returns this identifier in its response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-=%@]\*)\$

Required: Yes

## Response Syntax

```
{  
    "ComprehendMedicalAsyncJobProperties": {  
        "DataAccessRoleArn": "string",  
        "EndTime": number,  
        "ExpirationTime": number,  
        "InputDataConfig": {  
            "S3Bucket": "string",  
            "S3Key": "string"  
    }  
}
```

```
},
"JobId": "string",
"JobName": "string",
"JobStatus": "string",
"KMSKey": "string",
"LanguageCode": "string",
"ManifestFilePath": "string",
"Message": "string",
"ModelVersion": "string",
"OutputDataConfig": {
    "S3Bucket": "string",
    "S3Key": "string"
},
"SubmitTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ComprehendMedicalAsyncJobProperties](#)

An object that contains the properties associated with a detection job.

Type: [ComprehendMedicalAsyncJobProperties](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

## ResourceNotFoundException

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

## TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeICD10CMInferenceJob

Gets the properties associated with an InferICD10CM job. Use this operation to get the status of an inference job.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier that Amazon Comprehend Medical generated for the job. The StartICD10CMInferenceJob operation returns this identifier in its response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-=%@]\*)\$

Required: Yes

## Response Syntax

```
{  
    "ComprehendMedicalAsyncJobProperties": {  
        "DataAccessRoleArn": "string",  
        "EndTime": number,  
        "ExpirationTime": number,  
        "InputDataConfig": {  
            "S3Bucket": "string",  
            "S3Key": "string"  
    }  
}
```

```
},
"JobId": "string",
"JobName": "string",
"JobStatus": "string",
"KMSKey": "string",
"LanguageCode": "string",
"ManifestFilePath": "string",
"Message": "string",
"ModelVersion": "string",
"OutputDataConfig": {
    "S3Bucket": "string",
    "S3Key": "string"
},
"SubmitTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ComprehendMedicalAsyncJobProperties](#)

An object that contains the properties associated with a detection job.

Type: [ComprehendMedicalAsyncJobProperties](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribePHIDetectionJob

Gets the properties associated with a protected health information (PHI) detection job. Use this operation to get the status of a detection job.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier that Comprehend Medical generates for the job. The StartPHIDetectionJob operation returns this identifier in its response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-=%@]\*)\$

Required: Yes

## Response Syntax

```
{  
    "ComprehendMedicalAsyncJobProperties": {  
        "DataAccessRoleArn": "string",  
        "EndTime": number,  
        "ExpirationTime": number,  
        "InputDataConfig": {  
            "S3Bucket": "string",  
            "S3Key": "string"  
    }  
}
```

```
},
"JobId": "string",
"JobName": "string",
"JobStatus": "string",
"KMSKey": "string",
"LanguageCode": "string",
"ManifestFilePath": "string",
"Message": "string",
"ModelVersion": "string",
"OutputDataConfig": {
    "S3Bucket": "string",
    "S3Key": "string"
},
"SubmitTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ComprehendMedicalAsyncJobProperties](#)

An object that contains the properties associated with a detection job.

Type: [ComprehendMedicalAsyncJobProperties](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeRxNormInferenceJob

Gets the properties associated with an InferRxNorm job. Use this operation to get the status of an inference job.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier that Amazon Comprehend Medical generated for the job. The StartRxNormInferenceJob operation returns this identifier in its response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-+\\-%@]\*)\$

Required: Yes

## Response Syntax

```
{  
    "ComprehendMedicalAsyncJobProperties": {  
        "DataAccessRoleArn": "string",  
        "EndTime": number,  
        "ExpirationTime": number,  
        "InputDataConfig": {  
            "S3Bucket": "string",  
            "S3Key": "string"  
    }  
}
```

```
},
"JobId": "string",
"JobName": "string",
"JobStatus": "string",
"KMSKey": "string",
"LanguageCode": "string",
"ManifestFilePath": "string",
"Message": "string",
"ModelVersion": "string",
"OutputDataConfig": {
    "S3Bucket": "string",
    "S3Key": "string"
},
"SubmitTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ComprehendMedicalAsyncJobProperties](#)

An object that contains the properties associated with a detection job.

Type: [ComprehendMedicalAsyncJobProperties](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeSNOMEDCTInferenceJob

Gets the properties associated with an InferSNOMEDCT job. Use this operation to get the status of an inference job.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier that Amazon Comprehend Medical generated for the job. The StartSNOMEDCTInferenceJob operation returns this identifier in its response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-+\\-%@]\*)\$

Required: Yes

## Response Syntax

```
{  
    "ComprehendMedicalAsyncJobProperties": {  
        "DataAccessRoleArn": "string",  
        "EndTime": number,  
        "ExpirationTime": number,  
        "InputDataConfig": {  
            "S3Bucket": "string",  
            "S3Key": "string"  
    }  
}
```

```
},
"JobId": "string",
"JobName": "string",
"JobStatus": "string",
"KMSKey": "string",
"LanguageCode": "string",
"ManifestFilePath": "string",
"Message": "string",
"ModelVersion": "string",
"OutputDataConfig": {
    "S3Bucket": "string",
    "S3Key": "string"
},
"SubmitTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ComprehendMedicalAsyncJobProperties](#)

Provides information about a detection job.

Type: [ComprehendMedicalAsyncJobProperties](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DetectEntities

The DetectEntities operation is deprecated. You should use the [DetectEntitiesV2](#) operation instead.

Inspects the clinical text for a variety of medical entities and returns specific information about them such as entity category, location, and confidence score on that information .

## Request Syntax

```
{  
    "Text": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [Text](#)

A UTF-8 text string containing the clinical content being examined for entities. Each string must contain fewer than 20,000 bytes of characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20000.

Required: Yes

## Response Syntax

```
{  
    "Entities": [  
        {  
            "Attributes": [  
                {  
                    "BeginOffset": number,  
                    "Category": "string",  
                    "EndOffset": number,  
                    "Text": "string"  
                }  
            ]  
        }  
    ]  
}
```

```
"Idnumber,
"RelationshipScorenumber,
"RelationshipTypestring",
"Scorenumber,
"Textstring",
"TraitsNamestring",
    "Scorenumber
  }
],
"Typestring"
},
],
"BeginOffsetnumber,
"Categorystring",
"EndOffsetnumber,
"Idnumber,
"Scorenumber,
"Textstring",
"TraitsNamestring",
    "Scorenumber
  }
],
"Typestring"
}
],
"ModelVersionstring",
"PaginationTokenstring",
"UnmappedAttributesAttributeBeginOffsetnumber,
    "Categorystring",
    "EndOffsetnumber,
    "Idnumber,
    "RelationshipScorenumber,
    "RelationshipTypestring",
    "Scorenumber,
    "Textstring",
    "Traits
```

```
        "Name": "string",
        "Score": number
    }
],
"Type": "string"
},
"Type": "string"
}
]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Entities

The collection of medical entities extracted from the input text and their associated information. For each entity, the response provides the entity text, the entity category, where the entity text begins and ends, and the level of confidence that Comprehend Medical has in the detection and analysis. Attributes and traits of the entity are also returned.

Type: Array of [Entity](#) objects

### ModelVersion

The version of the model used to analyze the documents. The version number looks like X.X.X. You can use this information to track the model used for a particular batch of documents.

Type: String

Length Constraints: Minimum length of 1.

### PaginationToken

If the result of the previous request to DetectEntities was truncated, include the PaginationToken to fetch the next page of entities.

Type: String

Length Constraints: Minimum length of 1.

## UnmappedAttributes

Attributes extracted from the input text that we were unable to relate to an entity.

Type: Array of [UnmappedAttribute](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidEncodingException**

The input text was not in valid UTF-8 character encoding. Check your text then retry your request.

HTTP Status Code: 400

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ServiceUnavailableException**

The Comprehend Medical service is temporarily unavailable. Please wait and then retry your request.

HTTP Status Code: 400

### **TextSizeLimitExceededException**

The size of the text you submitted exceeds the size limit. Reduce the size of the text or use a smaller document and then retry your request.

HTTP Status Code: 400

## TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## DetectEntitiesV2

Inspects the clinical text for a variety of medical entities and returns specific information about them such as entity category, location, and confidence score on that information. Amazon Comprehend Medical only detects medical entities in English language texts.

The DetectEntitiesV2 operation replaces the [DetectEntities](#) operation. This new action uses a different model for determining the entities in your medical text and changes the way that some entities are returned in the output. You should use the DetectEntitiesV2 operation in all new applications.

The DetectEntitiesV2 operation returns the Acuity and Direction entities as attributes instead of types.

## Request Syntax

```
{  
    "Text": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Text

A UTF-8 string containing the clinical content being examined for entities. Each string must contain fewer than 20,000 bytes of characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20000.

Required: Yes

## Response Syntax

```
{  
    "Entities": [  
        ...  
    ]  
}
```

```
{  
    "Attributes": [  
        {  
            "BeginOffset": number,  
            "Category": "string",  
            "EndOffset": number,  
            "Id": number,  
            "RelationshipScore": number,  
            "RelationshipType": "string",  
            "Score": number,  
            "Text": "string",  
            "Traits": [  
                {  
                    "Name": "string",  
                    "Score": number  
                }  
            ],  
            "Type": "string"  
        }  
    ],  
    "BeginOffset": number,  
    "Category": "string",  
    "EndOffset": number,  
    "Id": number,  
    "Score": number,  
    "Text": "string",  
    "Traits": [  
        {  
            "Name": "string",  
            "Score": number  
        }  
    ],  
    "Type": "string"  
},  
],  
"ModelVersion": "string",  
"PaginationToken": "string",  
"UnmappedAttributes": [  
    {  
        "Attribute": {  
            "BeginOffset": number,  
            "Category": "string",  
            "EndOffset": number,  
            "Id": number,  
            "RelationshipScore": number,  
            "RelationshipType": "string",  
            "Score": number,  
            "Text": "string",  
            "Traits": [  
                {  
                    "Name": "string",  
                    "Score": number  
                }  
            ],  
            "Type": "string"  
        }  
    }  
]
```

```
"RelationshipScore": number,  
"RelationshipType": "string",  
"Score": number,  
"Text": "string",  
"Traits": [  
    {  
        "Name        "Scorenumber  
    }  
,  
    "Type,  
    "Type}  
]  
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Entities

The collection of medical entities extracted from the input text and their associated information. For each entity, the response provides the entity text, the entity category, where the entity text begins and ends, and the level of confidence in the detection and analysis. Attributes and traits of the entity are also returned.

Type: Array of [Entity](#) objects

### ModelVersion

The version of the model used to analyze the documents. The version number looks like X.X.X. You can use this information to track the model used for a particular batch of documents.

Type: String

Length Constraints: Minimum length of 1.

## PaginationToken

If the result to the DetectEntitiesV2 operation was truncated, include the PaginationToken to fetch the next page of entities.

Type: String

Length Constraints: Minimum length of 1.

## UnmappedAttributes

Attributes extracted from the input text that couldn't be related to an entity.

Type: Array of [UnmappedAttribute](#) objects

# Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidEncodingException**

The input text was not in valid UTF-8 character encoding. Check your text then retry your request.

HTTP Status Code: 400

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ServiceUnavailableException**

The Comprehend Medical service is temporarily unavailable. Please wait and then retry your request.

HTTP Status Code: 400

## TextSizeLimitExceeded**Exception**

The size of the text you submitted exceeds the size limit. Reduce the size of the text or use a smaller document and then retry your request.

HTTP Status Code: 400

## TooManyRequests**Exception**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DetectPHI

Inspects the clinical text for protected health information (PHI) entities and returns the entity category, location, and confidence score for each entity. Amazon Comprehend Medical only detects entities in English language texts.

## Request Syntax

```
{  
    "Text": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Text

A UTF-8 text string containing the clinical content being examined for PHI entities. Each string must contain fewer than 20,000 bytes of characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20000.

Required: Yes

## Response Syntax

```
{  
    "Entities": [  
        {  
            "Attributes": [  
                {  
                    "BeginOffset": number,  
                    "Category": "string",  
                    "EndOffset": number,  
                    "Id": number,  
                    "Text": "string"  
                }  
            ]  
        }  
    ]  
}
```

```
        "RelationshipScore": number,
        "RelationshipType": "string",
        "Score": number,
        "Text": "string",
        "Traits": [
            {
                "Name": "string",
                "Score": number
            }
        ],
        "Type": "string"
    },
    "BeginOffset": number,
    "Category": "string",
    "EndOffset": number,
    "Id": number,
    "Score": number,
    "Text": "string",
    "Traits": [
        {
            "Name": "string",
            "Score": number
        }
    ],
    "Type": "string"
}
],
"ModelVersion": "string",
"PaginationToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Entities

The collection of PHI entities extracted from the input text and their associated information. For each entity, the response provides the entity text, the entity category, where the entity text begins and ends, and the level of confidence that Comprehend Medical has in its detection.

Type: Array of [Entity](#) objects

### **ModelVersion**

The version of the model used to analyze the documents. The version number looks like X.X.X. You can use this information to track the model used for a particular batch of documents.

Type: String

Length Constraints: Minimum length of 1.

### **PaginationToken**

If the result of the previous request to DetectPHI was truncated, include the PaginationToken to fetch the next page of PHI entities.

Type: String

Length Constraints: Minimum length of 1.

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidEncodingException**

The input text was not in valid UTF-8 character encoding. Check your text then retry your request.

HTTP Status Code: 400

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

## ServiceUnavailableException

The Comprehend Medical service is temporarily unavailable. Please wait and then retry your request.

HTTP Status Code: 400

## TextSizeLimitExceededException

The size of the text you submitted exceeds the size limit. Reduce the size of the text or use a smaller document and then retry your request.

HTTP Status Code: 400

## TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# InferICD10CM

InferICD10CM detects medical conditions as entities listed in a patient record and links those entities to normalized concept identifiers in the ICD-10-CM knowledge base from the Centers for Disease Control. Amazon Comprehend Medical only detects medical entities in English language texts.

## Request Syntax

```
{  
    "Text": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Text

The input text used for analysis. The input for InferICD10CM is a string from 1 to 10000 characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: Yes

## Response Syntax

```
{  
    "Entities": [  
        {  
            "Attributes": [  
                {  
                    "BeginOffset": number,  
                    "Category": "string",  
                    "EndOffset": number,  
                    "Score": number  
                }  
            ]  
        }  
    ]  
}
```

```
        "Id": number,
        "RelationshipScore": number,
        "RelationshipType": "string",
        "Score": number,
        "Text": "string",
        "Traits": [
            {
                "Name": "string",
                "Score": number
            }
        ],
        "Type": "string"
    },
    "BeginOffset": number,
    "Category": "string",
    "EndOffset": number,
    "ICD10CMConcepts": [
        {
            "Code": "string",
            "Description": "string",
            "Score": number
        }
    ],
    "Id": number,
    "Score": number,
    "Text": "string",
    "Traits": [
        {
            "Name": "string",
            "Score": number
        }
    ],
    "Type": "string"
}
],
"ModelVersion": "string",
"PaginationToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Entities

The medical conditions detected in the text linked to ICD-10-CM concepts. If the action is successful, the service sends back an HTTP 200 response, as well as the entities detected.

Type: Array of [ICD10CMEntity](#) objects

## ModelVersion

The version of the model used to analyze the documents, in the format *n.n.n*. You can use this information to track the model used for a particular batch of documents.

Type: String

Length Constraints: Minimum length of 1.

## PaginationToken

If the result of the previous request to InferICD10CM was truncated, include the PaginationToken to fetch the next page of medical condition entities.

Type: String

Length Constraints: Minimum length of 1.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidEncodingException**

The input text was not in valid UTF-8 character encoding. Check your text then retry your request.

HTTP Status Code: 400

## InvalidRequestException

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

## ServiceUnavailableException

The Comprehend Medical service is temporarily unavailable. Please wait and then retry your request.

HTTP Status Code: 400

## TextSizeLimitExceeded**Exception**

The size of the text you submitted exceeds the size limit. Reduce the size of the text or use a smaller document and then retry your request.

HTTP Status Code: 400

## TooManyRequests**Exception**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

## InferRxNorm

InferRxNorm detects medications as entities listed in a patient record and links to the normalized concept identifiers in the RxNorm database from the National Library of Medicine. Amazon Comprehend Medical only detects medical entities in English language texts.

### Request Syntax

```
{  
    "Text": "string"  
}
```

### Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

#### Text

The input text used for analysis. The input for InferRxNorm is a string from 1 to 10000 characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: Yes

### Response Syntax

```
{  
    "Entities": [  
        {  
            "Attributes": [  
                {  
                    "BeginOffset": number,  
                    "EndOffset": number,  
                    "Id": number,  
                    "Text": "string"  
                }  
            ]  
        }  
    ]  
}
```

```
        "RelationshipScore": number,
        "Score": number,
        "Text": "string",
        "Traits": [
            {
                "Name": "string",
                "Score": number
            }
        ],
        "Type": "string"
    }
],
"BeginOffset": number,
"Category": "string",
"EndOffset": number,
"Id": number,
"RxNormConcepts": [
    {
        "Code": "string",
        "Description": "string",
        "Score": number
    }
],
"Score": number,
"Text": "string",
"Traits": [
    {
        "Name": "string",
        "Score": number
    }
],
"Type": "string"
}
],
"ModelVersion": "string",
"PaginationToken": "string
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Entities

The medication entities detected in the text linked to RxNorm concepts. If the action is successful, the service sends back an HTTP 200 response, as well as the entities detected.

Type: Array of [RxNormEntity](#) objects

## ModelVersion

The version of the model used to analyze the documents, in the format *n.n.n*. You can use this information to track the model used for a particular batch of documents.

Type: String

Length Constraints: Minimum length of 1.

## PaginationToken

If the result of the previous request to InferRxNorm was truncated, include the PaginationToken to fetch the next page of medication entities.

Type: String

Length Constraints: Minimum length of 1.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidEncodingException**

The input text was not in valid UTF-8 character encoding. Check your text then retry your request.

HTTP Status Code: 400

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ServiceUnavailableException**

The Comprehend Medical service is temporarily unavailable. Please wait and then retry your request.

HTTP Status Code: 400

### **TextSizeLimitExceededException**

The size of the text you submitted exceeds the size limit. Reduce the size of the text or use a smaller document and then retry your request.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# InferSNOMEDCT

InferSNOMEDCT detects possible medical concepts as entities and links them to codes from the Systematized Nomenclature of Medicine, Clinical Terms (SNOMED-CT) ontology.

## Request Syntax

```
{  
    "Text": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Text

The input text to be analyzed using InferSNOMEDCT. The text must be a string with 1 to 10000 characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: Yes

## Response Syntax

```
{  
    "Characters": {  
        "OriginalTextCharacters": number  
    },  
    "Entities": [  
        {  
            "Attributes": [  
                {  
                    "BeginOffset": number,  
                    "Category": "string",  
                    "EndOffset": number,  
                    "Text": "string"  
                }  
            ]  
        }  
    ]  
}
```

```
"Idnumber,
"RelationshipScorenumber,
"RelationshipTypestring",
"Scorenumber,
"SNOMEDCTConceptsCodestring",
    "Descriptionstring",
    "Scorenumber
  }
],
"Textstring",
"TraitsNamestring",
    "Scorenumber
  }
],
"Typestring
},
],
"BeginOffsetnumber,
"Categorystring",
"EndOffsetnumber,
"Idnumber,
"Scorenumber,
"SNOMEDCTConceptsCodestring",
    "Descriptionstring",
    "Scorenumber
  }
],
"Textstring",
"TraitsNamestring",
    "Scorenumber
  }
],
"Typestring
},
],
"ModelVersionstring,
```

```
"PaginationToken": "string",  
"SNOMEDCTDetails": {  
    "Editionstring",  
    "Language": "string",  
    "VersionDate": "string"  
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Characters

The number of characters in the input request documentation.

Type: [Characters](#) object

### Entities

The collection of medical concept entities extracted from the input text and their associated information. For each entity, the response provides the entity text, the entity category, where the entity text begins and ends, and the level of confidence that Comprehend Medical has in the detection and analysis. Attributes and traits of the entity are also returned.

Type: Array of [SNOMEDCTEntity](#) objects

### ModelVersion

The version of the model used to analyze the documents; must be in the format of n.n.n. You can use this information to track the model used for a particular batch of documents.

Type: String

Length Constraints: Minimum length of 1.

### PaginationToken

If the result of the request is truncated, the pagination token can be used to fetch the next page of entities.

Type: String

Length Constraints: Minimum length of 1.

## **SNOMEDCTDetails**

The details of the SNOMED-CT revision, including the edition, language, and version date.

Type: [SNOMEDCTDetails](#) object

## **Errors**

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidEncodingException**

The input text was not in valid UTF-8 character encoding. Check your text then retry your request.

HTTP Status Code: 400

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ServiceUnavailableException**

The Comprehend Medical service is temporarily unavailable. Please wait and then retry your request.

HTTP Status Code: 400

### **TextSizeLimitExceeded**

The size of the text you submitted exceeds the size limit. Reduce the size of the text or use a smaller document and then retry your request.

HTTP Status Code: 400

## TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListEntitiesDetectionV2Jobs

Gets a list of medical entity detection jobs that you have submitted.

## Request Syntax

```
{  
    "Filter": {  
        "JobName": "string",  
        "JobStatus": "string",  
        "SubmitTimeAfter": number,  
        "SubmitTimeBefore": number  
    },  
    "MaxResults": number,  
    "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filter

Filters the jobs that are returned. You can filter jobs based on their names, status, or the date and time that they were submitted. You can only set one filter at a time.

Type: [ComprehendMedicalAsyncJobFilter](#) object

Required: No

### MaxResults

The maximum number of results to return in each page. The default is 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

### NextToken

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Response Syntax

```
{  
  "ComprehendMedicalAsyncJobPropertiesList": [  
    {  
      "DataAccessRoleArn": "string",  
      "EndTime": number,  
      "ExpirationTime": number,  
      "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "JobId": "string",  
      "JobName": "string",  
      "JobStatus": "string",  
      "KMSKey": "string",  
      "LanguageCode": "string",  
      "ManifestFilePath": "string",  
      "Message": "string",  
      "ModelVersion": "string",  
      "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "SubmitTime": number  
    },  
    ],  
    "NextToken": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [ComprehendMedicalAsyncJobPropertiesList](#)

A list containing the properties of each job returned.

Type: Array of [ComprehendMedicalAsyncJobProperties](#) objects

## [NextToken](#)

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

### **ValidationException**

The filter that you specified for the operation is invalid. Check the filter values that you entered and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListICD10CMInferenceJobs

Gets a list of InferICD10CM jobs that you have submitted.

## Request Syntax

```
{  
    "Filter": {  
        "JobName": "string",  
        "JobStatus": "string",  
        "SubmitTimeAfter": number,  
        "SubmitTimeBefore": number  
    },  
    "MaxResults": number,  
    "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filter

Filters the jobs that are returned. You can filter jobs based on their names, status, or the date and time that they were submitted. You can only set one filter at a time.

Type: [ComprehendMedicalAsyncJobFilter](#) object

Required: No

### MaxResults

The maximum number of results to return in each page. The default is 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

### NextToken

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Response Syntax

```
{  
  "ComprehendMedicalAsyncJobPropertiesList": [  
    {  
      "DataAccessRoleArn": "string",  
      "EndTime": number,  
      "ExpirationTime": number,  
      "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "JobId": "string",  
      "JobName": "string",  
      "JobStatus": "string",  
      "KMSKey": "string",  
      "LanguageCode": "string",  
      "ManifestFilePath": "string",  
      "Message": "string",  
      "ModelVersion": "string",  
      "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "SubmitTime": number  
    },  
    ],  
    "NextToken": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [ComprehendMedicalAsyncJobPropertiesList](#)

A list containing the properties of each job that is returned.

Type: Array of [ComprehendMedicalAsyncJobProperties](#) objects

## [NextToken](#)

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

### **ValidationException**

The filter that you specified for the operation is invalid. Check the filter values that you entered and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListPHIDetectionJobs

Gets a list of protected health information (PHI) detection jobs that you have submitted.

## Request Syntax

```
{  
    "Filter": {  
        "JobName": "string",  
        "JobStatus": "string",  
        "SubmitTimeAfter": number,  
        "SubmitTimeBefore": number  
    },  
    "MaxResults": number,  
    "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filter

Filters the jobs that are returned. You can filter jobs based on their names, status, or the date and time that they were submitted. You can only set one filter at a time.

Type: [ComprehendMedicalAsyncJobFilter](#) object

Required: No

### MaxResults

The maximum number of results to return in each page. The default is 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

### NextToken

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Response Syntax

```
{  
  "ComprehendMedicalAsyncJobPropertiesList": [  
    {  
      "DataAccessRoleArn": "string",  
      "EndTime": number,  
      "ExpirationTime": number,  
      "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "JobId": "string",  
      "JobName": "string",  
      "JobStatus": "string",  
      "KMSKey": "string",  
      "LanguageCode": "string",  
      "ManifestFilePath": "string",  
      "Message": "string",  
      "ModelVersion": "string",  
      "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "SubmitTime": number  
    },  
    ],  
    "NextToken": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [ComprehendMedicalAsyncJobPropertiesList](#)

A list containing the properties of each job returned.

Type: Array of [ComprehendMedicalAsyncJobProperties](#) objects

## [NextToken](#)

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

### **ValidationException**

The filter that you specified for the operation is invalid. Check the filter values that you entered and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListRxNormInferenceJobs

Gets a list of InferRxNorm jobs that you have submitted.

## Request Syntax

```
{  
    "Filter": {  
        "JobName": "string",  
        "JobStatus": "string",  
        "SubmitTimeAfter": number,  
        "SubmitTimeBefore": number  
    },  
    "MaxResults": number,  
    "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filter

Filters the jobs that are returned. You can filter jobs based on their names, status, or the date and time that they were submitted. You can only set one filter at a time.

Type: [ComprehendMedicalAsyncJobFilter](#) object

Required: No

### MaxResults

Identifies the next page of results to return.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

### NextToken

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Response Syntax

```
{  
  "ComprehendMedicalAsyncJobPropertiesList": [  
    {  
      "DataAccessRoleArn": "string",  
      "EndTime": number,  
      "ExpirationTime": number,  
      "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "JobId": "string",  
      "JobName": "string",  
      "JobStatus": "string",  
      "KMSKey": "string",  
      "LanguageCode": "string",  
      "ManifestFilePath": "string",  
      "Message": "string",  
      "ModelVersion": "string",  
      "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "SubmitTime": number  
    },  
    ],  
    "NextToken": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [ComprehendMedicalAsyncJobPropertiesList](#)

The maximum number of results to return in each page. The default is 100.

Type: Array of [ComprehendMedicalAsyncJobProperties](#) objects

## [NextToken](#)

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

### **ValidationException**

The filter that you specified for the operation is invalid. Check the filter values that you entered and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSNOMEDCTInferenceJobs

Gets a list of InferSNOMEDCT jobs a user has submitted.

## Request Syntax

```
{  
    "Filter": {  
        "JobName": "string",  
        "JobStatus": "string",  
        "SubmitTimeAfter": number,  
        "SubmitTimeBefore": number  
    },  
    "MaxResults": number,  
    "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filter

Provides information for filtering a list of detection jobs.

Type: [ComprehendMedicalAsyncJobFilter](#) object

Required: No

### MaxResults

The maximum number of results to return in each page. The default is 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

### NextToken

Identifies the next page of InferSNOMEDCT results to return.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Response Syntax

```
{  
  "ComprehendMedicalAsyncJobPropertiesList": [  
    {  
      "DataAccessRoleArn": "string",  
      "EndTime": number,  
      "ExpirationTime": number,  
      "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "JobId": "string",  
      "JobName": "string",  
      "JobStatus": "string",  
      "KMSKey": "string",  
      "LanguageCode": "string",  
      "ManifestFilePath": "string",  
      "Message": "string",  
      "ModelVersion": "string",  
      "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
      },  
      "SubmitTime": number  
    },  
    ],  
    "NextToken": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [ComprehendMedicalAsyncJobPropertiesList](#)

A list containing the properties of each job that is returned.

Type: Array of [ComprehendMedicalAsyncJobProperties](#) objects

## [NextToken](#)

Identifies the next page of results to return.

Type: String

Length Constraints: Minimum length of 1.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

### **ValidationException**

The filter that you specified for the operation is invalid. Check the filter values that you entered and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartEntitiesDetectionV2Job

Starts an asynchronous medical entity detection job for a collection of documents. Use the `DescribeEntitiesDetectionV2Job` operation to track the status of a job.

## Request Syntax

```
{  
    "ClientRequestToken": "string",  
    "DataAccessRoleArn": "string",  
    "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    },  
    "JobName": "string",  
    "KMSKey": "string",  
    "LanguageCode": "string",  
    "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    }  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ClientRequestToken](#)

A unique identifier for the request. If you don't set the client request token, Comprehend Medical generates one for you.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9-]+\$

Required: No

## DataAccessRoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role that grants Comprehend Medical; read access to your input data. For more information, see [Role-Based Permissions Required for Asynchronous Operations](#).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[:]+)?:iam::[0-9]{12}:role/.+

Required: Yes

## InputDataConfig

The input configuration that specifies the format and location of the input data for the job.

Type: [InputDataConfig](#) object

Required: Yes

## JobName

The identifier of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\"]\*)\$

Required: No

## KMSKey

An AWS Key Management Service key to encrypt your output files. If you do not specify a key, the files are written in plain text.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .\*

Required: No

## LanguageCode

The language of the input documents. All documents must be in the same language. Comprehend Medical processes files in US English (en).

Type: String

Valid Values: en

Required: Yes

## OutputDataConfig

The output configuration that specifies where to send the output files.

Type: [OutputDataConfig](#) object

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### JobId

The identifier generated for the job. To get the status of a job, use this identifier with the `DescribeEntitiesDetectionV2Job` operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InternalServerError

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### InvalidRequestException

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### ResourceNotFoundException

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartICD10CMInferenceJob

Starts an asynchronous job to detect medical conditions and link them to the ICD-10-CM ontology. Use the `DescribeICD10CMInferenceJob` operation to track the status of a job.

## Request Syntax

```
{  
    "ClientRequestToken": "string",  
    "DataAccessRoleArn": "string",  
    "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    },  
    "JobName": "string",  
    "KMSKey": "string",  
    "LanguageCode": "string",  
    "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    }  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ClientRequestToken](#)

A unique identifier for the request. If you don't set the client request token, Comprehend Medical generates one.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9-]+\$

Required: No

## DataAccessRoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role that grants Comprehend Medical; read access to your input data. For more information, see [Role-Based Permissions Required for Asynchronous Operations](#).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]+)?:iam::[0-9]{12}:role/.+

Required: Yes

## InputDataConfig

Specifies the format and location of the input data for the job.

Type: [InputDataConfig](#) object

Required: Yes

## JobName

The identifier of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

Required: No

## KMSKey

An AWS Key Management Service key to encrypt your output files. If you do not specify a key, the files are written in plain text.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .\*

Required: No

### LanguageCode

The language of the input documents. All documents must be in the same language.

Type: String

Valid Values: en

Required: Yes

### OutputDataConfig

Specifies where to send the output files.

Type: [OutputDataConfig](#) object

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### JobId

The identifier generated for the job. To get the status of a job, use this identifier with the StartICD10CMInferenceJob operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartPHIDetectionJob

Starts an asynchronous job to detect protected health information (PHI). Use the `DescribePHIDetectionJob` operation to track the status of a job.

## Request Syntax

```
{  
    "ClientRequestToken": "string",  
    "DataAccessRoleArn": "string",  
    "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    },  
    "JobName": "string",  
    "KMSKey": "string",  
    "LanguageCode": "string",  
    "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    }  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ClientRequestToken](#)

A unique identifier for the request. If you don't set the client request token, Comprehend Medical generates one.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9-]+\$

Required: No

## DataAccessRoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role that grants Comprehend Medical; read access to your input data. For more information, see [Role-Based Permissions Required for Asynchronous Operations](#).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]+)?:iam::[0-9]{12}:role/.+

Required: Yes

## InputDataConfig

Specifies the format and location of the input data for the job.

Type: [InputDataConfig](#) object

Required: Yes

## JobName

The identifier of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

Required: No

## KMSKey

An AWS Key Management Service key to encrypt your output files. If you do not specify a key, the files are written in plain text.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .\*

Required: No

### LanguageCode

The language of the input documents. All documents must be in the same language.

Type: String

Valid Values: en

Required: Yes

### OutputDataConfig

Specifies where to send the output files.

Type: [OutputDataConfig](#) object

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### JobId

The identifier generated for the job. To get the status of a job, use this identifier with the [DescribePHIDetectionJob](#) operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartRxNormInferenceJob

Starts an asynchronous job to detect medication entities and link them to the RxNorm ontology. Use the `DescribeRxNormInferenceJob` operation to track the status of a job.

## Request Syntax

```
{  
    "ClientRequestToken": "string",  
    "DataAccessRoleArn": "string",  
    "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    },  
    "JobName": "string",  
    "KMSKey": "string",  
    "LanguageCode": "string",  
    "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    }  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ClientRequestToken](#)

A unique identifier for the request. If you don't set the client request token, Comprehend Medical generates one.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9-]+\$

Required: No

## DataAccessRoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role that grants Comprehend Medical; read access to your input data. For more information, see [Role-Based Permissions Required for Asynchronous Operations](#).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]+)?:iam::[0-9]{12}:role/.+

Required: Yes

## InputDataConfig

Specifies the format and location of the input data for the job.

Type: [InputDataConfig](#) object

Required: Yes

## JobName

The identifier of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

Required: No

## KMSKey

An AWS Key Management Service key to encrypt your output files. If you do not specify a key, the files are written in plain text.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .\*

Required: No

### LanguageCode

The language of the input documents. All documents must be in the same language.

Type: String

Valid Values: en

Required: Yes

### OutputDataConfig

Specifies where to send the output files.

Type: [OutputDataConfig](#) object

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### JobId

The identifier of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InternalServerError

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### InvalidRequestException

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### ResourceNotFoundException

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartSNOMEDCTInferenceJob

Starts an asynchronous job to detect medical concepts and link them to the SNOMED-CT ontology. Use the `DescribeSNOMEDCTInferenceJob` operation to track the status of a job.

## Request Syntax

```
{  
    "ClientRequestToken": "string",  
    "DataAccessRoleArn": "string",  
    "InputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    },  
    "JobName": "string",  
    "KMSKey": "string",  
    "LanguageCode": "string",  
    "OutputDataConfig": {  
        "S3Bucket": "string",  
        "S3Key": "string"  
    }  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ClientRequestToken](#)

A unique identifier for the request. If you don't set the client request token, Amazon Comprehend Medical generates one.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z0-9-]+\$

Required: No

## DataAccessRoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role that grants Amazon Comprehend Medical read access to your input data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[:]+)?:iam::[0-9]{12}:role/.+`

Required: Yes

## InputDataConfig

The input properties for an entities detection job. This includes the name of the S3 bucket and the path to the files to be analyzed.

Type: [InputDataConfig](#) object

Required: Yes

## JobName

The user generated name the asynchronous InferSNOMEDCT job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/=-\%@]*)$`

Required: No

## KMSKey

An AWS Key Management Service key used to encrypt your output files. If you do not specify a key, the files are written in plain text.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*`

Required: No

### LanguageCode

The language of the input documents. All documents must be in the same language.

Type: String

Valid Values: en

Required: Yes

### OutputDataConfig

The output properties for a detection job.

Type: [OutputDataConfig](#) object

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### JobId

The identifier generated for the job. To get the status of a job, use this identifier with the StartSNOMEDCTInferenceJob operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/=-\%@\]\*)\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### InternalServerError

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### InvalidRequestException

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### ResourceNotFoundException

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopEntitiesDetectionV2Job

Stops a medical entities detection job in progress.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier of the medical entities job to stop.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\\p{L}\\p{Z}\\p{N}\_.:/=-\\-%@]\*)\$

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## JobId

The identifier of the medical entities detection job that was stopped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\\p{L}\\p{Z}\\p{N}\_.:/=-\\-%@]\*)\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopICD10CMInferenceJob

Stops an InferICD10CM inference job in progress.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\\p{L}\\p{Z}\\p{N}\_.:/=-\\-%@]\*)\$

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## JobId

The identifier generated for the job. To get the status of job, use this identifier with the `DescribeICD10CMInferenceJob` operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/-+@\p{P}]*$)`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopPHIDetectionJob

Stops a protected health information (PHI) detection job in progress.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier of the PHI detection job to stop.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:=/=+\-\%@\]\*)\$

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## JobId

The identifier of the PHI detection job that was stopped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\\p{L}\\p{Z}\\p{N}\_.:/=-\\-%@]\*)\$

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopRxNormInferenceJob

Stops an InferRxNorm inference job in progress.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The identifier of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:=/=+\-\%@\]\*)\$

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## JobId

The identifier generated for the job. To get the status of job, use this identifier with the `DescribeRxNormInferenceJob` operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/-=%@]*)$`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopSNOMEDCTInferenceJob

Stops an InferSNOMEDCT inference job in progress.

## Request Syntax

```
{  
    "JobId": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### JobId

The job id of the asynchronous InferSNOMEDCT job to be stopped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:=/+\\-%@]\*\$

Required: Yes

## Response Syntax

```
{  
    "JobId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## JobId

The identifier generated for the job. To get the status of job, use this identifier with the `DescribeSNOMEDCTInferenceJob` operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/-=%@]*)$`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **InternalServerError**

An internal server error occurred. Retry your request.

HTTP Status Code: 500

### **InvalidRequestException**

The request that you made is invalid. Check your request to determine why it's invalid and then retry the request.

HTTP Status Code: 400

### **ResourceNotFoundException**

The resource identified by the specified Amazon Resource Name (ARN) was not found. Check the ARN and try your request again.

HTTP Status Code: 400

### **TooManyRequestsException**

You have made too many requests within a short period of time. Wait for a short time and then try your request again. Contact customer support for more information about a service limit increase.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The Amazon Comprehend Medical API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Attribute](#)
- [Characters](#)
- [ComprehendMedicalAsyncJobFilter](#)
- [ComprehendMedicalAsyncJobProperties](#)
- [Entity](#)
- [ICD10CMAttribute](#)
- [ICD10CMConcept](#)
- [ICD10CMEntity](#)
- [ICD10CMTrait](#)
- [InputDataConfig](#)
- [OutputDataConfig](#)
- [RxNormAttribute](#)
- [RxNormConcept](#)
- [RxNormEntity](#)
- [RxNormTrait](#)
- [SNOMEDCTAttribute](#)
- [SNOMEDCTConcept](#)
- [SNOMEDCTDetails](#)
- [SNOMEDCTEntity](#)
- [SNOMEDCTTrait](#)

- [Trait](#)
- [UnmappedAttribute](#)

# Attribute

An extracted segment of the text that is an attribute of an entity, or otherwise related to an entity, such as the dosage of a medication taken. It contains information about the attribute such as id, begin and end offset within the input text, and the segment of the input text.

## Contents

### BeginOffset

The 0-based character offset in the input text that shows where the attribute begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Category

The category of attribute.

Type: String

Valid Values: MEDICATION | MEDICAL\_CONDITION | PROTECTED\_HEALTH\_INFORMATION  
| TEST\_TREATMENT\_PROCEDURE | ANATOMY | TIME\_EXPRESSION |  
BEHAVIORAL\_ENVIRONMENTAL\_SOCIAL

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the attribute ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Id

The numeric identifier for this attribute. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

### **RelationshipScore**

The level of confidence that Comprehend Medical; has that this attribute is correctly related to this entity.

Type: Float

Required: No

### **RelationshipType**

The type of relationship between the entity and attribute. Type for the relationship is OVERLAP, indicating that the entity occurred at the same time as the Date\_Expression.

Type: String

Valid Values: EVERY | WITH\_DOSAGE | ADMINISTERED\_VIA | FOR | NEGATIVE | OVERLAP | DOSAGE | ROUTE\_OR\_MODE | FORM | FREQUENCY | DURATION | STRENGTH | RATE | ACUITY | TEST\_VALUE | TEST\_UNITS | TEST\_UNIT | DIRECTION | SYSTEM\_ORGAN\_SITE | AMOUNT | USAGE | QUALITY

Required: No

### **Score**

The level of confidence that Comprehend Medical; has that the segment of text is correctly recognized as an attribute.

Type: Float

Required: No

### **Text**

The segment of input text extracted as this attribute.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Traits

Contextual information for this attribute.

Type: Array of [Trait](#) objects

Required: No

## Type

The type of attribute.

Type: String

Valid Values: NAME | DX\_NAME | DOSAGE | ROUTE\_OR\_MODE | FORM | FREQUENCY | DURATION | GENERIC\_NAME | BRAND\_NAME | STRENGTH | RATE | ACUTITY | TEST\_NAME | TEST\_VALUE | TEST\_UNITS | TEST\_UNIT | PROCEDURE\_NAME | TREATMENT\_NAME | DATE | AGE | CONTACT\_POINT | PHONE\_OR\_FAX | EMAIL | IDENTIFIER | ID | URL | ADDRESS | PROFESSION | SYSTEM\_ORGAN\_SITE | DIRECTION | QUALITY | QUANTITY | TIME\_EXPRESSION | TIME\_TO\_MEDICATION\_NAME | TIME\_TO\_DX\_NAME | TIME\_TO\_TEST\_NAME | TIME\_TO\_PROCEDURE\_NAME | TIME\_TO\_TREATMENT\_NAME | AMOUNT | GENDER | RACE\_ETHNICITY | ALLERGIES | TOBACCO\_USE | ALCOHOL\_CONSUMPTION | REC\_DRUG\_USE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Characters

The number of characters in the input text to be analyzed.

## Contents

### OriginalTextCharacters

The number of characters present in the input text document as processed by Comprehend Medical.

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComprehendMedicalAsyncJobFilter

Provides information for filtering a list of detection jobs.

## Contents

### JobName

Filters on the name of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-+@\"]\*)\$

Required: No

### JobStatus

Filters the list of jobs based on job status. Returns only jobs with the specified status.

Type: String

Valid Values: SUBMITTED | IN\_PROGRESS | COMPLETED | PARTIAL\_SUCCESS | FAILED  
| STOP\_REQUESTED | STOPPED

Required: No

### SubmitTimeAfter

Filters the list of jobs based on the time that the job was submitted for processing. Returns only jobs submitted after the specified time. Jobs are returned in descending order, newest to oldest.

Type: Timestamp

Required: No

### SubmitTimeBefore

Filters the list of jobs based on the time that the job was submitted for processing. Returns only jobs submitted before the specified time. Jobs are returned in ascending order, oldest to newest.

Type: **Timestamp**

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComprehendMedicalAsyncJobProperties

Provides information about a detection job.

## Contents

### DataAccessRoleArn

The Amazon Resource Name (ARN) that gives Comprehend Medical; read access to your input data.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^:]+)?:iam::[0-9]{12}:role/.+`

Required: No

### EndTime

The time that the detection job completed.

Type: Timestamp

Required: No

### ExpirationTime

The date and time that job metadata is deleted from the server. Output files in your S3 bucket will not be deleted. After the metadata is deleted, the job will no longer appear in the results of the `ListEntitiesDetectionV2Job` or the `ListPHIDetectionJobs` operation.

Type: Timestamp

Required: No

### InputDataConfig

The input data configuration that you supplied when you created the detection job.

Type: [InputDataConfig](#) object

Required: No

**JobId**

The identifier assigned to the detection job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-@]\*)\$

Required: No

**JobName**

The name that you assigned to the detection job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: ^([\p{L}\p{Z}\p{N}\_.:/-@]\*)\$

Required: No

**JobStatus**

The current status of the detection job. If the status is FAILED, the Message field shows the reason for the failure.

Type: String

Valid Values: SUBMITTED | IN\_PROGRESS | COMPLETED | PARTIAL\_SUCCESS | FAILED | STOP\_REQUESTED | STOPPED

Required: No

**KMSKey**

The AWS Key Management Service key, if any, used to encrypt the output files.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .\*

Required: No

### **LanguageCode**

The language code of the input documents.

Type: String

Valid Values: en

Required: No

### **ManifestFilePath**

The path to the file that describes the results of a batch job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: No

### **Message**

A description of the status of a job.

Type: String

Required: No

### **ModelVersion**

The version of the model used to analyze the documents. The version number looks like X.X.X. You can use this information to track the model used for a particular batch of documents.

Type: String

Required: No

### **OutputDataConfig**

The output data configuration that you supplied when you created the detection job.

Type: [OutputDataConfig](#) object

Required: No

## SubmitTime

The time that the detection job was submitted for processing.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Entity

Provides information about an extracted medical entity.

## Contents

### Attributes

The extracted attributes that relate to this entity.

Type: Array of [Attribute](#) objects

Required: No

### BeginOffset

The 0-based character offset in the input text that shows where the entity begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Category

The category of the entity.

Type: String

Valid Values: MEDICATION | MEDICAL\_CONDITION | PROTECTED\_HEALTH\_INFORMATION  
| TEST\_TREATMENT\_PROCEDURE | ANATOMY | TIME\_EXPRESSION |  
BEHAVIORAL\_ENVIRONMENTAL\_SOCIAL

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the entity ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

**Id**

The numeric identifier for the entity. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

**Score**

The level of confidence that Comprehend Medical has in the accuracy of the detection.

Type: Float

Required: No

**Text**

The segment of input text extracted as this entity.

Type: String

Length Constraints: Minimum length of 1.

Required: No

**Traits**

Contextual information for the entity.

Type: Array of [Trait](#) objects

Required: No

**Type**

Describes the specific type of entity with category of entities.

Type: String

Valid Values: NAME | DX\_NAME | DOSAGE | ROUTE\_OR\_MODE | FORM | FREQUENCY | DURATION | GENERIC\_NAME | BRAND\_NAME | STRENGTH | RATE | ACUITY | TEST\_NAME | TEST\_VALUE | TEST\_UNITS | TEST\_UNIT | PROCEDURE\_NAME | TREATMENT\_NAME | DATE | AGE | CONTACT\_POINT |

PHONE\_OR\_FAX | EMAIL | IDENTIFIER | ID | URL | ADDRESS | PROFESSION |  
SYSTEM\_ORGAN\_SITE | DIRECTION | QUALITY | QUANTITY | TIME\_EXPRESSION  
| TIME\_TO\_MEDICATION\_NAME | TIME\_TO\_DX\_NAME | TIME\_TO\_TEST\_NAME |  
TIME\_TO\_PROCEDURE\_NAME | TIME\_TO\_TREATMENT\_NAME | AMOUNT | GENDER  
| RACE\_ETHNICITY | ALLERGIES | TOBACCO\_USE | ALCOHOL\_CONSUMPTION |  
REC\_DRUG\_USE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ICD10CMAttribute

The detected attributes that relate to an entity. This includes an extracted segment of the text that is an attribute of an entity, or otherwise related to an entity. InferICD10CM detects the following attributes: Direction, System, Organ or Site, and Acuity.

## Contents

### BeginOffset

The 0-based character offset in the input text that shows where the attribute begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Category

The category of attribute. Can be either of DX\_NAME or TIME\_EXPRESSION.

Type: String

Valid Values: DX\_NAME | TIME\_EXPRESSION

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the attribute ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Id

The numeric identifier for this attribute. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

## **RelationshipScore**

The level of confidence that Amazon Comprehend Medical has that this attribute is correctly related to this entity.

Type: Float

Required: No

## **RelationshipType**

The type of relationship between the entity and attribute. Type for the relationship can be either of OVERLAP or SYSTEM\_ORGAN\_SITE.

Type: String

Valid Values: OVERLAP | SYSTEM\_ORGAN\_SITE | QUALITY

Required: No

## **Score**

The level of confidence that Amazon Comprehend Medical has that the segment of text is correctly recognized as an attribute.

Type: Float

Required: No

## **Text**

The segment of input text which contains the detected attribute.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## **Traits**

The contextual information for the attribute. The traits recognized by InferICD10CM are DIAGNOSIS, SIGN, SYMPTOM, and NEGATION.

Type: Array of [ICD10CMTrait](#) objects

Required: No

## Type

The type of attribute. InferICD10CM detects entities of the type DX\_NAME.

Type: String

Valid Values: ACUITY | DIRECTION | SYSTEM\_ORGAN\_SITE | QUALITY | QUANTITY | TIME\_TO\_DX\_NAME | TIME\_EXPRESSION

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ICD10CMConcept

The ICD-10-CM concepts that the entity could refer to, along with a score indicating the likelihood of the match.

## Contents

### Code

The ICD-10-CM code that identifies the concept found in the knowledge base from the Centers for Disease Control.

Type: String

Length Constraints: Minimum length of 1.

Required: No

### Description

The long description of the ICD-10-CM code in the ontology.

Type: String

Length Constraints: Minimum length of 1.

Required: No

### Score

The level of confidence that Amazon Comprehend Medical has that the entity is accurately linked to an ICD-10-CM concept.

Type: Float

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ICD10CMEntity

The collection of medical entities extracted from the input text and their associated information. For each entity, the response provides the entity text, the entity category, where the entity text begins and ends, and the level of confidence that Amazon Comprehend Medical has in the detection and analysis. Attributes and traits of the entity are also returned.

## Contents

### Attributes

The detected attributes that relate to the entity. An extracted segment of the text that is an attribute of an entity, or otherwise related to an entity, such as the nature of a medical condition.

Type: Array of [ICD10CMAttribute](#) objects

Required: No

### BeginOffset

The 0-based character offset in the input text that shows where the entity begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Category

The category of the entity. InferICD10CM detects entities in the MEDICAL\_CONDITION category.

Type: String

Valid Values: MEDICAL\_CONDITION

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the entity ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### **ICD10CMConcepts**

The ICD-10-CM concepts that the entity could refer to, along with a score indicating the likelihood of the match.

Type: Array of [ICD10CMConcept](#) objects

Required: No

### **Id**

The numeric identifier for the entity. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

### **Score**

The level of confidence that Amazon Comprehend Medical has in the accuracy of the detection.

Type: Float

Required: No

### **Text**

The segment of input text that is matched to the detected entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

### **Traits**

Provides Contextual information for the entity. The traits recognized by InferICD10CM are DIAGNOSIS, SIGN, SYMPTOM, and NEGATION.

Type: Array of [ICD10CMTrait](#) objects

Required: No

## Type

Describes the specific type of entity with category of entities. InferICD10CM detects entities of the type DX\_NAME and TIME\_EXPRESSION.

Type: String

Valid Values: DX\_NAME | TIME\_EXPRESSION

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ICD10CMTrait

Contextual information for the entity. The traits recognized by InferICD10CM are DIAGNOSIS, SIGN, SYMPTOM, and NEGATION.

## Contents

### Name

Provides a name or contextual description about the trait.

Type: String

Valid Values: NEGATION | DIAGNOSIS | SIGN | SYMPTOM | PERTAINS\_TO\_FAMILY | HYPOTHETICAL | LOW\_CONFIDENCE

Required: No

### Score

The level of confidence that Comprehend Medical; has that the segment of text is correctly recognized as a trait.

Type: Float

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# InputDataConfig

The input properties for an entities detection job. This includes the name of the S3 bucket and the path to the files to be analyzed.

## Contents

### S3Bucket

The URI of the S3 bucket that contains the input data. The bucket must be in the same region as the API endpoint that you are calling.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: ^[0-9a-z\.\-\\_]\*(?!\. )\$

Required: Yes

### S3Key

The path to the input data files in the S3 bucket.

Type: String

Length Constraints: Maximum length of 1024.

Pattern: . \*

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OutputDataConfig

The output properties for a detection job.

## Contents

### S3Bucket

When you use the `OutputDataConfig` object with asynchronous operations, you specify the Amazon S3 location where you want to write the output data. The URI must be in the same region as the API endpoint that you are calling. The location is used as the prefix for the actual location of the output.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[0-9a-z\.\-_]*(?:\.\.)$`

Required: Yes

### S3Key

The path to the output data files in the S3 bucket. Comprehend Medical creates an output directory using the job ID so that the output from one job does not overwrite the output of another.

Type: String

Length Constraints: Maximum length of 1024.

Pattern: `.*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RxNormAttribute

The extracted attributes that relate to this entity. The attributes recognized by InferRxNorm are DOSAGE, DURATION, FORM, FREQUENCY, RATE, ROUTE\_OR\_MODE.

## Contents

### BeginOffset

The 0-based character offset in the input text that shows where the attribute begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the attribute ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Id

The numeric identifier for this attribute. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

### RelationshipScore

The level of confidence that Amazon Comprehend Medical has that the attribute is accurately linked to an entity.

Type: Float

Required: No

## Score

The level of confidence that Comprehend Medical has that the segment of text is correctly recognized as an attribute.

Type: Float

Required: No

## Text

The segment of input text which corresponds to the detected attribute.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Traits

Contextual information for the attribute. InferRxNorm recognizes the trait NEGATION for attributes, i.e. that the patient is not taking a specific dose or form of a medication.

Type: Array of [RxNormTrait](#) objects

Required: No

## Type

The type of attribute. The types of attributes recognized by InferRxNorm are BRAND\_NAME and GENERIC\_NAME.

Type: String

Valid Values: DOSAGE | DURATION | FORM | FREQUENCY | RATE | ROUTE\_OR\_MODE | STRENGTH

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RxNormConcept

The RxNorm concept that the entity could refer to, along with a score indicating the likelihood of the match.

## Contents

### Code

RxNorm concept ID, also known as the RxCUI.

Type: String

Length Constraints: Minimum length of 1.

Required: No

### Description

The description of the RxNorm concept.

Type: String

Length Constraints: Minimum length of 1.

Required: No

### Score

The level of confidence that Amazon Comprehend Medical has that the entity is accurately linked to the reported RxNorm concept.

Type: Float

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RxNormEntity

The collection of medical entities extracted from the input text and their associated information. For each entity, the response provides the entity text, the entity category, where the entity text begins and ends, and the level of confidence that Amazon Comprehend Medical has in the detection and analysis. Attributes and traits of the entity are also returned.

## Contents

### Attributes

The extracted attributes that relate to the entity. The attributes recognized by InferRxNorm are DOSAGE, DURATION, FORM, FREQUENCY, RATE, ROUTE\_OR\_MODE, and STRENGTH.

Type: Array of [RxNormAttribute](#) objects

Required: No

### BeginOffset

The 0-based character offset in the input text that shows where the entity begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Category

The category of the entity.

Type: String

Valid Values: MEDICATION

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the entity ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

## Id

The numeric identifier for the entity. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

## RxNormConcepts

The RxNorm concepts that the entity could refer to, along with a score indicating the likelihood of the match.

Type: Array of [RxNormConcept](#) objects

Required: No

## Score

The level of confidence that Amazon Comprehend Medical has in the accuracy of the detected entity.

Type: Float

Required: No

## Text

The segment of input text extracted from which the entity was detected.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Traits

Contextual information for the entity.

Type: Array of [RxNormTrait](#) objects

Required: No

## Type

Describes the specific type of entity.

Type: String

Valid Values: BRAND\_NAME | GENERIC\_NAME

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RxNormTrait

The contextual information for the entity. InferRxNorm recognizes the trait NEGATION, which is any indication that the patient is not taking a medication.

## Contents

### Name

Provides a name or contextual description about the trait.

Type: String

Valid Values: NEGATION | PAST\_HISTORY

Required: No

### Score

The level of confidence that Amazon Comprehend Medical has in the accuracy of the detected trait.

Type: Float

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SNOMEDCTAttribute

The extracted attributes that relate to an entity. An extracted segment of the text that is an attribute of an entity, or otherwise related to an entity, such as the dosage of a medication taken.

## Contents

### BeginOffset

The 0-based character offset in the input text that shows where the attribute begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Category

The category of the detected attribute. Possible categories include MEDICAL\_CONDITION, ANATOMY, and TEST\_TREATMENT\_PROCEDURE.

Type: String

Valid Values: MEDICAL\_CONDITION | ANATOMY | TEST\_TREATMENT\_PROCEDURE

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the attribute ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Id

The numeric identifier for this attribute. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

## **RelationshipScore**

The level of confidence that Comprehend Medical has that this attribute is correctly related to this entity.

Type: Float

Required: No

## **RelationshipType**

The type of relationship that exists between the entity and the related attribute.

Type: String

Valid Values: ACUITY | QUALITY | TEST\_VALUE | TEST\_UNITS | DIRECTION | SYSTEM\_ORGAN\_SITE | TEST\_UNIT

Required: No

## **Score**

The level of confidence that Comprehend Medical has that the segment of text is correctly recognized as an attribute.

Type: Float

Required: No

## **SNOMEDCTConcepts**

The SNOMED-CT concepts specific to an attribute, along with a score indicating the likelihood of the match.

Type: Array of [SNOMEDCTConcept](#) objects

Required: No

## **Text**

The segment of input text extracted as this attribute.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## Traits

Contextual information for an attribute. Examples include signs, symptoms, diagnosis, and negation.

Type: Array of [SNOMEDCTTrait](#) objects

Required: No

## Type

The type of attribute. Possible types include DX\_NAME, ACUITY, DIRECTION, SYSTEM\_ORGAN\_SITE, TEST\_NAME, TEST\_VALUE, TEST\_UNIT, PROCEDURE\_NAME, and TREATMENT\_NAME.

Type: String

Valid Values: ACUITY | QUALITY | DIRECTION | SYSTEM\_ORGAN\_SITE | TEST\_VALUE  
| TEST\_UNIT

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SNOMEDCTConcept

The SNOMED-CT concepts that the entity could refer to, along with a score indicating the likelihood of the match.

## Contents

### Code

The numeric ID for the SNOMED-CT concept.

Type: String

Length Constraints: Minimum length of 1.

Required: No

### Description

The description of the SNOMED-CT concept.

Type: String

Length Constraints: Minimum length of 1.

Required: No

### Score

The level of confidence Comprehend Medical has that the entity should be linked to the identified SNOMED-CT concept.

Type: Float

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SNOMEDCTDetails

The information about the revision of the SNOMED-CT ontology in the response. Specifically, the details include the SNOMED-CT edition, language, and version date.

## Contents

### Edition

The edition of SNOMED-CT used. The edition used for the InferSNOMEDCT editions is the US edition.

Type: String

Length Constraints: Minimum length of 1.

Required: No

### Language

The language used in the SNOMED-CT ontology. All Amazon Comprehend Medical operations are US English (en).

Type: String

Length Constraints: Minimum length of 1.

Required: No

### VersionDate

The version date of the SNOMED-CT ontology used.

Type: String

Length Constraints: Minimum length of 1.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SNOMEDCTEntity

The collection of medical entities extracted from the input text and their associated information. For each entity, the response provides the entity text, the entity category, where the entity text begins and ends, and the level of confidence that Comprehend Medical has in the detection and analysis. Attributes and traits of the entity are also returned.

## Contents

### Attributes

An extracted segment of the text that is an attribute of an entity, or otherwise related to an entity, such as the dosage of a medication taken.

Type: Array of [SNOMEDCTAttribute](#) objects

Required: No

### BeginOffset

The 0-based character offset in the input text that shows where the entity begins. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

### Category

The category of the detected entity. Possible categories are MEDICAL\_CONDITION, ANATOMY, or TEST\_TREATMENT\_PROCEDURE.

Type: String

Valid Values: MEDICAL\_CONDITION | ANATOMY | TEST\_TREATMENT\_PROCEDURE

Required: No

### EndOffset

The 0-based character offset in the input text that shows where the entity ends. The offset returns the UTF-8 code point in the string.

Type: Integer

Required: No

## Id

The numeric identifier for the entity. This is a monotonically increasing id unique within this response rather than a global unique identifier.

Type: Integer

Required: No

## Score

The level of confidence that Comprehend Medical has in the accuracy of the detected entity.

Type: Float

Required: No

## SNOMEDCTConcepts

The SNOMED concepts that the entity could refer to, along with a score indicating the likelihood of the match.

Type: Array of [SNOMEDCTConcept](#) objects

Required: No

## Text

The segment of input text extracted as this entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Traits

Contextual information for the entity.

Type: Array of [SNOMEDCTTrait](#) objects

Required: No

## Type

Describes the specific type of entity with category of entities. Possible types include DX\_NAME, ACUITY, DIRECTION, SYSTEM\_ORGAN\_SITE, TEST\_NAME, TEST\_VALUE, TEST\_UNIT, PROCEDURE\_NAME, or TREATMENT\_NAME.

Type: String

Valid Values: DX\_NAME | TEST\_NAME | PROCEDURE\_NAME | TREATMENT\_NAME

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SNOMEDCTTrait

Contextual information for an entity.

## Contents

### Name

The name or contextual description of a detected trait.

Type: String

Valid Values: NEGATION | DIAGNOSIS | SIGN | SYMPTOM | PERTAINS\_TO\_FAMILY | HYPOTHETICAL | LOW\_CONFIDENCE | PAST\_HISTORY | FUTURE

Required: No

### Score

The level of confidence that Comprehend Medical has in the accuracy of a detected trait.

Type: Float

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Trait

Provides contextual information about the extracted entity.

## Contents

### Name

Provides a name or contextual description about the trait.

Type: String

Valid Values: SIGN | SYMPTOM | DIAGNOSIS | NEGATION | PERTAINS\_TO\_FAMILY | HYPOTHETICAL | LOW\_CONFIDENCE | PAST\_HISTORY | FUTURE

Required: No

### Score

The level of confidence that Comprehend Medical has in the accuracy of this trait.

Type: Float

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UnmappedAttribute

An attribute that was extracted, but Comprehend Medical; was unable to relate to an entity.

## Contents

### Attribute

The specific attribute that has been extracted but not mapped to an entity.

Type: [Attribute](#) object

Required: No

### Type

The type of the unmapped attribute, could be one of the following values: "MEDICATION", "MEDICAL\_CONDITION", "ANATOMY", "TEST\_AND\_TREATMENT\_PROCEDURE" or "PROTECTED\_HEALTH\_INFORMATION".

Type: String

Valid Values: MEDICATION | MEDICAL\_CONDITION | PROTECTED\_HEALTH\_INFORMATION | TEST\_TREATMENT\_PROCEDURE | ANATOMY | TIME\_EXPRESSION | BEHAVIORAL\_ENVIRONMENTAL\_SOCIAL

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request").

The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

#### X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

#### X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

#### X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 400

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 400

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **InvalidAction**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

## **InvalidClientTokenId**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **NotAuthorized**

You do not have permission to perform this action.

HTTP Status Code: 400

## **OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

## **RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

## **ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

## **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

## **ValidationException**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400