



API Reference

Amazon FSx



Amazon FSx: API Reference

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Amazon FSx API Reference	1
API endpoints	1
API Version	3
Related Topics	3
Amazon FSx Forums	3
Actions	4
AssociateFileSystemAliases	6
Request Syntax	6
Request Parameters	6
Response Syntax	7
Response Elements	8
Errors	8
See Also	9
CancelDataRepositoryTask	10
Request Syntax	10
Request Parameters	10
Response Syntax	10
Response Elements	11
Errors	11
Examples	12
See Also	13
CopyBackup	14
Request Syntax	14
Request Parameters	15
Response Syntax	17
Response Elements	31
Errors	31
See Also	33
CopySnapshotAndUpdateVolume	34
Request Syntax	34
Request Parameters	34
Response Syntax	36
Response Elements	43
Errors	44

See Also	44
CreateAndAttachS3AccessPoint	46
Request Syntax	46
Request Parameters	47
Response Syntax	48
Response Elements	49
Errors	49
See Also	50
CreateBackup	52
Request Syntax	53
Request Parameters	53
Response Syntax	54
Response Elements	68
Errors	68
See Also	70
CreateDataRepositoryAssociation	71
Request Syntax	71
Request Parameters	72
Response Syntax	74
Response Elements	75
Errors	76
See Also	77
CreateDataRepositoryTask	78
Request Syntax	78
Request Parameters	79
Response Syntax	82
Response Elements	83
Errors	83
Examples	84
See Also	85
CreateFileCache	87
Request Syntax	87
Request Parameters	88
Response Syntax	91
Response Elements	92
Errors	93

See Also	94
CreateFileSystem	95
Request Syntax	96
Request Parameters	99
Response Syntax	104
Response Elements	111
Errors	111
See Also	113
CreateFileSystemFromBackup	114
Request Syntax	114
Request Parameters	117
Response Syntax	122
Response Elements	128
Errors	129
See Also	130
CreateSnapshot	132
Request Syntax	132
Request Parameters	133
Response Syntax	134
Response Elements	140
Errors	141
See Also	141
CreateStorageVirtualMachine	143
Request Syntax	143
Request Parameters	143
Response Syntax	145
Response Elements	147
Errors	147
See Also	148
CreateVolume	149
Request Syntax	149
Request Parameters	151
Response Syntax	152
Response Elements	159
Errors	159
Examples	160

See Also	162
CreateVolumeFromBackup	163
Request Syntax	163
Request Parameters	164
Response Syntax	165
Response Elements	172
Errors	172
See Also	174
DeleteBackup	175
Request Syntax	175
Request Parameters	175
Response Syntax	176
Response Elements	176
Errors	177
See Also	178
DeleteDataRepositoryAssociation	179
Request Syntax	179
Request Parameters	179
Response Syntax	180
Response Elements	180
Errors	181
See Also	182
DeleteFileCache	183
Request Syntax	183
Request Parameters	183
Response Syntax	184
Response Elements	184
Errors	185
See Also	185
DeleteFileSystem	187
Request Syntax	188
Request Parameters	189
Response Syntax	190
Response Elements	191
Errors	192
See Also	193

DeleteSnapshot	194
Request Syntax	194
Request Parameters	194
Response Syntax	195
Response Elements	195
Errors	195
See Also	196
DeleteStorageVirtualMachine	197
Request Syntax	197
Request Parameters	197
Response Syntax	198
Response Elements	198
Errors	198
See Also	199
DeleteVolume	200
Request Syntax	200
Request Parameters	200
Response Syntax	201
Response Elements	202
Errors	202
See Also	203
DescribeBackups	205
Request Syntax	205
Request Parameters	206
Response Syntax	207
Response Elements	221
Errors	221
See Also	222
DescribeDataRepositoryAssociations	224
Request Syntax	224
Request Parameters	224
Response Syntax	226
Response Elements	227
Errors	227
See Also	228
DescribeDataRepositoryTasks	230

Request Syntax	230
Request Parameters	230
Response Syntax	232
Response Elements	233
Errors	233
Examples	234
See Also	235
DescribeFileCaches	237
Request Syntax	237
Request Parameters	237
Response Syntax	238
Response Elements	239
Errors	240
See Also	240
DescribeFileSystemAliases	242
Request Syntax	242
Request Parameters	242
Response Syntax	243
Response Elements	244
Errors	244
See Also	245
DescribeFileSystems	246
Request Syntax	246
Request Parameters	246
Response Syntax	247
Response Elements	254
Errors	255
See Also	255
DescribeS3AccessPointAttachments	257
Request Syntax	257
Request Parameters	257
Response Syntax	258
Response Elements	259
Errors	260
See Also	260
DescribeSharedVpcConfiguration	262

Response Syntax	262
Response Elements	262
Errors	262
See Also	263
DescribeSnapshots	264
Request Syntax	264
Request Parameters	265
Response Syntax	266
Response Elements	273
Errors	273
See Also	274
DescribeStorageVirtualMachines	275
Request Syntax	275
Request Parameters	275
Response Syntax	276
Response Elements	278
Errors	278
Examples	279
See Also	279
DescribeVolumes	281
Request Syntax	281
Request Parameters	281
Response Syntax	282
Response Elements	289
Errors	290
See Also	290
DetachAndDeleteS3AccessPoint	291
Request Syntax	291
Request Parameters	291
Response Syntax	292
Response Elements	292
Errors	292
See Also	293
DisassociateFileSystemAliases	295
Request Syntax	295
Request Parameters	295

Response Syntax	296
Response Elements	296
Errors	297
See Also	297
ListTagsForResource	299
Request Syntax	299
Request Parameters	299
Response Syntax	300
Response Elements	301
Errors	301
See Also	302
ReleaseFileSystemNfsV3Locks	304
Request Syntax	304
Request Parameters	304
Response Syntax	305
Response Elements	311
Errors	312
See Also	312
RestoreVolumeFromSnapshot	314
Request Syntax	314
Request Parameters	314
Response Syntax	315
Response Elements	322
Errors	323
See Also	323
StartMisconfiguredStateRecovery	325
Request Syntax	325
Request Parameters	325
Response Syntax	326
Response Elements	332
Errors	333
See Also	333
TagResource	334
Request Syntax	334
Request Parameters	334
Response Elements	335

Errors	335
See Also	336
UntagResource	337
Request Syntax	337
Request Parameters	337
Response Elements	338
Errors	338
See Also	338
UpdateDataRepositoryAssociation	340
Request Syntax	340
Request Parameters	340
Response Syntax	341
Response Elements	342
Errors	343
See Also	344
UpdateFileCache	345
Request Syntax	345
Request Parameters	345
Response Syntax	346
Response Elements	347
Errors	347
See Also	348
UpdateFileSystem	349
Request Syntax	350
Request Parameters	353
Response Syntax	356
Response Elements	362
Errors	363
See Also	364
UpdateSharedVpcConfiguration	365
Request Syntax	365
Request Parameters	365
Response Syntax	366
Response Elements	366
Errors	366
See Also	367

UpdateSnapshot	368
Request Syntax	368
Request Parameters	368
Response Syntax	369
Response Elements	376
Errors	376
See Also	376
UpdateStorageVirtualMachine	378
Request Syntax	378
Request Parameters	378
Response Syntax	379
Response Elements	380
Errors	381
Examples	382
See Also	382
UpdateVolume	383
Request Syntax	383
Request Parameters	384
Response Syntax	386
Response Elements	392
Errors	393
Examples	393
See Also	394
Data Types	395
ActiveDirectoryBackupAttributes	400
Contents	400
See Also	401
AdministrativeAction	402
Contents	402
See Also	406
AdministrativeActionFailureDetails	407
Contents	407
See Also	407
AggregateConfiguration	408
Contents	408
See Also	409

Alias	410
Contents	410
See Also	411
AutocommitPeriod	412
Contents	412
See Also	412
AutoExportPolicy	414
Contents	414
See Also	414
AutoImportPolicy	416
Contents	416
See Also	416
Backup	418
Contents	418
See Also	422
BackupFailureDetails	423
Contents	423
See Also	423
CompletionReport	424
Contents	424
See Also	425
CreateAggregateConfiguration	426
Contents	426
See Also	426
CreateAndAttachS3AccessPointOpenZFSConfiguration	428
Contents	428
See Also	428
CreateAndAttachS3AccessPointS3Configuration	429
Contents	429
See Also	429
CreateFileCacheLustreConfiguration	430
Contents	430
See Also	431
CreateFileSystemLustreConfiguration	432
Contents	432
See Also	439

CreateFileSystemLustreMetadataConfiguration	441
Contents	441
See Also	442
CreateFileSystemOntapConfiguration	443
Contents	443
See Also	448
CreateFileSystemOpenZFSConfiguration	449
Contents	449
See Also	453
CreateFileSystemWindowsConfiguration	454
Contents	454
See Also	458
CreateOntapVolumeConfiguration	459
Contents	459
See Also	463
CreateOpenZFSOriginSnapshotConfiguration	464
Contents	464
See Also	465
CreateOpenZFSVolumeConfiguration	466
Contents	466
See Also	469
CreateSnaplockConfiguration	470
Contents	470
See Also	471
CreateSvmActiveDirectoryConfiguration	473
Contents	473
See Also	473
DataRepositoryAssociation	474
Contents	474
See Also	480
DataRepositoryConfiguration	481
Contents	481
See Also	483
DataRepositoryFailureDetails	484
Contents	484
See Also	484

DataRepositoryTask	485
Contents	485
See Also	490
DataRepositoryTaskFailureDetails	491
Contents	491
See Also	491
DataRepositoryTaskFilter	492
Contents	492
See Also	492
DataRepositoryTaskStatus	494
Contents	494
See Also	495
DeleteFileSystemLustreConfiguration	496
Contents	496
See Also	496
DeleteFileSystemLustreResponse	498
Contents	498
See Also	498
DeleteFileSystemOpenZFSConfiguration	499
Contents	499
See Also	500
DeleteFileSystemOpenZFSResponse	501
Contents	501
See Also	501
DeleteFileSystemWindowsConfiguration	502
Contents	502
See Also	502
DeleteFileSystemWindowsResponse	503
Contents	503
See Also	503
DeleteVolumeOntapConfiguration	504
Contents	504
See Also	504
DeleteVolumeOntapResponse	506
Contents	506
See Also	506

DeleteVolumeOpenZFSConfiguration	507
Contents	507
See Also	507
DisklopsConfiguration	508
Contents	508
See Also	508
DurationSinceLastAccess	510
Contents	510
See Also	511
FileCache	512
Contents	512
See Also	516
FileCacheCreating	517
Contents	517
See Also	521
FileCacheDataRepositoryAssociation	523
Contents	523
See Also	525
FileCacheFailureDetails	526
Contents	526
See Also	526
FileCacheLustreConfiguration	527
Contents	527
See Also	528
FileCacheLustreMetadataConfiguration	529
Contents	529
See Also	529
FileCacheNFSConfiguration	530
Contents	530
See Also	530
FileSystem	532
Contents	532
See Also	538
FileSystemEndpoint	539
Contents	539
See Also	539

FileSystemEndpoints	541
Contents	541
See Also	541
FileSystemFailureDetails	542
Contents	542
See Also	542
FileSystemLustreMetadataConfiguration	543
Contents	543
See Also	543
Filter	545
Contents	545
See Also	545
LifecycleTransitionReason	546
Contents	546
See Also	546
LustreFileSystemConfiguration	547
Contents	547
See Also	551
LustreLogConfiguration	553
Contents	553
See Also	553
LustreLogCreateConfiguration	555
Contents	555
See Also	556
LustreReadCacheConfiguration	557
Contents	557
See Also	558
LustreRootSquashConfiguration	559
Contents	559
See Also	560
NFSDataRepositoryConfiguration	561
Contents	561
See Also	562
OntapFileSystemConfiguration	563
Contents	563
See Also	567

OntapVolumeConfiguration	568
Contents	568
See Also	572
OpenZFSClientConfiguration	573
Contents	573
See Also	574
OpenZFSCreateRootVolumeConfiguration	575
Contents	575
See Also	576
OpenZFSFileSystemConfiguration	578
Contents	578
See Also	582
OpenZFSFileSystemIdentity	583
Contents	583
See Also	583
OpenZFSNfsExport	584
Contents	584
See Also	584
OpenZFSOriginSnapshotConfiguration	585
Contents	585
See Also	586
OpenZFSPosixFileSystemUser	587
Contents	587
See Also	587
OpenZFSReadCacheConfiguration	589
Contents	589
See Also	589
OpenZFSUserOrGroupQuota	591
Contents	591
See Also	591
OpenZFSVolumeConfiguration	593
Contents	593
See Also	598
ReleaseConfiguration	599
Contents	599
See Also	599

RetentionPeriod	601
Contents	601
See Also	602
S3AccessPoint	603
Contents	603
See Also	603
S3AccessPointAttachment	605
Contents	605
See Also	606
S3AccessPointAttachmentsFilter	607
Contents	607
See Also	607
S3AccessPointOpenZFSConfiguration	608
Contents	608
See Also	608
S3AccessPointVpcConfiguration	609
Contents	609
See Also	609
S3DataRepositoryConfiguration	610
Contents	610
See Also	610
SelfManagedActiveDirectoryAttributes	612
Contents	612
See Also	613
SelfManagedActiveDirectoryConfiguration	614
Contents	614
See Also	616
SelfManagedActiveDirectoryConfigurationUpdates	617
Contents	617
See Also	619
SnaplockConfiguration	620
Contents	620
See Also	622
SnaplockRetentionPeriod	623
Contents	623
See Also	623

Snapshot	625
Contents	625
See Also	627
SnapshotFilter	628
Contents	628
See Also	628
StorageVirtualMachine	629
Contents	629
See Also	632
StorageVirtualMachineFilter	633
Contents	633
See Also	633
SvmActiveDirectoryConfiguration	634
Contents	634
See Also	634
SvmEndpoint	635
Contents	635
See Also	635
SvmEndpoints	637
Contents	637
See Also	638
Tag	639
Contents	639
See Also	639
TieringPolicy	641
Contents	641
See Also	642
UpdateFileCacheLustreConfiguration	643
Contents	643
See Also	643
UpdateFileSystemLustreConfiguration	644
Contents	644
See Also	647
UpdateFileSystemLustreMetadataConfiguration	648
Contents	648
See Also	649

UpdateFileSystemOntapConfiguration	650
Contents	650
See Also	653
UpdateFileSystemOpenZFSConfiguration	655
Contents	655
See Also	658
UpdateFileSystemWindowsConfiguration	659
Contents	659
See Also	661
UpdateOntapVolumeConfiguration	662
Contents	662
See Also	664
UpdateOpenZFSVolumeConfiguration	665
Contents	665
See Also	667
UpdateSnaplockConfiguration	668
Contents	668
See Also	669
UpdateSvmActiveDirectoryConfiguration	670
Contents	670
See Also	670
Volume	671
Contents	671
See Also	674
VolumeFilter	675
Contents	675
See Also	675
WindowsAuditLogConfiguration	676
Contents	676
See Also	677
WindowsAuditLogCreateConfiguration	678
Contents	678
See Also	679
WindowsFileSystemConfiguration	680
Contents	680
See Also	684

Common Parameters 685

Common Errors 688

Amazon FSx API Reference

The Amazon FSx API is a network protocol based on [HTTP \(RFC 2616\)](#). For each API call, you make an HTTP request to the region-specific Amazon FSx API endpoint for the AWS Region where you want to manage file systems. The API uses JSON (RFC 4627) documents for HTTP request/response bodies.

The Amazon FSx API is an RPC model. In this model, there is a fixed set of operations and the syntax for each operation is known to clients without any prior interaction. In the following section, you can find a description of each API operation using an abstract RPC notation. Each has an operation name that doesn't appear on the wire. For each operation, the topic specifies the mapping to HTTP request elements.

The specific Amazon FSx operation to which a given request maps is determined by a combination of the request's method (GET, PUT, POST, or DELETE) and which of the various patterns its Request-URI matches. If the operation is PUT or POST, Amazon FSx extracts call arguments from the Request-URI path segment, query parameters, and the JSON object in the request body.

Although operation names, such as `CreateFileSystem`, don't appear on the wire, these names are meaningful in AWS Identity and Access Management (IAM) policies. The operation name is also used to name commands in command-line tools and elements of the AWS SDKs. For example, there is a AWS CLI command named `create-file-system` that maps to the `CreateFileSystem` operation. The operation name also appears in AWS CloudTrail logs for Amazon FSx API calls.

API endpoints

The API endpoint is the DNS name used as a host in the HTTP URI for the API calls. These API endpoints are specific to AWS Regions. Amazon FSx supports both IPv4-only endpoints and dual stack (IPv4 and IPv6) API endpoints. They take the following form.

IPv4-only endpoint

```
fsx.aws-region.amazonaws.com
```

The IPv4-only Amazon FSx API endpoint for the US East (N. Virginia) Region is the following.

```
fsx.us-east-1.amazonaws.com
```

For China Regions in the `aws-cn` partition, the pattern for IPv4 service management endpoints is:

```
fsx.region.amazonaws.com.cn
```

For example, when managing FSx resources in China (Beijing) Region, you will use the following IPv4 service management endpoint:

```
fsx.cn-north-1.amazonaws.com.cn
```

Dual stack endpoint

For AWS commercial Regions in the `aws` partition and AWS GovCloud (US) Regions in the `aws-us-gov` partition, the pattern for dual-stack endpoints is:

```
fsx.region.api.aws
```

For example, when managing FSx resources in US East (N. Virginia) Region, you will use the following service management endpoint:

```
fsx.us-east-1.api.aws
```

For China Regions in the `aws-cn` partition, the pattern for dual-stack endpoints is:

```
fsx.region.api.amazonaws.com.cn
```

For example, when managing FSx resources in China (Beijing) Region, you will use the following service management endpoint:

```
fsx.cn-north-1.api.amazonaws.com.cn
```

For a list of AWS Regions that Amazon FSx supports (where you can create and manage file systems), see [Amazon FSx](#) in the *AWS General Reference*.

The region-specific API endpoint defines the scope of the Amazon FSx resources that are accessible when you make an API call. For example, when you call the `DescribeFileSystems` operation using the preceding endpoint, you get a list of file systems in the US East (N. Virginia) Region that have been created in your account.

API Version

The version of the API being used for a call is identified by the first path segment of the request URI, and its form is an ISO 8601 date. The documentation describes API version 2018-03-01.

Related Topics

For information on the necessary permissions for these API operations using IAM policies, see [Actions, resources, and condition keys for Amazon FSx](#) in the *Service Authorization Reference*.

Amazon FSx Forums

If you encounter issues while using Amazon FSx use the forums:

- [Amazon FSx for Windows File Server forums](#).
- [Amazon FSx for Lustre forums](#).
- [Amazon FSx for NetApp ONTAP forums](#).

Actions

The following actions are supported:

- [AssociateFileSystemAliases](#)
- [CancelDataRepositoryTask](#)
- [CopyBackup](#)
- [CopySnapshotAndUpdateVolume](#)
- [CreateAndAttachS3AccessPoint](#)
- [CreateBackup](#)
- [CreateDataRepositoryAssociation](#)
- [CreateDataRepositoryTask](#)
- [CreateFileCache](#)
- [CreateFileSystem](#)
- [CreateFileSystemFromBackup](#)
- [CreateSnapshot](#)
- [CreateStorageVirtualMachine](#)
- [CreateVolume](#)
- [CreateVolumeFromBackup](#)
- [DeleteBackup](#)
- [DeleteDataRepositoryAssociation](#)
- [DeleteFileCache](#)
- [DeleteFileSystem](#)
- [DeleteSnapshot](#)
- [DeleteStorageVirtualMachine](#)
- [DeleteVolume](#)
- [DescribeBackups](#)
- [DescribeDataRepositoryAssociations](#)
- [DescribeDataRepositoryTasks](#)
- [DescribeFileCaches](#)
- [DescribeFileSystemAliases](#)

- [DescribeFileSystems](#)
- [DescribeS3AccessPointAttachments](#)
- [DescribeSharedVpcConfiguration](#)
- [DescribeSnapshots](#)
- [DescribeStorageVirtualMachines](#)
- [DescribeVolumes](#)
- [DetachAndDeleteS3AccessPoint](#)
- [DisassociateFileSystemAliases](#)
- [ListTagsForResource](#)
- [ReleaseFileSystemNfsV3Locks](#)
- [RestoreVolumeFromSnapshot](#)
- [StartMisconfiguredStateRecovery](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateDataRepositoryAssociation](#)
- [UpdateFileCache](#)
- [UpdateFileSystem](#)
- [UpdateSharedVpcConfiguration](#)
- [UpdateSnapshot](#)
- [UpdateStorageVirtualMachine](#)
- [UpdateVolume](#)

AssociateFileSystemAliases

Use this action to associate one or more Domain Name Server (DNS) aliases with an existing Amazon FSx for Windows File Server file system. A file system can have a maximum of 50 DNS aliases associated with it at any one time. If you try to associate a DNS alias that is already associated with the file system, FSx takes no action on that alias in the request. For more information, see [Working with DNS Aliases](#) and [Walkthrough 5: Using DNS aliases to access your file system](#), including additional steps you must take to be able to access your file system using a DNS alias.

The system response shows the DNS aliases that Amazon FSx is attempting to associate with the file system. Use the [DescribeFileSystemAliases](#) API operation to monitor the status of the aliases Amazon FSx is associating with the file system.

Request Syntax

```
{  
  "Aliases": [ "string" ],  
  "ClientRequestToken": "string",  
  "FileSystemId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Aliases

An array of one or more DNS alias names to associate with the file system. The alias name has to comply with the following formatting requirements:

- Formatted as a fully-qualified domain name (FQDN), *hostname.domain*, for example, *accounting.corp.example.com*.
- Can contain alphanumeric characters and the hyphen (-).
- Cannot start or end with a hyphen.
- Can start with a numeric.

For DNS alias names, Amazon FSx stores alphabetic characters as lowercase letters (a-z), regardless of how you specify them: as uppercase letters, lowercase letters, or the corresponding letters in escape codes.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 4. Maximum length of 253.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{4,253}$`

Required: Yes

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

FileSystemId

Specifies the file system with which you want to associate one or more DNS aliases.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

Response Syntax

```
{
```

```
"Aliases": [  
  {  
    "Lifecycle": "string",  
    "Name": "string"  
  }  
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Aliases

An array of the DNS aliases that Amazon FSx is associating with the file system.

Type: Array of [Alias](#) objects

Array Members: Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CancelDataRepositoryTask

Cancels an existing Amazon FSx for Lustre data repository task if that task is in either the PENDING or EXECUTING state. When you cancel an export task, Amazon FSx does the following.

- Any files that FSx has already exported are not reverted.
- FSx continues to export any files that are in-flight when the cancel operation is received.
- FSx does not export any files that have not yet been exported.

For a release task, Amazon FSx will stop releasing files upon cancellation. Any files that have already been released will remain in the released state.

Request Syntax

```
{  
  "TaskId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

TaskId

Specifies the data repository task to cancel.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(task-[0-9a-f]{17,})$`

Required: Yes

Response Syntax

```
{
```

```
"Lifecycle": "string",  
"TaskId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Lifecycle

The lifecycle status of the data repository task, as follows:

- PENDING - Amazon FSx has not started the task.
- EXECUTING - Amazon FSx is processing the task.
- FAILED - Amazon FSx was not able to complete the task. For example, there may be files the task failed to process. The [DataRepositoryTaskFailureDetails](#) property provides more information about task failures.
- SUCCEEDED - FSx completed the task successfully.
- CANCELED - Amazon FSx canceled the task and it did not complete.
- CANCELING - FSx is in process of canceling the task.

Type: String

Valid Values: PENDING | EXECUTING | FAILED | SUCCEEDED | CANCELED | CANCELING

TaskId

The ID of the task being canceled.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(task-[0-9a-f]{17,})$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

DataRepositoryTaskEnded

The data repository task could not be canceled because the task has already ended.

HTTP Status Code: 400

DataRepositoryTaskNotFound

The data repository task or tasks you specified could not be found.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

Examples

Cancel a Data Repository Task

The following request cancels a specific data repository task by using the `TaskId` request parameter.

Sample Request

```
POST /2015-02-01/cancel-data-repository-task HTTP/1.1

{
  "TaskId": ["task-0123456789abcdef0"]
}
```

Sample Response

```
HTTP/1.1 200 success
x-amzn-RequestId: 12345678-1234-abcd-5678-0123456789abc

{
  "Status": "CANCELING",
  "TaskId": "task-0123456789abcdef0"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CopyBackup

Copies an existing backup within the same AWS account to another AWS Region (cross-Region copy) or within the same AWS Region (in-Region copy). You can have up to five backup copy requests in progress to a single destination Region per account.

You can use cross-Region backup copies for cross-Region disaster recovery. You can periodically take backups and copy them to another Region so that in the event of a disaster in the primary Region, you can restore from backup and recover availability quickly in the other Region. You can make cross-Region copies only within your AWS partition. A partition is a grouping of Regions. AWS currently has three partitions: `aws` (Standard Regions), `aws-cn` (China Regions), and `aws-us-gov` (AWS GovCloud [US] Regions).

You can also use backup copies to clone your file dataset to another Region or within the same Region.

You can use the `SourceRegion` parameter to specify the AWS Region from which the backup will be copied. For example, if you make the call from the `us-west-1` Region and want to copy a backup from the `us-east-2` Region, you specify `us-east-2` in the `SourceRegion` parameter to make a cross-Region copy. If you don't specify a Region, the backup copy is created in the same Region where the request is sent from (in-Region copy).

For more information about creating backup copies, see [Copying backups](#) in the *Amazon FSx for Windows User Guide*, [Copying backups](#) in the *Amazon FSx for Lustre User Guide*, and [Copying backups](#) in the *Amazon FSx for OpenZFS User Guide*.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "CopyTags": boolean,
  "KmsKeyId": "string",
  "SourceBackupId": "string",
  "SourceRegion": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```



```
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

[CopyTags](#)

A Boolean flag indicating whether tags from the source backup should be copied to the backup copy. This value defaults to `false`.

If you set `CopyTags` to `true` and the source backup has existing tags, you can use the `Tags` parameter to create new tags, provided that the sum of the source backup tags and the new tags doesn't exceed 50. Both sets of tags are merged. If there are tag conflicts (for example, two tags with the same key but different values), the tags created with the `Tags` parameter take precedence.

Type: Boolean

Required: No

[KmsKeyId](#)

Specifies the ID of the AWS Key Management Service (AWS KMS) key to use for encrypting data on Amazon FSx file systems, as follows:

- Amazon FSx for Lustre `PERSISTENT_1` and `PERSISTENT_2` deployment types only.

SCRATCH_1 and SCRATCH_2 types are encrypted using the Amazon FSx service AWS KMS key for your account.

- Amazon FSx for NetApp ONTAP
- Amazon FSx for OpenZFS
- Amazon FSx for Windows File Server

If a `KmsKeyId` isn't specified, the Amazon FSx-managed AWS KMS key for your account is used. For more information, see [Encrypt](#) in the *AWS Key Management Service API Reference*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^\.{1,2048}$`

Required: No

[SourceBackupId](#)

The ID of the source backup. Specifies the ID of the backup that's being copied.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: Yes

[SourceRegion](#)

The source AWS Region of the backup. Specifies the AWS Region from which the backup is being copied. The source and destination Regions must be in the same AWS partition. If you don't specify a Region, `SourceRegion` defaults to the Region where the request is sent from (in-Region copy).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[a-z0-9-]{1,20}$`

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Response Syntax

```
{
  "Backup": {
    "BackupId": "string",
    "CreationTime": number,
    "DirectoryInformation": {
      "ActiveDirectoryId": "string",
      "DomainName": "string",
      "ResourceARN": "string"
    },
    "FailureDetails": {
      "Message": "string"
    },
    "FileSystem": {
      "AdministrativeActions": [
        {
          "AdministrativeActionType": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "ProgressPercent": number,
          "RemainingTransferBytes": number,
          "RequestTime": number,
          "Status": "string",
          "TargetFileSystemValues": "FileSystem",
          "TargetSnapshotValues": {
            "AdministrativeActions": [
              "AdministrativeAction"
            ],
            "CreationTime": number,
            "Lifecycle": "string",
            "LifecycleTransitionReason": {
```

```

        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "OntapConfiguration": {
        "AggregateConfiguration": {
            "Aggregates": [ "string" ],
            "TotalConstituents": number
        },
        "CopyTagsToBackups": boolean,
        "FlexCacheEndpointType": "string",
        "JunctionPath": "string",
        "OntapVolumeType": "string",
        "SecurityStyle": "string",
        "SizeInBytes": number,
        "SizeInMegabytes": number,
        "SnaplockConfiguration": {
            "AuditLogVolume": boolean,
            "AutocommitPeriod": {
                "Type": "string",
                "Value": number
            },
            "PrivilegedDelete": "string",
            "RetentionPeriod": {

```

```

        "DefaultRetention": {
            "Type": "string",
            "Value": number
        },
        "MaximumRetention": {
            "Type": "string",
            "Value": number
        },
        "MinimumRetention": {
            "Type": "string",
            "Value": number
        }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnaphots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ]
}

```

```

    ],
    "OriginSnapshot": {
      "CopyStrategy": "string",
      "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",
  "VolumeType": "string"
},
"TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
  "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",

```

```

"LustreConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DataCompressionType": "string",
  "DataReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MountName": "string",
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",

```

```

    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
}

```



```

    },
    "OwnerId": "string",
    "ResourceARN": "string",
    "StorageCapacity": number,
    "StorageType": "string",
    "SubnetIds": [ "string" ],
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "VpcId": "string",
    "WindowsConfiguration": {
      "ActiveDirectoryId": "string",
      "Aliases": [
        {
          "Lifecycle": "string",
          "Name": "string"
        }
      ],
    },
    "AuditLogConfiguration": {
      "AuditLogDestination": "string",
      "FileAccessAuditLogLevel": "string",
      "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    }
  }

```

```

    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
},
"KmsKeyId": "string",
"Lifecycle": "string",
"OwnerId": "string",
"ProgressPercent": number,
"ResourceARN": "string",
"ResourceType": "string",
"SizeInBytes": number,
"SourceBackupId": "string",
"SourceBackupRegion": "string",
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
],
"Type": "string",
"Volume": {
  "AdministrativeActions": [
    {
      "AdministrativeActionType": "string",
      "FailureDetails": {
        "Message": "string"
      },
      "ProgressPercent": number,
      "RemainingTransferBytes": number,
      "RequestTime": number,
      "Status": "string",
      "TargetFileSystemValues": {
        "AdministrativeActions": [
          "AdministrativeAction"
        ],
        "CreationTime": number,
        "DNSName": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "FileSystemId": "string",
        "FileSystemType": "string",
        "FileSystemTypeVersion": "string",

```

```

    "KmsKeyId": "string",
    "Lifecycle": "string",
    "LustreConfiguration": {
        "AutomaticBackupRetentionDays": number,
        "CopyTagsToBackups": boolean,
        "DailyAutomaticBackupStartTime": "string",
        "DataCompressionType": "string",
        "DataReadCacheConfiguration": {
            "SizeGiB": number,
            "SizingMode": "string"
        },
        "DataRepositoryConfiguration": {
            "AutoImportPolicy": "string",
            "ExportPath": "string",
            "FailureDetails": {
                "Message": "string"
            },
            "ImportedFileChunkSize": number,
            "ImportPath": "string",
            "Lifecycle": "string"
        },
        "DeploymentType": "string",
        "DriveCacheType": "string",
        "EfaEnabled": boolean,
        "LogConfiguration": {
            "Destination": "string",
            "Level": "string"
        },
        "MetadataConfiguration": {
            "Iops": number,
            "Mode": "string"
        },
        "MountName": "string",
        "PerUnitStorageThroughput": number,
        "RootSquashConfiguration": {
            "NoSquashNids": [ "string" ],
            "RootSquash": "string"
        },
        "ThroughputCapacity": number,
        "WeeklyMaintenanceStartTime": "string"
    },
    "NetworkInterfaceIds": [ "string" ],
    "OntapConfiguration": {
        "AutomaticBackupRetentionDays": number,

```

```

    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],

```

```

    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string " ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
  "AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
  },
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MaintenanceOperationsInProgress": [ "string " ],
  "PreferredFileServerIp": "string",
  "PreferredSubnetId": "string",
  "RemoteAdministrationEndpoint": "string",
  "SelfManagedActiveDirectoryConfiguration": {
    "DnsIps": [ "string " ],
    "DomainName": "string",
    "FileSystemAdministratorsGroup": "string",

```

```

        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
},
"TargetSnapshotValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": "Volume",
"TotalTransferBytes": number
}
],
"CreationTime": number,
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"OntapConfiguration": {
    "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,

```

```

    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
            "Type": "string",
            "Value": number
        },
        "PrivilegedDelete": "string",
        "RetentionPeriod": {
            "DefaultRetention": {
                "Type": "string",
                "Value": number
            },
            "MaximumRetention": {
                "Type": "string",
                "Value": number
            },
            "MinimumRetention": {
                "Type": "string",
                "Value": number
            }
        },
        "SnaplockType": "string",
        "VolumeAppendModeEnabled": boolean
    },
    "SnapshotPolicy": "string",
    "StorageEfficiencyEnabled": boolean,
    "StorageVirtualMachineId": "string",
    "StorageVirtualMachineRoot": boolean,
    "TieringPolicy": {
        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,

```

```

    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
      {
        "ClientConfigurations": [
          {
            "Clients": "string",
            "Options": [ "string" ]
          }
        ]
      }
    ],
    "OriginSnapshot": {
      "CopyStrategy": "string",
      "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",
  "VolumeType": "string"

```



```
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Backup](#)

A backup of an Amazon FSx for Windows File Server, Amazon FSx for Lustre file system, Amazon FSx for NetApp ONTAP volume, or Amazon FSx for OpenZFS file system.

Type: [Backup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BackupNotFound

No Amazon FSx backups were found based upon the supplied parameters.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

IncompatibleRegionForMultiAZ

Amazon FSx doesn't support Multi-AZ Windows File Server copy backup in the destination Region, so the copied backup can't be restored.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

InvalidDestinationKmsKey

The AWS Key Management Service (AWS KMS) key of the destination backup is not valid.

HTTP Status Code: 400

InvalidRegion

The Region provided for `SourceRegion` is not valid or is in a different AWS partition.

HTTP Status Code: 400

InvalidSourceKmsKey

The AWS Key Management Service (AWS KMS) key of the source backup is not valid.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

SourceBackupUnavailable

The request was rejected because the lifecycle status of the source backup isn't AVAILABLE.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CopySnapshotAndUpdateVolume

Updates an existing volume by using a snapshot from another Amazon FSx for OpenZFS file system. For more information, see [on-demand data replication](#) in the Amazon FSx for OpenZFS User Guide.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "CopyStrategy": "string",
  "Options": [ "string" ],
  "SourceSnapshotARN": "string",
  "VolumeId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.--]{0,63}`

Required: No

CopyStrategy

Specifies the strategy to use when copying data from a snapshot to the volume.

- FULL_COPY - Copies all data from the snapshot to the volume.
- INCREMENTAL_COPY - Copies only the snapshot data that's changed since the previous replication.

Note

CLONE isn't a valid copy strategy option for the CopySnapshotAndUpdateVolume operation.

Type: String

Valid Values: CLONE | FULL_COPY | INCREMENTAL_COPY

Required: No

Options

Confirms that you want to delete data on the destination volume that wasn't there during the previous snapshot replication.

Your replication will fail if you don't include an option for a specific type of data and that data is on your destination. For example, if you don't include DELETE_INTERMEDIATE_SNAPSHOTS and there are intermediate snapshots on the destination, you can't copy the snapshot.

- DELETE_INTERMEDIATE_SNAPSHOTS - Deletes snapshots on the destination volume that aren't on the source volume.
- DELETE_CLONED_VOLUMES - Deletes snapshot clones on the destination volume that aren't on the source volume.
- DELETE_INTERMEDIATE_DATA - Overwrites snapshots on the destination volume that don't match the source snapshot that you're copying.

Type: Array of strings

Valid Values: DELETE_INTERMEDIATE_SNAPSHOTS | DELETE_CLONED_VOLUMES | DELETE_INTERMEDIATE_DATA

Required: No

SourceSnapshotARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--))?:){4}(?!/){0,1024}$`

Required: Yes

Volumeld

Specifies the ID of the volume that you are copying the snapshot to.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: Yes

Response Syntax

```
{
  "AdministrativeActions": [
    {
      "AdministrativeActionType": "string",
      "FailureDetails": {
        "Message": "string"
      },
      "ProgressPercent": number,
      "RemainingTransferBytes": number,
      "RequestTime": number,
      "Status": "string",
      "TargetFileSystemValues": {
        "AdministrativeActions": [
          "AdministrativeAction"
        ],
        "CreationTime": number,
        "DNSName": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "FileSystemId": "string",
        "FileSystemType": "string",

```

```

"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DataCompressionType": "string",
  "DataReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MountName": "string",
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {

```

```

    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",

```



```

    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
  "AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
  },
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MaintenanceOperationsInProgress": [ "string" ],
  "PreferredFileServerIp": "string",
  "PreferredSubnetId": "string",
  "RemoteAdministrationEndpoint": "string",
  "SelfManagedActiveDirectoryConfiguration": {
    "DnsIps": [ "string" ],
    "DomainName": "string",

```

```

        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
},
"TargetSnapshotValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "OntapConfiguration": {
        "AggregateConfiguration": {
            "Aggregates": [ "string ],
            "TotalConstituents": number
        }
    },

```

```

    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
            "Type": "string",
            "Value": number
        },
        "PrivilegedDelete": "string",
        "RetentionPeriod": {
            "DefaultRetention": {
                "Type": "string",
                "Value": number
            },
            "MaximumRetention": {
                "Type": "string",
                "Value": number
            },
            "MinimumRetention": {
                "Type": "string",
                "Value": number
            }
        },
        "SnaplockType": "string",
        "VolumeAppendModeEnabled": boolean
    },
    "SnapshotPolicy": "string",
    "StorageEfficiencyEnabled": boolean,
    "StorageVirtualMachineId": "string",
    "StorageVirtualMachineRoot": boolean,
    "TieringPolicy": {
        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",

```

```

    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnaphots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
      {
        "ClientConfigurations": [
          {
            "Clients": "string",
            "Options": [ "string" ]
          }
        ]
      }
    ],
    "OriginSnapshot": {
      "CopyStrategy": "string",
      "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",

```

```
        "VolumeType": "string",
      },
      "TotalTransferBytes": number
    }
  ],
  "Lifecycle": "string",
  "VolumeId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AdministrativeActions

A list of administrative actions for the file system that are in process or waiting to be processed. Administrative actions describe changes to the Amazon FSx system.

Type: Array of [AdministrativeAction](#) objects

Array Members: Maximum number of 50 items.

Lifecycle

The lifecycle state of the destination volume.

Type: String

Valid Values: CREATING | CREATED | DELETING | FAILED | MISCONFIGURED | PENDING | AVAILABLE

VolumeId

The ID of the volume that you copied the snapshot to.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAndAttachS3AccessPoint

Creates an S3 access point and attaches it to an Amazon FSx volume. For FSx for OpenZFS file systems, the volume must be hosted on a high-availability file system, either Single-AZ or Multi-AZ. For more information, see [Accessing your data using Amazon S3 access points](#) in the Amazon FSx for OpenZFS User Guide.

The requester requires the following permissions to perform these actions:

- fsx:CreateAndAttachS3AccessPoint
- s3:CreateAccessPoint
- s3:GetAccessPoint
- s3:PutAccessPointPolicy
- s3>DeleteAccessPoint

The following actions are related to CreateAndAttachS3AccessPoint:

- [DescribeS3AccessPointAttachments](#)
- [DetachAndDeleteS3AccessPoint](#)

Request Syntax

```
{
  "ClientRequestToken": "string",
  "Name": "string",
  "OpenZFSConfiguration": {
    "FileSystemIdentity": {
      "PosixUser": {
        "Gid": number,
        "SecondaryGids": [ number ],
        "Uid": number
      },
      "Type": "string"
    },
    "VolumeId": "string"
  },
  "S3AccessPoint": {
    "Policy": "string",
```



```
    "VpcConfiguration": {  
      "VpcId": "string"  
    },  
    "Type": "string"  
  }  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`\$

Required: No

[Name](#)

The name you want to assign to this S3 access point.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 50.

Pattern: `^(?=[a-z0-9])[a-z0-9-]{1,48}[a-z0-9]$`

Required: Yes

[OpenZFSConfiguration](#)

Specifies the configuration to use when creating and attaching an S3 access point to an FSx for OpenZFS volume.

Type: [CreateAndAttachS3AccessPointOpenZFSConfiguration](#) object

Required: No

S3AccessPoint

Specifies the virtual private cloud (VPC) configuration if you're creating an access point that is restricted to a VPC. For more information, see [Creating access points restricted to a virtual private cloud](#).

Type: [CreateAndAttachS3AccessPointS3Configuration](#) object

Required: No

Type

The type of S3 access point you want to create. Only OpenZFS is supported.

Type: String

Valid Values: OPENZFS

Required: Yes

Response Syntax

```
{
  "S3AccessPointAttachment": {
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "OpenZFSConfiguration": {
      "FileSystemIdentity": {
        "PosixUser": {
          "Gid": number,
          "SecondaryGids": [ number ],
          "Uid": number
        },
        "Type": "string"
      },
      "VolumeId": "string"
    },
    "S3AccessPoint": {
```

```
    "Alias": "string",
    "ResourceARN": "string",
    "VpcConfiguration": {
        "VpcId": "string"
    },
    "Type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

S3AccessPointAttachment

Describes the configuration of the S3 access point created.

Type: [S3AccessPointAttachment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessPointAlreadyOwnedByYou

An access point with that name already exists in the AWS Region in your AWS account.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

InvalidAccessPoint

The access point specified doesn't exist.

HTTP Status Code: 400

InvalidRequest

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

TooManyAccessPoints

You have reached the maximum number of S3 access points attachments allowed for your account in this AWS Region, or for the file system. For more information, or to request an increase, see [Service quotas on FSx resources](#) in the FSx for OpenZFS User Guide.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateBackup

Creates a backup of an existing Amazon FSx for Windows File Server file system, Amazon FSx for Lustre file system, Amazon FSx for NetApp ONTAP volume, or Amazon FSx for OpenZFS file system. We recommend creating regular backups so that you can restore a file system or volume from a backup if an issue arises with the original file system or volume.

For Amazon FSx for Lustre file systems, you can create a backup only for file systems that have the following configuration:

- A Persistent deployment type
- Are *not* linked to a data repository

For more information about backups, see the following:

- For Amazon FSx for Lustre, see [Working with FSx for Lustre backups](#).
- For Amazon FSx for Windows, see [Working with FSx for Windows backups](#).
- For Amazon FSx for NetApp ONTAP, see [Working with FSx for NetApp ONTAP backups](#).
- For Amazon FSx for OpenZFS, see [Working with FSx for OpenZFS backups](#).

If a backup with the specified client request token exists and the parameters match, this operation returns the description of the existing backup. If a backup with the specified client request token exists and the parameters don't match, this operation returns `IncompatibleParameterError`. If a backup with the specified client request token doesn't exist, `CreateBackup` does the following:

- Creates a new Amazon FSx backup with an assigned ID, and an initial lifecycle state of `CREATING`.
- Returns the description of the backup.

By using the idempotent operation, you can retry a `CreateBackup` operation without the risk of creating an extra backup. This approach can be useful when an initial call fails in a way that makes it unclear whether a backup was created. If you use the same client request token and the initial call created a backup, the operation returns a successful result because all the parameters are the same.

The `CreateBackup` operation returns while the backup's lifecycle state is still `CREATING`. You can check the backup creation status by calling the [DescribeBackups](#) operation, which returns the backup state along with other information.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "FileSystemId": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) A string of up to 63 ASCII characters that Amazon FSx uses to ensure idempotent creation. This string is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

[FileSystemId](#)

The ID of the file system to back up.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: No

Tags

(Optional) The tags to apply to the backup at backup creation. The key value of the Name tag appears in the console as the backup name. If you have set `CopyTagsToBackups` to `true`, and you specify one or more tags using the `CreateBackup` operation, no existing file system tags are copied from the file system to the backup.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Volumeld

(Optional) The ID of the FSx for ONTAP volume to back up.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: No

Response Syntax

```
{
  "Backup": {
    "BackupId": "string",
    "CreationTime": number,
    "DirectoryInformation": {
      "ActiveDirectoryId": "string",
      "DomainName": "string",
      "ResourceARN": "string"
    },
    "FailureDetails": {
      "Message": "string"
    }
  },
}
```



```

"FileSystem": {
  "AdministrativeActions": [
    {
      "AdministrativeActionType": "string",
      "FailureDetails": {
        "Message": "string"
      },
      "ProgressPercent": number,
      "RemainingTransferBytes": number,
      "RequestTime": number,
      "Status": "string",
      "TargetFileSystemValues": "FileSystem",
      "TargetSnapshotValues": {
        "AdministrativeActions": [
          "AdministrativeAction"
        ],
        "CreationTime": number,
        "Lifecycle": "string",
        "LifecycleTransitionReason": {
          "Message": "string"
        },
        "Name": "string",
        "ResourceARN": "string",
        "SnapshotId": "string",
        "Tags": [
          {
            "Key": "string",
            "Value": "string"
          }
        ],
        "VolumeId": "string"
      },
      "TargetVolumeValues": {
        "AdministrativeActions": [
          "AdministrativeAction"
        ],
        "CreationTime": number,
        "FileSystemId": "string",
        "Lifecycle": "string",
        "LifecycleTransitionReason": {
          "Message": "string"
        },
        "Name": "string",
        "OntapConfiguration": {

```

```

    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
    },
    "PrivilegedDelete": "string",
    "RetentionPeriod": {
      "DefaultRetention": {
        "Type": "string",
        "Value": number
      },
    },
    "MaximumRetention": {
      "Type": "string",
      "Value": number
    },
    "MinimumRetention": {
      "Type": "string",
      "Value": number
    }
  },
  "SnaplockType": "string",
  "VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
  "CoolingPeriod": number,
  "Name": "string"
},
"UUID": "string",

```

```

    "VolumeStyle": "string"
  },
  "OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
      {
        "ClientConfigurations": [
          {
            "Clients": "string",
            "Options": [ "string" ]
          }
        ]
      }
    ],
    "OriginSnapshot": {
      "CopyStrategy": "string",
      "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",

```

```

        "Value": "string"
      }
    ],
    "VolumeId": "string",
    "VolumeType": "string"
  },
  "TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
  "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DataCompressionType": "string",
  "DataReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
},
"DataRepositoryConfiguration": {
  "AutoImportPolicy": "string",
  "ExportPath": "string",
  "FailureDetails": {
    "Message": "string"
  },
  "ImportedFileChunkSize": number,
  "ImportPath": "string",
  "Lifecycle": "string"
},
"DeploymentType": "string",
"DriveCacheType": "string",
"EfaEnabled": boolean,
"LogConfiguration": {
  "Destination": "string",
  "Level": "string"
}

```

```

    },
    "MetadataConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
      "NoSquashNids": [ "string" ],
      "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string" ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,

```

```

    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string " ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string " ],
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VpcId": "string",
"WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
        {
            "Lifecycle": "string",
            "Name": "string"
        }
    ]
},
"AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
}

```

```

    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}

},
"KmsKeyId": "string",
"Lifecycle": "string",
"OwnerId": "string",
"ProgressPercent": number,
"ResourceARN": "string",
"ResourceType": "string",
"SizeInBytes": number,
"SourceBackupId": "string",
"SourceBackupRegion": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"Type": "string",
"Volume": {
    "AdministrativeActions": [
        {
            "AdministrativeActionType": "string",

```

```

    "FailureDetails": {
      "Message": "string"
    },
    "ProgressPercent": number,
    "RemainingTransferBytes": number,
    "RequestTime": number,
    "Status": "string",
    "TargetFileSystemValues": {
      "AdministrativeActions": [
        "AdministrativeAction"
      ],
      "CreationTime": number,
      "DNSName": "string",
      "FailureDetails": {
        "Message": "string"
      },
      "FileSystemId": "string",
      "FileSystemType": "string",
      "FileSystemTypeVersion": "string",
      "KmsKeyId": "string",
      "Lifecycle": "string",
      "LustreConfiguration": {
        "AutomaticBackupRetentionDays": number,
        "CopyTagsToBackups": boolean,
        "DailyAutomaticBackupStartTime": "string",
        "DataCompressionType": "string",
        "DataReadCacheConfiguration": {
          "SizeGiB": number,
          "SizingMode": "string"
        },
        "DataRepositoryConfiguration": {
          "AutoImportPolicy": "string",
          "ExportPath": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "ImportedFileChunkSize": number,
          "ImportPath": "string",
          "Lifecycle": "string"
        },
        "DeploymentType": "string",
        "DriveCacheType": "string",
        "EfaEnabled": boolean,
        "LogConfiguration": {

```



```

        "Destination": "string",
        "Level": "string"
    },
    "MetadataConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
        "NoSquashNids": [ "string" ],
        "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},

```

```

"OpenZFSConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "CopyTagsToVolumes": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "EndpointIpAddress": "string",
  "EndpointIpAddressRange": "string",
  "PreferredSubnetId": "string",
  "ReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "RootVolumeId": "string",
  "RouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
],
"VpcId": "string",
"WindowsConfiguration": {
  "ActiveDirectoryId": "string",
  "Aliases": [
    {
      "Lifecycle": "string",
      "Name": "string"
    }
  ]
},
"AuditLogConfiguration": {
  "AuditLogDestination": "string",

```

```

        "FileAccessAuditLogLevel": "string",
        "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
    }
},
"TargetSnapshotValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ]
},

```

```

        "VolumeId": "string"
    },
    "TargetVolumeValues": "Volume",
    "TotalTransferBytes": number
}
],
"CreationTime": number,
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"OntapConfiguration": {
    "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
            "Type": "string",
            "Value": number
        },
        "PrivilegedDelete": "string",
        "RetentionPeriod": {
            "DefaultRetention": {
                "Type": "string",
                "Value": number
            },
            "MaximumRetention": {
                "Type": "string",
                "Value": number
            },
            "MinimumRetention": {
                "Type": "string",
                "Value": number
            }
        }
    }
}

```

```

    }
  },
  "SnaplockType": "string",
  "VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
  "CoolingPeriod": number,
  "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
  "CopyStrategy": "string",
  "CopyTagsToSnapshots": boolean,
  "DataCompressionType": "string",
  "DeleteClonedVolumes": boolean,
  "DeleteIntermediateData": boolean,
  "DeleteIntermediateSnapshots": boolean,
  "DestinationSnapshot": "string",
  "NfsExports": [
    {
      "ClientConfigurations": [
        {
          "Clients": "string",
          "Options": [ "string" ]
        }
      ]
    }
  ]
},
"OriginSnapshot": {
  "CopyStrategy": "string",
  "SnapshotARN": "string"
},
"ParentVolumeId": "string",
"ReadOnly": boolean,
"RecordSizeKiB": number,
"RestoreToSnapshot": "string",
"SourceSnapshotARN": "string",
"StorageCapacityQuotaGiB": number,

```

```

    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",
  "VolumeType": "string"
}
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Backup

A description of the backup.

Type: [Backup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BackupInProgress

Another backup is already under way. Wait for completion before initiating additional backups of this file system.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateDataRepositoryAssociation

Creates an Amazon FSx for Lustre data repository association (DRA). A data repository association is a link between a directory on the file system and an Amazon S3 bucket or prefix. You can have a maximum of 8 data repository associations on a file system. Data repository associations are supported on all FSx for Lustre 2.12 and 2.15 file systems, excluding `scratch_1` deployment type.

Each data repository association must have a unique Amazon FSx file system directory and a unique S3 bucket or prefix associated with it. You can configure a data repository association for automatic import only, for automatic export only, or for both. To learn more about linking a data repository to your file system, see [Linking your file system to an S3 bucket](#).

Note

CreateDataRepositoryAssociation isn't supported on Amazon File Cache resources. To create a DRA on Amazon File Cache, use the CreateFileCache operation.

Request Syntax

```
{
  "BatchImportMetaDataOnCreate": boolean,
  "ClientRequestToken": "string",
  "DataRepositoryPath": "string",
  "FileSystemId": "string",
  "FileSystemPath": "string",
  "ImportedFileChunkSize": number,
  "S3": {
    "AutoExportPolicy": {
      "Events": [ "string" ]
    },
    "AutoImportPolicy": {
      "Events": [ "string" ]
    }
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

```
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

BatchImportMetadataOnCreate

Set to `true` to run an import data repository task to import metadata from the data repository to the file system after the data repository association is created. Default is `false`.

Type: Boolean

Required: No

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

DataRepositoryPath

The path to the Amazon S3 data repository that will be linked to the file system. The path can be an S3 bucket or prefix in the format `s3://bucket-name/prefix/` (where `prefix` is optional). This path specifies where in the S3 data repository files will be imported from or exported to.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: Yes

FileSystemId

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

FileSystemPath

A path on the file system that points to a high-level directory (such as `/ns1/`) or subdirectory (such as `/ns1/subdir/`) that will be mapped 1-1 with `DataRepositoryPath`. The leading forward slash in the name is required. Two data repository associations cannot have overlapping file system paths. For example, if a data repository is associated with file system path `/ns1/`, then you cannot link another data repository with file system path `/ns1/ns2`.

This path specifies where in your file system files will be exported from or imported to. This file system directory can be linked to only one Amazon S3 bucket, and no other S3 bucket can be linked to the directory.

Note

If you specify only a forward slash (`/`) as the file system path, you can link only one data repository to the file system. You can only specify `/` as the file system path for the first data repository associated with a file system.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,4096}$`

Required: No

ImportedFileChunkSize

For files imported from a data repository, this value determines the stripe count and maximum amount of data per file (in MiB) stored on a single physical disk. The maximum number of disks

that a single file can be striped across is limited by the total number of disks that make up the file system.

The default chunk size is 1,024 MiB (1 GiB) and can go as high as 512,000 MiB (500 GiB). Amazon S3 objects have a maximum size of 5 TB.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 512000.

Required: No

S3

The configuration for an Amazon S3 data repository linked to an Amazon FSx Lustre file system with a data repository association. The configuration defines which file events (new, changed, or deleted files or directories) are automatically imported from the linked data repository to the file system or automatically exported from the file system to the data repository.

Type: [S3DataRepositoryConfiguration](#) object

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Response Syntax

```
{
  "Association": {
    "AssociationId": "string",
    "BatchImportMetadataOnCreate": boolean,
    "CreationTime": number,
    "DataRepositoryPath": "string",
    "DataRepositorySubdirectories": [ "string" ],
```

```

    "FailureDetails": {
      "Message": "string"
    },
    "FileCacheId": "string",
    "FileCachePath": "string",
    "FileSystemId": "string",
    "FileSystemPath": "string",
    "ImportedFileChunkSize": number,
    "Lifecycle": "string",
    "NFS": {
      "AutoExportPolicy": {
        "Events": [ "string" ]
      },
      "DnsIps": [ "string" ],
      "Version": "string"
    },
    "ResourceARN": "string",
    "S3": {
      "AutoExportPolicy": {
        "Events": [ "string" ]
      },
      "AutoImportPolicy": {
        "Events": [ "string" ]
      }
    },
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Association

The response object returned after the data repository association is created.

Type: [DataRepositoryAssociation](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateDataRepositoryTask

Creates an Amazon FSx for Lustre data repository task. A `CreateDataRepositoryTask` operation will fail if a data repository is not linked to the FSx file system.

You use import and export data repository tasks to perform bulk operations between your FSx for Lustre file system and its linked data repositories. An example of a data repository task is exporting any data and metadata changes, including POSIX metadata, to files, directories, and symbolic links (symlinks) from your FSx file system to a linked data repository.

You use release data repository tasks to release data from your file system for files that are exported to S3. The metadata of released files remains on the file system so users or applications can still access released files by reading the files again, which will restore data from Amazon S3 to the FSx for Lustre file system.

To learn more about data repository tasks, see [Data Repository Tasks](#). To learn more about linking a data repository to your file system, see [Linking your file system to an S3 bucket](#).

Request Syntax

```
{
  "CapacityToRelease": number,
  "ClientRequestToken": "string",
  "FileSystemId": "string",
  "Paths": [ "string" ],
  "ReleaseConfiguration": {
    "DurationSinceLastAccess": {
      "Unit": "string",
      "Value": number
    }
  },
  "Report": {
    "Enabled": boolean,
    "Format": "string",
    "Path": "string",
    "Scope": "string"
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```



```
    }  
  ],  
  "Type": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[CapacityToRelease](#)

Specifies the amount of data to release, in GiB, by an Amazon File Cache AUTO_RELEASE_DATA task that automatically releases files from the cache.

Type: Long

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.--]{0,63}$`

Required: No

[FileSystemId](#)

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

Paths

A list of paths for the data repository task to use when the task is processed. If a path that you provide isn't valid, the task fails. If you don't provide paths, the default behavior is to export all files to S3 (for export tasks), import all files from S3 (for import tasks), or release all exported files that meet the last accessed time criteria (for release tasks).

- For export tasks, the list contains paths on the FSx for Lustre file system from which the files are exported to the Amazon S3 bucket. The default path is the file system root directory. The paths you provide need to be relative to the mount point of the file system. If the mount point is `/mnt/fsx` and `/mnt/fsx/path1` is a directory or file on the file system you want to export, then the path to provide is `path1`.
- For import tasks, the list contains paths in the Amazon S3 bucket from which POSIX metadata changes are imported to the FSx for Lustre file system. The path can be an S3 bucket or prefix in the format `s3://bucket-name/prefix` (where `prefix` is optional).
- For release tasks, the list contains directory or file paths on the FSx for Lustre file system from which to release exported files. If a directory is specified, files within the directory are released. If a file path is specified, only that file is released. To release all exported files in the file system, specify a forward slash (`/`) as the path.

Note

A file must also meet the last accessed time criteria specified in [ReleaseConfiguration](#) for the file to be released.

Type: Array of strings

Array Members: Maximum number of 100 items.

Length Constraints: Minimum length of 0. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{0,4096}$`

Required: No

ReleaseConfiguration

The configuration that specifies the last accessed time criteria for files that will be released from an Amazon FSx for Lustre file system.

Type: [ReleaseConfiguration](#) object

Required: No

[Report](#)

Defines whether or not Amazon FSx provides a CompletionReport once the task has completed. A CompletionReport provides a detailed report on the files that Amazon FSx processed that meet the criteria specified by the Scope parameter. For more information, see [Working with Task Completion Reports](#).

Type: [CompletionReport](#) object

Required: Yes

[Tags](#)

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

[Type](#)

Specifies the type of data repository task to create.

- EXPORT_TO_REPOSITORY tasks export from your Amazon FSx for Lustre file system to a linked data repository.
- IMPORT_METADATA_FROM_REPOSITORY tasks import metadata changes from a linked S3 bucket to your Amazon FSx for Lustre file system.
- RELEASE_DATA_FROM_FILESYSTEM tasks release files in your Amazon FSx for Lustre file system that have been exported to a linked S3 bucket and that meet your specified release criteria.
- AUTO_RELEASE_DATA tasks automatically release files from an Amazon File Cache resource.

Type: String

Valid Values: EXPORT_TO_REPOSITORY | IMPORT_METADATA_FROM_REPOSITORY |
RELEASE_DATA_FROM_FILESYSTEM | AUTO_RELEASE_DATA

Required: Yes

Response Syntax

```
{
  "DataRepositoryTask": {
    "CapacityToRelease": number,
    "CreationTime": number,
    "EndTime": number,
    "FailureDetails": {
      "Message": "string"
    },
    "FileCacheId": "string",
    "FileSystemId": "string",
    "Lifecycle": "string",
    "Paths": [ "string" ],
    "ReleaseConfiguration": {
      "DurationSinceLastAccess": {
        "Unit": "string",
        "Value": number
      }
    },
  },
  "Report": {
    "Enabled": boolean,
    "Format": "string",
    "Path": "string",
    "Scope": "string"
  },
  "ResourceARN": "string",
  "StartTime": number,
  "Status": {
    "FailedCount": number,
    "LastUpdatedTime": number,
    "ReleasedCapacity": number,
    "SucceededCount": number,
    "TotalCount": number
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TaskId": "string",
  "Type": "string"
}
```

```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[DataRepositoryTask](#)

The description of the data repository task that you just created.

Type: [DataRepositoryTask](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

DataRepositoryTaskExecuting

An existing data repository task is currently executing on the file system. Wait until the existing task has completed, then create the new task.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

Examples

Create a Data Repository Task

The following request creates an `EXPORT_TO_REPOSITORY` data repository task for the specified file system.

Sample Request

```
POST /2015-02-01/create-data-repository-task HTTP/1.1
Host: fsx.us-east-1.amazonaws.com
x-amz-date: 20140620T221118Z
Authorization: <...>
Content-Type: application/json
Content-Length: 160

{
  "FileSystemId": "fs-0123456789abcdef0",
  "Type": "EXPORT_TO_REPOSITORY",
  "Paths": ["path1", "path2/file1"],
  "Report": {
    "Enabled": true,
```

```

    "Path": "s3://amzn-s3-demo-bucket/FSxLustre20191118T225838Z/myreports",
    "Format": "REPORT_CSV_20191124",
    "Scope": "FAILED_FILES_ONLY"
  },
}

```

Sample Response

```

HTTP/1.1 200 success
x-amzn-RequestId: c3616af3-33fa-40ad-ae0d-d3895a2c3a1f

{
  "Task": {
    "TaskId": "task-0123456789abcdef1",
    "TaskType": "EXPORT_TO_REPOSITORY",
    "Lifecycle": "PENDING",
    "FileSystemId": "fs-0123456789abcdef0",
    "Paths": ["path1", "path2/file1"],
    "TaskReport": {
      "Path": "s3://amzn-s3-demo-bucket/FSxLustre20191118T225838Z/myreports",
      "Format": "REPORT_CSV_20191124",
      "Enabled": true,
      "Scope": "FAILED_FILES_ONLY"
    },
    "Tags": [],
    "CreationTime": "2018-12-17T18:18:18.000Z",
    "ClientRequestToken": "10192019-drt-12",
    "ResourceARN": "arn:aws:fsx:us-east-1:123456789012:task:task-123f8cd8e330c1321"
  }
}

```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateFileCache

Creates a new Amazon File Cache resource.

You can use this operation with a client request token in the request that Amazon File Cache uses to ensure idempotent creation. If a cache with the specified client request token exists and the parameters match, `CreateFileCache` returns the description of the existing cache. If a cache with the specified client request token exists and the parameters don't match, this call returns `IncompatibleParameterError`. If a file cache with the specified client request token doesn't exist, `CreateFileCache` does the following:

- Creates a new, empty Amazon File Cache resource with an assigned ID, and an initial lifecycle state of `CREATING`.
- Returns the description of the cache in JSON format.

Note

The `CreateFileCache` call returns while the cache's lifecycle state is still `CREATING`. You can check the cache creation status by calling the [DescribeFileCaches](#) operation, which returns the cache state along with other information.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "CopyTagsToDataRepositoryAssociations": boolean,
  "DataRepositoryAssociations": [
    {
      "DataRepositoryPath": "string",
      "DataRepositorySubdirectories": [ "string" ],
      "FileCachePath": "string",
      "NFS": {
        "DnsIps": [ "string" ],
        "Version": "string"
      }
    }
  ],
  "FileCacheType": "string",
```

```
"FileCacheTypeVersion": "string",
"KmsKeyId": "string",
"LustreConfiguration": {
  "DeploymentType": "string",
  "MetadataConfiguration": {
    "StorageCapacity": number
  },
  "PerUnitStorageThroughput": number,
  "WeeklyMaintenanceStartTime": "string"
},
"SecurityGroupIds": [ "string" ],
"StorageCapacity": number,
"SubnetIds": [ "string" ],
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

By using the idempotent operation, you can retry a `CreateFileCache` operation without the risk of creating an extra cache. This approach can be useful when an initial call fails in a way that makes it unclear whether a cache was created. Examples are if a transport level timeout occurred, or your connection was reset. If you use the same client request token and the initial call created a cache, the client receives success as long as the parameters are the same.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

[CopyTagsToDataRepositoryAssociations](#)

A boolean flag indicating whether tags for the cache should be copied to data repository associations. This value defaults to false.

Type: Boolean

Required: No

[DataRepositoryAssociations](#)

A list of up to 8 configurations for data repository associations (DRAs) to be created during the cache creation. The DRAs link the cache to either an Amazon S3 data repository or a Network File System (NFS) data repository that supports the NFSv3 protocol.

The DRA configurations must meet the following requirements:

- All configurations on the list must be of the same data repository type, either all S3 or all NFS. A cache can't link to different data repository types at the same time.
- An NFS DRA must link to an NFS file system that supports the NFSv3 protocol.

DRA automatic import and automatic export is not supported.

Type: Array of [FileCacheDataRepositoryAssociation](#) objects

Array Members: Maximum number of 8 items.

Required: No

[FileCacheType](#)

The type of cache that you're creating, which must be LUSTRE.

Type: String

Valid Values: LUSTRE

Required: Yes

[FileCacheTypeVersion](#)

Sets the Lustre version for the cache that you're creating, which must be 2.12.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[0-9](.[0-9]*)*$`

Required: Yes

KmsKeyId

Specifies the ID of the AWS Key Management Service (AWS KMS) key to use for encrypting data on an Amazon File Cache. If a KmsKeyId isn't specified, the Amazon FSx-managed AWS KMS key for your account is used. For more information, see [Encrypt](#) in the *AWS Key Management Service API Reference*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^.{1,2048}$`

Required: No

LustreConfiguration

The configuration for the Amazon File Cache resource being created.

Type: [CreateFileCacheLustreConfiguration](#) object

Required: No

SecurityGroupIds

A list of IDs specifying the security groups to apply to all network interfaces created for Amazon File Cache access. This list isn't returned in later requests to describe the cache.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 11. Maximum length of 20.

Pattern: `^(sg-[0-9a-f]{8,})$`

Required: No

StorageCapacity

The storage capacity of the cache in gibibytes (GiB). Valid values are 1200 GiB, 2400 GiB, and increments of 2400 GiB.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: Yes

SubnetIds

A list of subnet IDs that the cache will be accessible from. You can specify only one subnet ID in a call to the `CreateFileCache` operation.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: Yes

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Response Syntax

```
{
  "FileCache": {
    "CopyTagsToDataRepositoryAssociations": boolean,
    "CreationTime": number,
```

```

    "DataRepositoryAssociationIds": [ "string" ],
    "DNSName": "string",
    "FailureDetails": {
        "Message": "string"
    },
    "FileCacheId": "string",
    "FileCacheType": "string",
    "FileCacheTypeVersion": "string",
    "KmsKeyId": "string",
    "Lifecycle": "string",
    "LustreConfiguration": {
        "DeploymentType": "string",
        "LogConfiguration": {
            "Destination": "string",
            "Level": "string"
        },
        "MetadataConfiguration": {
            "StorageCapacity": number
        },
        "MountName": "string",
        "PerUnitStorageThroughput": number,
        "WeeklyMaintenanceStartTime": "string"
    },
    "NetworkInterfaceIds": [ "string" ],
    "OwnerId": "string",
    "ResourceARN": "string",
    "StorageCapacity": number,
    "SubnetIds": [ "string" ],
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VpcId": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileCache

A description of the cache that was created.

Type: [FileCacheCreating](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

InvalidNetworkSettings

One or more network settings specified in the request are invalid.

HTTP Status Code: 400

InvalidPerUnitStorageThroughput

An invalid value for `PerUnitStorageThroughput` was provided. Please create your file system again, using a valid value.

HTTP Status Code: 400

MissingFileCacheConfiguration

A cache configuration is required for this operation.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateFileSystem

Creates a new, empty Amazon FSx file system. You can create the following supported Amazon FSx file systems using the `CreateFileSystem` API operation:

- Amazon FSx for Lustre
- Amazon FSx for NetApp ONTAP
- Amazon FSx for OpenZFS
- Amazon FSx for Windows File Server

This operation requires a client request token in the request that Amazon FSx uses to ensure idempotent creation. This means that calling the operation multiple times with the same client request token has no effect. By using the idempotent operation, you can retry a `CreateFileSystem` operation without the risk of creating an extra file system. This approach can be useful when an initial call fails in a way that makes it unclear whether a file system was created. Examples are if a transport level timeout occurred, or your connection was reset. If you use the same client request token and the initial call created a file system, the client receives success as long as the parameters are the same.

If a file system with the specified client request token exists and the parameters match, `CreateFileSystem` returns the description of the existing file system. If a file system with the specified client request token exists and the parameters don't match, this call returns `IncompatibleParameterError`. If a file system with the specified client request token doesn't exist, `CreateFileSystem` does the following:

- Creates a new, empty Amazon FSx file system with an assigned ID, and an initial lifecycle state of `CREATING`.
- Returns the description of the file system in JSON format.

Note

The `CreateFileSystem` call returns while the file system's lifecycle state is still `CREATING`. You can check the file-system creation status by calling the [DescribeFileSystems](#) operation, which returns the file system state along with other information.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "FileSystemType": "string",
  "FileSystemTypeVersion": "string",
  "KmsKeyId": "string",
  "LustreConfiguration": {
    "AutoImportPolicy": "string",
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "ExportPath": "string",
  "ImportedFileChunkSize": number,
  "ImportPath": "string",
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OntapConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",

```

```

    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeConfiguration": {
        "CopyTagsToSnapshots": boolean,
        "DataCompressionType": "string",
        "NfsExports": [
            {
                "ClientConfigurations": [
                    {
                        "Clients": "string",
                        "Options": [ "string" ]
                    }
                ]
            }
        ],
        "ReadOnly": boolean,
        "RecordSizeKiB": number,

```

```

    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "SecurityGroupIds": [ "string" ],
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [ "string" ],
    "AuditLogConfiguration": {
      "AuditLogDestination": "string",
      "FileAccessAuditLogLevel": "string",
      "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "PreferredSubnetId": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",

```

```
    "Password": "string",  
    "UserName": "string"  
  },  
  "ThroughputCapacity": number,  
  "WeeklyMaintenanceStartTime": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

A string of up to 63 ASCII characters that Amazon FSx uses to ensure idempotent creation. This string is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

[FileSystemType](#)

The type of Amazon FSx file system to create. Valid values are WINDOWS, LUSTRE, ONTAP, and OPENZFS.

Type: String

Valid Values: WINDOWS | LUSTRE | ONTAP | OPENZFS

Required: Yes

[FileSystemTypeVersion](#)

For FSx for Lustre file systems, sets the Lustre version for the file system that you're creating. Valid values are 2.10, 2.12, and 2.15:

- 2.10 is supported by the Scratch and Persistent_1 Lustre deployment types.

- 2.12 is supported by all Lustre deployment types, except for PERSISTENT_2 with a metadata configuration mode.
- 2.15 is supported by all Lustre deployment types and is recommended for all new file systems.

Default value is 2.10, except for the following deployments:

- Default value is 2.12 when DeploymentType is set to PERSISTENT_2 without a metadata configuration mode.
- Default value is 2.15 when DeploymentType is set to PERSISTENT_2 with a metadata configuration mode.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[0-9](.[0-9]*)*$`

Required: No

KmsKeyId

Specifies the ID of the AWS Key Management Service (AWS KMS) key to use for encrypting data on Amazon FSx file systems, as follows:

- Amazon FSx for Lustre PERSISTENT_1 and PERSISTENT_2 deployment types only.

SCRATCH_1 and SCRATCH_2 types are encrypted using the Amazon FSx service AWS KMS key for your account.

- Amazon FSx for NetApp ONTAP
- Amazon FSx for OpenZFS
- Amazon FSx for Windows File Server

If a KmsKeyId isn't specified, the Amazon FSx-managed AWS KMS key for your account is used. For more information, see [Encrypt](#) in the *AWS Key Management Service API Reference*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^[.]{1,2048}$`

Required: No

LustreConfiguration

The Lustre configuration for the file system being created.

Note

The following parameters are not supported for file systems with a data repository association created with [CreateDataRepositoryAssociation](#).

- AutoImportPolicy
- ExportPath
- ImportedFileChunkSize
- ImportPath

Type: [CreateFileSystemLustreConfiguration](#) object

Required: No

OntapConfiguration

The ONTAP configuration properties of the FSx for ONTAP file system that you are creating.

Type: [CreateFileSystemOntapConfiguration](#) object

Required: No

OpenZFSConfiguration

The OpenZFS configuration for the file system that's being created.

Type: [CreateFileSystemOpenZFSConfiguration](#) object

Required: No

SecurityGroupIds

A list of IDs specifying the security groups to apply to all network interfaces created for file system access. This list isn't returned in later requests to describe the file system.

Important

You must specify a security group if you are creating a Multi-AZ FSx for ONTAP file system in a VPC subnet that has been shared with you.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 11. Maximum length of 20.

Pattern: `^(sg-[0-9a-f]{8,})$`

Required: No

StorageCapacity

Sets the storage capacity of the file system that you're creating, in gibibytes (GiB).

FSx for Lustre file systems - The amount of storage capacity that you can configure depends on the value that you set for `StorageType` and the Lustre `DeploymentType`, as follows:

- For `SCRATCH_2`, `PERSISTENT_2`, and `PERSISTENT_1` deployment types using SSD storage type, the valid values are 1200 GiB, 2400 GiB, and increments of 2400 GiB.
- For `PERSISTENT_1` HDD file systems, valid values are increments of 6000 GiB for 12 MB/s/TiB file systems and increments of 1800 GiB for 40 MB/s/TiB file systems.
- For `SCRATCH_1` deployment type, valid values are 1200 GiB, 2400 GiB, and increments of 3600 GiB.

FSx for ONTAP file systems - The amount of storage capacity that you can configure depends on the value of the `HAPairs` property. The minimum value is calculated as $1,024 * \text{HAPairs}$ and the maximum is calculated as $524,288 * \text{HAPairs}$.

FSx for OpenZFS file systems - The amount of storage capacity that you can configure is from 64 GiB up to 524,288 GiB (512 TiB).

FSx for Windows File Server file systems - The amount of storage capacity that you can configure depends on the value that you set for `StorageType` as follows:

- For SSD storage, valid values are 32 GiB-65,536 GiB (64 TiB).
- For HDD storage, valid values are 2000 GiB-65,536 GiB (64 TiB).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

StorageType

Sets the storage class for the file system that you're creating. Valid values are SSD, HDD, and INTELLIGENT_TIERING.

- Set to SSD to use solid state drive storage. SSD is supported on all Windows, Lustre, ONTAP, and OpenZFS deployment types.
- Set to HDD to use hard disk drive storage, which is supported on SINGLE_AZ_2 and MULTI_AZ_1 Windows file system deployment types, and on PERSISTENT_1 Lustre file system deployment types.
- Set to INTELLIGENT_TIERING to use fully elastic, intelligently-tiered storage. Intelligent-Tiering is only available for OpenZFS file systems with the Multi-AZ deployment type and for Lustre file systems with the Persistent_2 deployment type.

Default value is SSD. For more information, see [Storage type options](#) in the *FSx for Windows File Server User Guide*, [FSx for Lustre storage classes](#) in the *FSx for Lustre User Guide*, and [Working with Intelligent-Tiering](#) in the *Amazon FSx for OpenZFS User Guide*.

Type: String

Valid Values: SSD | HDD | INTELLIGENT_TIERING

Required: No

SubnetIds

Specifies the IDs of the subnets that the file system will be accessible from. For Windows and ONTAP MULTI_AZ_1 deployment types, provide exactly two subnet IDs, one for the preferred file server and one for the standby file server. You specify one of these subnets as the preferred subnet using the `WindowsConfiguration > PreferredSubnetID` or `OntapConfiguration > PreferredSubnetID` properties. For more information about Multi-AZ file system configuration, see [Availability and durability: Single-AZ and Multi-AZ file systems](#) in the *Amazon FSx for Windows User Guide* and [Availability and durability](#) in the *Amazon FSx for ONTAP User Guide*.

For Windows SINGLE_AZ_1 and SINGLE_AZ_2 and all Lustre deployment types, provide exactly one subnet ID. The file server is launched in that subnet's Availability Zone.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: Yes

Tags

The tags to apply to the file system that's being created. The key value of the Name tag appears in the console as the file system name.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

WindowsConfiguration

The Microsoft Windows configuration for the file system that's being created.

Type: [CreateFileSystemWindowsConfiguration](#) object

Required: No

Response Syntax

```
{
  "FileSystem": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": "FileSystem",
        "TargetSnapshotValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
```

```

    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "VolumeId": "string"
  },
  "TargetVolumeValues": {
    "AdministrativeActions": [
      "AdministrativeAction"
    ],
    "CreationTime": number,
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "OntapConfiguration": {
      "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
      },
      "CopyTagsToBackups": boolean,
      "FlexCacheEndpointType": "string",
      "JunctionPath": "string",
      "OntapVolumeType": "string",
      "SecurityStyle": "string",
      "SizeInBytes": number,
      "SizeInMegabytes": number,
      "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
          "Type": "string",
          "Value": number
        }
      }
    },

```

```

    "PrivilegedDelete": "string",
    "RetentionPeriod": {
      "DefaultRetention": {
        "Type": "string",
        "Value": number
      },
      "MaximumRetention": {
        "Type": "string",
        "Value": number
      },
      "MinimumRetention": {
        "Type": "string",
        "Value": number
      }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "StorageVirtualMachineRoot": boolean,
  "TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
  },
  "UUID": "string",
  "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
  "CopyStrategy": "string",
  "CopyTagsToSnapshots": boolean,
  "DataCompressionType": "string",
  "DeleteClonedVolumes": boolean,
  "DeleteIntermediateData": boolean,
  "DeleteIntermediateSnapshots": boolean,
  "DestinationSnapshot": "string",
  "NfsExports": [
    {
      "ClientConfigurations": [
        {
          "Clients": "string",
          "Options": [ "string" ]
        }
      ]
    }
  ]
}

```

```

        ]
      }
    ],
    "OriginSnapshot": {
      "CopyStrategy": "string",
      "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",
  "VolumeType": "string"
},
"TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
  "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",

```

```

    "KmsKeyId": "string",
    "Lifecycle": "string",
    "LustreConfiguration": {
        "AutomaticBackupRetentionDays": number,
        "CopyTagsToBackups": boolean,
        "DailyAutomaticBackupStartTime": "string",
        "DataCompressionType": "string",
        "DataReadCacheConfiguration": {
            "SizeGiB": number,
            "SizingMode": "string"
        },
        "DataRepositoryConfiguration": {
            "AutoImportPolicy": "string",
            "ExportPath": "string",
            "FailureDetails": {
                "Message": "string"
            },
            "ImportedFileChunkSize": number,
            "ImportPath": "string",
            "Lifecycle": "string"
        },
        "DeploymentType": "string",
        "DriveCacheType": "string",
        "EfaEnabled": boolean,
        "LogConfiguration": {
            "Destination": "string",
            "Level": "string"
        },
        "MetadataConfiguration": {
            "Iops": number,
            "Mode": "string"
        },
        "MountName": "string",
        "PerUnitStorageThroughput": number,
        "RootSquashConfiguration": {
            "NoSquashNids": [ "string" ],
            "RootSquash": "string"
        },
        "ThroughputCapacity": number,
        "WeeklyMaintenanceStartTime": "string"
    },
    "NetworkInterfaceIds": [ "string" ],
    "OntapConfiguration": {
        "AutomaticBackupRetentionDays": number,

```

```

    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],

```

```

    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string " ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
  "AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
  },
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MaintenanceOperationsInProgress": [ "string " ],
  "PreferredFileServerIp": "string",
  "PreferredSubnetId": "string",
  "RemoteAdministrationEndpoint": "string",
  "SelfManagedActiveDirectoryConfiguration": {
    "DnsIps": [ "string " ],
    "DomainName": "string",
    "FileSystemAdministratorsGroup": "string",

```



```
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileSystem

The configuration of the file system that was created.

Type: [FileSystem](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ActiveDirectoryError

An Active Directory error.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

InvalidExportPath

The path provided for data repository export isn't valid.

HTTP Status Code: 400

InvalidImportPath

The path provided for data repository import isn't valid.

HTTP Status Code: 400

InvalidNetworkSettings

One or more network settings specified in the request are invalid.

HTTP Status Code: 400

InvalidPerUnitStorageThroughput

An invalid value for `PerUnitStorageThroughput` was provided. Please create your file system again, using a valid value.

HTTP Status Code: 400

MissingFileSystemConfiguration

A file system configuration is required for this operation.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateFileSystemFromBackup

Creates a new Amazon FSx for Lustre, Amazon FSx for Windows File Server, or Amazon FSx for OpenZFS file system from an existing Amazon FSx backup.

If a file system with the specified client request token exists and the parameters match, this operation returns the description of the file system. If a file system with the specified client request token exists but the parameters don't match, this call returns `IncompatibleParameterError`. If a file system with the specified client request token doesn't exist, this operation does the following:

- Creates a new Amazon FSx file system from backup with an assigned ID, and an initial lifecycle state of `CREATING`.
- Returns the description of the file system.

Parameters like the Active Directory, default share name, automatic backup, and backup settings default to the parameters of the file system that was backed up, unless overridden. You can explicitly supply other settings.

By using the idempotent operation, you can retry a `CreateFileSystemFromBackup` call without the risk of creating an extra file system. This approach can be useful when an initial call fails in a way that makes it unclear whether a file system was created. Examples are if a transport level timeout occurred, or your connection was reset. If you use the same client request token and the initial call created a file system, the client receives a success message as long as the parameters are the same.

Note

The `CreateFileSystemFromBackup` call returns while the file system's lifecycle state is still `CREATING`. You can check the file-system creation status by calling the [DescribeFileSystems](#) operation, which returns the file system state along with other information.

Request Syntax

```
{  
  "BackupId": "string",  
  "ClientRequestToken": "string",
```

```

"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"LustreConfiguration": {
  "AutoImportPolicy": "string",
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DataCompressionType": "string",
  "DataReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "ExportPath": "string",
  "ImportedFileChunkSize": number,
  "ImportPath": "string",
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "CopyTagsToVolumes": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },

```

```

    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeConfiguration": {
        "CopyTagsToSnapshots": boolean,
        "DataCompressionType": "string",
        "NfsExports": [
            {
                "ClientConfigurations": [
                    {
                        "Clients": "string",
                        "Options": [ "string" ]
                    }
                ]
            }
        ],
        "ReadOnly": boolean,
        "RecordSizeKiB": number,
        "UserAndGroupQuotas": [
            {
                "Id": number,
                "StorageCapacityQuotaGiB": number,
                "Type": "string"
            }
        ]
    },
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"SecurityGroupIds": [ "string" ],
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"WindowsConfiguration": {

```

```

    "ActiveDirectoryId": "string",
    "Aliases": [ "string" ],
    "AuditLogConfiguration": {
        "AuditLogDestination": "string",
        "FileAccessAuditLogLevel": "string",
        "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "PreferredSubnetId": "string",
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "Password": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}

```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

BackupId

The ID of the source backup. Specifies the backup that you are copying.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: Yes

ClientRequestToken

A string of up to 63 ASCII characters that Amazon FSx uses to ensure idempotent creation. This string is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`\$

Required: No

FileSystemTypeVersion

Sets the version for the Amazon FSx for Lustre file system that you're creating from a backup. Valid values are 2.10, 2.12, and 2.15.

You can enter a Lustre version that is newer than the backup's `FileSystemTypeVersion` setting. If you don't enter a newer Lustre version, it defaults to the backup's setting.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[0-9](.[0-9]*)*$`

Required: No

KmsKeyId

Specifies the ID of the AWS Key Management Service (AWS KMS) key to use for encrypting data on Amazon FSx file systems, as follows:

- Amazon FSx for Lustre `PERSISTENT_1` and `PERSISTENT_2` deployment types only.

`SCRATCH_1` and `SCRATCH_2` types are encrypted using the Amazon FSx service AWS KMS key for your account.

- Amazon FSx for NetApp ONTAP
- Amazon FSx for OpenZFS
- Amazon FSx for Windows File Server

If a `KmsKeyId` isn't specified, the Amazon FSx-managed AWS KMS key for your account is used. For more information, see [Encrypt](#) in the *AWS Key Management Service API Reference*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^[1,2048]$`

Required: No

LustreConfiguration

The Lustre configuration for the file system being created.

Note

The following parameters are not supported for file systems with a data repository association created with [CreateDataRepositoryAssociation](#).

- `AutoImportPolicy`
- `ExportPath`
- `ImportedFileChunkSize`
- `ImportPath`

Type: [CreateFileSystemLustreConfiguration](#) object

Required: No

OpenZFSConfiguration

The OpenZFS configuration for the file system that's being created.

Type: [CreateFileSystemOpenZFSConfiguration](#) object

Required: No

SecurityGroupIds

A list of IDs for the security groups that apply to the specified network interfaces created for file system access. These security groups apply to all network interfaces. This value isn't returned in later `DescribeFileSystem` requests.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 11. Maximum length of 20.

Pattern: `^(sg-[0-9a-f]{8,})$`

Required: No

StorageCapacity

Sets the storage capacity of the OpenZFS file system that you're creating from a backup, in gibibytes (GiB). Valid values are from 64 GiB up to 524,288 GiB (512 TiB). However, the value that you specify must be equal to or greater than the backup's storage capacity value. If you don't use the `StorageCapacity` parameter, the default is the backup's `StorageCapacity` value.

If used to create a file system other than OpenZFS, you must provide a value that matches the backup's `StorageCapacity` value. If you provide any other value, Amazon FSx responds with an HTTP status code 400 Bad Request.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

StorageType

Sets the storage type for the Windows, OpenZFS, or Lustre file system that you're creating from a backup. Valid values are `SSD`, `HDD`, and `INTELLIGENT_TIERING`.

- Set to `SSD` to use solid state drive storage. SSD is supported on all Windows and OpenZFS deployment types.
- Set to `HDD` to use hard disk drive storage. HDD is supported on `SINGLE_AZ_2` and `MULTI_AZ_1` FSx for Windows File Server file system deployment types.
- Set to `INTELLIGENT_TIERING` to use fully elastic, intelligently-tiered storage. Intelligent-Tiering is only available for OpenZFS file systems with the Multi-AZ deployment type and for Lustre file systems with the `Persistent_2` deployment type.

The default value is `SSD`.

Note

HDD and SSD storage types have different minimum storage capacity requirements. A restored file system's storage capacity is tied to the file system that was backed up. You can create a file system that uses HDD storage from a backup of a file system that used SSD storage if the original SSD file system had a storage capacity of at least 2000 GiB.

Type: String

Valid Values: SSD | HDD | INTELLIGENT_TIERING

Required: No

SubnetIds

Specifies the IDs of the subnets that the file system will be accessible from. For Windows MULTI_AZ_1 file system deployment types, provide exactly two subnet IDs, one for the preferred file server and one for the standby file server. You specify one of these subnets as the preferred subnet using the `WindowsConfiguration > PreferredSubnetID` property.

Windows SINGLE_AZ_1 and SINGLE_AZ_2 file system deployment types, Lustre file systems, and OpenZFS file systems provide exactly one subnet ID. The file server is launched in that subnet's Availability Zone.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: Yes

Tags

The tags to be applied to the file system at file system creation. The key value of the Name tag appears in the console as the file system name.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

WindowsConfiguration

The configuration for this Microsoft Windows file system.

Type: [CreateFileSystemWindowsConfiguration](#) object

Required: No

Response Syntax

```
{
  "FileSystem": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": "FileSystem",
        "TargetSnapshotValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "Lifecycle": "string",
          "LifecycleTransitionReason": {
            "Message": "string"
          },
          "Name": "string",
          "ResourceARN": "string",
          "SnapshotId": "string",
          "Tags": [
            {
              "Key": "string",
              "Value": "string"
            }
          ]
        }
      ]
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  }
}
```

```

    "VolumeId": "string"
  },
  "TargetVolumeValues": {
    "AdministrativeActions": [
      "AdministrativeAction"
    ],
    "CreationTime": number,
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "OntapConfiguration": {
      "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
      },
      "CopyTagsToBackups": boolean,
      "FlexCacheEndpointType": "string",
      "JunctionPath": "string",
      "OntapVolumeType": "string",
      "SecurityStyle": "string",
      "SizeInBytes": number,
      "SizeInMegabytes": number,
      "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
          "Type": "string",
          "Value": number
        },
        "PrivilegedDelete": "string",
        "RetentionPeriod": {
          "DefaultRetention": {
            "Type": "string",
            "Value": number
          },
          "MaximumRetention": {
            "Type": "string",
            "Value": number
          },
          "MinimumRetention": {
            "Type": "string",
            "Value": number
          }
        }
      }
    }
  }
}

```

```

    }
  },
  "SnaplockType": "string",
  "VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
  "CoolingPeriod": number,
  "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
  "CopyStrategy": "string",
  "CopyTagsToSnapshots": boolean,
  "DataCompressionType": "string",
  "DeleteClonedVolumes": boolean,
  "DeleteIntermediateData": boolean,
  "DeleteIntermediateSnapshots": boolean,
  "DestinationSnapshot": "string",
  "NfsExports": [
    {
      "ClientConfigurations": [
        {
          "Clients": "string",
          "Options": [ "string" ]
        }
      ]
    }
  ]
},
"OriginSnapshot": {
  "CopyStrategy": "string",
  "SnapshotARN": "string"
},
"ParentVolumeId": "string",
"ReadOnly": boolean,
"RecordSizeKiB": number,
"RestoreToSnapshot": "string",
"SourceSnapshotARN": "string",
"StorageCapacityQuotaGiB": number,

```

```

        "StorageCapacityReservationGiB": number,
        "UserAndGroupQuotas": [
            {
                "Id": number,
                "StorageCapacityQuotaGiB": number,
                "Type": "string"
            }
        ],
        "VolumePath": "string"
    },
    "ResourceARN": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string",
    "VolumeType": "string"
},
"TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
    "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "DataRepositoryConfiguration": {
        "AutoImportPolicy": "string",

```

```

    "ExportPath": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MountName": "string",
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "EndpointIpAddressRange": "string",
  "Endpoints": {
    "Intercluster": {
      "DNSName": "string",
      "IpAddresses": [ "string" ]
    },
    "Management": {

```



```

        "DNSName": "string",
        "IpAddresses": [ "string" ]
    }
},
"FsxAdminPassword": "string",
"HAPairs": number,
"PreferredSubnetId": "string",
"RouteTableIds": [ "string" ],
"ThroughputCapacity": number,
"ThroughputCapacityPerHAPair": number,
"WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
]

```

```

    ],
    "VpcId": "string",
    "WindowsConfiguration": {
      "ActiveDirectoryId": "string",
      "Aliases": [
        {
          "Lifecycle": "string",
          "Name": "string"
        }
      ],
    },
    "AuditLogConfiguration": {
      "AuditLogDestination": "string",
      "FileAccessAuditLogLevel": "string",
      "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileSystem

A description of the file system.

Type: [FileSystem](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ActiveDirectoryError

An Active Directory error.

HTTP Status Code: 400

BackupNotFound

No Amazon FSx backups were found based upon the supplied parameters.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

InvalidNetworkSettings

One or more network settings specified in the request are invalid.

HTTP Status Code: 400

InvalidPerUnitStorageThroughput

An invalid value for `PerUnitStorageThroughput` was provided. Please create your file system again, using a valid value.

HTTP Status Code: 400

MissingFileSystemConfiguration

A file system configuration is required for this operation.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

CreateSnapshot

Creates a snapshot of an existing Amazon FSx for OpenZFS volume. With snapshots, you can easily undo file changes and compare file versions by restoring the volume to a previous version.

If a snapshot with the specified client request token exists, and the parameters match, this operation returns the description of the existing snapshot. If a snapshot with the specified client request token exists, and the parameters don't match, this operation returns `IncompatibleParameterError`. If a snapshot with the specified client request token doesn't exist, `CreateSnapshot` does the following:

- Creates a new OpenZFS snapshot with an assigned ID, and an initial lifecycle state of `CREATING`.
- Returns the description of the snapshot.

By using the idempotent operation, you can retry a `CreateSnapshot` operation without the risk of creating an extra snapshot. This approach can be useful when an initial call fails in a way that makes it unclear whether a snapshot was created. If you use the same client request token and the initial call created a snapshot, the operation returns a successful result because all the parameters are the same.

The `CreateSnapshot` operation returns while the snapshot's lifecycle state is still `CREATING`. You can check the snapshot creation status by calling the [DescribeSnapshots](#) operation, which returns the snapshot state along with other information.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "Name": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

[Name](#)

The name of the snapshot.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 203.

Pattern: `^[a-zA-Z0-9_:. -]{1,203}$`

Required: Yes

[Tags](#)

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

[VolumeId](#)

The ID of the volume that you are taking a snapshot of.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: Yes

Response Syntax

```
{
  "Snapshot": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "DNSName": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "FileSystemId": "string",
          "FileSystemType": "string",
          "FileSystemTypeVersion": "string",
          "KmsKeyId": "string",
          "Lifecycle": "string",
          "LustreConfiguration": {
            "AutomaticBackupRetentionDays": number,
            "CopyTagsToBackups": boolean,
            "DailyAutomaticBackupStartTime": "string",
            "DataCompressionType": "string",
            "DataReadCacheConfiguration": {
              "SizeGiB": number,
              "SizingMode": "string"
            }
          }
        }
      }
    ]
  }
}
```



```

    "DataRepositoryConfiguration": {
      "AutoImportPolicy": "string",
      "ExportPath": "string",
      "FailureDetails": {
        "Message": "string"
      },
      "ImportedFileChunkSize": number,
      "ImportPath": "string",
      "Lifecycle": "string"
    },
    "DeploymentType": "string",
    "DriveCacheType": "string",
    "EfaEnabled": boolean,
    "LogConfiguration": {
      "Destination": "string",
      "Level": "string"
    },
    "MetadataConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
      "NoSquashNids": [ "string" ],
      "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string" ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      }
    }
  }
}

```

```

    },
    "Management": {
      "DNSName": "string",
      "IpAddresses": [ "string" ]
    }
  },
  "FsxAdminPassword": "string",
  "HAPairs": number,
  "PreferredSubnetId": "string",
  "RouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "ThroughputCapacityPerHAPair": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "CopyTagsToVolumes": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "EndpointIpAddress": "string",
  "EndpointIpAddressRange": "string",
  "PreferredSubnetId": "string",
  "ReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "RootVolumeId": "string",
  "RouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
  {
    "Key": "string",

```

```

        "Value": "string"
    }
],
"VpcId": "string",
"WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
        {
            "Lifecycle": "string",
            "Name": "string"
        }
    ],
    "AuditLogConfiguration": {
        "AuditLogDestination": "string",
        "FileAccessAuditLogLevel": "string",
        "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
},
"TargetSnapshotValues": "Snapshot",
"TargetVolumeValues": {
    "AdministrativeActions": [
        "AdministrativeAction"

```

```

],
"CreationTime": number,
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {
  "Message": "string"
},
"Name": "string",
"OntapConfiguration": {
  "AggregateConfiguration": {
    "Aggregates": [ "string" ],
    "TotalConstituents": number
  },
  "CopyTagsToBackups": boolean,
  "FlexCacheEndpointType": "string",
  "JunctionPath": "string",
  "OntapVolumeType": "string",
  "SecurityStyle": "string",
  "SizeInBytes": number,
  "SizeInMegabytes": number,
  "SnaplockConfiguration": {
    "AuditLogVolume": boolean,
    "AutocommitPeriod": {
      "Type": "string",
      "Value": number
    },
    "PrivilegedDelete": "string",
    "RetentionPeriod": {
      "DefaultRetention": {
        "Type": "string",
        "Value": number
      },
      "MaximumRetention": {
        "Type": "string",
        "Value": number
      },
      "MinimumRetention": {
        "Type": "string",
        "Value": number
      }
    }
  },
  "SnaplockType": "string",
  "VolumeAppendModeEnabled": boolean
},

```

```

    "SnapshotPolicy": "string",
    "StorageEfficiencyEnabled": boolean,
    "StorageVirtualMachineId": "string",
    "StorageVirtualMachineRoot": boolean,
    "TieringPolicy": {
        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,

```

```

        "Type": "string"
      },
    ],
    "VolumePath": "string",
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",
  "VolumeType": "string",
},
"TotalTransferBytes": number
}
],
"CreationTime": number,
"Lifecycle": "string",
"LifecycleTransitionReason": {
  "Message": "string"
},
"Name": "string",
"ResourceARN": "string",
"SnapshotId": "string",
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
],
"VolumeId": "string"
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Snapshot

A description of the snapshot.

Type: [Snapshot](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStorageVirtualMachine

Creates a storage virtual machine (SVM) for an Amazon FSx for ONTAP file system.

Request Syntax

```
{
  "ActiveDirectoryConfiguration": {
    "NetBiosName": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "Password": "string",
      "UserName": "string"
    }
  },
  "ClientRequestToken": "string",
  "FileSystemId": "string",
  "Name": "string",
  "RootVolumeSecurityStyle": "string",
  "SvmAdminPassword": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ActiveDirectoryConfiguration

Describes the self-managed Microsoft Active Directory to which you want to join the SVM. Joining an Active Directory provides user authentication and access control for SMB clients, including Microsoft Windows and macOS clients accessing the file system.

Type: [CreateSvmActiveDirectoryConfiguration](#) object

Required: No

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`\$

Required: No

[FileSystemId](#)

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

[Name](#)

The name of the SVM.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,47}$`

Required: Yes

[RootVolumeSecurityStyle](#)

The security style of the root volume of the SVM. Specify one of the following values:

- UNIX if the file system is managed by a UNIX administrator, the majority of users are NFS clients, and an application accessing the data uses a UNIX user as the service account.

- NTFS if the file system is managed by a Microsoft Windows administrator, the majority of users are SMB clients, and an application accessing the data uses a Microsoft Windows user as the service account.
- MIXED This is an advanced setting. For more information, see [Volume security style](#) in the Amazon FSx for NetApp ONTAP User Guide.

Type: String

Valid Values: UNIX | NTFS | MIXED

Required: No

[SvmAdminPassword](#)

The password to use when managing the SVM using the NetApp ONTAP CLI or REST API. If you do not specify a password, you can still use the file system's fsxadmin user to manage the SVM.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 50.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{8,50}$`

Required: No

[Tags](#)

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Response Syntax

```
{
  "StorageVirtualMachine": {
    "ActiveDirectoryConfiguration": {
      "NetBiosName": "string",
      "SelfManagedActiveDirectoryConfiguration": {
```

```

        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    }
},
"CreationTime": number,
"Endpoints": {
    "Iscsi": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
    },
    "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
    },
    "Nfs": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
    },
    "Smb": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
    }
},
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"ResourceARN": "string",
"RootVolumeSecurityStyle": "string",
"StorageVirtualMachineId": "string",
"Subtype": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"UUID": "string"
}

```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

StorageVirtualMachine

Returned after a successful `CreateStorageVirtualMachine` operation; describes the SVM just created.

Type: [StorageVirtualMachine](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ActiveDirectoryError

An Active Directory error.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateVolume

Creates an FSx for ONTAP or Amazon FSx for OpenZFS storage volume.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "Name": "string",
  "OntapConfiguration": {
    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "ConstituentsPerAggregate": number
    },
    "CopyTagsToBackups": boolean,
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
      "PrivilegedDelete": "string",
      "RetentionPeriod": {
        "DefaultRetention": {
          "Type": "string",
          "Value": number
        },
        "MaximumRetention": {
          "Type": "string",
          "Value": number
        },
        "MinimumRetention": {
          "Type": "string",
          "Value": number
        }
      },
      "SnaplockType": "string",
      "VolumeAppendModeEnabled": boolean
    }
  }
}
```

```

    },
    "SnapshotPolicy": "string",
    "StorageEfficiencyEnabled": boolean,
    "StorageVirtualMachineId": "string",
    "TieringPolicy": {
        "CoolingPeriod": number,
        "Name": "string"
    },
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ]
},
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
]

```



```
    }  
  ],  
  "VolumeType": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: [A-Za-z0-9_.-]{0,63}\$

Required: No

Name

Specifies the name of the volume that you're creating.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 203.

Pattern: ^[^\u0000\u0085\u2028\u2029\r\n]{1,203}\$

Required: Yes

OntapConfiguration

Specifies the configuration to use when creating the ONTAP volume.

Type: [CreateOntapVolumeConfiguration](#) object

Required: No

OpenZFSConfiguration

Specifies the configuration to use when creating the OpenZFS volume.

Type: [CreateOpenZFSVolumeConfiguration](#) object

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

VolumeType

Specifies the type of volume to create; ONTAP and OPENZFS are the only valid volume types.

Type: String

Valid Values: ONTAP | OPENZFS

Required: Yes

Response Syntax

```
{
  "Volume": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFilesystemValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ]
        }
      }
    ]
  }
}
```

```
],
  "CreationTime": number,
  "DNSName": "string",
  "FailureDetails": {
    "Message": "string"
  },
  "FileSystemId": "string",
  "FileSystemType": "string",
  "FileSystemTypeVersion": "string",
  "KmsKeyId": "string",
  "Lifecycle": "string",
  "LustreConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
  },
  "DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MountName": "string",
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
```

```

        "NoSquashNids": [ "string" ],
        "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    },

```

```

    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VpcId": "string",
"WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
        {
            "Lifecycle": "string",
            "Name": "string"
        }
    ]
},
"AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
},
"AutomaticBackupRetentionDays": number,
"CopyTagsToBackups": boolean,
"DailyAutomaticBackupStartTime": "string",
"DeploymentType": "string",
"DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
}

```

```

    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
},
"TargetSnapshotValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": "Volume",
"TotalTransferBytes": number
}
],
"CreationTime": number,
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {

```

```

    "Message": "string"
  },
  "Name": "string",
  "OntapConfiguration": {
    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
      "PrivilegedDelete": "string",
      "RetentionPeriod": {
        "DefaultRetention": {
          "Type": "string",
          "Value": number
        },
        "MaximumRetention": {
          "Type": "string",
          "Value": number
        },
        "MinimumRetention": {
          "Type": "string",
          "Value": number
        }
      }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "StorageVirtualMachineRoot": boolean,
  "TieringPolicy": {

```

```

        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ],
    "VolumePath": "string"
},

```



```
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",
  "VolumeType": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Volume

Returned after a successful CreateVolume API operation, describing the volume just created.

Type: Volume object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

MissingVolumeConfiguration

A volume configuration is required for this operation.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

StorageVirtualMachineNotFound

No FSx for ONTAP SVMs were found based upon the supplied parameters.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

Examples

Create an FSx for ONTAP storage volume

The following example creates a 100-GB storage volume with storage efficiency enabled, and a storage-tiering configuration with a 60-day cooling period with tiering of snapshots only.

```
{
  "Name": "finance-volume1"
  "OntapConfiguration": {
    "JunctionPath": "/finance/vol1",
    "SizeInMegabytes": 102400,
    "StorageEfficiencyEnabled": true,
    "StorageVirtualMachineId": "svm-0123456789abcdef0",
    "TieringPolicy": {
      "CoolingPeriod": 60,
      "Name": "SNAPSHOT_ONLY"
    }
  },

  "VolumeType": "ONTAP"
}
```

Create an Amazon FSx for OpenZFS storage volume.

The following example creates a 100-GB storage volume with storage efficiency enabled, and a storage-tiering configuration with a 60-day cooling period with tiering of snapshots only.

```
{
  "Name": "sales-vol1"
  "OpenZFSConfiguration": {
    "CopyTagsToSnapshots": true,
    "DataCompressionType": "LZ4",
    "NfsExports": [
      {
        "ClientConfigurations": [
          {
            "Clients": "*",
            "Options": [ "rw", "root_squash", "crossmnt" ]
          }
        ]
      }
    ],
    "OriginSnapshot": {
      "CopyStrategy": "CLONE",
      "SnapshotARN": "arn:aws:fsx:us-east-2:111122223333:snapshot/
fsvol-0123456789abcdef0/fsvolsnap-1234567890abcdef0"
    },
    "ParentVolumeId": "fsvol-abcdef01234567890",
  }
```

```
"ReadOnly": false,
"RecordSizeKiB": 1024,
"StorageCapacityQuotaGiB": 10000,
"StorageCapacityReservationGiB": -1,
"UserAndGroupQuotas": [
  {
    "Id": 1004,
    "StorageCapacityQuotaGiB": 2000,
    "Type": "GROUP"
  }
]
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateVolumeFromBackup

Creates a new Amazon FSx for NetApp ONTAP volume from an existing Amazon FSx volume backup.

Request Syntax

```
{
  "BackupId": "string",
  "ClientRequestToken": "string",
  "Name": "string",
  "OntapConfiguration": {
    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "ConstituentsPerAggregate": number
    },
    "CopyTagsToBackups": boolean,
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
      "PrivilegedDelete": "string",
      "RetentionPeriod": {
        "DefaultRetention": {
          "Type": "string",
          "Value": number
        },
        "MaximumRetention": {
          "Type": "string",
          "Value": number
        },
        "MinimumRetention": {
          "Type": "string",
          "Value": number
        }
      }
    }
  },
}
```

```
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
  },
  "VolumeStyle": "string"
},
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

BackupId

The ID of the source backup. Specifies the backup that you are copying.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: Yes

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`\$

Required: No

Name

The name of the new volume you're creating.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 203.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,203}`\$

Required: Yes

OntapConfiguration

Specifies the configuration of the ONTAP volume that you are creating.

Type: [CreateOntapVolumeConfiguration](#) object

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Response Syntax

```
{
  "Volume": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        }
      },
    ],
  },
}
```

```

    "ProgressPercent": number,
    "RemainingTransferBytes": number,
    "RequestTime": number,
    "Status": "string",
    "TargetFileSystemValues": {
        "AdministrativeActions": [
            "AdministrativeAction"
        ],
        "CreationTime": number,
        "DNSName": "string",
        "FailureDetails": {
            "Message": "string"
        },
        "FileSystemId": "string",
        "FileSystemType": "string",
        "FileSystemTypeVersion": "string",
        "KmsKeyId": "string",
        "Lifecycle": "string",
        "LustreConfiguration": {
            "AutomaticBackupRetentionDays": number,
            "CopyTagsToBackups": boolean,
            "DailyAutomaticBackupStartTime": "string",
            "DataCompressionType": "string",
            "DataReadCacheConfiguration": {
                "SizeGiB": number,
                "SizingMode": "string"
            },
            "DataRepositoryConfiguration": {
                "AutoImportPolicy": "string",
                "ExportPath": "string",
                "FailureDetails": {
                    "Message": "string"
                },
                "ImportedFileChunkSize": number,
                "ImportPath": "string",
                "Lifecycle": "string"
            },
            "DeploymentType": "string",
            "DriveCacheType": "string",
            "EfaEnabled": boolean,
            "LogConfiguration": {
                "Destination": "string",
                "Level": "string"
            }
        },
    },

```



```

    "MetadataConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
        "NoSquashNids": [ "string" ],
        "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,

```

```

    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string "],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string "],
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VpcId": "string",
"WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
        {
            "Lifecycle": "string",
            "Name": "string"
        }
    ]
},
"AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
},

```

```

    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
},
"TargetSnapshotValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": "Volume",

```

```

        "TotalTransferBytes": number
    }
],
"CreationTime": number,
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"OntapConfiguration": {
    "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
            "Type": "string",
            "Value": number
        },
        "PrivilegedDelete": "string",
        "RetentionPeriod": {
            "DefaultRetention": {
                "Type": "string",
                "Value": number
            },
            "MaximumRetention": {
                "Type": "string",
                "Value": number
            },
            "MinimumRetention": {
                "Type": "string",
                "Value": number
            }
        },
        "SnaplockType": "string",
    }
},

```

```

    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "StorageVirtualMachineRoot": boolean,
  "TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
  },
  "UUID": "string",
  "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
  "CopyStrategy": "string",
  "CopyTagsToSnapshots": boolean,
  "DataCompressionType": "string",
  "DeleteClonedVolumes": boolean,
  "DeleteIntermediateData": boolean,
  "DeleteIntermediateSnapshots": boolean,
  "DestinationSnapshot": "string",
  "NfsExports": [
    {
      "ClientConfigurations": [
        {
          "Clients": "string",
          "Options": [ "string" ]
        }
      ]
    }
  ],
  "OriginSnapshot": {
    "CopyStrategy": "string",
    "SnapshotARN": "string"
  },
  "ParentVolumeId": "string",
  "ReadOnly": boolean,
  "RecordSizeKiB": number,
  "RestoreToSnapshot": "string",
  "SourceSnapshotARN": "string",
  "StorageCapacityQuotaGiB": number,
  "StorageCapacityReservationGiB": number,
  "UserAndGroupQuotas": [
    {

```

```
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
    },
    ],
    "VolumePath": "string"
},
"ResourceARN": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VolumeId": "string",
"VolumeType": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Volume

Returned after a successful CreateVolumeFromBackup API operation, describing the volume just created.

Type: [Volume](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BackupNotFound

No Amazon FSx backups were found based upon the supplied parameters.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

MissingVolumeConfiguration

A volume configuration is required for this operation.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

StorageVirtualMachineNotFound

No FSx for ONTAP SVMs were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteBackup

Deletes an Amazon FSx backup. After deletion, the backup no longer exists, and its data is gone.

The DeleteBackup call returns instantly. The backup won't show up in later DescribeBackups calls.

Important

The data in a deleted backup is also deleted and can't be recovered by any means.

Request Syntax

```
{  
  "BackupId": "string",  
  "ClientRequestToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

BackupId

The ID of the backup that you want to delete.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: Yes

ClientRequestToken

A string of up to 63 ASCII characters that Amazon FSx uses to ensure idempotent deletion. This parameter is automatically filled on your behalf when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`

Required: No

Response Syntax

```
{
  "BackupId": "string",
  "Lifecycle": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

BackupId

The ID of the backup that was deleted.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Lifecycle

The lifecycle status of the backup. If the DeleteBackup operation is successful, the status is DELETED.

Type: String

Valid Values: AVAILABLE | CREATING | TRANSFERRING | DELETED | FAILED | PENDING | COPYING

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BackupBeingCopied

You can't delete a backup while it's being copied.

HTTP Status Code: 400

BackupInProgress

Another backup is already under way. Wait for completion before initiating additional backups of this file system.

HTTP Status Code: 400

BackupNotFound

No Amazon FSx backups were found based upon the supplied parameters.

HTTP Status Code: 400

BackupRestoring

You can't delete a backup while it's being used to restore a file system.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteDataRepositoryAssociation

Deletes a data repository association on an Amazon FSx for Lustre file system. Deleting the data repository association unlinks the file system from the Amazon S3 bucket. When deleting a data repository association, you have the option of deleting the data in the file system that corresponds to the data repository association. Data repository associations are supported on all FSx for Lustre 2.12 and 2.15 file systems, excluding `scratch_1` deployment type.

Request Syntax

```
{  
  "AssociationId": "string",  
  "ClientRequestToken": "string",  
  "DeleteDataInFileSystem": boolean  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AssociationId

The ID of the data repository association that you want to delete.

Type: String

Length Constraints: Minimum length of 13. Maximum length of 23.

Pattern: `^(dra-[0-9a-f]{8,})$`

Required: Yes

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

DeleteDataInFileSystem

Set to `true` to delete the data in the file system that corresponds to the data repository association.

Type: Boolean

Required: No

Response Syntax

```
{
  "AssociationId": "string",
  "DeleteDataInFileSystem": boolean,
  "Lifecycle": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AssociationId

The ID of the data repository association being deleted.

Type: String

Length Constraints: Minimum length of 13. Maximum length of 23.

Pattern: `^(dra-[0-9a-f]{8,})$`

DeleteDataInFileSystem

Indicates whether data in the file system that corresponds to the data repository association is being deleted. Default is `false`.

Type: Boolean

Lifecycle

Describes the lifecycle state of the data repository association being deleted.

Type: String

Valid Values: CREATING | AVAILABLE | MISCONFIGURED | UPDATING | DELETING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

DataRepositoryAssociationNotFound

No data repository associations were found based upon the supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteFileCache

Deletes an Amazon File Cache resource. After deletion, the cache no longer exists, and its data is gone.

The DeleteFileCache operation returns while the cache has the DELETING status. You can check the cache deletion status by calling the [DescribeFileCaches](#) operation, which returns a list of caches in your account. If you pass the cache ID for a deleted cache, the DescribeFileCaches operation returns a FileCacheNotFound error.

Important

The data in a deleted cache is also deleted and can't be recovered by any means.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "FileCacheId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

FileCacheId

The ID of the cache that's being deleted.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fc-[0-9a-f]{8,})$`

Required: Yes

Response Syntax

```
{
  "FileCacheId": "string",
  "Lifecycle": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileCacheId

The ID of the cache that's being deleted.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fc-[0-9a-f]{8,})$`

Lifecycle

The cache lifecycle for the deletion request. If the DeleteFileCache operation is successful, this status is DELETING.

Type: String

Valid Values: AVAILABLE | CREATING | DELETING | UPDATING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileCacheNotFound

No caches were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteFileSystem

Deletes a file system. After deletion, the file system no longer exists, and its data is gone. Any existing automatic backups and snapshots are also deleted.

To delete an Amazon FSx for NetApp ONTAP file system, first delete all the volumes and storage virtual machines (SVMs) on the file system. Then provide a `FileSystemId` value to the `DeleteFileSystem` operation.

Before deleting an Amazon FSx for OpenZFS file system, make sure that there aren't any Amazon S3 access points attached to any volume. For more information on how to list S3 access points that are attached to volumes, see [Listing S3 access point attachments](#). For more information on how to delete S3 access points, see [Deleting an S3 access point attachment](#).

By default, when you delete an Amazon FSx for Windows File Server file system, a final backup is created upon deletion. This final backup isn't subject to the file system's retention policy, and must be manually deleted.

To delete an Amazon FSx for Lustre file system, first [unmount](#) it from every connected Amazon EC2 instance, then provide a `FileSystemId` value to the `DeleteFileSystem` operation. By default, Amazon FSx will not take a final backup when the `DeleteFileSystem` operation is invoked. On file systems not linked to an Amazon S3 bucket, set `SkipFinalBackup` to `false` to take a final backup of the file system you are deleting. Backups cannot be enabled on S3-linked file systems. To ensure all of your data is written back to S3 before deleting your file system, you can either monitor for the [AgeOfOldestQueuedMessage](#) metric to be zero (if using automatic export) or you can run an [export data repository task](#). If you have automatic export enabled and want to use an export data repository task, you have to disable automatic export before executing the export data repository task.

The `DeleteFileSystem` operation returns while the file system has the `DELETING` status. You can check the file system deletion status by calling the [DescribeFileSystems](#) operation, which returns a list of file systems in your account. If you pass the file system ID for a deleted file system, the `DescribeFileSystems` operation returns a `FileSystemNotFound` error.

Note

If a data repository task is in a `PENDING` or `EXECUTING` state, deleting an Amazon FSx for Lustre file system will fail with an HTTP status code 400 (Bad Request).

⚠ Important

The data in a deleted file system is also deleted and can't be recovered by any means.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "FileSystemId": "string",
  "LustreConfiguration": {
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "SkipFinalBackup": boolean
  },
  "OpenZFSConfiguration": {
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "Options": [ "string" ],
    "SkipFinalBackup": boolean
  },
  "WindowsConfiguration": {
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "SkipFinalBackup": boolean
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

A string of up to 63 ASCII characters that Amazon FSx uses to ensure idempotent deletion. This token is automatically filled on your behalf when using the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.--]{0,63}$`

Required: No

[FileSystemId](#)

The ID of the file system that you want to delete.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

[LustreConfiguration](#)

The configuration object for the Amazon FSx for Lustre file system being deleted in the DeleteFileSystem operation.

Type: [DeleteFileSystemLustreConfiguration](#) object

Required: No

[OpenZFSConfiguration](#)

The configuration object for the OpenZFS file system used in the DeleteFileSystem operation.

Type: [DeleteFileSystemOpenZFSConfiguration](#) object

Required: No

[WindowsConfiguration](#)

The configuration object for the Microsoft Windows file system used in the DeleteFileSystem operation.

Type: [DeleteFileSystemWindowsConfiguration](#) object

Required: No

Response Syntax

```
{
  "FileSystemId": "string",
  "Lifecycle": "string",
  "LustreResponse": {
    "FinalBackupId": "string",
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  },
  "OpenZFSResponse": {
    "FinalBackupId": "string",
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  },
  "WindowsResponse": {
    "FinalBackupId": "string",
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  }
}
```



```
    ]  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileSystemId

The ID of the file system that's being deleted.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Lifecycle

The file system lifecycle for the deletion request. If the `DeleteFileSystem` operation is successful, this status is `DELETING`.

Type: String

Valid Values: `AVAILABLE` | `CREATING` | `FAILED` | `DELETING` | `MISCONFIGURED` | `UPDATING` | `MISCONFIGURED_UNAVAILABLE`

LustreResponse

The response object for the Amazon FSx for Lustre file system being deleted in the `DeleteFileSystem` operation.

Type: [DeleteFileSystemLustreResponse](#) object

OpenZFSResponse

The response object for the OpenZFS file system that's being deleted in the `DeleteFileSystem` operation.

Type: [DeleteFileSystemOpenZFSResponse](#) object

WindowsResponse

The response object for the Microsoft Windows file system used in the `DeleteFileSystem` operation.

Type: [DeleteFileSystemWindowsResponse](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteSnapshot

Deletes an Amazon FSx for OpenZFS snapshot. After deletion, the snapshot no longer exists, and its data is gone. Deleting a snapshot doesn't affect snapshots stored in a file system backup.

The DeleteSnapshot operation returns instantly. The snapshot appears with the lifecycle status of DELETING until the deletion is complete.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "SnapshotId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: [A-Za-z0-9_.-]{0,63}\$

Required: No

[SnapshotId](#)

The ID of the snapshot that you want to delete.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Required: Yes

Response Syntax

```
{  
  "Lifecycle": "string",  
  "SnapshotId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Lifecycle](#)

The lifecycle status of the snapshot. If the DeleteSnapshot operation is successful, this status is DELETING.

Type: String

Valid Values: PENDING | CREATING | DELETING | AVAILABLE

[SnapshotId](#)

The ID of the deleted snapshot.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

SnapshotNotFound

No Amazon FSx snapshots were found based on the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStorageVirtualMachine

Deletes an existing Amazon FSx for ONTAP storage virtual machine (SVM). Prior to deleting an SVM, you must delete all non-root volumes in the SVM, otherwise the operation will fail.

Request Syntax

```
{  
  "ClientRequestToken": "string",  
  "StorageVirtualMachineId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: [A-Za-z0-9_.-]{0,63}\$

Required: No

[StorageVirtualMachineId](#)

The ID of the SVM that you want to delete.

Type: String

Length Constraints: Fixed length of 21.

Pattern: ^(svm-[0-9a-f]{17,})\$

Required: Yes

Response Syntax

```
{  
  "Lifecycle": "string",  
  "StorageVirtualMachineId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Lifecycle](#)

Describes the lifecycle state of the SVM being deleted.

Type: String

Valid Values: CREATED | CREATING | DELETING | FAILED | MISCONFIGURED | PENDING

[StorageVirtualMachineId](#)

The ID of the SVM Amazon FSx is deleting.

Type: String

Length Constraints: Fixed length of 21.

Pattern: `^(svm-[0-9a-f]{17,})$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

StorageVirtualMachineNotFound

No FSx for ONTAP SVMs were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteVolume

Deletes an Amazon FSx for NetApp ONTAP or Amazon FSx for OpenZFS volume.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "OntapConfiguration": {
    "BypassSnaplockEnterpriseRetention": boolean,
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "SkipFinalBackup": boolean
  },
  "OpenZFSConfiguration": {
    "Options": [ "string" ]
  },
  "VolumeId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.--]{0,63}$`

Required: No

OntapConfiguration

For Amazon FSx for ONTAP volumes, specify whether to take a final backup of the volume and apply tags to the backup. To apply tags to the backup, you must have the `fsx:TagResource` permission.

Type: [DeleteVolumeOntapConfiguration](#) object

Required: No

OpenZFSConfiguration

For Amazon FSx for OpenZFS volumes, specify whether to delete all child volumes and snapshots.

Type: [DeleteVolumeOpenZFSConfiguration](#) object

Required: No

VolumeId

The ID of the volume that you are deleting.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: Yes

Response Syntax

```
{
  "Lifecycle": "string",
  "OntapResponse": {
    "FinalBackupId": "string",
    "FinalBackupTags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  }
}
```

```
    ]  
  },  
  "VolumeId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Lifecycle

The lifecycle state of the volume being deleted. If the DeleteVolume operation is successful, this value is DELETING.

Type: String

Valid Values: CREATING | CREATED | DELETING | FAILED | MISCONFIGURED | PENDING | AVAILABLE

OntapResponse

Returned after a DeleteVolume request, showing the status of the delete request.

Type: [DeleteVolumeOntapResponse](#) object

VolumeId

The ID of the volume that's being deleted.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeBackups

Returns the description of a specific Amazon FSx backup, if a `BackupIds` value is provided for that backup. Otherwise, it returns all backups owned by your AWS account in the AWS Region of the endpoint that you're calling.

When retrieving all backups, you can optionally specify the `MaxResults` parameter to limit the number of backups in a response. If more backups remain, Amazon FSx returns a `NextToken` value in the response. In this case, send a later request with the `NextToken` request parameter set to the value of the `NextToken` value from the last response.

This operation is used in an iterative process to retrieve a list of your backups. `DescribeBackups` is called first without a `NextToken` value. Then the operation continues to be called with the `NextToken` parameter set to the value of the last `NextToken` value until a response has no `NextToken` value.

When using this operation, keep the following in mind:

- The operation might return fewer than the `MaxResults` value of backup descriptions while still including a `NextToken` value.
- The order of the backups returned in the response of one `DescribeBackups` call and the order of the backups returned across the responses of a multi-call iteration is unspecified.

Request Syntax

```
{  
  "BackupIds": [ "string" ],  
  "Filters": [  
    {  
      "Name": "string",  
      "Values": [ "string" ]  
    }  
  ],  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[BackupIds](#)

The IDs of the backups that you want to retrieve. This parameter value overrides any filters. If any IDs aren't found, a BackupNotFound error occurs.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: No

[Filters](#)

The filters structure. The supported names are file-system-id, backup-type, file-system-type, and volume-id.

Type: Array of [Filter](#) objects

Array Members: Maximum number of 10 items.

Required: No

[MaxResults](#)

Maximum number of backups to return in the response. This parameter value must be greater than 0. The number of items that Amazon FSx returns is the minimum of the MaxResults parameter specified in the request and the service's internal maximum number of items per page.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

An opaque pagination token returned from a previous DescribeBackups operation. If a token is present, the operation continues the list from where the returning call left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^{(?:[A-Za-z0-9+\backslash/]{4})^{*}(?:[A-Za-z0-9+\backslash/]{2}=|[A-Za-z0-9+\backslash/]{3}=)?$
\$

Required: No

Response Syntax

```
{
  "Backups": [
    {
      "BackupId": "string",
      "CreationTime": number,
      "DirectoryInformation": {
        "ActiveDirectoryId": "string",
        "DomainName": "string",
        "ResourceARN": "string"
      },
      "FailureDetails": {
        "Message": "string"
      },
      "FileSystem": {
        "AdministrativeActions": [
          {
            "AdministrativeActionType": "string",
            "FailureDetails": {
              "Message": "string"
            },
            "ProgressPercent": number,
            "RemainingTransferBytes": number,
            "RequestTime": number,
            "Status": "string",
            "TargetFileSystemValues": "FileSystem",
            "TargetSnapshotValues": {
              "AdministrativeActions": [
```

```

        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "OntapConfiguration": {
        "AggregateConfiguration": {
            "Aggregates": [ "string " ],
            "TotalConstituents": number
        },
        "CopyTagsToBackups": boolean,
        "FlexCacheEndpointType": "string",
        "JunctionPath": "string",
        "OntapVolumeType": "string",
        "SecurityStyle": "string",
        "SizeInBytes": number,
        "SizeInMegabytes": number,
        "SnaplockConfiguration": {
            "AuditLogVolume": boolean,
            "AutocommitPeriod": {

```

```

        "Type": "string",
        "Value": number
    },
    "PrivilegedDelete": "string",
    "RetentionPeriod": {
        "DefaultRetention": {
            "Type": "string",
            "Value": number
        },
        "MaximumRetention": {
            "Type": "string",
            "Value": number
        },
        "MinimumRetention": {
            "Type": "string",
            "Value": number
        }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnaphots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [

```

```

        "Clients": "string",
        "Options": [ "string" ]
    }
]
},
"OriginSnapshot": {
    "CopyStrategy": "string",
    "SnapshotARN": "string"
},
"ParentVolumeId": "string",
"ReadOnly": boolean,
"RecordSizeKiB": number,
"RestoreToSnapshot": "string",
"SourceSnapshotARN": "string",
"StorageCapacityQuotaGiB": number,
"StorageCapacityReservationGiB": number,
"UserAndGroupQuotas": [
    {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
    }
],
"VolumePath": "string"
},
"ResourceARN": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VolumeId": "string",
"VolumeType": "string"
},
"TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
    "Message": "string"
},

```

```

"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DataCompressionType": "string",
  "DataReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MountName": "string",
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},

```

```

"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "EndpointIpAddressRange": "string",
  "Endpoints": {
    "Intercluster": {
      "DNSName": "string",
      "IpAddresses": [ "string" ]
    },
    "Management": {
      "DNSName": "string",
      "IpAddresses": [ "string" ]
    }
  },
  "FsxAdminPassword": "string",
  "HAPairs": number,
  "PreferredSubnetId": "string",
  "RouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "ThroughputCapacityPerHAPair": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "CopyTagsToVolumes": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "EndpointIpAddress": "string",
  "EndpointIpAddressRange": "string",
  "PreferredSubnetId": "string",
  "ReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  }
}

```

```

    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
  "AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
  },
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MaintenanceOperationsInProgress": [ "string" ],
  "PreferredFileServerIp": "string",
  "PreferredSubnetId": "string",
  "RemoteAdministrationEndpoint": "string",
  "SelfManagedActiveDirectoryConfiguration": {

```

```

        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
},
"KmsKeyId": "string",
"Lifecycle": "string",
"OwnerId": "string",
"ProgressPercent": number,
"ResourceARN": "string",
"ResourceType": "string",
"SizeInBytes": number,
"SourceBackupId": "string",
"SourceBackupRegion": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"Type": "string",
"Volume": {
    "AdministrativeActions": [
        {
            "AdministrativeActionType": "string",
            "FailureDetails": {
                "Message": "string"
            },
            "ProgressPercent": number,
            "RemainingTransferBytes": number,
            "RequestTime": number,
            "Status": "string",
            "TargetFileSystemValues": {
                "AdministrativeActions": [
                    "AdministrativeAction"
                ],
                "CreationTime": number,
                "DNSName": "string",
                "FailureDetails": {

```



```

    "Message": "string"
  },
  "FileSystemId": "string",
  "FileSystemType": "string",
  "FileSystemTypeVersion": "string",
  "KmsKeyId": "string",
  "Lifecycle": "string",
  "LustreConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
  },
  "DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
  },
  "DeploymentType": "string",
  "DriveCacheType": "string",
  "EfaEnabled": boolean,
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "MountName": "string",
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,

```

```

    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string" ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
  },
  "EndpointIpAddressRange": "string",
  "Endpoints": {
    "Intercluster": {
      "DNSName": "string",
      "IpAddresses": [ "string" ]
    },
    "Management": {
      "DNSName": "string",
      "IpAddresses": [ "string" ]
    }
  },
  },
  "FsxAdminPassword": "string",
  "HAPairs": number,
  "PreferredSubnetId": "string",
  "RouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "ThroughputCapacityPerHAPair": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "CopyTagsToVolumes": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
},
"EndpointIpAddress": "string",
"EndpointIpAddressRange": "string",
"PreferredSubnetId": "string",
"ReadCacheConfiguration": {

```

```

        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VpcId": "string",
"WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
        {
            "Lifecycle": "string",
            "Name": "string"
        }
    ]
},
"AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
},
"AutomaticBackupRetentionDays": number,
"CopyTagsToBackups": boolean,
"DailyAutomaticBackupStartTime": "string",
"DeploymentType": "string",
"DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
},
"MaintenanceOperationsInProgress": [ "string" ],
"PreferredFileServerIp": "string",
"PreferredSubnetId": "string",

```

```

        "RemoteAdministrationEndpoint": "string",
        "SelfManagedActiveDirectoryConfiguration": {
            "DnsIps": [ "string" ],
            "DomainName": "string",
            "FileSystemAdministratorsGroup": "string",
            "OrganizationalUnitDistinguishedName": "string",
            "UserName": "string"
        },
        "ThroughputCapacity": number,
        "WeeklyMaintenanceStartTime": "string"
    }
},
"TargetSnapshotValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": "Volume",
"TotalTransferBytes": number
}
],
"CreationTime": number,
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"OntapConfiguration": {

```

```

    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
    },
    "PrivilegedDelete": "string",
    "RetentionPeriod": {
      "DefaultRetention": {
        "Type": "string",
        "Value": number
      },
      "MaximumRetention": {
        "Type": "string",
        "Value": number
      },
      "MinimumRetention": {
        "Type": "string",
        "Value": number
      }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "StorageVirtualMachineRoot": boolean,
  "TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
  },
  "UUID": "string",

```

```

    "VolumeStyle": "string"
  },
  "OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
      {
        "ClientConfigurations": [
          {
            "Clients": "string",
            "Options": [ "string" ]
          }
        ]
      }
    ],
    "OriginSnapshot": {
      "CopyStrategy": "string",
      "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",

```

```
        "Value": "string"
      }
    ],
    "VolumeId": "string",
    "VolumeType": "string"
  }
},
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Backups

An array of backups.

Type: Array of [Backup](#) objects

Array Members: Maximum number of 50 items.

NextToken

A NextToken value is present if there are more backups than returned in the response. You can use the NextToken value in the subsequent request to fetch the backups.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\/]{4})*(?:[A-Za-z0-9+\/]{2}=|[A-Za-z0-9+\/]{3}=)?`
\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BackupNotFound

No Amazon FSx backups were found based upon the supplied parameters.

HTTP Status Code: 400

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeDataRepositoryAssociations

Returns the description of specific Amazon FSx for Lustre or Amazon File Cache data repository associations, if one or more `AssociationIds` values are provided in the request, or if filters are used in the request. Data repository associations are supported on Amazon File Cache resources and all FSx for Lustre 2.12 and 2.15 file systems, excluding `scratch_1` deployment type.

You can use filters to narrow the response to include just data repository associations for specific file systems (use the `file-system-id` filter with the ID of the file system) or caches (use the `file-cache-id` filter with the ID of the cache), or data repository associations for a specific repository type (use the `data-repository-type` filter with a value of `S3` or `NFS`). If you don't use filters, the response returns all data repository associations owned by your AWS account in the AWS Region of the endpoint that you're calling.

When retrieving all data repository associations, you can paginate the response by using the optional `MaxResults` parameter to limit the number of data repository associations returned in a response. If more data repository associations remain, a `NextToken` value is returned in the response. In this case, send a later request with the `NextToken` request parameter set to the value of `NextToken` from the last response.

Request Syntax

```
{
  "AssociationIds": [ "string" ],
  "Filters": [
    {
      "Name": "string",
      "Values": [ "string" ]
    }
  ],
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AssociationIds

IDs of the data repository associations whose descriptions you want to retrieve (String).

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 13. Maximum length of 23.

Pattern: `^(dra-[0-9a-f]{8,})$`

Required: No

Filters

A list of `Filter` elements.

Type: Array of [Filter](#) objects

Array Members: Maximum number of 10 items.

Required: No

MaxResults

The maximum number of resources to return in the response. This value must be an integer greater than zero.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 25.

Required: No

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous `NextToken` value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^((?:[A-Za-z0-9+\backslash/]{4})^*(?:[A-Za-z0-9+\backslash/]{2}==|[A-Za-z0-9+\backslash/]{3}=))?$$

Required: No

Response Syntax

```
{
  "Associations": [
    {
      "AssociationId": "string",
      "BatchImportMetadataOnCreate": boolean,
      "CreationTime": number,
      "DataRepositoryPath": "string",
      "DataRepositorySubdirectories": [ "string" ],
      "FailureDetails": {
        "Message": "string"
      },
      "FileCacheId": "string",
      "FileCachePath": "string",
      "FileSystemId": "string",
      "FileSystemPath": "string",
      "ImportedFileChunkSize": number,
      "Lifecycle": "string",
      "NFS": {
        "AutoExportPolicy": {
          "Events": [ "string" ]
        },
        "DnsIps": [ "string" ],
        "Version": "string"
      },
      "ResourceARN": "string",
      "S3": {
        "AutoExportPolicy": {
          "Events": [ "string" ]
        },
        "AutoImportPolicy": {
          "Events": [ "string" ]
        }
      },
      "Tags": [
        {
```

```
        "Key": "string",  
        "Value": "string"  
    }  
]  
},  
"NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Associations

An array of one or more data repository association descriptions.

Type: Array of [DataRepositoryAssociation](#) objects

Array Members: Maximum number of 100 items.

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\\/{4}])*(?:[A-Za-z0-9+\\/{2}=|[A-Za-z0-9+\\/{3}=])?$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

DataRepositoryAssociationNotFound

No data repository associations were found based upon the supplied parameters.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

InvalidDataRepositoryType

You have filtered the response to a data repository type that is not supported.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeDataRepositoryTasks

Returns the description of specific Amazon FSx for Lustre or Amazon File Cache data repository tasks, if one or more `TaskIds` values are provided in the request, or if filters are used in the request. You can use filters to narrow the response to include just tasks for specific file systems or caches, or tasks in a specific lifecycle state. Otherwise, it returns all data repository tasks owned by your AWS account in the AWS Region of the endpoint that you're calling.

When retrieving all tasks, you can paginate the response by using the optional `MaxResults` parameter to limit the number of tasks returned in a response. If more tasks remain, a `NextToken` value is returned in the response. In this case, send a later request with the `NextToken` request parameter set to the value of `NextToken` from the last response.

Request Syntax

```
{
  "Filters": [
    {
      "Name": "string",
      "Values": [ "string" ]
    }
  ],
  "MaxResults": number,
  "NextToken": "string",
  "TaskIds": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filters

(Optional) You can use filters to narrow the `DescribeDataRepositoryTasks` response to include just tasks for specific file systems, or tasks in a specific lifecycle state.

Type: Array of [DataRepositoryTaskFilter](#) objects

Array Members: Maximum number of 3 items.

Required: No

MaxResults

The maximum number of resources to return in the response. This value must be an integer greater than zero.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}=|[A-Za-z0-9+\-\/]{3}=)?`
\$

Required: No

TaskIds

(Optional) IDs of the tasks whose descriptions you want to retrieve (String).

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(task-[0-9a-f]{17,})$`

Required: No

Response Syntax

```
{
  "DataRepositoryTasks": [
    {
      "CapacityToRelease": number,
      "CreationTime": number,
      "EndTime": number,
      "FailureDetails": {
        "Message": "string"
      },
      "FileCacheId": "string",
      "FileSystemId": "string",
      "Lifecycle": "string",
      "Paths": [ "string" ],
      "ReleaseConfiguration": {
        "DurationSinceLastAccess": {
          "Unit": "string",
          "Value": number
        }
      },
      "Report": {
        "Enabled": boolean,
        "Format": "string",
        "Path": "string",
        "Scope": "string"
      },
      "ResourceARN": "string",
      "StartTime": number,
      "Status": {
        "FailedCount": number,
        "LastUpdatedTime": number,
        "ReleasedCapacity": number,
        "SucceededCount": number,
        "TotalCount": number
      },
      "Tags": [
        {
          "Key": "string",
          "Value": "string"
        }
      ],
      "TaskId": "string",
```

```
    "Type": "string"  
  },  
  "NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DataRepositoryTasks

The collection of data repository task descriptions returned.

Type: Array of [DataRepositoryTask](#) objects

Array Members: Maximum number of 50 items.

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-/\]{4})*(?:[A-Za-z0-9+\-/\]{2}==|[A-Za-z0-9+\-/\]{3}=)?`
\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

DataRepositoryTaskNotFound

The data repository task or tasks you specified could not be found.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

Examples

Retrieve Specific Data Repository Task Descriptions

The following request retrieves the descriptions of a specific data repository task by using the TaskIds request parameter.

Sample Request

```
GET /2015-02-01/describe-data-repository-task HTTP/1.1
Host: fsx.us-east-1.amazonaws.com
x-amz-date: 20140620T221118Z
Authorization: <...>
Content-Type: application/json
Content-Length: 160

{
  "TaskIds": ["task-0123456789abcdef0"]
}
```

Sample Response

```
HTTP/1.1 200 success
x-amzn-RequestId: c3616af3-33fa-40ad-ae0d-d3895a2c3a1f
```

```
{
  "DataRepositoryTasks": [
    {
      "TaskId": "task-0123456789abcdef0",
      "TaskType": "EXPORT_TO_REPOSITORY",
      "Lifecycle": "PENDING",
      "FileSystemId": "fs-0123456789abcdef1",
      "Paths": ["/path1", "/path2/file1"],
      "CreationTime": "2019-07-17T18:18:18.000Z",
      "TaskReport": {
        "Path": "s3://amzn-s3-demo-bucket/FSxLustre20191118T225838Z/myreports",
        "Format": "REPORT_CSV_20191124",
        "Enabled": true,
        "Scope": "FAILED_FILES_ONLY"
      },
      "Status": {
        "TotalCount": 100,
        "SucceededCount": 0,
        "FailedCount": 0,
        "LastUpdated": "2019-07-17T18:19:05.003Z"
      },
      "Tags": [{"Key": "MyKey"}, {"Value": "MyValue"}],
      "ClientRequestToken": "1234",
      "ResourceARN": "arn:aws:fsx:us-east-1:123456789012:task:task-123f8cd8e330c1321"
    }
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFileCaches

Returns the description of a specific Amazon File Cache resource, if a `FileCacheIds` value is provided for that cache. Otherwise, it returns descriptions of all caches owned by your AWS account in the AWS Region of the endpoint that you're calling.

When retrieving all cache descriptions, you can optionally specify the `MaxResults` parameter to limit the number of descriptions in a response. If more cache descriptions remain, the operation returns a `NextToken` value in the response. In this case, send a later request with the `NextToken` request parameter set to the value of `NextToken` from the last response.

This operation is used in an iterative process to retrieve a list of your cache descriptions. `DescribeFileCaches` is called first without a `NextToken` value. Then the operation continues to be called with the `NextToken` parameter set to the value of the last `NextToken` value until a response has no `NextToken`.

When using this operation, keep the following in mind:

- The implementation might return fewer than `MaxResults` cache descriptions while still including a `NextToken` value.
- The order of caches returned in the response of one `DescribeFileCaches` call and the order of caches returned across the responses of a multical iteration is unspecified.

Request Syntax

```
{  
  "FileCacheIds": [ "string" ],  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

FileCacheIds

IDs of the caches whose descriptions you want to retrieve (String).

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: $^{(fc-[0-9a-f]\{8,\})\$}$

Required: No

MaxResults

The maximum number of resources to return in the response. This value must be an integer greater than zero.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^{(?:[A-Za-z0-9+\-\/]\{4\})^*(?:[A-Za-z0-9+\-\/]\{2\}=|[A-Za-z0-9+\-\/]\{3\}=)?\$}$

Required: No

Response Syntax

```
{
  "FileCaches": [
    {
      "CreationTime": number,
      "DataRepositoryAssociationIds": [ "string" ],
      "DNSName": "string",
```



```

    "FailureDetails": {
      "Message": "string"
    },
    "FileCacheId": "string",
    "FileCacheType": "string",
    "FileCacheTypeVersion": "string",
    "KmsKeyId": "string",
    "Lifecycle": "string",
    "LustreConfiguration": {
      "DeploymentType": "string",
      "LogConfiguration": {
        "Destination": "string",
        "Level": "string"
      },
      "MetadataConfiguration": {
        "StorageCapacity": number
      },
      "MountName": "string",
      "PerUnitStorageThroughput": number,
      "WeeklyMaintenanceStartTime": "string"
    },
    "NetworkInterfaceIds": [ "string" ],
    "OwnerId": "string",
    "ResourceARN": "string",
    "StorageCapacity": number,
    "SubnetIds": [ "string" ],
    "VpcId": "string"
  }
],
"NextToken": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileCaches

The response object for the DescribeFileCaches operation.

Type: Array of [FileCache](#) objects

Array Members: Maximum number of 50 items.

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}=|[A-Za-z0-9+\-\/]{3}=)?`
\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileCacheNotFound

No caches were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFileSystemAliases

Returns the DNS aliases that are associated with the specified Amazon FSx for Windows File Server file system. A history of all DNS aliases that have been associated with and disassociated from the file system is available in the list of [AdministrativeAction](#) provided in the [DescribeFileSystems](#) operation response.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "FileSystemId": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`

Required: No

[FileSystemId](#)

The ID of the file system to return the associated DNS aliases for (String).

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

MaxResults

Maximum number of DNS aliases to return in the response (integer). This parameter value must be greater than 0. The number of items that Amazon FSx returns is the minimum of the `MaxResults` parameter specified in the request and the service's internal maximum number of items per page.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

Opaque pagination token returned from a previous `DescribeFileSystemAliases` operation (String). If a token is included in the request, the action continues the list from where the previous returning call left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\/]{4})*(?:[A-Za-z0-9+\/]{2}=|[A-Za-z0-9+\/]{3}=)?$`

Required: No

Response Syntax

```
{
  "Aliases": [
    {
      "Lifecycle": "string",
      "Name": "string"
    }
  ]
}
```

```
],  
  "NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Aliases

An array of one or more DNS aliases currently associated with the specified file system.

Type: Array of [Alias](#) objects

Array Members: Maximum number of 50 items.

NextToken

Present if there are more DNS aliases than returned in the response (String). You can use the NextToken value in a later request to fetch additional descriptions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}=|[A-Za-z0-9+\-\/]{3}=)?`
\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFileSystems

Returns the description of specific Amazon FSx file systems, if a `FileSystemIds` value is provided for that file system. Otherwise, it returns descriptions of all file systems owned by your AWS account in the AWS Region of the endpoint that you're calling.

When retrieving all file system descriptions, you can optionally specify the `MaxResults` parameter to limit the number of descriptions in a response. If more file system descriptions remain, Amazon FSx returns a `NextToken` value in the response. In this case, send a later request with the `NextToken` request parameter set to the value of `NextToken` from the last response.

This operation is used in an iterative process to retrieve a list of your file system descriptions. `DescribeFileSystems` is called first without a `NextToken` value. Then the operation continues to be called with the `NextToken` parameter set to the value of the last `NextToken` value until a response has no `NextToken`.

When using this operation, keep the following in mind:

- The implementation might return fewer than `MaxResults` file system descriptions while still including a `NextToken` value.
- The order of file systems returned in the response of one `DescribeFileSystems` call and the order of file systems returned across the responses of a multical iteration is unspecified.

Request Syntax

```
{  
  "FileSystemIds": [ "string" ],  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

FileSystemIds

IDs of the file systems whose descriptions you want to retrieve (String).

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: $^{(fs-[0-9a-f]{8,})}$ \$

Required: No

MaxResults

Maximum number of file systems to return in the response (integer). This parameter value must be greater than 0. The number of items that Amazon FSx returns is the minimum of the MaxResults parameter specified in the request and the service's internal maximum number of items per page.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

Opaque pagination token returned from a previous DescribeFileSystems operation (String). If a token present, the operation continues the list from where the returning call left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^{(?:[A-Za-z0-9+\-\/]{4})^*(?:[A-Za-z0-9+\-\/]{2}=|[A-Za-z0-9+\-\/]{3}=)?}$

Required: No

Response Syntax

```
{
  "FileSystems": [
    {
      "AdministrativeActions": [
        {
          "AdministrativeActionType": "string",
```

```

    "FailureDetails": {
      "Message": "string"
    },
    "ProgressPercent": number,
    "RemainingTransferBytes": number,
    "RequestTime": number,
    "Status": "string",
    "TargetFileSystemValues": "FileSystem",
    "TargetSnapshotValues": {
      "AdministrativeActions": [
        "AdministrativeAction"
      ],
      "CreationTime": number,
      "Lifecycle": "string",
      "LifecycleTransitionReason": {
        "Message": "string"
      },
      "Name": "string",
      "ResourceARN": "string",
      "SnapshotId": "string",
      "Tags": [
        {
          "Key": "string",
          "Value": "string"
        }
      ],
      "VolumeId": "string"
    },
    "TargetVolumeValues": {
      "AdministrativeActions": [
        "AdministrativeAction"
      ],
      "CreationTime": number,
      "FileSystemId": "string",
      "Lifecycle": "string",
      "LifecycleTransitionReason": {
        "Message": "string"
      },
      "Name": "string",
      "OntapConfiguration": {
        "AggregateConfiguration": {
          "Aggregates": [ "string" ],
          "TotalConstituents": number
        }
      },

```

```

    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
    },
    "PrivilegedDelete": "string",
    "RetentionPeriod": {
      "DefaultRetention": {
        "Type": "string",
        "Value": number
      },
    },
    "MaximumRetention": {
      "Type": "string",
      "Value": number
    },
    "MinimumRetention": {
      "Type": "string",
      "Value": number
    }
  },
  "SnaplockType": "string",
  "VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
  "CoolingPeriod": number,
  "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
  "CopyStrategy": "string",

```

```

    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnaphots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
      {
        "ClientConfigurations": [
          {
            "Clients": "string",
            "Options": [ "string" ]
          }
        ]
      }
    ],
    "OriginSnapshot": {
      "CopyStrategy": "string",
      "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ],
    "VolumePath": "string"
  },
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string",

```

```

        "VolumeType": "string"
    },
    "TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
    "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "DataRepositoryConfiguration": {
        "AutoImportPolicy": "string",
        "ExportPath": "string",
        "FailureDetails": {
            "Message": "string"
        },
        "ImportedFileChunkSize": number,
        "ImportPath": "string",
        "Lifecycle": "string"
    },
    "DeploymentType": "string",
    "DriveCacheType": "string",
    "EfaEnabled": boolean,
    "LogConfiguration": {
        "Destination": "string",
        "Level": "string"
    },
    "MetadataConfiguration": {
        "Iops": number,
        "Mode": "string"
    }
}

```

```

    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
      "NoSquashNids": [ "string" ],
      "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string" ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      }
    }
  },
  "FsxAdminPassword": "string",
  "HAPairs": number,
  "PreferredSubnetId": "string",
  "RouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "ThroughputCapacityPerHAPair": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "CopyTagsToVolumes": boolean,
  "DailyAutomaticBackupStartTime": "string",
  "DeploymentType": "string",

```

```

    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
  "AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
  },
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",

```

```

    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
},
"NextToken": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileSystems

An array of file system descriptions.

Type: Array of [FileSystem](#) objects

Array Members: Maximum number of 50 items.

NextToken

Present if there are more file systems than returned in the response (String). You can use the NextToken value in the later request to fetch the descriptions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}=|[A-Za-z0-9+\-\/]{3}=)?`
\$

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeS3AccessPointAttachments

Describes one or more S3 access points attached to Amazon FSx volumes.

The requester requires the following permission to perform this action:

- `fsx:DescribeS3AccessPointAttachments`

Request Syntax

```
{
  "Filters": [
    {
      "Name": "string",
      "Values": [ "string" ]
    }
  ],
  "MaxResults": number,
  "Names": [ "string" ],
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filters

Enter a filter Name and Values pair to view a select set of S3 access point attachments.

Type: Array of [S3AccessPointAttachmentsFilter](#) objects

Array Members: Maximum number of 2 items.

Required: No

MaxResults

The maximum number of resources to return in the response. This value must be an integer greater than zero.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

Names

The names of the S3 access point attachments whose descriptions you want to retrieve.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 3. Maximum length of 50.

Pattern: `^(?=[a-z0-9])[a-z0-9-]{1,48}[a-z0-9]$`

Required: No

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\\/{4}])*(?:[A-Za-z0-9+\\/{2}=|[A-Za-z0-9+\\/{3}=])?$`

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "S3AccessPointAttachments": [
    {
      "CreationTime": number,
```

```

    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "OpenZFSConfiguration": {
      "FileSystemIdentity": {
        "PosixUser": {
          "Gid": number,
          "SecondaryGids": [ number ],
          "Uid": number
        },
        "Type": "string"
      },
      "VolumeId": "string"
    },
    "S3AccessPoint": {
      "Alias": "string",
      "ResourceARN": "string",
      "VpcConfiguration": {
        "VpcId": "string"
      }
    },
    "Type": "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}==|[A-Za-z0-9+\-\/]{3}=)?`
\$

S3AccessPointAttachments

Array of S3 access point attachments returned after a successful `DescribeS3AccessPointAttachments` operation.

Type: Array of [S3AccessPointAttachment](#) objects

Array Members: Maximum number of 1000 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

S3AccessPointAttachmentNotFound

The access point specified was not found.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeSharedVpcConfiguration

Indicates whether participant accounts in your organization can create Amazon FSx for NetApp ONTAP Multi-AZ file systems in subnets that are shared by a virtual private cloud (VPC) owner. For more information, see [Creating FSx for ONTAP file systems in shared subnets](#).

Response Syntax

```
{
  "EnableFsxRouteTableUpdatesFromParticipantAccounts": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[EnableFsxRouteTableUpdatesFromParticipantAccounts](#)

Indicates whether participant accounts can create FSx for ONTAP Multi-AZ file systems in shared subnets.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 5.

Pattern: `^(?i)(true|false)$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeSnapshots

Returns the description of specific Amazon FSx for OpenZFS snapshots, if a `SnapshotIds` value is provided. Otherwise, this operation returns all snapshots owned by your AWS account in the AWS Region of the endpoint that you're calling.

When retrieving all snapshots, you can optionally specify the `MaxResults` parameter to limit the number of snapshots in a response. If more backups remain, Amazon FSx returns a `NextToken` value in the response. In this case, send a later request with the `NextToken` request parameter set to the value of `NextToken` from the last response.

Use this operation in an iterative process to retrieve a list of your snapshots. `DescribeSnapshots` is called first without a `NextToken` value. Then the operation continues to be called with the `NextToken` parameter set to the value of the last `NextToken` value until a response has no `NextToken` value.

When using this operation, keep the following in mind:

- The operation might return fewer than the `MaxResults` value of snapshot descriptions while still including a `NextToken` value.
- The order of snapshots returned in the response of one `DescribeSnapshots` call and the order of backups returned across the responses of a multi-call iteration is unspecified.

Request Syntax

```
{
  "Filters": [
    {
      "Name": "string",
      "Values": [ "string" ]
    }
  ],
  "IncludeShared": boolean,
  "MaxResults": number,
  "NextToken": "string",
  "SnapshotIds": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[Filters](#)

The filters structure. The supported names are `file-system-id` or `volume-id`.

Type: Array of [SnapshotFilter](#) objects

Array Members: Maximum number of 2 items.

Required: No

[IncludeShared](#)

Set to `false` (default) if you want to only see the snapshots owned by your AWS account. Set to `true` if you want to see the snapshots in your account and the ones shared with you from another account.

Type: Boolean

Required: No

[MaxResults](#)

The maximum number of resources to return in the response. This value must be an integer greater than zero.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

[NextToken](#)

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous `NextToken` value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\|/]{4})*(?:[A-Za-z0-9+\|/]{2}==|[A-Za-z0-9+\|/]{3}=)?`
`$`

Required: No

SnapshotIds

The IDs of the snapshots that you want to retrieve. This parameter value overrides any filters. If any IDs aren't found, a `SnapshotNotFound` error occurs.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "Snapshots": [
    {
      "AdministrativeActions": [
        {
          "AdministrativeActionType": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "ProgressPercent": number,
          "RemainingTransferBytes": number,
          "RequestTime": number,
          "Status": "string",
          "TargetFileSystemValues": {
            "AdministrativeActions": [
              "AdministrativeAction"
            ],
            "CreationTime": number,
            "DNSName": "string",
            "FailureDetails": {
              "Message": "string"
            }
          }
        }
      ]
    }
  ]
}
```

```

    },
    "FileSystemId": "string",
    "FileSystemType": "string",
    "FileSystemTypeVersion": "string",
    "KmsKeyId": "string",
    "Lifecycle": "string",
    "LustreConfiguration": {
        "AutomaticBackupRetentionDays": number,
        "CopyTagsToBackups": boolean,
        "DailyAutomaticBackupStartTime": "string",
        "DataCompressionType": "string",
        "DataReadCacheConfiguration": {
            "SizeGiB": number,
            "SizingMode": "string"
        },
    },
    "DataRepositoryConfiguration": {
        "AutoImportPolicy": "string",
        "ExportPath": "string",
        "FailureDetails": {
            "Message": "string"
        },
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string",
    },
    "DeploymentType": "string",
    "DriveCacheType": "string",
    "EfaEnabled": boolean,
    "LogConfiguration": {
        "Destination": "string",
        "Level": "string"
    },
    },
    "MetadataConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
        "NoSquashNids": [ "string" ],
        "RootSquash": "string"
    },
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"

```

```

    },
    "NetworkInterfaceIds": [ "string" ],
    "OntapConfiguration": {
        "AutomaticBackupRetentionDays": number,
        "DailyAutomaticBackupStartTime": "string",
        "DeploymentType": "string",
        "DiskIopsConfiguration": {
            "Iops": number,
            "Mode": "string"
        },
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,

```

```

        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VpcId": "string",
"WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
        {
            "Lifecycle": "string",
            "Name": "string"
        }
    ],
    "AuditLogConfiguration": {
        "AuditLogDestination": "string",
        "FileAccessAuditLogLevel": "string",
        "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",

```

```

    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
},
"TargetSnapshotValues": "Snapshot",
"TargetVolumeValues": {
  "AdministrativeActions": [
    "AdministrativeAction"
  ],
  "CreationTime": number,
  "FileSystemId": "string",
  "Lifecycle": "string",
  "LifecycleTransitionReason": {
    "Message": "string"
  },
  "Name": "string",
  "OntapConfiguration": {
    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
    },
    "PrivilegedDelete": "string",
    "RetentionPeriod": {
      "DefaultRetention": {

```



```

        "Type": "string",
        "Value": number
    },
    "MaximumRetention": {
        "Type": "string",
        "Value": number
    },
    "MinimumRetention": {
        "Type": "string",
        "Value": number
    }
},
"SnaplockType": "string",
"VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnaphots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ]
}
],

```

```

        "OriginSnapshot": {
            "CopyStrategy": "string",
            "SnapshotARN": "string"
        },
        "ParentVolumeId": "string",
        "ReadOnly": boolean,
        "RecordSizeKiB": number,
        "RestoreToSnapshot": "string",
        "SourceSnapshotARN": "string",
        "StorageCapacityQuotaGiB": number,
        "StorageCapacityReservationGiB": number,
        "UserAndGroupQuotas": [
            {
                "Id": number,
                "StorageCapacityQuotaGiB": number,
                "Type": "string"
            }
        ],
        "VolumePath": "string"
    },
    "ResourceARN": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string",
    "VolumeType": "string"
},
"TotalTransferBytes": number
}
],
"CreationTime": number,
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"ResourceARN": "string",
"SnapshotId": "string",
"Tags": [
    {
        "Key": "string",

```

```
        "Value": "string"
      },
    ],
    "VolumeId": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\/]{4})*(?:[A-Za-z0-9+\/]{2}=|[A-Za-z0-9+\/]{3}=)?`
\$

Snapshots

An array of snapshots.

Type: Array of [Snapshot](#) objects

Array Members: Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

SnapshotNotFound

No Amazon FSx snapshots were found based on the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeStorageVirtualMachines

Describes one or more Amazon FSx for NetApp ONTAP storage virtual machines (SVMs).

Request Syntax

```
{
  "Filters": [
    {
      "Name": "string",
      "Values": [ "string" ]
    }
  ],
  "MaxResults": number,
  "NextToken": "string",
  "StorageVirtualMachineIds": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filters

Enter a filter name:value pair to view a select set of SVMs.

Type: Array of [StorageVirtualMachineFilter](#) objects

Array Members: Maximum number of 1 item.

Required: No

MaxResults

The maximum number of resources to return in the response. This value must be an integer greater than zero.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^{(?:[A-Za-z0-9+\backslash/]{4})^{*}(?:[A-Za-z0-9+\backslash/]{2}==|[A-Za-z0-9+\backslash/]{3}=)?}$

Required: No

StorageVirtualMachineIds

Enter the ID of one or more SVMs that you want to view.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Fixed length of 21.

Pattern: $^{(svm-[0-9a-f]{17},)}^{*}$

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "StorageVirtualMachines": [
    {
      "ActiveDirectoryConfiguration": {
        "NetBiosName": "string",
        "SelfManagedActiveDirectoryConfiguration": {
          "DnsIps": [ "string" ],
          "DomainName": "string",
          "FileSystemAdministratorsGroup": "string",
          "OrganizationalUnitDistinguishedName": "string",
          "UserName": "string"
        }
      }
    }
  ]
}
```

```

    },
    "CreationTime": number,
    "Endpoints": {
      "Iscsi": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Nfs": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Smb": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      }
    },
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "RootVolumeSecurityStyle": "string",
    "StorageVirtualMachineId": "string",
    "Subtype": "string",
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "UUID": "string"
  }
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}==|[A-Za-z0-9+\-\/]{3}=)?`
\$

StorageVirtualMachines

Returned after a successful DescribeStorageVirtualMachines operation, describing each SVM.

Type: Array of [StorageVirtualMachine](#) objects

Array Members: Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

StorageVirtualMachineNotFound

No FSx for ONTAP SVMs were found based upon the supplied parameters.

HTTP Status Code: 400

Examples

View SVMs

The following example will return the SVMs for a specific Amazon FSx for ONTAP file system, showing 5 SVMs per page in the response.

```
{
  "Filters": [
    {
      "Name": "fsx-ontap-fs-id",
      "Values": [ "fs-0123456789abcdef5" ]
    }
  ],
  "MaxResults": 5
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DescribeVolumes

Describes one or more Amazon FSx for NetApp ONTAP or Amazon FSx for OpenZFS volumes.

Request Syntax

```
{
  "Filters": [
    {
      "Name": "string",
      "Values": [ "string" ]
    }
  ],
  "MaxResults": number,
  "NextToken": "string",
  "VolumeIds": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filters

Enter a filter Name and Values pair to view a select set of volumes.

Type: Array of [VolumeFilter](#) objects

Array Members: Maximum number of 2 items.

Required: No

MaxResults

The maximum number of resources to return in the response. This value must be an integer greater than zero.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}==|[A-Za-z0-9+\-\/]{3}=)?`
\$

Required: No

Volumes

The IDs of the volumes whose descriptions you want to retrieve.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "Volumes": [
    {
      "AdministrativeActions": [
        {
          "AdministrativeActionType": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "ProgressPercent": number,
          "RemainingTransferBytes": number,
          "RequestTime": number,
```

```

    "Status": "string",
    "TargetFileSystemValues": {
      "AdministrativeActions": [
        "AdministrativeAction"
      ],
      "CreationTime": number,
      "DNSName": "string",
      "FailureDetails": {
        "Message": "string"
      },
      "FileSystemId": "string",
      "FileSystemType": "string",
      "FileSystemTypeVersion": "string",
      "KmsKeyId": "string",
      "Lifecycle": "string",
      "LustreConfiguration": {
        "AutomaticBackupRetentionDays": number,
        "CopyTagsToBackups": boolean,
        "DailyAutomaticBackupStartTime": "string",
        "DataCompressionType": "string",
        "DataReadCacheConfiguration": {
          "SizeGiB": number,
          "SizingMode": "string"
        },
        "DataRepositoryConfiguration": {
          "AutoImportPolicy": "string",
          "ExportPath": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "ImportedFileChunkSize": number,
          "ImportPath": "string",
          "Lifecycle": "string"
        },
        "DeploymentType": "string",
        "DriveCacheType": "string",
        "EfaEnabled": boolean,
        "LogConfiguration": {
          "Destination": "string",
          "Level": "string"
        },
        "MetadataConfiguration": {
          "Iops": number,
          "Mode": "string"
        }
      }
    }
  }
}

```

```

    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
      "NoSquashNids": [ "string" ],
      "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string" ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",

```

```

    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
  "AuditLogConfiguration": {
    "AuditLogDestination": "string",
    "FileAccessAuditLogLevel": "string",
    "FileShareAccessAuditLogLevel": "string"
  },
  "AutomaticBackupRetentionDays": number,
  "CopyTagsToBackups": boolean,
  "DailyAutomaticBackupStartTime": "string",

```

```

    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
},
"TargetSnapshotValues": {
  "AdministrativeActions": [
    "AdministrativeAction"
  ],
  "CreationTime": number,
  "Lifecycle": "string",
  "LifecycleTransitionReason": {
    "Message": "string"
  },
  "Name": "string",
  "ResourceARN": "string",
  "SnapshotId": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VolumeId": "string"
},
"TargetVolumeValues": "Volume",
"TotalTransferBytes": number
}
],

```



```

    "CreationTime": number,
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "OntapConfiguration": {
      "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
      },
      "CopyTagsToBackups": boolean,
      "FlexCacheEndpointType": "string",
      "JunctionPath": "string",
      "OntapVolumeType": "string",
      "SecurityStyle": "string",
      "SizeInBytes": number,
      "SizeInMegabytes": number,
      "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
          "Type": "string",
          "Value": number
        },
      },
      "PrivilegedDelete": "string",
      "RetentionPeriod": {
        "DefaultRetention": {
          "Type": "string",
          "Value": number
        },
        "MaximumRetention": {
          "Type": "string",
          "Value": number
        },
        "MinimumRetention": {
          "Type": "string",
          "Value": number
        }
      },
      "SnaplockType": "string",
      "VolumeAppendModeEnabled": boolean
    },
    "SnapshotPolicy": "string",

```

```

    "StorageEfficiencyEnabled": boolean,
    "StorageVirtualMachineId": "string",
    "StorageVirtualMachineRoot": boolean,
    "TieringPolicy": {
        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ]
}

```

```

        }
    ],
    "VolumePath": "string"
},
"ResourceARN": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VolumeId": "string",
"VolumeType": "string"
}
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

(Optional) Opaque pagination token returned from a previous operation (String). If present, this token indicates from what point you can continue processing the request, where the previous NextToken value left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\/]{4})*(?:[A-Za-z0-9+\/]{2}=|[A-Za-z0-9+\/]{3}=)?`
`$`

Volumes

Returned after a successful DescribeVolumes operation, describing each volume.

Type: Array of [Volume](#) objects

Array Members: Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DetachAndDeleteS3AccessPoint

Detaches an S3 access point from an Amazon FSx volume and deletes the S3 access point.

The requester requires the following permission to perform this action:

- fsx:DetachAndDeleteS3AccessPoint
- s3:DeleteAccessPoint

Request Syntax

```
{  
  "ClientRequestToken": "string",  
  "Name": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: [A-Za-z0-9_.-]{0,63}\$

Required: No

[Name](#)

The name of the S3 access point attachment that you want to delete.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 50.

Pattern: `^(?=[a-z0-9])[a-z0-9-]{1,48}[a-z0-9]$`

Required: Yes

Response Syntax

```
{  
  "Lifecycle": "string",  
  "Name": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Lifecycle](#)

The lifecycle status of the S3 access point attachment.

Type: String

Valid Values: AVAILABLE | CREATING | DELETING | UPDATING | FAILED

[Name](#)

The name of the S3 access point attachment being deleted.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 50.

Pattern: `^(?=[a-z0-9])[a-z0-9-]{1,48}[a-z0-9]$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

S3AccessPointAttachmentNotFound

The access point specified was not found.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisassociateFileSystemAliases

Use this action to disassociate, or remove, one or more Domain Name Service (DNS) aliases from an Amazon FSx for Windows File Server file system. If you attempt to disassociate a DNS alias that is not associated with the file system, Amazon FSx responds with an HTTP status code 400 (Bad Request). For more information, see [Working with DNS Aliases](#).

The system generated response showing the DNS aliases that Amazon FSx is attempting to disassociate from the file system. Use the [DescribeFileSystemAliases](#) API operation to monitor the status of the aliases Amazon FSx is disassociating with the file system.

Request Syntax

```
{
  "Aliases": [ "string" ],
  "ClientRequestToken": "string",
  "FileSystemId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Aliases

An array of one or more DNS alias names to disassociate, or remove, from the file system.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 4. Maximum length of 253.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{4,253}$`

Required: Yes

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

FileSystemId

Specifies the file system from which to disassociate the DNS aliases.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

Response Syntax

```
{
  "Aliases": [
    {
      "Lifecycle": "string",
      "Name": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Aliases

An array of one or more DNS aliases that Amazon FSx is attempting to disassociate from the file system.

Type: Array of [Alias](#) objects

Array Members: Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists tags for Amazon FSx resources.

When retrieving all tags, you can optionally specify the `MaxResults` parameter to limit the number of tags in a response. If more tags remain, Amazon FSx returns a `NextToken` value in the response. In this case, send a later request with the `NextToken` request parameter set to the value of `NextToken` from the last response.

This action is used in an iterative process to retrieve a list of your tags. `ListTagsForResource` is called first without a `NextToken` value. Then the action continues to be called with the `NextToken` parameter set to the value of the last `NextToken` value until a response has no `NextToken`.

When using this action, keep the following in mind:

- The implementation might return fewer than `MaxResults` file system descriptions while still including a `NextToken` value.
- The order of tags returned in the response of one `ListTagsForResource` call and the order of tags returned across the responses of a multi-call iteration is unspecified.

Request Syntax

```
{  
  "MaxResults": number,  
  "NextToken": "string",  
  "ResourceARN": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MaxResults

Maximum number of tags to return in the response (integer). This parameter value must be greater than 0. The number of items that Amazon FSx returns is the minimum of the

MaxResults parameter specified in the request and the service's internal maximum number of items per page.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

NextToken

Opaque pagination token returned from a previous ListTagsForResource operation (String). If a token present, the action continues the list from where the returning call left off.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\-\/]{4})*(?:[A-Za-z0-9+\-\/]{2}=|[A-Za-z0-9+\-\/]{3}=)?$`

Required: No

ResourceARN

The ARN of the Amazon FSx resource that will have its tags listed.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-\.]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\^:]*-){2})(?![^\^:]*-\.)(?![^\^:]*\.-)[a-z0-9].*(?!-)):{4}(?!/)\.{0,1024}$`

Required: Yes

Response Syntax

```
{
  "NextToken": "string",
  "Tags": [
```

```
{
  "Key": "string",
  "Value": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

This is present if there are more tags than returned in the response (String). You can use the NextToken value in the later request to fetch the tags.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^(?:[A-Za-z0-9+\\/{4})*(?:[A-Za-z0-9+\\/{2}=|[A-Za-z0-9+\\/{3}=)?$`

Tags

A list of tags on the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

NotServiceResourceError

The resource specified for the tagging operation is not a resource type owned by Amazon FSx. Use the API of the relevant service to perform the operation.

HTTP Status Code: 400

ResourceDoesNotSupportTagging

The resource specified does not support tagging.

HTTP Status Code: 400

ResourceNotFound

The resource specified by the Amazon Resource Name (ARN) can't be found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ReleaseFileSystemNfsV3Locks

Releases the file system lock from an Amazon FSx for OpenZFS file system.

Request Syntax

```
{  
  "ClientRequestToken": "string",  
  "FileSystemId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

[FileSystemId](#)

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

Response Syntax

```
{
  "FileSystem": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": "FileSystem",
        "TargetSnapshotValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "Lifecycle": "string",
          "LifecycleTransitionReason": {
            "Message": "string"
          },
          "Name": "string",
          "ResourceARN": "string",
          "SnapshotId": "string",
          "Tags": [
            {
              "Key": "string",
              "Value": "string"
            }
          ],
          "VolumeId": "string"
        },
        "TargetVolumeValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "FileSystemId": "string",
          "Lifecycle": "string",
          "LifecycleTransitionReason": {
```

```

    "Message": "string"
  },
  "Name": "string",
  "OntapConfiguration": {
    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
      "PrivilegedDelete": "string",
      "RetentionPeriod": {
        "DefaultRetention": {
          "Type": "string",
          "Value": number
        },
        "MaximumRetention": {
          "Type": "string",
          "Value": number
        },
        "MinimumRetention": {
          "Type": "string",
          "Value": number
        }
      }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "StorageVirtualMachineRoot": boolean,
  "TieringPolicy": {

```

```

        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ],
    "VolumePath": "string"
},

```

```

        "ResourceARN": "string",
        "Tags": [
            {
                "Key": "string",
                "Value": "string"
            }
        ],
        "VolumeId": "string",
        "VolumeType": "string"
    },
    "TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
    "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
},
"DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
        "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
},
"DeploymentType": "string",
"DriveCacheType": "string",

```

```

    "EfaEnabled": boolean,
    "LogConfiguration": {
      "Destination": "string",
      "Level": "string"
    },
    "MetadataConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
      "NoSquashNids": [ "string " ],
      "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string " ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string " ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string " ]
      }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string " ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,

```

```

    "WeeklyMaintenanceStartTime": "string"
  },
  "OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
],

```



```

    "AuditLogConfiguration": {
      "AuditLogDestination": "string",
      "FileAccessAuditLogLevel": "string",
      "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileSystem

A description of a specific Amazon FSx file system.

Type: [FileSystem](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RestoreVolumeFromSnapshot

Returns an Amazon FSx for OpenZFS volume to the state saved by the specified snapshot.

Request Syntax

```
{  
  "ClientRequestToken": "string",  
  "Options": [ "string" ],  
  "SnapshotId": "string",  
  "VolumeId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.--]{0,63}$`

Required: No

Options

The settings used when restoring the specified volume from snapshot.

- `DELETE_INTERMEDIATE_SNAPSHOTS` - Deletes snapshots between the current state and the specified snapshot. If there are intermediate snapshots and this option isn't used, `RestoreVolumeFromSnapshot` fails.
- `DELETE_CLONED_VOLUMES` - Deletes any dependent clone volumes created from intermediate snapshots. If there are any dependent clone volumes and this option isn't used, `RestoreVolumeFromSnapshot` fails.

Type: Array of strings

Array Members: Maximum number of 2 items.

Valid Values: DELETE_INTERMEDIATE_SNAPSHOTS | DELETE_CLONED_VOLUMES

Required: No

SnapshotId

The ID of the source snapshot. Specifies the snapshot that you are restoring from.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Required: Yes

VolumeId

The ID of the volume that you are restoring.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: Yes

Response Syntax

```
{
  "AdministrativeActions": [
    {
      "AdministrativeActionType": "string",
      "FailureDetails": {
        "Message": "string"
      },
      "ProgressPercent": number,
      "RemainingTransferBytes": number,
      "RequestTime": number,
      "Status": "string",
      "TargetFileSystemValues": {
```

```

    "AdministrativeActions": [
      "AdministrativeAction"
    ],
    "CreationTime": number,
    "DNSName": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "FileSystemId": "string",
    "FileSystemType": "string",
    "FileSystemTypeVersion": "string",
    "KmsKeyId": "string",
    "Lifecycle": "string",
    "LustreConfiguration": {
      "AutomaticBackupRetentionDays": number,
      "CopyTagsToBackups": boolean,
      "DailyAutomaticBackupStartTime": "string",
      "DataCompressionType": "string",
      "DataReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
      },
      "DataRepositoryConfiguration": {
        "AutoImportPolicy": "string",
        "ExportPath": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ImportedFileChunkSize": number,
        "ImportPath": "string",
        "Lifecycle": "string"
      },
      "DeploymentType": "string",
      "DriveCacheType": "string",
      "EfaEnabled": boolean,
      "LogConfiguration": {
        "Destination": "string",
        "Level": "string"
      },
      "MetadataConfiguration": {
        "Iops": number,
        "Mode": "string"
      },
      "MountName": "string",

```

```

    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
        "NoSquashNids": [ "string" ],
        "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string" ],
"OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,

```

```

    "Mode": "string"
  },
  "EndpointIpAddress": "string",
  "EndpointIpAddressRange": "string",
  "PreferredSubnetId": "string",
  "ReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "RootVolumeId": "string",
  "RouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",
"ResourceARN": "string",
"StorageCapacity": number,
"StorageType": "string",
"SubnetIds": [ "string" ],
"Tags": [
  {
    "Key": "string",
    "Value": "string"
  }
],
"VpcId": "string",
"WindowsConfiguration": {
  "ActiveDirectoryId": "string",
  "Aliases": [
    {
      "Lifecycle": "string",
      "Name": "string"
    }
  ]
},
"AuditLogConfiguration": {
  "AuditLogDestination": "string",
  "FileAccessAuditLogLevel": "string",
  "FileShareAccessAuditLogLevel": "string"
},
"AutomaticBackupRetentionDays": number,
"CopyTagsToBackups": boolean,
"DailyAutomaticBackupStartTime": "string",
"DeploymentType": "string",
"DiskIopsConfiguration": {

```



```

        "Iops": number,
        "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"TargetSnapshotValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
        "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "SnapshotId": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string"
},
"TargetVolumeValues": {
    "AdministrativeActions": [
        "AdministrativeAction"
    ],
    "CreationTime": number,
    "FileSystemId": "string",

```

```

    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "OntapConfiguration": {
      "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
      },
      "CopyTagsToBackups": boolean,
      "FlexCacheEndpointType": "string",
      "JunctionPath": "string",
      "OntapVolumeType": "string",
      "SecurityStyle": "string",
      "SizeInBytes": number,
      "SizeInMegabytes": number,
      "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
          "Type": "string",
          "Value": number
        },
        "PrivilegedDelete": "string",
        "RetentionPeriod": {
          "DefaultRetention": {
            "Type": "string",
            "Value": number
          },
          "MaximumRetention": {
            "Type": "string",
            "Value": number
          },
          "MinimumRetention": {
            "Type": "string",
            "Value": number
          }
        }
      },
      "SnaplockType": "string",
      "VolumeAppendModeEnabled": boolean
    },
    "SnapshotPolicy": "string",
    "StorageEfficiencyEnabled": boolean,
    "StorageVirtualMachineId": "string",

```

```

    "StorageVirtualMachineRoot": boolean,
    "TieringPolicy": {
        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ]
},

```

```
        "VolumePath": "string",
      },
      "ResourceARN": "string",
      "Tags": [
        {
          "Key": "string",
          "Value": "string"
        }
      ],
      "VolumeId": "string",
      "VolumeType": "string"
    },
    "TotalTransferBytes": number
  }
],
"Lifecycle": "string",
"VolumeId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AdministrativeActions

A list of administrative actions for the file system that are in process or waiting to be processed. Administrative actions describe changes to the Amazon FSx system.

Type: Array of [AdministrativeAction](#) objects

Array Members: Maximum number of 50 items.

Lifecycle

The lifecycle state of the volume being restored.

Type: String

Valid Values: CREATING | CREATED | DELETING | FAILED | MISCONFIGURED | PENDING | AVAILABLE

Volumeld

The ID of the volume that you restored.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartMisconfiguredStateRecovery

After performing steps to repair the Active Directory configuration of an FSx for Windows File Server file system, use this action to initiate the process of Amazon FSx attempting to reconnect to the file system.

Request Syntax

```
{  
  "ClientRequestToken": "string",  
  "FileSystemId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`\$

Required: No

FileSystemId

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

Response Syntax

```
{
  "FileSystem": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": "FileSystem",
        "TargetSnapshotValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "Lifecycle": "string",
          "LifecycleTransitionReason": {
            "Message": "string"
          },
          "Name": "string",
          "ResourceARN": "string",
          "SnapshotId": "string",
          "Tags": [
            {
              "Key": "string",
              "Value": "string"
            }
          ],
          "VolumeId": "string"
        },
        "TargetVolumeValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "FileSystemId": "string",
          "Lifecycle": "string",
          "LifecycleTransitionReason": {
```



```

    "Message": "string"
  },
  "Name": "string",
  "OntapConfiguration": {
    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
      "PrivilegedDelete": "string",
      "RetentionPeriod": {
        "DefaultRetention": {
          "Type": "string",
          "Value": number
        },
        "MaximumRetention": {
          "Type": "string",
          "Value": number
        },
        "MinimumRetention": {
          "Type": "string",
          "Value": number
        }
      }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "StorageVirtualMachineRoot": boolean,
  "TieringPolicy": {

```

```

        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ],
    "VolumePath": "string"
},

```

```

        "ResourceARN": "string",
        "Tags": [
            {
                "Key": "string",
                "Value": "string"
            }
        ],
        "VolumeId": "string",
        "VolumeType": "string"
    },
    "TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
    "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
},
"DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
        "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
},
"DeploymentType": "string",
"DriveCacheType": "string",

```

```

    "EfaEnabled": boolean,
    "LogConfiguration": {
      "Destination": "string",
      "Level": "string"
    },
    "MetadataConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
      "NoSquashNids": [ "string " ],
      "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string " ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string " ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string " ]
      }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string " ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,

```

```

    "WeeklyMaintenanceStartTime": "string"
  },
  "OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
],

```

```

    "AuditLogConfiguration": {
      "AuditLogDestination": "string",
      "FileAccessAuditLogLevel": "string",
      "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileSystem

A description of a specific Amazon FSx file system.

Type: [FileSystem](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Tags an Amazon FSx resource.

Request Syntax

```
{
  "ResourceARN": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ResourceARN](#)

The Amazon Resource Name (ARN) of the Amazon FSx resource that you want to tag.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-){2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-)):{4}(?!/){0,1024}$`

Required: Yes

[Tags](#)

A list of tags for the resource. If a tag with a given key already exists, the value is replaced by the one specified in this parameter.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

NotServiceResourceError

The resource specified for the tagging operation is not a resource type owned by Amazon FSx. Use the API of the relevant service to perform the operation.

HTTP Status Code: 400

ResourceDoesNotSupportTagging

The resource specified does not support tagging.

HTTP Status Code: 400

ResourceNotFound

The resource specified by the Amazon Resource Name (ARN) can't be found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

This action removes a tag from an Amazon FSx resource.

Request Syntax

```
{
  "ResourceARN": "string",
  "TagKeys": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceARN

The ARN of the Amazon FSx resource to untag.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3})(\\.\\d{1,3}){3})(?![^\:]*-){2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--):){4}(?!/){0,1024}$`

Required: Yes

TagKeys

A list of keys of tags on the resource to untag. In case the tag key doesn't exist, the call will still succeed to be idempotent.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/+\\-@]*)$`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

NotServiceResourceError

The resource specified for the tagging operation is not a resource type owned by Amazon FSx. Use the API of the relevant service to perform the operation.

HTTP Status Code: 400

ResourceDoesNotSupportTagging

The resource specified does not support tagging.

HTTP Status Code: 400

ResourceNotFound

The resource specified by the Amazon Resource Name (ARN) can't be found.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateDataRepositoryAssociation

Updates the configuration of an existing data repository association on an Amazon FSx for Lustre file system. Data repository associations are supported on all FSx for Lustre 2.12 and 2.15 file systems, excluding `scratch_1` deployment type.

Request Syntax

```
{
  "AssociationId": "string",
  "ClientRequestToken": "string",
  "ImportedFileChunkSize": number,
  "S3": {
    "AutoExportPolicy": {
      "Events": [ "string" ]
    },
    "AutoImportPolicy": {
      "Events": [ "string" ]
    }
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AssociationId

The ID of the data repository association that you are updating.

Type: String

Length Constraints: Minimum length of 13. Maximum length of 23.

Pattern: `^(dra-[0-9a-f]{8,})$`

Required: Yes

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.--]{0,63}$`

Required: No

ImportedFileChunkSize

For files imported from a data repository, this value determines the stripe count and maximum amount of data per file (in MiB) stored on a single physical disk. The maximum number of disks that a single file can be striped across is limited by the total number of disks that make up the file system.

The default chunk size is 1,024 MiB (1 GiB) and can go as high as 512,000 MiB (500 GiB). Amazon S3 objects have a maximum size of 5 TB.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 512000.

Required: No

S3

The configuration for an Amazon S3 data repository linked to an Amazon FSx Lustre file system with a data repository association. The configuration defines which file events (new, changed, or deleted files or directories) are automatically imported from the linked data repository to the file system or automatically exported from the file system to the data repository.

Type: [S3DataRepositoryConfiguration](#) object

Required: No

Response Syntax

```
{
```

```

"Association": {
  "AssociationId": "string",
  "BatchImportMetaDataOnCreate": boolean,
  "CreationTime": number,
  "DataRepositoryPath": "string",
  "DataRepositorySubdirectories": [ "string" ],
  "FailureDetails": {
    "Message": "string"
  },
  "FileCacheId": "string",
  "FileCachePath": "string",
  "FileSystemId": "string",
  "FileSystemPath": "string",
  "ImportedFileChunkSize": number,
  "Lifecycle": "string",
  "NFS": {
    "AutoExportPolicy": {
      "Events": [ "string" ]
    },
    "DnsIps": [ "string" ],
    "Version": "string"
  },
  "ResourceARN": "string",
  "S3": {
    "AutoExportPolicy": {
      "Events": [ "string" ]
    },
    "AutoImportPolicy": {
      "Events": [ "string" ]
    }
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Association

The response object returned after the data repository association is updated.

Type: [DataRepositoryAssociation](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

DataRepositoryAssociationNotFound

No data repository associations were found based upon the supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFileCache

Updates the configuration of an existing Amazon File Cache resource. You can update multiple properties in a single request.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "FileCacheId": "string",
  "LustreConfiguration": {
    "WeeklyMaintenanceStartTime": "string"
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: [A-Za-z0-9_.-]{0,63}\$

Required: No

FileCacheId

The ID of the cache that you are updating.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: $^{(fc-[0-9a-f]{8,})}$ \$

Required: Yes

LustreConfiguration

The configuration updates for an Amazon File Cache resource.

Type: [UpdateFileCacheLustreConfiguration](#) object

Required: No

Response Syntax

```
{
  "FileCache": {
    "CreationTime": number,
    "DataRepositoryAssociationIds": [ "string" ],
    "DNSName": "string",
    "FailureDetails": {
      "Message": "string"
    },
    "FileCacheId": "string",
    "FileCacheType": "string",
    "FileCacheTypeVersion": "string",
    "KmsKeyId": "string",
    "Lifecycle": "string",
    "LustreConfiguration": {
      "DeploymentType": "string",
      "LogConfiguration": {
        "Destination": "string",
        "Level": "string"
      },
      "MetadataConfiguration": {
        "StorageCapacity": number
      },
      "MountName": "string",
      "PerUnitStorageThroughput": number,
      "WeeklyMaintenanceStartTime": "string"
    },
    "NetworkInterfaceIds": [ "string" ],
    "OwnerId": "string",
    "ResourceARN": "string",
```

```
"StorageCapacity": number,  
"SubnetIds": [ "string" ],  
"VpcId": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileCache

A description of the cache that was updated.

Type: [FileCache](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileCacheNotFound

No caches were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

MissingFileCacheConfiguration

A cache configuration is required for this operation.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFileSystem

Use this operation to update the configuration of an existing Amazon FSx file system. You can update multiple properties in a single request.

For FSx for Windows File Server file systems, you can update the following properties:

- AuditLogConfiguration
- AutomaticBackupRetentionDays
- DailyAutomaticBackupStartTime
- DiskIopsConfiguration
- SelfManagedActiveDirectoryConfiguration
- StorageCapacity
- StorageType
- ThroughputCapacity
- WeeklyMaintenanceStartTime

For FSx for Lustre file systems, you can update the following properties:

- AutoImportPolicy
- AutomaticBackupRetentionDays
- DailyAutomaticBackupStartTime
- DataCompressionType
- FileSystemTypeVersion
- LogConfiguration
- LustreReadCacheConfiguration
- LustreRootSquashConfiguration
- MetadataConfiguration
- PerUnitStorageThroughput
- StorageCapacity
- ThroughputCapacity
- WeeklyMaintenanceStartTime

For FSx for ONTAP file systems, you can update the following properties:

- `AddRouteTableIds`
- `AutomaticBackupRetentionDays`
- `DailyAutomaticBackupStartTime`
- `DiskIopsConfiguration`
- `FsxAdminPassword`
- `HAPairs`
- `RemoveRouteTableIds`
- `StorageCapacity`
- `ThroughputCapacity`
- `ThroughputCapacityPerHAPair`
- `WeeklyMaintenanceStartTime`

For FSx for OpenZFS file systems, you can update the following properties:

- `AddRouteTableIds`
- `AutomaticBackupRetentionDays`
- `CopyTagsToBackups`
- `CopyTagsToVolumes`
- `DailyAutomaticBackupStartTime`
- `DiskIopsConfiguration`
- `ReadCacheConfiguration`
- `RemoveRouteTableIds`
- `StorageCapacity`
- `ThroughputCapacity`
- `WeeklyMaintenanceStartTime`

Request Syntax

```
{  
  "ClientRequestToken": "string",  
}
```



```

"FileSystemId": "string",
"FileSystemTypeVersion": "string",
"LustreConfiguration": {
  "AutoImportPolicy": "string",
  "AutomaticBackupRetentionDays": number,
  "DailyAutomaticBackupStartTime": "string",
  "DataCompressionType": "string",
  "DataReadCacheConfiguration": {
    "SizeGiB": number,
    "SizingMode": "string"
  },
  "LogConfiguration": {
    "Destination": "string",
    "Level": "string"
  },
  "MetadataConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "PerUnitStorageThroughput": number,
  "RootSquashConfiguration": {
    "NoSquashNids": [ "string" ],
    "RootSquash": "string"
  },
  "ThroughputCapacity": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OntapConfiguration": {
  "AddRouteTableIds": [ "string" ],
  "AutomaticBackupRetentionDays": number,
  "DailyAutomaticBackupStartTime": "string",
  "DiskIopsConfiguration": {
    "Iops": number,
    "Mode": "string"
  },
  "FsxAdminPassword": "string",
  "HAPairs": number,
  "RemoveRouteTableIds": [ "string" ],
  "ThroughputCapacity": number,
  "ThroughputCapacityPerHAPair": number,
  "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
  "AddRouteTableIds": [ "string" ],

```

```

    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RemoveRouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"StorageCapacity": number,
"StorageType": "string",
"WindowsConfiguration": {
    "AuditLogConfiguration": {
        "AuditLogDestination": "string",
        "FileAccessAuditLogLevel": "string",
        "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "Password": "string",
        "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
}
}

```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

A string of up to 63 ASCII characters that Amazon FSx uses to ensure idempotent updates. This string is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

[FileSystemId](#)

The ID of the file system that you are updating.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: Yes

[FileSystemTypeVersion](#)

The Lustre version you are updating an FSx for Lustre file system to. Valid values are 2.12 and 2.15. The value you choose must be newer than the file system's current Lustre version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[0-9](.[0-9]*)*$`

Required: No

LustreConfiguration

The configuration object for Amazon FSx for Lustre file systems used in the `UpdateFileSystem` operation.

Type: [UpdateFileSystemLustreConfiguration](#) object

Required: No

OntapConfiguration

The configuration updates for an Amazon FSx for NetApp ONTAP file system.

Type: [UpdateFileSystemOntapConfiguration](#) object

Required: No

OpenZFSConfiguration

The configuration updates for an FSx for OpenZFS file system.

Type: [UpdateFileSystemOpenZFSConfiguration](#) object

Required: No

StorageCapacity

Use this parameter to increase the storage capacity of an FSx for Windows File Server, FSx for Lustre, FSx for OpenZFS, or FSx for ONTAP file system. Specifies the storage capacity target value, in GiB, to increase the storage capacity for the file system that you're updating.

Note

You can't make a storage capacity increase request if there is an existing storage capacity increase request in progress.

For Lustre file systems, the storage capacity target value can be the following:

- For `SCRATCH_2`, `PERSISTENT_1`, and `PERSISTENT_2` SSD deployment types, valid values are in multiples of 2400 GiB. The value must be greater than the current storage capacity.
- For `PERSISTENT` HDD file systems, valid values are multiples of 6000 GiB for 12-MBps throughput per TiB file systems and multiples of 1800 GiB for 40-MBps throughput per TiB file systems. The values must be greater than the current storage capacity.

- For SCRATCH_1 file systems, you can't increase the storage capacity.

For more information, see [Managing storage and throughput capacity](#) in the *FSx for Lustre User Guide*.

For FSx for OpenZFS file systems, the storage capacity target value must be at least 10 percent greater than the current storage capacity value. For more information, see [Managing storage capacity](#) in the *FSx for OpenZFS User Guide*.

For Windows file systems, the storage capacity target value must be at least 10 percent greater than the current storage capacity value. To increase storage capacity, the file system must have at least 16 MBps of throughput capacity. For more information, see [Managing storage capacity](#) in the *Amazon FSx for Windows File Server User Guide*.

For ONTAP file systems, the storage capacity target value must be at least 10 percent greater than the current storage capacity value. For more information, see [Managing storage capacity and provisioned IOPS](#) in the *Amazon FSx for NetApp ONTAP User Guide*.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

StorageType

Specifies the file system's storage type.

Type: String

Valid Values: SSD | HDD | INTELLIGENT_TIERING

Required: No

WindowsConfiguration

The configuration updates for an Amazon FSx for Windows File Server file system.

Type: [UpdateFileSystemWindowsConfiguration](#) object

Required: No

Response Syntax

```
{
  "FileSystem": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": "FileSystem",
        "TargetSnapshotValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "Lifecycle": "string",
          "LifecycleTransitionReason": {
            "Message": "string"
          },
          "Name": "string",
          "ResourceARN": "string",
          "SnapshotId": "string",
          "Tags": [
            {
              "Key": "string",
              "Value": "string"
            }
          ],
          "VolumeId": "string"
        },
        "TargetVolumeValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "FileSystemId": "string",
          "Lifecycle": "string",
          "LifecycleTransitionReason": {
```

```

    "Message": "string"
  },
  "Name": "string",
  "OntapConfiguration": {
    "AggregateConfiguration": {
      "Aggregates": [ "string" ],
      "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
      "PrivilegedDelete": "string",
      "RetentionPeriod": {
        "DefaultRetention": {
          "Type": "string",
          "Value": number
        },
        "MaximumRetention": {
          "Type": "string",
          "Value": number
        },
        "MinimumRetention": {
          "Type": "string",
          "Value": number
        }
      }
    },
    "SnaplockType": "string",
    "VolumeAppendModeEnabled": boolean
  },
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "StorageVirtualMachineId": "string",
  "StorageVirtualMachineRoot": boolean,
  "TieringPolicy": {

```

```

        "CoolingPeriod": number,
        "Name": "string"
    },
    "UUID": "string",
    "VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ],
    "OriginSnapshot": {
        "CopyStrategy": "string",
        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ],
    "VolumePath": "string"
},

```



```

        "ResourceARN": "string",
        "Tags": [
            {
                "Key": "string",
                "Value": "string"
            }
        ],
        "VolumeId": "string",
        "VolumeType": "string"
    },
    "TotalTransferBytes": number
}
],
"CreationTime": number,
"DNSName": "string",
"FailureDetails": {
    "Message": "string"
},
"FileSystemId": "string",
"FileSystemType": "string",
"FileSystemTypeVersion": "string",
"KmsKeyId": "string",
"Lifecycle": "string",
"LustreConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
},
"DataRepositoryConfiguration": {
    "AutoImportPolicy": "string",
    "ExportPath": "string",
    "FailureDetails": {
        "Message": "string"
    },
    "ImportedFileChunkSize": number,
    "ImportPath": "string",
    "Lifecycle": "string"
},
"DeploymentType": "string",
"DriveCacheType": "string",

```

```

    "EfaEnabled": boolean,
    "LogConfiguration": {
      "Destination": "string",
      "Level": "string"
    },
    "MetadataConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
      "NoSquashNids": [ "string " ],
      "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "NetworkInterfaceIds": [ "string " ],
  "OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
      "Intercluster": {
        "DNSName": "string",
        "IpAddresses": [ "string " ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string " ]
      }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string " ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,

```

```

    "WeeklyMaintenanceStartTime": "string"
  },
  "OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",
    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ]
  },
],

```

```

    "AuditLogConfiguration": {
      "AuditLogDestination": "string",
      "FileAccessAuditLogLevel": "string",
      "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

FileSystem

A description of the file system that was updated.

Type: FileSystem object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

FileSystemNotFound

No Amazon FSx file systems were found based upon supplied parameters.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

InvalidNetworkSettings

One or more network settings specified in the request are invalid.

HTTP Status Code: 400

MissingFileSystemConfiguration

A file system configuration is required for this operation.

HTTP Status Code: 400

ServiceLimitExceeded

An error indicating that a particular service limit was exceeded. You can increase some service limits by contacting AWS Support.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSharedVpcConfiguration

Configures whether participant accounts in your organization can create Amazon FSx for NetApp ONTAP Multi-AZ file systems in subnets that are shared by a virtual private cloud (VPC) owner. For more information, see the [Amazon FSx for NetApp ONTAP User Guide](#).

Note

We strongly recommend that participant-created Multi-AZ file systems in the shared VPC are deleted before you disable this feature. Once the feature is disabled, these file systems will enter a MISCONFIGURED state and behave like Single-AZ file systems. For more information, see [Important considerations before disabling shared VPC support for Multi-AZ file systems](#).

Request Syntax

```
{
  "ClientRequestToken": "string",
  "EnableFsxRouteTableUpdatesFromParticipantAccounts": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientRequestToken](#)

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.--]{0,63}$`

Required: No

[EnableFsxRouteTableUpdatesFromParticipantAccounts](#)

Specifies whether participant accounts can create FSx for ONTAP Multi-AZ file systems in shared subnets. Set to `true` to enable or `false` to disable.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 5.

Pattern: `^(?i)(true|false)$`

Required: No

Response Syntax

```
{  
  "EnableFsxRouteTableUpdatesFromParticipantAccounts": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[EnableFsxRouteTableUpdatesFromParticipantAccounts](#)

Indicates whether participant accounts can create FSx for ONTAP Multi-AZ file systems in shared subnets.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 5.

Pattern: `^(?i)(true|false)$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSnapshot

Updates the name of an Amazon FSx for OpenZFS snapshot.

Request Syntax

```
{  
  "ClientRequestToken": "string",  
  "Name": "string",  
  "SnapshotId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`\$

Required: No

Name

The name of the snapshot to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 203.

Pattern: `^[a-zA-Z0-9_:.-]{1,203}`\$

Required: Yes

SnapshotId

The ID of the snapshot that you want to update, in the format `fsvolsnap-0123456789abcdef0`.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Required: Yes

Response Syntax

```
{
  "Snapshot": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "DNSName": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "FileSystemId": "string",
          "FileSystemType": "string",
          "FileSystemTypeVersion": "string",
          "KmsKeyId": "string",
          "Lifecycle": "string",
          "LustreConfiguration": {
            "AutomaticBackupRetentionDays": number,
```

```

    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DataCompressionType": "string",
    "DataReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "DataRepositoryConfiguration": {
        "AutoImportPolicy": "string",
        "ExportPath": "string",
        "FailureDetails": {
            "Message": "string"
        },
        "ImportedFileChunkSize": number,
        "ImportPath": "string",
        "Lifecycle": "string"
    },
    "DeploymentType": "string",
    "DriveCacheType": "string",
    "EfaEnabled": boolean,
    "LogConfiguration": {
        "Destination": "string",
        "Level": "string"
    },
    "MetadataConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
        "NoSquashNids": [ "string " ],
        "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string " ],
"OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,

```

```

        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string" ]
        }
    },
    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
        "SizeGiB": number,
        "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"OwnerId": "string",

```

```

    "ResourceARN": "string",
    "StorageCapacity": number,
    "StorageType": "string",
    "SubnetIds": [ "string" ],
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "VpcId": "string",
    "WindowsConfiguration": {
      "ActiveDirectoryId": "string",
      "Aliases": [
        {
          "Lifecycle": "string",
          "Name": "string"
        }
      ],
      "AuditLogConfiguration": {
        "AuditLogDestination": "string",
        "FileAccessAuditLogLevel": "string",
        "FileShareAccessAuditLogLevel": "string"
      },
      "AutomaticBackupRetentionDays": number,
      "CopyTagsToBackups": boolean,
      "DailyAutomaticBackupStartTime": "string",
      "DeploymentType": "string",
      "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
      },
      "MaintenanceOperationsInProgress": [ "string" ],
      "PreferredFileServerIp": "string",
      "PreferredSubnetId": "string",
      "RemoteAdministrationEndpoint": "string",
      "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
      },
      "ThroughputCapacity": number,

```

```

        "WeeklyMaintenanceStartTime": "string"
    },
    "TargetSnapshotValues": "Snapshot",
    "TargetVolumeValues": {
        "AdministrativeActions": [
            "AdministrativeAction"
        ],
        "CreationTime": number,
        "FileSystemId": "string",
        "Lifecycle": "string",
        "LifecycleTransitionReason": {
            "Message": "string"
        },
        "Name": "string",
        "OntapConfiguration": {
            "AggregateConfiguration": {
                "Aggregates": [ "string" ],
                "TotalConstituents": number
            },
            "CopyTagsToBackups": boolean,
            "FlexCacheEndpointType": "string",
            "JunctionPath": "string",
            "OntapVolumeType": "string",
            "SecurityStyle": "string",
            "SizeInBytes": number,
            "SizeInMegabytes": number,
            "SnaplockConfiguration": {
                "AuditLogVolume": boolean,
                "AutocommitPeriod": {
                    "Type": "string",
                    "Value": number
                },
                "PrivilegedDelete": "string",
                "RetentionPeriod": {
                    "DefaultRetention": {
                        "Type": "string",
                        "Value": number
                    },
                    "MaximumRetention": {
                        "Type": "string",
                        "Value": number
                    },
                    "MinimumRetention": {

```

```

        "Type": "string",
        "Value": number
    }
},
"SnaplockType": "string",
"VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
    "CoolingPeriod": number,
    "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
    "CopyStrategy": "string",
    "CopyTagsToSnapshots": boolean,
    "DataCompressionType": "string",
    "DeleteClonedVolumes": boolean,
    "DeleteIntermediateData": boolean,
    "DeleteIntermediateSnapshots": boolean,
    "DestinationSnapshot": "string",
    "NfsExports": [
        {
            "ClientConfigurations": [
                {
                    "Clients": "string",
                    "Options": [ "string" ]
                }
            ]
        }
    ]
},
"OriginSnapshot": {
    "CopyStrategy": "string",
    "SnapshotARN": "string"
},
"ParentVolumeId": "string",
"ReadOnly": boolean,
"RecordSizeKiB": number,
"RestoreToSnapshot": "string",

```



```

        "SourceSnapshotARN": "string",
        "StorageCapacityQuotaGiB": number,
        "StorageCapacityReservationGiB": number,
        "UserAndGroupQuotas": [
            {
                "Id": number,
                "StorageCapacityQuotaGiB": number,
                "Type": "string"
            }
        ],
        "VolumePath": "string"
    },
    "ResourceARN": "string",
    "Tags": [
        {
            "Key": "string",
            "Value": "string"
        }
    ],
    "VolumeId": "string",
    "VolumeType": "string"
},
"TotalTransferBytes": number
}
],
"CreationTime": number,
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"ResourceARN": "string",
"SnapshotId": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VolumeId": "string"
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Snapshot

Returned after a successful UpdateSnapshot operation, describing the snapshot that you updated.

Type: [Snapshot](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

SnapshotNotFound

No Amazon FSx snapshots were found based on the supplied parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateStorageVirtualMachine

Updates an FSx for ONTAP storage virtual machine (SVM).

Request Syntax

```
{
  "ActiveDirectoryConfiguration": {
    "NetBiosName": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "Password": "string",
      "UserName": "string"
    }
  },
  "ClientRequestToken": "string",
  "StorageVirtualMachineId": "string",
  "SvmAdminPassword": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ActiveDirectoryConfiguration

Specifies updates to an SVM's Microsoft Active Directory (AD) configuration.

Type: [UpdateSvmActiveDirectoryConfiguration](#) object

Required: No

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}$`

Required: No

StorageVirtualMachineId

The ID of the SVM that you want to update, in the format `svm-0123456789abcdef0`.

Type: String

Length Constraints: Fixed length of 21.

Pattern: `^(svm-[0-9a-f]{17,})$`

Required: Yes

SvmAdminPassword

Specifies a new SvmAdminPassword.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 50.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{8,50}$`

Required: No

Response Syntax

```
{
  "StorageVirtualMachine": {
    "ActiveDirectoryConfiguration": {
      "NetBiosName": "string",
      "SelfManagedActiveDirectoryConfiguration": {
        "DnsIps": [ "string" ],
        "DomainName": "string",
        "FileSystemAdministratorsGroup": "string",
        "OrganizationalUnitDistinguishedName": "string",
        "UserName": "string"
      }
    }
  }
}
```

```

    },
    "CreationTime": number,
    "Endpoints": {
      "Iscsi": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Management": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Nfs": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      },
      "Smb": {
        "DNSName": "string",
        "IpAddresses": [ "string" ]
      }
    },
    "FileSystemId": "string",
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",
    "ResourceARN": "string",
    "RootVolumeSecurityStyle": "string",
    "StorageVirtualMachineId": "string",
    "Subtype": "string",
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ],
    "UUID": "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

StorageVirtualMachine

Describes the Amazon FSx for NetApp ONTAP storage virtual machine (SVM) configuration.

Type: [StorageVirtualMachine](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

StorageVirtualMachineNotFound

No FSx for ONTAP SVMs were found based upon the supplied parameters.

HTTP Status Code: 400

UnsupportedOperation

The requested operation is not supported for this resource or API.

HTTP Status Code: 400

Examples

Update an FSx for ONTAP SVM

This example updates the Microsoft Active Directory user credentials of an existing SVM that is joined to a AD.

```
{
  "ActiveDirectoryConfiguration": {
    "SelfManagedActiveDirectoryConfiguration": {
      "UserName": "admin_user"
      "Password": "new_password",
    }
  },
  "StorageVirtualMachineId": "svm-0123456789abcdef3"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateVolume

Updates the configuration of an Amazon FSx for NetApp ONTAP or Amazon FSx for OpenZFS volume.

Request Syntax

```
{
  "ClientRequestToken": "string",
  "Name": "string",
  "OntapConfiguration": {
    "CopyTagsToBackups": boolean,
    "JunctionPath": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
      "AuditLogVolume": boolean,
      "AutocommitPeriod": {
        "Type": "string",
        "Value": number
      },
    },
    "PrivilegedDelete": "string",
    "RetentionPeriod": {
      "DefaultRetention": {
        "Type": "string",
        "Value": number
      },
      "MaximumRetention": {
        "Type": "string",
        "Value": number
      },
      "MinimumRetention": {
        "Type": "string",
        "Value": number
      }
    },
  },
  "VolumeAppendModeEnabled": boolean,
},
  "SnapshotPolicy": "string",
  "StorageEfficiencyEnabled": boolean,
  "TieringPolicy": {
    "CoolingPeriod": number,
```

```

    "Name": "string"
  },
  "OpenZFSConfiguration": {
    "DataCompressionType": "string",
    "NfsExports": [
      {
        "ClientConfigurations": [
          {
            "Clients": "string",
            "Options": [ "string" ]
          }
        ]
      }
    ],
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
      {
        "Id": number,
        "StorageCapacityQuotaGiB": number,
        "Type": "string"
      }
    ]
  },
  "VolumeId": "string"
}

```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientRequestToken

(Optional) An idempotency token for resource creation, in a string of up to 63 ASCII characters. This token is automatically filled on your behalf when you use the AWS Command Line Interface (AWS CLI) or an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `[A-Za-z0-9_.-]{0,63}`\$

Required: No

Name

The name of the OpenZFS volume. OpenZFS root volumes are automatically named FSX. Child volume names must be unique among their parent volume's children. The name of the volume is part of the mount string for the OpenZFS volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 203.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,203}`\$

Required: No

OntapConfiguration

The configuration of the ONTAP volume that you are updating.

Type: [UpdateOntapVolumeConfiguration](#) object

Required: No

OpenZFSConfiguration

The configuration of the OpenZFS volume that you are updating.

Type: [UpdateOpenZFSVolumeConfiguration](#) object

Required: No

Volumeld

The ID of the volume that you want to update, in the format `fsvol-0123456789abcdef0`.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: Yes

Response Syntax

```
{
  "Volume": {
    "AdministrativeActions": [
      {
        "AdministrativeActionType": "string",
        "FailureDetails": {
          "Message": "string"
        },
        "ProgressPercent": number,
        "RemainingTransferBytes": number,
        "RequestTime": number,
        "Status": "string",
        "TargetFileSystemValues": {
          "AdministrativeActions": [
            "AdministrativeAction"
          ],
          "CreationTime": number,
          "DNSName": "string",
          "FailureDetails": {
            "Message": "string"
          },
          "FileSystemId": "string",
          "FileSystemType": "string",
          "FileSystemTypeVersion": "string",
          "KmsKeyId": "string",
          "Lifecycle": "string",
          "LustreConfiguration": {
            "AutomaticBackupRetentionDays": number,
            "CopyTagsToBackups": boolean,
            "DailyAutomaticBackupStartTime": "string",
            "DataCompressionType": "string",
            "DataReadCacheConfiguration": {
              "SizeGiB": number,
              "SizingMode": "string"
            },
            "DataRepositoryConfiguration": {
              "AutoImportPolicy": "string",
              "ExportPath": "string",
              "FailureDetails": {
                "Message": "string"
              }
            }
          }
        }
      }
    ]
  }
}
```

```

        "ImportedFileChunkSize": number,
        "ImportPath": "string",
        "Lifecycle": "string"
    },
    "DeploymentType": "string",
    "DriveCacheType": "string",
    "EfaEnabled": boolean,
    "LogConfiguration": {
        "Destination": "string",
        "Level": "string"
    },
    "MetadataConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "MountName": "string",
    "PerUnitStorageThroughput": number,
    "RootSquashConfiguration": {
        "NoSquashNids": [ "string " ],
        "RootSquash": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
},
"NetworkInterfaceIds": [ "string " ],
"OntapConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
        "Iops": number,
        "Mode": "string"
    },
    "EndpointIpAddressRange": "string",
    "Endpoints": {
        "Intercluster": {
            "DNSName": "string",
            "IpAddresses": [ "string " ]
        },
        "Management": {
            "DNSName": "string",
            "IpAddresses": [ "string " ]
        }
    }
},

```

```

    "FsxAdminPassword": "string",
    "HAPairs": number,
    "PreferredSubnetId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "ThroughputCapacityPerHAPair": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OpenZFSConfiguration": {
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "CopyTagsToVolumes": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "EndpointIpAddress": "string",
    "EndpointIpAddressRange": "string",
    "PreferredSubnetId": "string",
    "ReadCacheConfiguration": {
      "SizeGiB": number,
      "SizingMode": "string"
    },
    "RootVolumeId": "string",
    "RouteTableIds": [ "string" ],
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "OwnerId": "string",
  "ResourceARN": "string",
  "StorageCapacity": number,
  "StorageType": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "VpcId": "string",
  "WindowsConfiguration": {
    "ActiveDirectoryId": "string",

```

```

    "Aliases": [
      {
        "Lifecycle": "string",
        "Name": "string"
      }
    ],
    "AuditLogConfiguration": {
      "AuditLogDestination": "string",
      "FileAccessAuditLogLevel": "string",
      "FileShareAccessAuditLogLevel": "string"
    },
    "AutomaticBackupRetentionDays": number,
    "CopyTagsToBackups": boolean,
    "DailyAutomaticBackupStartTime": "string",
    "DeploymentType": "string",
    "DiskIopsConfiguration": {
      "Iops": number,
      "Mode": "string"
    },
    "MaintenanceOperationsInProgress": [ "string" ],
    "PreferredFileServerIp": "string",
    "PreferredSubnetId": "string",
    "RemoteAdministrationEndpoint": "string",
    "SelfManagedActiveDirectoryConfiguration": {
      "DnsIps": [ "string" ],
      "DomainName": "string",
      "FileSystemAdministratorsGroup": "string",
      "OrganizationalUnitDistinguishedName": "string",
      "UserName": "string"
    },
    "ThroughputCapacity": number,
    "WeeklyMaintenanceStartTime": "string"
  },
  "TargetSnapshotValues": {
    "AdministrativeActions": [
      "AdministrativeAction"
    ],
    "CreationTime": number,
    "Lifecycle": "string",
    "LifecycleTransitionReason": {
      "Message": "string"
    },
    "Name": "string",

```

```

        "ResourceARN": "string",
        "SnapshotId": "string",
        "Tags": [
            {
                "Key": "string",
                "Value": "string"
            }
        ],
        "VolumeId": "string"
    },
    "TargetVolumeValues": "Volume",
    "TotalTransferBytes": number
}
],
"CreationTime": number,
"FileSystemId": "string",
"Lifecycle": "string",
"LifecycleTransitionReason": {
    "Message": "string"
},
"Name": "string",
"OntapConfiguration": {
    "AggregateConfiguration": {
        "Aggregates": [ "string" ],
        "TotalConstituents": number
    },
    "CopyTagsToBackups": boolean,
    "FlexCacheEndpointType": "string",
    "JunctionPath": "string",
    "OntapVolumeType": "string",
    "SecurityStyle": "string",
    "SizeInBytes": number,
    "SizeInMegabytes": number,
    "SnaplockConfiguration": {
        "AuditLogVolume": boolean,
        "AutocommitPeriod": {
            "Type": "string",
            "Value": number
        },
        "PrivilegedDelete": "string",
        "RetentionPeriod": {
            "DefaultRetention": {
                "Type": "string",
                "Value": number
            }
        }
    }
}

```



```

    },
    "MaximumRetention": {
      "Type": "string",
      "Value": number
    },
    "MinimumRetention": {
      "Type": "string",
      "Value": number
    }
  },
  "SnaplockType": "string",
  "VolumeAppendModeEnabled": boolean
},
"SnapshotPolicy": "string",
"StorageEfficiencyEnabled": boolean,
"StorageVirtualMachineId": "string",
"StorageVirtualMachineRoot": boolean,
"TieringPolicy": {
  "CoolingPeriod": number,
  "Name": "string"
},
"UUID": "string",
"VolumeStyle": "string"
},
"OpenZFSConfiguration": {
  "CopyStrategy": "string",
  "CopyTagsToSnapshots": boolean,
  "DataCompressionType": "string",
  "DeleteClonedVolumes": boolean,
  "DeleteIntermediateData": boolean,
  "DeleteIntermediateSnapshots": boolean,
  "DestinationSnapshot": "string",
  "NfsExports": [
    {
      "ClientConfigurations": [
        {
          "Clients": "string",
          "Options": [ "string" ]
        }
      ]
    }
  ]
},
"OriginSnapshot": {
  "CopyStrategy": "string",

```

```

        "SnapshotARN": "string"
    },
    "ParentVolumeId": "string",
    "ReadOnly": boolean,
    "RecordSizeKiB": number,
    "RestoreToSnapshot": "string",
    "SourceSnapshotARN": "string",
    "StorageCapacityQuotaGiB": number,
    "StorageCapacityReservationGiB": number,
    "UserAndGroupQuotas": [
        {
            "Id": number,
            "StorageCapacityQuotaGiB": number,
            "Type": "string"
        }
    ],
    "VolumePath": "string"
},
"ResourceARN": "string",
"Tags": [
    {
        "Key": "string",
        "Value": "string"
    }
],
"VolumeId": "string",
"VolumeType": "string"
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Volume

A description of the volume just updated. Returned after a successful UpdateVolume API operation.

Type: [Volume](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

BadRequest

A generic error indicating a failure with a client request.

HTTP Status Code: 400

IncompatibleParameterError

The error returned when a second request is received with the same client request token but different parameters settings. A client request token should always uniquely identify a single request.

HTTP Status Code: 400

InternalServerError

A generic error indicating a server-side failure.

HTTP Status Code: 500

MissingVolumeConfiguration

A volume configuration is required for this operation.

HTTP Status Code: 400

VolumeNotFound

No Amazon FSx volumes were found based upon the supplied parameters.

HTTP Status Code: 400

Examples

Update an existing ONTAP volume

The following example updates the specified volume's `JunctionPath`, `SizeInMegabytes`, and `CoolingPeriod` properties.

```
{
```

```
"OntapConfiguration": {
  "JunctionPath": "/new_junction_path/dir2",
  "SizeInMegabytes": 204800,
  "TieringPolicy": {
    "CoolingPeriod": 120
  }
},
"VolumeId": "fsvol-0123456789abcef2"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon FSx API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ActiveDirectoryBackupAttributes](#)
- [AdministrativeAction](#)
- [AdministrativeActionFailureDetails](#)
- [AggregateConfiguration](#)
- [Alias](#)
- [AutocommitPeriod](#)
- [AutoExportPolicy](#)
- [AutoImportPolicy](#)
- [Backup](#)
- [BackupFailureDetails](#)
- [CompletionReport](#)
- [CreateAggregateConfiguration](#)
- [CreateAndAttachS3AccessPointOpenZFSConfiguration](#)
- [CreateAndAttachS3AccessPointS3Configuration](#)
- [CreateFileCacheLustreConfiguration](#)
- [CreateFileSystemLustreConfiguration](#)
- [CreateFileSystemLustreMetadataConfiguration](#)
- [CreateFileSystemOntapConfiguration](#)
- [CreateFileSystemOpenZFSConfiguration](#)
- [CreateFileSystemWindowsConfiguration](#)

- [CreateOntapVolumeConfiguration](#)
- [CreateOpenZFSTOriginSnapshotConfiguration](#)
- [CreateOpenZFSVolumeConfiguration](#)
- [CreateSnaplockConfiguration](#)
- [CreateSvmActiveDirectoryConfiguration](#)
- [DataRepositoryAssociation](#)
- [DataRepositoryConfiguration](#)
- [DataRepositoryFailureDetails](#)
- [DataRepositoryTask](#)
- [DataRepositoryTaskFailureDetails](#)
- [DataRepositoryTaskFilter](#)
- [DataRepositoryTaskStatus](#)
- [DeleteFileSystemLustreConfiguration](#)
- [DeleteFileSystemLustreResponse](#)
- [DeleteFileSystemOpenZFSConfiguration](#)
- [DeleteFileSystemOpenZFSResponse](#)
- [DeleteFileSystemWindowsConfiguration](#)
- [DeleteFileSystemWindowsResponse](#)
- [DeleteVolumeOntapConfiguration](#)
- [DeleteVolumeOntapResponse](#)
- [DeleteVolumeOpenZFSConfiguration](#)
- [DiskIopsConfiguration](#)
- [DurationSinceLastAccess](#)
- [FileCache](#)
- [FileCacheCreating](#)
- [FileCacheDataRepositoryAssociation](#)
- [FileCacheFailureDetails](#)
- [FileCacheLustreConfiguration](#)
- [FileCacheLustreMetadataConfiguration](#)
- [FileCacheNFSConfiguration](#)

- [FileSystem](#)
- [FileSystemEndpoint](#)
- [FileSystemEndpoints](#)
- [FileSystemFailureDetails](#)
- [FileSystemLustreMetadataConfiguration](#)
- [Filter](#)
- [LifecycleTransitionReason](#)
- [LustreFileSystemConfiguration](#)
- [LustreLogConfiguration](#)
- [LustreLogCreateConfiguration](#)
- [LustreReadCacheConfiguration](#)
- [LustreRootSquashConfiguration](#)
- [NFSDDataRepositoryConfiguration](#)
- [OntapFileSystemConfiguration](#)
- [OntapVolumeConfiguration](#)
- [OpenZFSClientConfiguration](#)
- [OpenZFSCreateRootVolumeConfiguration](#)
- [OpenZFSFileSystemConfiguration](#)
- [OpenZFSFileSystemIdentity](#)
- [OpenZFSNfsExport](#)
- [OpenZFSOriginSnapshotConfiguration](#)
- [OpenZFSPosixFileSystemUser](#)
- [OpenZFSReadCacheConfiguration](#)
- [OpenZFSUserOrGroupQuota](#)
- [OpenZFSVolumeConfiguration](#)
- [ReleaseConfiguration](#)
- [RetentionPeriod](#)
- [S3AccessPoint](#)
- [S3AccessPointAttachment](#)
- [S3AccessPointAttachmentsFilter](#)

- [S3AccessPointOpenZFSConfiguration](#)
- [S3AccessPointVpcConfiguration](#)
- [S3DataRepositoryConfiguration](#)
- [SelfManagedActiveDirectoryAttributes](#)
- [SelfManagedActiveDirectoryConfiguration](#)
- [SelfManagedActiveDirectoryConfigurationUpdates](#)
- [SnaplockConfiguration](#)
- [SnaplockRetentionPeriod](#)
- [Snapshot](#)
- [SnapshotFilter](#)
- [StorageVirtualMachine](#)
- [StorageVirtualMachineFilter](#)
- [SvmActiveDirectoryConfiguration](#)
- [SvmEndpoint](#)
- [SvmEndpoints](#)
- [Tag](#)
- [TieringPolicy](#)
- [UpdateFileCacheLustreConfiguration](#)
- [UpdateFileSystemLustreConfiguration](#)
- [UpdateFileSystemLustreMetadataConfiguration](#)
- [UpdateFileSystemOntapConfiguration](#)
- [UpdateFileSystemOpenZFSConfiguration](#)
- [UpdateFileSystemWindowsConfiguration](#)
- [UpdateOntapVolumeConfiguration](#)
- [UpdateOpenZFSVolumeConfiguration](#)
- [UpdateSnaplockConfiguration](#)
- [UpdateSvmActiveDirectoryConfiguration](#)
- [Volume](#)
- [VolumeFilter](#)
- [WindowsAuditLogConfiguration](#)

- [WindowsAuditLogCreateConfiguration](#)
- [WindowsFileSystemConfiguration](#)

ActiveDirectoryBackupAttributes

The Microsoft Active Directory attributes of the Amazon FSx for Windows File Server file system.

Contents

ActiveDirectoryId

The ID of the AWS Managed Microsoft Active Directory instance to which the file system is joined.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^d-[0-9a-f]{10}$`

Required: No

DomainName

The fully qualified domain name of the self-managed Active Directory directory.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--)):{4}(?!/).{0,1024}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AdministrativeAction

Describes a specific Amazon FSx administrative action for the current Windows, Lustre, OpenZFS, or ONTAP file system or volume.

Contents

AdministrativeActionType

Describes the type of administrative action, as follows:

- **FILE_SYSTEM_UPDATE** - A file system update administrative action initiated from the Amazon FSx console, API (`UpdateFileSystem`), or CLI (`update-file-system`).
- **THROUGHPUT_OPTIMIZATION** - After the **FILE_SYSTEM_UPDATE** task to increase a file system's throughput capacity has been completed successfully, a **THROUGHPUT_OPTIMIZATION** task starts.

You can track the storage-optimization progress using the `ProgressPercent` property. When **THROUGHPUT_OPTIMIZATION** has been completed successfully, the parent **FILE_SYSTEM_UPDATE** action status changes to **COMPLETED**. For more information, see [Managing throughput capacity](#) in the *Amazon FSx for Windows File Server User Guide*.

- **STORAGE_OPTIMIZATION** - After the **FILE_SYSTEM_UPDATE** task to increase a file system's storage capacity has completed successfully, a **STORAGE_OPTIMIZATION** task starts.
 - For Windows and ONTAP, storage optimization is the process of migrating the file system data to newer larger disks.
 - For Lustre, storage optimization consists of rebalancing the data across the existing and newly added file servers.

You can track the storage-optimization progress using the `ProgressPercent` property. When **STORAGE_OPTIMIZATION** has been completed successfully, the parent **FILE_SYSTEM_UPDATE** action status changes to **COMPLETED**. For more information, see [Managing storage capacity](#) in the *Amazon FSx for Windows File Server User Guide*, [Managing storage capacity](#) in the *Amazon FSx for Lustre User Guide*, and [Managing storage capacity and provisioned IOPS](#) in the *Amazon FSx for NetApp ONTAP User Guide*.

- **FILE_SYSTEM_ALIAS_ASSOCIATION** - A file system update to associate a new Domain Name System (DNS) alias with the file system. For more information, see [AssociateFileSystemAliases](#).

- **FILE_SYSTEM_ALIAS_DISASSOCIATION** - A file system update to disassociate a DNS alias from the file system. For more information, see [DisassociateFileSystemAliases](#).
- **IOPS_OPTIMIZATION** - After the **FILE_SYSTEM_UPDATE** task to increase a file system's throughput capacity has been completed successfully, a **IOPS_OPTIMIZATION** task starts.

You can track the storage-optimization progress using the **ProgressPercent** property. When **IOPS_OPTIMIZATION** has been completed successfully, the parent **FILE_SYSTEM_UPDATE** action status changes to **COMPLETED**. For more information, see [Managing provisioned SSD IOPS](#) in the Amazon FSx for Windows File Server User Guide.

- **STORAGE_TYPE_OPTIMIZATION** - After the **FILE_SYSTEM_UPDATE** task to increase a file system's throughput capacity has been completed successfully, a **STORAGE_TYPE_OPTIMIZATION** task starts.

You can track the storage-optimization progress using the **ProgressPercent** property. When **STORAGE_TYPE_OPTIMIZATION** has been completed successfully, the parent **FILE_SYSTEM_UPDATE** action status changes to **COMPLETED**.

- **VOLUME_UPDATE** - A volume update to an Amazon FSx for OpenZFS volume initiated from the Amazon FSx console, API (**UpdateVolume**), or CLI (**update-volume**).
- **VOLUME_RESTORE** - An Amazon FSx for OpenZFS volume is returned to the state saved by the specified snapshot, initiated from an API (**RestoreVolumeFromSnapshot**) or CLI (**restore-volume-from-snapshot**).
- **SNAPSHOT_UPDATE** - A snapshot update to an Amazon FSx for OpenZFS volume initiated from the Amazon FSx console, API (**UpdateSnapshot**), or CLI (**update-snapshot**).
- **RELEASE_NFS_V3_LOCKS** - Tracks the release of Network File System (NFS) V3 locks on an Amazon FSx for OpenZFS file system.
- **DOWNLOAD_DATA_FROM_BACKUP** - An FSx for ONTAP backup is being restored to a new volume on a second-generation file system. Once the all the file metadata is loaded onto the volume, you can mount the volume with read-only access. during this process.
- **VOLUME_INITIALIZE_WITH_SNAPSHOT** - A volume is being created from a snapshot on a different FSx for OpenZFS file system. You can initiate this from the Amazon FSx console, API (**CreateVolume**), or CLI (**create-volume**) when using the using the **FULL_COPY** strategy.
- **VOLUME_UPDATE_WITH_SNAPSHOT** - A volume is being updated from a snapshot on a different FSx for OpenZFS file system. You can initiate this from the Amazon FSx console, API (**CopySnapshotAndUpdateVolume**), or CLI (**copy-snapshot-and-update-volume**).

Type: String

Valid Values: FILE_SYSTEM_UPDATE | STORAGE_OPTIMIZATION |
FILE_SYSTEM_ALIAS_ASSOCIATION | FILE_SYSTEM_ALIAS_DISASSOCIATION
| VOLUME_UPDATE | SNAPSHOT_UPDATE | RELEASE_NFS_V3_LOCKS |
VOLUME_RESTORE | THROUGHPUT_OPTIMIZATION | IOPS_OPTIMIZATION
| STORAGE_TYPE_OPTIMIZATION | MISCONFIGURED_STATE_RECOVERY |
VOLUME_UPDATE_WITH_SNAPSHOT | VOLUME_INITIALIZE_WITH_SNAPSHOT |
DOWNLOAD_DATA_FROM_BACKUP

Required: No

FailureDetails

Provides information about a failed administrative action.

Type: [AdministrativeActionFailureDetails](#) object

Required: No

ProgressPercent

The percentage-complete status of a STORAGE_OPTIMIZATION or
DOWNLOAD_DATA_FROM_BACKUP administrative action. Does not apply to any other
administrative action type.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

RemainingTransferBytes

The remaining bytes to transfer for the FSx for OpenZFS snapshot that you're copying.

Type: Long

Valid Range: Minimum value of 0.

Required: No

RequestTime

The time that the administrative action request was received.

Type: Timestamp

Required: No

Status

The status of the administrative action, as follows:

- **FAILED** - Amazon FSx failed to process the administrative action successfully.
- **IN_PROGRESS** - Amazon FSx is processing the administrative action.
- **PENDING** - Amazon FSx is waiting to process the administrative action.
- **COMPLETED** - Amazon FSx has finished processing the administrative task.

For a backup restore to a second-generation FSx for ONTAP file system, indicates that all data has been downloaded to the volume, and clients now have read-write access to volume.

- **UPDATED_OPTIMIZING** - For a storage-capacity increase update, Amazon FSx has updated the file system with the new storage capacity, and is now performing the storage-optimization process.
- **PENDING** - For a backup restore to a second-generation FSx for ONTAP file system, indicates that the file metadata is being downloaded onto the volume. The volume's Lifecycle state is **CREATING**.
- **IN_PROGRESS** - For a backup restore to a second-generation FSx for ONTAP file system, indicates that all metadata has been downloaded to the new volume and client can access data with read-only access while Amazon FSx downloads the file data to the volume. Track the progress of this process with the `ProgressPercent` element.

Type: String

Valid Values: **FAILED** | **IN_PROGRESS** | **PENDING** | **COMPLETED** | **UPDATED_OPTIMIZING** | **OPTIMIZING**

Required: No

TargetFileSystemValues

The target value for the administration action, provided in the `UpdateFileSystem` operation. Returned for **FILE_SYSTEM_UPDATE** administrative actions.

Type: [FileSystem](#) object

Required: No

TargetSnapshotValues

A snapshot of an Amazon FSx for OpenZFS volume.

Type: [Snapshot](#) object

Required: No

TargetVolumeValues

Describes an Amazon FSx volume.

Type: [Volume](#) object

Required: No

TotalTransferBytes

The number of bytes that have transferred for the FSx for OpenZFS snapshot that you're copying.

Type: Long

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AdministrativeActionFailureDetails

Provides information about a failed administrative action.

Contents

Message

Error message providing details about the failed administrative action.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AggregateConfiguration

Used to specify configuration options for a volume's storage aggregate or aggregates.

Contents

Aggregates

The list of aggregates that this volume resides on. Aggregates are storage pools which make up your primary storage tier. Each high-availability (HA) pair has one aggregate. The names of the aggregates map to the names of the aggregates in the ONTAP CLI and REST API. For FlexVols, there will always be a single entry.

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The strings in the value of `Aggregates` are not are not formatted as `aggrX`, where X is a number between 1 and 12.
- The value of `Aggregates` contains aggregates that are not present.
- One or more of the aggregates supplied are too close to the volume limit to support adding more volumes.

Type: Array of strings

Array Members: Maximum number of 6 items.

Length Constraints: Minimum length of 5. Maximum length of 6.

Pattern: `^(aggr[0-9]{1,2})$`

Required: No

TotalConstituents

The total number of constituents this FlexGroup volume has. Not applicable for FlexVols.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 200.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Alias

A DNS alias that is associated with the file system. You can use a DNS alias to access a file system using user-defined DNS names, in addition to the default DNS name that Amazon FSx assigns to the file system. For more information, see [DNS aliases](#) in the *FSx for Windows File Server User Guide*.

Contents

Lifecycle

Describes the state of the DNS alias.

- **AVAILABLE** - The DNS alias is associated with an Amazon FSx file system.
- **CREATING** - Amazon FSx is creating the DNS alias and associating it with the file system.
- **CREATE_FAILED** - Amazon FSx was unable to associate the DNS alias with the file system.
- **DELETING** - Amazon FSx is disassociating the DNS alias from the file system and deleting it.
- **DELETE_FAILED** - Amazon FSx was unable to disassociate the DNS alias from the file system.

Type: String

Valid Values: AVAILABLE | CREATING | DELETING | CREATE_FAILED | DELETE_FAILED

Required: No

Name

The name of the DNS alias. The alias name has to meet the following requirements:

- Formatted as a fully-qualified domain name (FQDN), `hostname.domain`, for example, `accounting.example.com`.
- Can contain alphanumeric characters, the underscore (`_`), and the hyphen (`-`).
- Cannot start or end with a hyphen.
- Can start with a numeric.

For DNS names, Amazon FSx stores alphabetic characters as lowercase letters (a-z), regardless of how you specify them: as uppercase letters, lowercase letters, or the corresponding letters in escape codes.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 253.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{4,253}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AutocommitPeriod

Sets the autocommit period of files in an FSx for ONTAP SnapLock volume, which determines how long the files must remain unmodified before they're automatically transitioned to the write once, read many (WORM) state.

For more information, see [Autocommit](#).

Contents

Type

Defines the type of time for the autocommit period of a file in an FSx for ONTAP SnapLock volume. Setting this value to NONE disables autocommit. The default value is NONE.

Type: String

Valid Values: MINUTES | HOURS | DAYS | MONTHS | YEARS | NONE

Required: Yes

Value

Defines the amount of time for the autocommit period of a file in an FSx for ONTAP SnapLock volume. The following ranges are valid:

- Minutes: 5 - 65,535
- Hours: 1 - 65,535
- Days: 1 - 3,650
- Months: 1 - 120
- Years: 1 - 10

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 65535.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AutoExportPolicy

Describes a data repository association's automatic export policy. The `AutoExportPolicy` defines the types of updated objects on the file system that will be automatically exported to the data repository. As you create, modify, or delete files, Amazon FSx for Lustre automatically exports the defined changes asynchronously once your application finishes modifying the file.

The `AutoExportPolicy` is only supported on Amazon FSx for Lustre file systems with a data repository association.

Contents

Events

The `AutoExportPolicy` can have the following event values:

- **NEW** - New files and directories are automatically exported to the data repository as they are added to the file system.
- **CHANGED** - Changes to files and directories on the file system are automatically exported to the data repository.
- **DELETED** - Files and directories are automatically deleted on the data repository when they are deleted on the file system.

You can define any combination of event types for your `AutoExportPolicy`.

Type: Array of strings

Array Members: Maximum number of 3 items.

Valid Values: NEW | CHANGED | DELETED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

AutoImportPolicy

Describes the data repository association's automatic import policy. The AutoImportPolicy defines how Amazon FSx keeps your file metadata and directory listings up to date by importing changes to your Amazon FSx for Lustre file system as you modify objects in a linked S3 bucket.

The AutoImportPolicy is only supported on Amazon FSx for Lustre file systems with a data repository association.

Contents

Events

The AutoImportPolicy can have the following event values:

- **NEW** - Amazon FSx automatically imports metadata of files added to the linked S3 bucket that do not currently exist in the FSx file system.
- **CHANGED** - Amazon FSx automatically updates file metadata and invalidates existing file content on the file system as files change in the data repository.
- **DELETED** - Amazon FSx automatically deletes files on the file system as corresponding files are deleted in the data repository.

You can define any combination of event types for your AutoImportPolicy.

Type: Array of strings

Array Members: Maximum number of 3 items.

Valid Values: NEW | CHANGED | DELETED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

Backup

A backup of an Amazon FSx for Windows File Server, Amazon FSx for Lustre file system, Amazon FSx for NetApp ONTAP volume, or Amazon FSx for OpenZFS file system.

Contents

BackupId

The ID of the backup.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: Yes

CreationTime

The time when a particular backup was created.

Type: Timestamp

Required: Yes

FileSystem

The metadata of the file system associated with the backup. This metadata is persisted even if the file system is deleted.

Type: [FileSystem](#) object

Required: Yes

Lifecycle

The lifecycle status of the backup.

- AVAILABLE - The backup is fully available.
- PENDING - For user-initiated backups on Lustre file systems only; Amazon FSx hasn't started creating the backup.
- CREATING - Amazon FSx is creating the backup.

- TRANSFERRING - For user-initiated backups on Lustre file systems only; Amazon FSx is transferring the backup to Amazon S3.
- COPYING - Amazon FSx is copying the backup.
- DELETED - Amazon FSx deleted the backup and it's no longer available.
- FAILED - Amazon FSx couldn't finish the backup.

Type: String

Valid Values: AVAILABLE | CREATING | TRANSFERRING | DELETED | FAILED | PENDING | COPYING

Required: Yes

Type

The type of the file-system backup.

Type: String

Valid Values: AUTOMATIC | USER_INITIATED | AWS_BACKUP

Required: Yes

DirectoryInformation

The configuration of the self-managed Microsoft Active Directory directory to which the Windows File Server instance is joined.

Type: [ActiveDirectoryBackupAttributes](#) object

Required: No

FailureDetails

Details explaining any failures that occurred when creating a backup.

Type: [BackupFailureDetails](#) object

Required: No

KmsKeyId

The ID of the AWS Key Management Service (AWS KMS) key used to encrypt the backup of the Amazon FSx file system's data at rest.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^\.{1,2048}$`

Required: No

OwnerId

An AWS account ID. This ID is a 12-digit number that you use to construct Amazon Resource Names (ARNs) for resources.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

ProgressPercent

Displays the current percent of progress of an asynchronous task.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

ResourceARN

The Amazon Resource Name (ARN) for the backup resource.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-){2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--)):{4}(?!/){0,1024}$`

Required: No

ResourceType

Specifies the resource type that's backed up.

Type: String

Valid Values: FILE_SYSTEM | VOLUME

Required: No

SizeInBytes

The size of the backup in bytes. This represents the amount of data that the file system would contain if you restore this backup.

Type: Long

Valid Range: Minimum value of 0.

Required: No

SourceBackupId

The ID of the source backup. Specifies the backup that you are copying.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: No

SourceBackupRegion

The source Region of the backup. Specifies the Region from where this backup is copied.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[a-z0-9-]{1,20}$`

Required: No

Tags

The tags associated with a particular file system.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Volume

Describes an Amazon FSx volume.

Type: [Volume](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BackupFailureDetails

If backup creation fails, this structure contains the details of that failure.

Contents

Message

A message describing the backup-creation failure.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompletionReport

Provides a report detailing the data repository task results of the files processed that match the criteria specified in the report Scope parameter. FSx delivers the report to the file system's linked data repository in Amazon S3, using the path specified in the report Path parameter. You can specify whether or not a report gets generated for a task using the Enabled parameter.

Contents

Enabled

Set Enabled to `True` to generate a CompletionReport when the task completes. If set to `true`, then you need to provide a report Scope, Path, and Format. Set Enabled to `False` if you do not want a CompletionReport generated when the task completes.

Type: Boolean

Required: Yes

Format

Required if Enabled is set to `true`. Specifies the format of the CompletionReport. `REPORT_CSV_20191124` is the only format currently supported. When Format is set to `REPORT_CSV_20191124`, the CompletionReport is provided in CSV format, and is delivered to `{path}/task-{id}/failures.csv`.

Type: String

Valid Values: `REPORT_CSV_20191124`

Required: No

Path

Required if Enabled is set to `true`. Specifies the location of the report on the file system's linked S3 data repository. An absolute path that defines where the completion report will be stored in the destination location. The Path you provide must be located within the file system's ExportPath. An example Path value is `"s3://amzn-s3-demo-bucket/myExportPath/optionalPrefix"`. The report provides the following information for each file in the report: FilePath, FileStatus, and ErrorCode.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: No

Scope

Required if `Enabled` is set to `true`. Specifies the scope of the `CompletionReport`; `FAILED_FILES_ONLY` is the only scope currently supported. When `Scope` is set to `FAILED_FILES_ONLY`, the `CompletionReport` only contains information about files that the data repository task failed to process.

Type: String

Valid Values: `FAILED_FILES_ONLY`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateAggregateConfiguration

Used to specify the configuration options for an FSx for ONTAP volume's storage aggregate or aggregates.

Contents

Aggregates

Used to specify the names of aggregates on which the volume will be created.

Type: Array of strings

Array Members: Maximum number of 6 items.

Length Constraints: Minimum length of 5. Maximum length of 6.

Pattern: `^(aggr[0-9]{1,2})$`

Required: No

ConstituentsPerAggregate

Used to explicitly set the number of constituents within the FlexGroup per storage aggregate. This field is optional when creating a FlexGroup volume. If unspecified, the default value will be 8. This field cannot be provided when creating a FlexVol volume.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 200.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateAndAttachS3AccessPointOpenZFSConfiguration

Specifies the FSx for OpenZFS volume that the S3 access point will be attached to, and the file system user identity.

Contents

FileSystemIdentity

Specifies the file system user identity to use for authorizing file read and write requests that are made using this S3 access point.

Type: [OpenZFSFileSystemIdentity](#) object

Required: Yes

VolumeId

The ID of the FSx for OpenZFS volume to which you want the S3 access point attached.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateAndAttachS3AccessPointS3Configuration

Used to create an S3 access point that accepts requests only from a virtual private cloud (VPC) to restrict data access to a private network.

Contents

Policy

Specifies an access policy to associate with the S3 access point configuration. For more information, see [Configuring IAM policies for using access points](#) in the Amazon Simple Storage Service User Guide.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200000.

Required: No

VpcConfiguration

If included, Amazon S3 restricts access to this S3 access point to requests made from the specified virtual private cloud (VPC).

Type: [S3AccessPointVpcConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateFileCacheLustreConfiguration

The Amazon File Cache configuration for the cache that you are creating.

Contents

DeploymentType

Specifies the cache deployment type, which must be `CACHE_1`.

Type: String

Valid Values: `CACHE_1`

Required: Yes

MetadataConfiguration

The configuration for a Lustre MDT (Metadata Target) storage volume.

Type: [FileCacheLustreMetadataConfiguration](#) object

Required: Yes

PerUnitStorageThroughput

Provisions the amount of read and write throughput for each 1 tebibyte (TiB) of cache storage capacity, in MB/s/TiB. The only supported value is `1000`.

Type: Integer

Valid Range: Minimum value of 12. Maximum value of 1000.

Required: Yes

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted `d:HH:MM` in the UTC time zone, where `d` is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, `1:05:00` specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateFileSystemLustreConfiguration

The Lustre configuration for the file system being created.

Note

The following parameters are not supported for file systems with a data repository association created with [CreateDataRepositoryAssociation](#).

- AutoImportPolicy
- ExportPath
- ImportedFileChunkSize
- ImportPath

Contents

AutoImportPolicy

(Optional) When you create your file system, your existing S3 objects appear as file and directory listings. Use this parameter to choose how Amazon FSx keeps your file and directory listings up to date as you add or modify objects in your linked S3 bucket. AutoImportPolicy can have the following values:

- NONE - (Default) AutoImport is off. Amazon FSx only updates file and directory listings from the linked S3 bucket when the file system is created. FSx does not update file and directory listings for any new or changed objects after choosing this option.
- NEW - AutoImport is on. Amazon FSx automatically imports directory listings of any new objects added to the linked S3 bucket that do not currently exist in the FSx file system.
- NEW_CHANGED - AutoImport is on. Amazon FSx automatically imports file and directory listings of any new objects added to the S3 bucket and any existing objects that are changed in the S3 bucket after you choose this option.
- NEW_CHANGED_DELETED - AutoImport is on. Amazon FSx automatically imports file and directory listings of any new objects added to the S3 bucket, any existing objects that are changed in the S3 bucket, and any objects that were deleted in the S3 bucket.

For more information, see [Automatically import updates from your S3 bucket](#).

Note

This parameter is not supported for file systems with a data repository association.

Type: String

Valid Values: NONE | NEW | NEW_CHANGED | NEW_CHANGED_DELETED

Required: No

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 0.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

CopyTagsToBackups

(Optional) Not available for use with file systems that are linked to a data repository. A boolean flag indicating whether tags for the file system should be copied to backups. The default value is false. If CopyTagsToBackups is set to true, all file system tags are copied to all automatic and user-initiated backups when the user doesn't specify any backup-specific tags. If CopyTagsToBackups is set to true and you specify one or more backup tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the file system, regardless of this value.

(Default = false)

For more information, see [Working with backups](#) in the *Amazon FSx for Lustre User Guide*.

Type: Boolean

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DataCompressionType

Sets the data compression configuration for the file system. DataCompressionType can have the following values:

- NONE - (Default) Data compression is turned off when the file system is created.
- LZ4 - Data compression is turned on with the LZ4 algorithm.

For more information, see [Lustre data compression](#) in the *Amazon FSx for Lustre User Guide*.

Type: String

Valid Values: NONE | LZ4

Required: No

DataReadCacheConfiguration

Specifies the optional provisioned SSD read cache on FSx for Lustre file systems that use the Intelligent-Tiering storage class. Required when StorageType is set to INTELLIGENT_TIERING.

Type: [LustreReadCacheConfiguration](#) object

Required: No

DeploymentType

(Optional) Choose SCRATCH_1 and SCRATCH_2 deployment types when you need temporary storage and shorter-term processing of data. The SCRATCH_2 deployment type provides in-transit encryption of data and higher burst throughput capacity than SCRATCH_1.

Choose PERSISTENT_1 for longer-term storage and for throughput-focused workloads that aren't latency-sensitive. PERSISTENT_1 supports encryption of data in transit, and is available in all AWS Regions in which FSx for Lustre is available.

Choose `PERSISTENT_2` for longer-term storage and for latency-sensitive workloads that require the highest levels of IOPS/throughput. `PERSISTENT_2` supports the SSD and Intelligent-Tiering storage classes. You can optionally specify a metadata configuration mode for `PERSISTENT_2` which supports increasing metadata performance. `PERSISTENT_2` is available in a limited number of AWS Regions. For more information, and an up-to-date list of AWS Regions in which `PERSISTENT_2` is available, see [Deployment and storage class options for FSx for Lustre file systems](#) in the *Amazon FSx for Lustre User Guide*.

 Note

If you choose `PERSISTENT_2`, and you set `FileSystemTypeVersion` to `2.10`, the `CreateFileSystem` operation fails.

Encryption of data in transit is automatically turned on when you access `SCRATCH_2`, `PERSISTENT_1`, and `PERSISTENT_2` file systems from Amazon EC2 instances that support automatic encryption in the AWS Regions where they are available. For more information about encryption in transit for FSx for Lustre file systems, see [Encrypting data in transit](#) in the *Amazon FSx for Lustre User Guide*.

(Default = `SCRATCH_1`)

Type: String

Valid Values: `SCRATCH_1` | `SCRATCH_2` | `PERSISTENT_1` | `PERSISTENT_2`

Required: No

DriveCacheType

The type of drive cache used by `PERSISTENT_1` file systems that are provisioned with HDD storage devices. This parameter is required when storage type is HDD. Set this property to `READ` to improve the performance for frequently accessed files by caching up to 20% of the total storage capacity of the file system.

This parameter is required when `StorageType` is set to `HDD`.

Type: String

Valid Values: `NONE` | `READ`

Required: No

EfaEnabled

(Optional) Specifies whether Elastic Fabric Adapter (EFA) and GPUDirect Storage (GDS) support is enabled for the Amazon FSx for Lustre file system.

(Default = `false`)

Type: Boolean

Required: No

ExportPath

(Optional) Specifies the path in the Amazon S3 bucket where the root of your Amazon FSx file system is exported. The path must use the same Amazon S3 bucket as specified in `ImportPath`. You can provide an optional prefix to which new and changed data is to be exported from your Amazon FSx for Lustre file system. If an `ExportPath` value is not provided, Amazon FSx sets a default export path, `s3://import-bucket/FSxLustre[creation-timestamp]`. The timestamp is in UTC format, for example `s3://import-bucket/FSxLustre20181105T222312Z`.

The Amazon S3 export bucket must be the same as the import bucket specified by `ImportPath`. If you specify only a bucket name, such as `s3://import-bucket`, you get a 1:1 mapping of file system objects to S3 bucket objects. This mapping means that the input data in S3 is overwritten on export. If you provide a custom prefix in the export path, such as `s3://import-bucket/[custom-optional-prefix]`, Amazon FSx exports the contents of your file system to that export prefix in the Amazon S3 bucket.

Note

This parameter is not supported for file systems with a data repository association.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: No

ImportedFileChunkSize

(Optional) For files imported from a data repository, this value determines the stripe count and maximum amount of data per file (in MiB) stored on a single physical disk. The maximum number of disks that a single file can be striped across is limited by the total number of disks that make up the file system.

The default chunk size is 1,024 MiB (1 GiB) and can go as high as 512,000 MiB (500 GiB). Amazon S3 objects have a maximum size of 5 TB.

Note

This parameter is not supported for file systems with a data repository association.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 512000.

Required: No

ImportPath

(Optional) The path to the Amazon S3 bucket (including the optional prefix) that you're using as the data repository for your Amazon FSx for Lustre file system. The root of your FSx for Lustre file system will be mapped to the root of the Amazon S3 bucket you select. An example is `s3://import-bucket/optional-prefix`. If you specify a prefix after the Amazon S3 bucket name, only object keys with that prefix are loaded into the file system.

Note

This parameter is not supported for file systems with a data repository association.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: No

LogConfiguration

The Lustre logging configuration used when creating an Amazon FSx for Lustre file system. When logging is enabled, Lustre logs error and warning events for data repositories associated with your file system to Amazon CloudWatch Logs.

Type: [LustreLogCreateConfiguration](#) object

Required: No

MetadataConfiguration

The Lustre metadata performance configuration for the creation of an FSx for Lustre file system using a PERSISTENT_2 deployment type.

Type: [CreateFilesystemLustreMetadataConfiguration](#) object

Required: No

PerUnitStorageThroughput

Required with PERSISTENT_1 and PERSISTENT_2 deployment types using an SSD or HDD storage class, provisions the amount of read and write throughput for each 1 tebibyte (TiB) of file system storage capacity, in MB/s/TiB. File system throughput capacity is calculated by multiplying file system storage capacity (TiB) by the PerUnitStorageThroughput (MB/s/TiB). For a 2.4-TiB file system, provisioning 50 MB/s/TiB of PerUnitStorageThroughput yields 120 MB/s of file system throughput. You pay for the amount of throughput that you provision.

Valid values:

- For PERSISTENT_1 SSD storage: 50, 100, 200 MB/s/TiB.
- For PERSISTENT_1 HDD storage: 12, 40 MB/s/TiB.
- For PERSISTENT_2 SSD storage: 125, 250, 500, 1000 MB/s/TiB.

Type: Integer

Valid Range: Minimum value of 12. Maximum value of 1000.

Required: No

RootSquashConfiguration

The Lustre root squash configuration used when creating an Amazon FSx for Lustre file system. When enabled, root squash restricts root-level access from clients that try to access your file system as a root user.

Type: [LustreRootSquashConfiguration](#) object

Required: No

ThroughputCapacity

Specifies the throughput of an FSx for Lustre file system using the Intelligent-Tiering storage class, measured in megabytes per second (MBps). Valid values are 4000 MBps or multiples of 4000 MBps. You pay for the amount of throughput that you provision.

Type: Integer

Valid Range: Minimum value of 4000. Maximum value of 2000000.

Required: No

WeeklyMaintenanceStartTime

(Optional) The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateFileSystemLustreMetadataConfiguration

The Lustre metadata performance configuration for the creation of an Amazon FSx for Lustre file system using a PERSISTENT_2 deployment type. The configuration uses a Metadata IOPS value to set the maximum rate of metadata disk IOPS supported by the file system.

After creation, the file system supports increasing metadata performance. For more information on Metadata IOPS, see [Lustre metadata performance configuration](#) in the *Amazon FSx for Lustre User Guide*.

Contents

Mode

The metadata configuration mode for provisioning Metadata IOPS for an FSx for Lustre file system using a PERSISTENT_2 deployment type.

- In AUTOMATIC mode (supported only on SSD file systems), FSx for Lustre automatically provisions and scales the number of Metadata IOPS for your file system based on your file system storage capacity.
- In USER_PROVISIONED mode, you specify the number of Metadata IOPS to provision for your file system.

Type: String

Valid Values: AUTOMATIC | USER_PROVISIONED

Required: Yes

Iops

(USER_PROVISIONED mode only) Specifies the number of Metadata IOPS to provision for the file system. This parameter sets the maximum rate of metadata disk IOPS supported by the file system.

- For SSD file systems, valid values are 1500, 3000, 6000, 12000, and multiples of 12000 up to a maximum of 192000.
- For Intelligent-Tiering file systems, valid values are 6000 and 12000.

Note

Iops doesn't have a default value. If you're using USER_PROVISIONED mode, you can choose to specify a valid value. If you're using AUTOMATIC mode, you cannot specify a value because FSx for Lustre automatically sets the value based on your file system storage capacity.

Type: Integer

Valid Range: Minimum value of 1500. Maximum value of 192000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateFileSystemOntapConfiguration

The ONTAP configuration properties of the FSx for ONTAP file system that you are creating.

Contents

DeploymentType

Specifies the FSx for ONTAP file system deployment type to use in creating the file system.

- **MULTI_AZ_1** - A high availability file system configured for Multi-AZ redundancy to tolerate temporary Availability Zone (AZ) unavailability. This is a first-generation FSx for ONTAP file system.
- **MULTI_AZ_2** - A high availability file system configured for Multi-AZ redundancy to tolerate temporary AZ unavailability. This is a second-generation FSx for ONTAP file system.
- **SINGLE_AZ_1** - A file system configured for Single-AZ redundancy. This is a first-generation FSx for ONTAP file system.
- **SINGLE_AZ_2** - A file system configured with multiple high-availability (HA) pairs for Single-AZ redundancy. This is a second-generation FSx for ONTAP file system.

For information about the use cases for Multi-AZ and Single-AZ deployments, refer to [Choosing a file system deployment type](#).

Type: String

Valid Values: MULTI_AZ_1 | SINGLE_AZ_1 | SINGLE_AZ_2 | MULTI_AZ_2

Required: Yes

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DiskIopsConfiguration

The SSD IOPS configuration for the FSx for ONTAP file system.

Type: [DiskIopsConfiguration](#) object

Required: No

EndpointIpAddressRange

(Multi-AZ only) Specifies the IP address range in which the endpoints to access your file system will be created. By default in the Amazon FSx API, Amazon FSx selects an unused IP address range for you from the 198.19.* range. By default in the Amazon FSx console, Amazon FSx chooses the last 64 IP addresses from the VPC's primary CIDR range to use as the endpoint IP address range for the file system. You can have overlapping endpoint IP addresses for file systems deployed in the same VPC/route tables, as long as they don't overlap with any subnet.

Type: String

Length Constraints: Minimum length of 9. Maximum length of 17.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{9,17}$`

Required: No

FsxAdminPassword

The ONTAP administrative password for the `fsxadmin` user with which you administer your file system using the NetApp ONTAP CLI and REST API.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 50.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{8,50}$`

Required: No

HAPairs

Specifies how many high-availability (HA) pairs of file servers will power your file system. First-generation file systems are powered by 1 HA pair. Second-generation multi-AZ file systems are powered by 1 HA pair. Second generation single-AZ file systems are powered by up to 12 HA pairs. The default value is 1. The value of this property affects the values of `StorageCapacity`, `Iops`, and `ThroughputCapacity`. For more information, see [High-availability \(HA\) pairs](#) in the FSx for ONTAP user guide. Block storage protocol support (iSCSI and NVMe over TCP) is disabled on file systems with more than 6 HA pairs. For more information, see [Using block storage protocols](#).

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The value of `HAPairs` is less than 1 or greater than 12.
- The value of `HAPairs` is greater than 1 and the value of `DeploymentType` is `SINGLE_AZ_1`, `MULTI_AZ_1`, or `MULTI_AZ_2`.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 12.

Required: No

PreferredSubnetId

Required when `DeploymentType` is set to `MULTI_AZ_1` or `MULTI_AZ_2`. This specifies the subnet in which you want the preferred file server to be located.

Type: String

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

RouteTableIds

(Multi-AZ only) Specifies the route tables in which Amazon FSx creates the rules for routing traffic to the correct file server. You should specify all virtual private cloud (VPC) route tables associated with the subnets in which your clients are located. By default, Amazon FSx selects your VPC's default route table.

Note

Amazon FSx manages these route tables for Multi-AZ file systems using tag-based authentication. These route tables are tagged with Key: `AmazonFSx`; Value: `ManagedByAmazonFSx`. When creating FSx for ONTAP Multi-AZ file systems using AWS CloudFormation we recommend that you add the Key: `AmazonFSx`; Value: `ManagedByAmazonFSx` tag manually.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

ThroughputCapacity

Sets the throughput capacity for the file system that you're creating in megabytes per second (MBps). For more information, see [Managing throughput capacity](#) in the FSx for ONTAP User Guide.

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The value of `ThroughputCapacity` and `ThroughputCapacityPerHAPair` are not the same value.
- The value of `ThroughputCapacity` when divided by the value of `HAPairs` is outside of the valid range for `ThroughputCapacity`.

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: No

ThroughputCapacityPerHAPair

Use to choose the throughput capacity per HA pair, rather than the total throughput for the file system.

You can define either the `ThroughputCapacityPerHAPair` or the `ThroughputCapacity` when creating a file system, but not both.

This field and `ThroughputCapacity` are the same for file systems powered by one HA pair.

- For `SINGLE_AZ_1` and `MULTI_AZ_1` file systems, valid values are 128, 256, 512, 1024, 2048, or 4096 MBps.
- For `SINGLE_AZ_2`, valid values are 1536, 3072, or 6144 MBps.
- For `MULTI_AZ_2`, valid values are 384, 768, 1536, 3072, or 6144 MBps.

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The value of `ThroughputCapacity` and `ThroughputCapacityPerHAPair` are not the same value for file systems with one HA pair.
- The value of deployment type is `SINGLE_AZ_2` and `ThroughputCapacity` / `ThroughputCapacityPerHAPair` is not a valid HA pair (a value between 1 and 12).
- The value of `ThroughputCapacityPerHAPair` is not a valid value.

Type: Integer

Valid Range: Minimum value of 128. Maximum value of 6144.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateFileSystemOpenZFSConfiguration

The Amazon FSx for OpenZFS configuration properties for the file system that you are creating.

Contents

DeploymentType

Specifies the file system deployment type. Valid values are the following:

- **MULTI_AZ_1**- Creates file systems with high availability and durability by replicating your data and supporting failover across multiple Availability Zones in the same AWS Region.
- **SINGLE_AZ_HA_2**- Creates file systems with high availability and throughput capacities of 160 - 10,240 MB/s using an NVMe L2ARC cache by deploying a primary and standby file system within the same Availability Zone.
- **SINGLE_AZ_HA_1**- Creates file systems with high availability and throughput capacities of 64 - 4,096 MB/s by deploying a primary and standby file system within the same Availability Zone.
- **SINGLE_AZ_2**- Creates file systems with throughput capacities of 160 - 10,240 MB/s using an NVMe L2ARC cache that automatically recover within a single Availability Zone.
- **SINGLE_AZ_1**- Creates file systems with throughput capacities of 64 - 4,096 MB/s that automatically recover within a single Availability Zone.

For a list of which AWS Regions each deployment type is available in, see [Deployment type availability](#). For more information on the differences in performance between deployment types, see [File system performance](#) in the *Amazon FSx for OpenZFS User Guide*.

Type: String

Valid Values: SINGLE_AZ_1 | SINGLE_AZ_2 | SINGLE_AZ_HA_1 | SINGLE_AZ_HA_2 | MULTI_AZ_1

Required: Yes

ThroughputCapacity

Specifies the throughput of an Amazon FSx for OpenZFS file system, measured in megabytes per second (MBps). Valid values depend on the DeploymentType that you choose, as follows:

- For **MULTI_AZ_1** and **SINGLE_AZ_2**, valid values are 160, 320, 640, 1280, 2560, 3840, 5120, 7680, or 10240 MBps.

- For `SINGLE_AZ_1`, valid values are 64, 128, 256, 512, 1024, 2048, 3072, or 4096 MBps.

You pay for additional throughput capacity that you provision.

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: Yes

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

CopyTagsToBackups

A Boolean value indicating whether tags for the file system should be copied to backups. This value defaults to `false`. If it's set to `true`, all tags for the file system are copied to all automatic and user-initiated backups where the user doesn't specify tags. If this value is `true`, and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the file system, regardless of this value.

Type: Boolean

Required: No

CopyTagsToVolumes

A Boolean value indicating whether tags for the file system should be copied to volumes. This value defaults to `false`. If it's set to `true`, all tags for the file system are copied to volumes where the user doesn't specify tags. If this value is `true`, and you specify one or more tags, only the specified tags are copied to volumes. If you specify one or more tags when creating the volume, no tags are copied from the file system, regardless of this value.

Type: Boolean

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DiskIopsConfiguration

The SSD IOPS (input/output operations per second) configuration for an Amazon FSx for NetApp ONTAP, Amazon FSx for Windows File Server, or FSx for OpenZFS file system. By default, Amazon FSx automatically provisions 3 IOPS per GB of storage capacity. You can provision additional IOPS per GB of storage. The configuration consists of the total number of provisioned SSD IOPS and how it is was provisioned, or the mode (by the customer or by Amazon FSx).

Type: [DiskIopsConfiguration](#) object

Required: No

EndpointIpAddressRange

(Multi-AZ only) Specifies the IP address range in which the endpoints to access your file system will be created. By default in the Amazon FSx API and Amazon FSx console, Amazon FSx selects an available /28 IP address range for you from one of the VPC's CIDR ranges. You can have overlapping endpoint IP addresses for file systems deployed in the same VPC/route tables, as long as they don't overlap with any subnet.

Type: String

Length Constraints: Minimum length of 9. Maximum length of 17.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{9,17}$`

Required: No

PreferredSubnetId

Required when `DeploymentType` is set to `MULTI_AZ_1`. This specifies the subnet in which you want the preferred file server to be located.

Type: String

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

ReadCacheConfiguration

Specifies the optional provisioned SSD read cache on file systems that use the Intelligent-Tiering storage class.

Type: [OpenZFSReadCacheConfiguration](#) object

Required: No

RootVolumeConfiguration

The configuration Amazon FSx uses when creating the root value of the Amazon FSx for OpenZFS file system. All volumes are children of the root volume.

Type: [OpenZFSCreateRootVolumeConfiguration](#) object

Required: No

RouteTableIds

(Multi-AZ only) Specifies the route tables in which Amazon FSx creates the rules for routing traffic to the correct file server. You should specify all virtual private cloud (VPC) route tables associated with the subnets in which your clients are located. By default, Amazon FSx selects your VPC's default route table.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateFileSystemWindowsConfiguration

The configuration object for the Microsoft Windows file system used in `CreateFileSystem` and `CreateFileSystemFromBackup` operations.

Contents

ThroughputCapacity

Sets the throughput capacity of an Amazon FSx file system, measured in megabytes per second (MB/s), in 2 to the n th increments, between 2^3 (8) and 2^{11} (2048).

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: Yes

ActiveDirectoryId

The ID for an existing AWS Managed Microsoft Active Directory (AD) instance that the file system should join when it's created.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^d-[0-9a-f]{10}$`

Required: No

Aliases

An array of one or more DNS alias names that you want to associate with the Amazon FSx file system. Aliases allow you to use existing DNS names to access the data in your Amazon FSx file system. You can associate up to 50 aliases with a file system at any time. You can associate additional DNS aliases after you create the file system using the `AssociateFileSystemAliases` operation. You can remove DNS aliases from the file system after it is created using the `DisassociateFileSystemAliases` operation. You only need to specify the alias name in the request payload.

For more information, see [Working with DNS Aliases](#) and [Walkthrough 5: Using DNS aliases to access your file system](#), including additional steps you must take to be able to access your file system using a DNS alias.

An alias name has to meet the following requirements:

- Formatted as a fully-qualified domain name (FQDN), `hostname.domain`, for example, `accounting.example.com`.
- Can contain alphanumeric characters, the underscore (`_`), and the hyphen (`-`).
- Cannot start or end with a hyphen.
- Can start with a numeric.

For DNS alias names, Amazon FSx stores alphabetic characters as lowercase letters (a-z), regardless of how you specify them: as uppercase letters, lowercase letters, or the corresponding letters in escape codes.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 4. Maximum length of 253.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{4,253}$`

Required: No

AuditLogConfiguration

The configuration that Amazon FSx for Windows File Server uses to audit and log user accesses of files, folders, and file shares on the Amazon FSx for Windows File Server file system.

Type: [WindowsAuditLogCreateConfiguration](#) object

Required: No

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

CopyTagsToBackups

A boolean flag indicating whether tags for the file system should be copied to backups. This value defaults to false. If it's set to true, all tags for the file system are copied to all automatic and user-initiated backups where the user doesn't specify tags. If this value is true, and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the file system, regardless of this value.

Type: Boolean

Required: No

DailyAutomaticBackupStartTime

The preferred time to take daily automatic backups, formatted HH:MM in the UTC time zone.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DeploymentType

Specifies the file system deployment type, valid values are the following:

- **MULTI_AZ_1** - Deploys a high availability file system that is configured for Multi-AZ redundancy to tolerate temporary Availability Zone (AZ) unavailability. You can only deploy a Multi-AZ file system in AWS Regions that have a minimum of three Availability Zones. Also supports HDD storage type
- **SINGLE_AZ_1** - (Default) Choose to deploy a file system that is configured for single AZ redundancy.
- **SINGLE_AZ_2** - The latest generation Single AZ file system. Specifies a file system that is configured for single AZ redundancy and supports HDD storage type.

For more information, see [Availability and Durability: Single-AZ and Multi-AZ File Systems](#).

Type: String

Valid Values: **MULTI_AZ_1** | **SINGLE_AZ_1** | **SINGLE_AZ_2**

Required: No

DiskIopsConfiguration

The SSD IOPS (input/output operations per second) configuration for an Amazon FSx for Windows file system. By default, Amazon FSx automatically provisions 3 IOPS per GiB of storage capacity. You can provision additional IOPS per GiB of storage, up to the maximum limit associated with your chosen throughput capacity.

Type: [DiskIopsConfiguration](#) object

Required: No

PreferredSubnetId

Required when `DeploymentType` is set to `MULTI_AZ_1`. This specifies the subnet in which you want the preferred file server to be located. For in-AWS applications, we recommend that you launch your clients in the same Availability Zone (AZ) as your preferred file server to reduce cross-AZ data transfer costs and minimize latency.

Type: String

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

SelfManagedActiveDirectoryConfiguration

The configuration that Amazon FSx uses to join a FSx for Windows File Server file system or an FSx for ONTAP storage virtual machine (SVM) to a self-managed (including on-premises) Microsoft Active Directory (AD) directory. For more information, see [Using Amazon FSx for Windows with your self-managed Microsoft Active Directory](#) or [Managing FSx for ONTAP SVMs](#).

Type: [SelfManagedActiveDirectoryConfiguration](#) object

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateOntapVolumeConfiguration

Specifies the configuration of the ONTAP volume that you are creating.

Contents

StorageVirtualMachineId

Specifies the ONTAP SVM in which to create the volume.

Type: String

Length Constraints: Fixed length of 21.

Pattern: `^(svm-[0-9a-f]{17,})$`

Required: Yes

AggregateConfiguration

Use to specify configuration options for a volume's storage aggregate or aggregates.

Type: [CreateAggregateConfiguration](#) object

Required: No

CopyTagsToBackups

A boolean flag indicating whether tags for the volume should be copied to backups. This value defaults to false. If it's set to true, all tags for the volume are copied to all automatic and user-initiated backups where the user doesn't specify tags. If this value is true, and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the volume, regardless of this value.

Type: Boolean

Required: No

JunctionPath

Specifies the location in the SVM's namespace where the volume is mounted. This parameter is required. The `JunctionPath` must have a leading forward slash, such as `/vol3`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

OntapVolumeType

Specifies the type of volume you are creating. Valid values are the following:

- RW specifies a read/write volume. RW is the default.
- DP specifies a data-protection volume. A DP volume is read-only and can be used as the destination of a NetApp SnapMirror relationship.

For more information, see [Volume types](#) in the Amazon FSx for NetApp ONTAP User Guide.

Type: String

Valid Values: RW | DP

Required: No

SecurityStyle

Specifies the security style for the volume. If a volume's security style is not specified, it is automatically set to the root volume's security style. The security style determines the type of permissions that FSx for ONTAP uses to control data access. Specify one of the following values:

- UNIX if the file system is managed by a UNIX administrator, the majority of users are NFS clients, and an application accessing the data uses a UNIX user as the service account.
- NTFS if the file system is managed by a Windows administrator, the majority of users are SMB clients, and an application accessing the data uses a Windows user as the service account.
- MIXED This is an advanced setting. For more information, see the topic [What the security styles and their effects are](#) in the NetApp Documentation Center.

For more information, see [Volume security style](#) in the FSx for ONTAP User Guide.

Type: String

Valid Values: UNIX | NTFS | MIXED

Required: No

SizeInBytes

Specifies the configured size of the volume, in bytes.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 22517998000000000.

Required: No

SizeInMegabytes

This member has been deprecated.

Use `SizeInBytes` instead. Specifies the size of the volume, in megabytes (MB), that you are creating.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

SnaplockConfiguration

Specifies the SnapLock configuration for an FSx for ONTAP volume.

Type: [CreateSnaplockConfiguration](#) object

Required: No

SnapshotPolicy

Specifies the snapshot policy for the volume. There are three built-in snapshot policies:

- `default`: This is the default policy. A maximum of six hourly snapshots taken five minutes past the hour. A maximum of two daily snapshots taken Monday through Saturday at 10 minutes after midnight. A maximum of two weekly snapshots taken every Sunday at 15 minutes after midnight.
- `default-1weekly`: This policy is the same as the `default` policy except that it only retains one snapshot from the weekly schedule.
- `none`: This policy does not take any snapshots. This policy can be assigned to volumes to prevent automatic snapshots from being taken.

You can also provide the name of a custom policy that you created with the ONTAP CLI or REST API.

For more information, see [Snapshot policies](#) in the Amazon FSx for NetApp ONTAP User Guide.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

StorageEfficiencyEnabled

Set to true to enable deduplication, compression, and compaction storage efficiency features on the volume, or set to false to disable them.

StorageEfficiencyEnabled is required when creating a RW volume (OntapVolumeType set to RW).

Type: Boolean

Required: No

TieringPolicy

Describes the data tiering policy for an ONTAP volume. When enabled, Amazon FSx for ONTAP's intelligent tiering automatically transitions a volume's data between the file system's primary storage and capacity pool storage based on your access patterns.

Valid tiering policies are the following:

- **SNAPSHOT_ONLY** - (Default value) moves cold snapshots to the capacity pool storage tier.
- **AUTO** - moves cold user data and snapshots to the capacity pool storage tier based on your access patterns.
- **ALL** - moves all user data blocks in both the active file system and Snapshot copies to the storage pool tier.
- **NONE** - keeps a volume's data in the primary storage tier, preventing it from being moved to the capacity pool tier.

Type: [TieringPolicy](#) object

Required: No

VolumeStyle

Use to specify the style of an ONTAP volume. FSx for ONTAP offers two styles of volumes that you can use for different purposes, FlexVol and FlexGroup volumes. For more information, see [Volume styles](#) in the Amazon FSx for NetApp ONTAP User Guide.

Type: String

Valid Values: FLEXVOL | FLEXGROUP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateOpenZFSOriginSnapshotConfiguration

The snapshot configuration to use when creating an Amazon FSx for OpenZFS volume from a snapshot.

Contents

CopyStrategy

Specifies the strategy used when copying data from the snapshot to the new volume.

- **CLONE** - The new volume references the data in the origin snapshot. Cloning a snapshot is faster than copying data from the snapshot to a new volume and doesn't consume disk throughput. However, the origin snapshot can't be deleted if there is a volume using its copied data.
- **FULL_COPY** - Copies all data from the snapshot to the new volume.

Specify this option to create the volume from a snapshot on another FSx for OpenZFS file system.

Note

The **INCREMENTAL_COPY** option is only for updating an existing volume by using a snapshot from another FSx for OpenZFS file system. For more information, see [CopySnapshotAndUpdateVolume](#).

Type: String

Valid Values: **CLONE** | **FULL_COPY** | **INCREMENTAL_COPY**

Required: Yes

SnapshotARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+:\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-)):{4}(?!/)).{0,1024}$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateOpenZFSVolumeConfiguration

Specifies the configuration of the Amazon FSx for OpenZFS volume that you are creating.

Contents

ParentVolumeId

The ID of the volume to use as the parent volume of the volume that you are creating.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: Yes

CopyTagsToSnapshots

A Boolean value indicating whether tags for the volume should be copied to snapshots. This value defaults to `false`. If this value is set to `true`, and you do not specify any tags, all tags for the original volume are copied over to snapshots. If this value is set to `true`, and you do specify one or more tags, only the specified tags for the original volume are copied over to snapshots. If you specify one or more tags when creating a new snapshot, no tags are copied over from the original volume, regardless of this value.

Type: Boolean

Required: No

DataCompressionType

Specifies the method used to compress the data on the volume. The compression type is `NONE` by default.

- `NONE` - Doesn't compress the data on the volume. `NONE` is the default.
- `ZSTD` - Compresses the data in the volume using the Zstandard (ZSTD) compression algorithm. ZSTD compression provides a higher level of data compression and higher read throughput performance than LZ4 compression.
- `LZ4` - Compresses the data in the volume using the LZ4 compression algorithm. LZ4 compression provides a lower level of compression and higher write throughput performance than ZSTD compression.

For more information about volume compression types and the performance of your Amazon FSx for OpenZFS file system, see [Tips for maximizing performance](#) File system and volume settings in the *Amazon FSx for OpenZFS User Guide*.

Type: String

Valid Values: NONE | ZSTD | LZ4

Required: No

NfsExports

The configuration object for mounting a Network File System (NFS) file system.

Type: Array of [OpenZFSNfsExport](#) objects

Array Members: Maximum number of 1 item.

Required: No

OriginSnapshot

The configuration object that specifies the snapshot to use as the origin of the data for the volume.

Type: [CreateOpenZFSAOriginSnapshotConfiguration](#) object

Required: No

ReadOnly

A Boolean value indicating whether the volume is read-only.

Type: Boolean

Required: No

RecordSizeKiB

Specifies the suggested block size for a volume in a ZFS dataset, in kibibytes (KiB). For file systems using the Intelligent-Tiering storage class, valid values are 128, 256, 512, 1024, 2048, or 4096 KiB, with a default of 1024 KiB. For all other file systems, valid values are 4, 8, 16, 32, 64, 128, 256, 512, or 1024 KiB, with a default of 128 KiB. We recommend using the default setting for the majority of use cases. Generally, workloads that write in fixed small or large record sizes may benefit from setting a custom record size, like database workloads (small

record size) or media streaming workloads (large record size). For additional guidance on when to set a custom record size, see [ZFS Record size](#) in the *Amazon FSx for OpenZFS User Guide*.

Type: Integer

Valid Range: Minimum value of 4. Maximum value of 4096.

Required: No

StorageCapacityQuotaGiB

Sets the maximum storage size in gibibytes (GiB) for the volume. You can specify a quota that is larger than the storage on the parent volume. A volume quota limits the amount of storage that the volume can consume to the configured amount, but does not guarantee the space will be available on the parent volume. To guarantee quota space, you must also set `StorageCapacityReservationGiB`. To *not* specify a storage capacity quota, set this to -1.

For more information, see [Volume properties](#) in the *Amazon FSx for OpenZFS User Guide*.

Type: Integer

Valid Range: Minimum value of -1. Maximum value of 2147483647.

Required: No

StorageCapacityReservationGiB

Specifies the amount of storage in gibibytes (GiB) to reserve from the parent volume. Setting `StorageCapacityReservationGiB` guarantees that the specified amount of storage space on the parent volume will always be available for the volume. You can't reserve more storage than the parent volume has. To *not* specify a storage capacity reservation, set this to 0 or -1. For more information, see [Volume properties](#) in the *Amazon FSx for OpenZFS User Guide*.

Type: Integer

Valid Range: Minimum value of -1. Maximum value of 2147483647.

Required: No

UserAndGroupQuotas

Configures how much storage users and groups can use on the volume.

Type: Array of [OpenZFSUserOrGroupQuota](#) objects

Array Members: Maximum number of 500 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateSnaplockConfiguration

Defines the SnapLock configuration when creating an FSx for ONTAP SnapLock volume.

Contents

SnaplockType

Specifies the retention mode of an FSx for ONTAP SnapLock volume. After it is set, it can't be changed. You can choose one of the following retention modes:

- **COMPLIANCE:** Files transitioned to write once, read many (WORM) on a Compliance volume can't be deleted until their retention periods expire. This retention mode is used to address government or industry-specific mandates or to protect against ransomware attacks. For more information, see [SnapLock Compliance](#).
- **ENTERPRISE:** Files transitioned to WORM on an Enterprise volume can be deleted by authorized users before their retention periods expire using privileged delete. This retention mode is used to advance an organization's data integrity and internal compliance or to test retention settings before using SnapLock Compliance. For more information, see [SnapLock Enterprise](#).

Type: String

Valid Values: COMPLIANCE | ENTERPRISE

Required: Yes

AuditLogVolume

Enables or disables the audit log volume for an FSx for ONTAP SnapLock volume. The default value is `false`. If you set `AuditLogVolume` to `true`, the SnapLock volume is created as an audit log volume. The minimum retention period for an audit log volume is six months.

For more information, see [SnapLock audit log volumes](#).

Type: Boolean

Required: No

AutocommitPeriod

The configuration object for setting the autocommit period of files in an FSx for ONTAP SnapLock volume.

Type: [AutocommitPeriod](#) object

Required: No

PrivilegedDelete

Enables, disables, or permanently disables privileged delete on an FSx for ONTAP SnapLock Enterprise volume. Enabling privileged delete allows SnapLock administrators to delete WORM files even if they have active retention periods. PERMANENTLY_DISABLED is a terminal state. If privileged delete is permanently disabled on a SnapLock volume, you can't re-enable it. The default value is DISABLED.

For more information, see [Privileged delete](#).

Type: String

Valid Values: DISABLED | ENABLED | PERMANENTLY_DISABLED

Required: No

RetentionPeriod

Specifies the retention period of an FSx for ONTAP SnapLock volume.

Type: [SnaplockRetentionPeriod](#) object

Required: No

VolumeAppendModeEnabled

Enables or disables volume-append mode on an FSx for ONTAP SnapLock volume. Volume-append mode allows you to create WORM-appendable files and write data to them incrementally. The default value is `false`.

For more information, see [Volume-append mode](#).

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateSvmActiveDirectoryConfiguration

The configuration that Amazon FSx uses to join the ONTAP storage virtual machine (SVM) to your self-managed (including on-premises) Microsoft Active Directory directory.

Contents

NetBiosName

The NetBIOS name of the Active Directory computer object that will be created for your SVM.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 15.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: Yes

SelfManagedActiveDirectoryConfiguration

The configuration that Amazon FSx uses to join a FSx for Windows File Server file system or an FSx for ONTAP storage virtual machine (SVM) to a self-managed (including on-premises) Microsoft Active Directory (AD) directory. For more information, see [Using Amazon FSx for Windows with your self-managed Microsoft Active Directory](#) or [Managing FSx for ONTAP SVMs](#).

Type: [SelfManagedActiveDirectoryConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataRepositoryAssociation

The configuration of a data repository association that links an Amazon FSx for Lustre file system to an Amazon S3 bucket or an Amazon File Cache resource to an Amazon S3 bucket or an NFS file system. The data repository association configuration object is returned in the response of the following operations:

- `CreateDataRepositoryAssociation`
- `UpdateDataRepositoryAssociation`
- `DescribeDataRepositoryAssociations`

Data repository associations are supported on Amazon File Cache resources and all FSx for Lustre 2.12 and 2.15 file systems, excluding Intelligent-Tiering and `scratch_1` file systems.

Contents

AssociationId

The system-generated, unique ID of the data repository association.

Type: String

Length Constraints: Minimum length of 13. Maximum length of 23.

Pattern: `^(dra-[0-9a-f]{8,})$`

Required: No

BatchImportMetadataOnCreate

A boolean flag indicating whether an import data repository task to import metadata should run after the data repository association is created. The task runs if this flag is set to `true`.

Note

`BatchImportMetadataOnCreate` is not supported for data repositories linked to an Amazon File Cache resource.

Type: Boolean

Required: No

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

DataRepositoryPath

The path to the data repository that will be linked to the cache or file system.

- For Amazon File Cache, the path can be an NFS data repository that will be linked to the cache. The path can be in one of two formats:
 - If you are not using the `DataRepositorySubdirectories` parameter, the path is to an NFS Export directory (or one of its subdirectories) in the format `nsf://nfs-domain-name/exportpath`. You can therefore link a single NFS Export to a single data repository association.
 - If you are using the `DataRepositorySubdirectories` parameter, the path is the domain name of the NFS file system in the format `nfs://filer-domain-name`, which indicates the root of the subdirectories specified with the `DataRepositorySubdirectories` parameter.
- For Amazon File Cache, the path can be an S3 bucket or prefix in the format `s3://bucket-name/prefix/` (where `prefix` is optional).
- For Amazon FSx for Lustre, the path can be an S3 bucket or prefix in the format `s3://bucket-name/prefix/` (where `prefix` is optional).

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: No

DataRepositorySubdirectories

For Amazon File Cache, a list of NFS Exports that will be linked with an NFS data repository association. All the subdirectories must be on a single NFS file system. The Export paths are in

the format `/exportpath1`. To use this parameter, you must configure `DataRepositoryPath` as the domain name of the NFS file system. The NFS file system domain name in effect is the root of the subdirectories. Note that `DataRepositorySubdirectories` is not supported for S3 data repositories.

Type: Array of strings

Array Members: Maximum number of 500 items.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,4096}$`

Required: No

FailureDetails

Provides detailed information about the data repository if its `Lifecycle` is set to `MISCONFIGURED` or `FAILED`.

Type: [DataRepositoryFailureDetails](#) object

Required: No

FileCacheId

The globally unique ID of the Amazon File Cache resource.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fc-[0-9a-f]{8,})$`

Required: No

FileCachePath

A path on the Amazon File Cache that points to a high-level directory (such as `/ns1/`) or subdirectory (such as `/ns1/subdir/`) that will be mapped 1-1 with `DataRepositoryPath`. The leading forward slash in the path is required. Two data repository associations cannot have overlapping cache paths. For example, if a data repository is associated with cache path `/ns1/`, then you cannot link another data repository with cache path `/ns1/ns2`.

This path specifies the directory in your cache where files will be exported from. This cache directory can be linked to only one data repository (S3 or NFS) and no other data repository can be linked to the directory.

 Note

The cache path can only be set to root (/) on an NFS DRA when `DataRepositorySubdirectories` is specified. If you specify root (/) as the cache path, you can create only one DRA on the cache.

The cache path cannot be set to root (/) for an S3 DRA.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,4096}$`

Required: No

FileSystemId

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: No

FileSystemPath

A path on the Amazon FSx for Lustre file system that points to a high-level directory (such as `/ns1/`) or subdirectory (such as `/ns1/subdir/`) that will be mapped 1-1 with `DataRepositoryPath`. The leading forward slash in the name is required. Two data repository associations cannot have overlapping file system paths. For example, if a data repository is associated with file system path `/ns1/`, then you cannot link another data repository with file system path `/ns1/ns2`.

This path specifies where in your file system files will be exported from or imported to. This file system directory can be linked to only one Amazon S3 bucket, and no other S3 bucket can be linked to the directory.

 Note

If you specify only a forward slash (/) as the file system path, you can link only one data repository to the file system. You can only specify "/" as the file system path for the first data repository associated with a file system.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,4096}$`

Required: No

ImportedFileChunkSize

For files imported from a data repository, this value determines the stripe count and maximum amount of data per file (in MiB) stored on a single physical disk. The maximum number of disks that a single file can be striped across is limited by the total number of disks that make up the file system or cache.

The default chunk size is 1,024 MiB (1 GiB) and can go as high as 512,000 MiB (500 GiB). Amazon S3 objects have a maximum size of 5 TB.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 512000.

Required: No

Lifecycle

Describes the state of a data repository association. The lifecycle can have the following values:

- **CREATING** - The data repository association between the file system or cache and the data repository is being created. The data repository is unavailable.
- **AVAILABLE** - The data repository association is available for use.

- **MISCONFIGURED** - The data repository association is misconfigured. Until the configuration is corrected, automatic import and automatic export will not work (only for Amazon FSx for Lustre).
- **UPDATING** - The data repository association is undergoing a customer initiated update that might affect its availability.
- **DELETING** - The data repository association is undergoing a customer initiated deletion.
- **FAILED** - The data repository association is in a terminal state that cannot be recovered.

Type: String

Valid Values: CREATING | AVAILABLE | MISCONFIGURED | UPDATING | DELETING | FAILED

Required: No

NFS

The configuration for an NFS data repository linked to an Amazon File Cache resource with a data repository association.

Type: [NFSDataRepositoryConfiguration](#) object

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--)):{4}(?!/)).{0,1024}$`

Required: No

S3

The configuration for an Amazon S3 data repository linked to an Amazon FSx for Lustre file system with a data repository association.

Type: [S3DataRepositoryConfiguration](#) object

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataRepositoryConfiguration

The data repository configuration object for Lustre file systems returned in the response of the `CreateFileSystem` operation.

This data type is not supported on file systems with a data repository association. For file systems with a data repository association, see [DataRepositoryAssociation](#).

Contents

AutoImportPolicy

Describes the file system's linked S3 data repository's `AutoImportPolicy`. The `AutoImportPolicy` configures how Amazon FSx keeps your file and directory listings up to date as you add or modify objects in your linked S3 bucket. `AutoImportPolicy` can have the following values:

- `NONE` - (Default) `AutoImport` is off. Amazon FSx only updates file and directory listings from the linked S3 bucket when the file system is created. FSx does not update file and directory listings for any new or changed objects after choosing this option.
- `NEW` - `AutoImport` is on. Amazon FSx automatically imports directory listings of any new objects added to the linked S3 bucket that do not currently exist in the FSx file system.
- `NEW_CHANGED` - `AutoImport` is on. Amazon FSx automatically imports file and directory listings of any new objects added to the S3 bucket and any existing objects that are changed in the S3 bucket after you choose this option.
- `NEW_CHANGED_DELETED` - `AutoImport` is on. Amazon FSx automatically imports file and directory listings of any new objects added to the S3 bucket, any existing objects that are changed in the S3 bucket, and any objects that were deleted in the S3 bucket.

Type: String

Valid Values: `NONE` | `NEW` | `NEW_CHANGED` | `NEW_CHANGED_DELETED`

Required: No

ExportPath

The export path to the Amazon S3 bucket (and prefix) that you are using to store new and changed Lustre file system files in S3.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: No

FailureDetails

Provides detailed information about the data repository if its Lifecycle is set to MISCONFIGURED or FAILED.

Type: [DataRepositoryFailureDetails](#) object

Required: No

ImportedFileChunkSize

For files imported from a data repository, this value determines the stripe count and maximum amount of data per file (in MiB) stored on a single physical disk. The maximum number of disks that a single file can be striped across is limited by the total number of disks that make up the file system.

The default chunk size is 1,024 MiB (1 GiB) and can go as high as 512,000 MiB (500 GiB). Amazon S3 objects have a maximum size of 5 TB.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 512000.

Required: No

ImportPath

The import path to the Amazon S3 bucket (and optional prefix) that you're using as the data repository for your FSx for Lustre file system, for example `s3://import-bucket/optional-prefix`. If a prefix is specified after the Amazon S3 bucket name, only object keys with that prefix are loaded into the file system.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: No

Lifecycle

Describes the state of the file system's S3 durable data repository, if it is configured with an S3 repository. The lifecycle can have the following values:

- **CREATING** - The data repository configuration between the FSx file system and the linked S3 data repository is being created. The data repository is unavailable.
- **AVAILABLE** - The data repository is available for use.
- **MISCONFIGURED** - Amazon FSx cannot automatically import updates from the S3 bucket until the data repository configuration is corrected. For more information, see [Troubleshooting a Misconfigured linked S3 bucket](#).
- **UPDATING** - The data repository is undergoing a customer initiated update and availability may be impacted.
- **FAILED** - The data repository is in a terminal state that cannot be recovered.

Type: String

Valid Values: CREATING | AVAILABLE | MISCONFIGURED | UPDATING | DELETING | FAILED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataRepositoryFailureDetails

Provides detailed information about the data repository if its `Lifecycle` is set to `MISCONFIGURED` or `FAILED`.

Contents

Message

A detailed error message.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataRepositoryTask

A description of the data repository task.

- You use import and export data repository tasks to perform bulk transfer operations between an Amazon FSx for Lustre file system and a linked data repository.
- You use release data repository tasks to release files that have been exported to a linked S3 bucket from your Amazon FSx for Lustre file system.
- An Amazon File Cache resource uses a task to automatically release files from the cache.

To learn more about data repository tasks, see [Data Repository Tasks](#).

Contents

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: Yes

Lifecycle

The lifecycle status of the data repository task, as follows:

- PENDING - The task has not started.
- EXECUTING - The task is in process.
- FAILED - The task was not able to be completed. For example, there may be files the task failed to process. The [DataRepositoryTaskFailureDetails](#) property provides more information about task failures.
- SUCCEEDED - The task has completed successfully.
- CANCELED - The task was canceled and it did not complete.
- CANCELING - The task is in process of being canceled.

Note

You cannot delete an FSx for Lustre file system if there are data repository tasks for the file system in the PENDING or EXECUTING states. Please retry when the data repository task is finished (with a status of CANCELED, SUCCEEDED, or FAILED). You can use the DescribeDataRepositoryTask action to monitor the task status. Contact the FSx team if you need to delete your file system immediately.

Type: String

Valid Values: PENDING | EXECUTING | FAILED | SUCCEEDED | CANCELED | CANCELING

Required: Yes

TaskId

The system-generated, unique 17-digit ID of the data repository task.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(task-[0-9a-f]{17,})$`

Required: Yes

Type

The type of data repository task.

- `EXPORT_TO_REPOSITORY` tasks export from your Amazon FSx for Lustre file system to a linked data repository.
- `IMPORT_METADATA_FROM_REPOSITORY` tasks import metadata changes from a linked S3 bucket to your Amazon FSx for Lustre file system.
- `RELEASE_DATA_FROM_FILESYSTEM` tasks release files in your Amazon FSx for Lustre file system that have been exported to a linked S3 bucket and that meet your specified release criteria.
- `AUTO_RELEASE_DATA` tasks automatically release files from an Amazon File Cache resource.

Type: String

Valid Values: EXPORT_TO_REPOSITORY | IMPORT_METADATA_FROM_REPOSITORY |
RELEASE_DATA_FROM_FILESYSTEM | AUTO_RELEASE_DATA

Required: Yes

CapacityToRelease

Specifies the amount of data to release, in GiB, by an Amazon File Cache AUTO_RELEASE_DATA task that automatically releases files from the cache.

Type: Long

Valid Range: Minimum value of 1. Maximum value of 2147483647.

Required: No

EndTime

The time the system completed processing the task, populated after the task is complete.

Type: Timestamp

Required: No

FailureDetails

Failure message describing why the task failed, it is populated only when Lifecycle is set to FAILED.

Type: [DataRepositoryTaskFailureDetails](#) object

Required: No

FileCacheId

The system-generated, unique ID of the cache.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fc-[0-9a-f]{8,})$`

Required: No

FileSystemId

The globally unique ID of the file system.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: No

Paths

An array of paths that specify the data for the data repository task to process. For example, in an EXPORT_TO_REPOSITORY task, the paths specify which data to export to the linked data repository.

(Default) If Paths is not specified, Amazon FSx uses the file system root directory.

Type: Array of strings

Array Members: Maximum number of 100 items.

Length Constraints: Minimum length of 0. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{0,4096}$`

Required: No

ReleaseConfiguration

The configuration that specifies the last accessed time criteria for files that will be released from an Amazon FSx for Lustre file system.

Type: [ReleaseConfiguration](#) object

Required: No

Report

Provides a report detailing the data repository task results of the files processed that match the criteria specified in the report Scope parameter. FSx delivers the report to the file system's linked data repository in Amazon S3, using the path specified in the report Path parameter.

You can specify whether or not a report gets generated for a task using the `Enabled` parameter.

Type: [CompletionReport](#) object

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-))?:){4}(?!/){0,1024}$`

Required: No

StartTime

The time the system began processing the task.

Type: Timestamp

Required: No

Status

Provides the status of the number of files that the task has processed successfully and failed to process.

Type: [DataRepositoryTaskStatus](#) object

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataRepositoryTaskFailureDetails

Provides information about why a data repository task failed. Only populated when the task Lifecycle is set to FAILED.

Contents

Message

A detailed error message.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataRepositoryTaskFilter

(Optional) An array of filter objects you can use to filter the response of data repository tasks you will see in the response. You can filter the tasks returned in the response by one or more file system IDs, task lifecycles, and by task type. A filter object consists of a filter Name, and one or more Values for the filter.

Contents

Name

Name of the task property to use in filtering the tasks returned in the response.

- Use `file-system-id` to retrieve data repository tasks for specific file systems.
- Use `task-lifecycle` to retrieve data repository tasks with one or more specific lifecycle states, as follows: CANCELED, EXECUTING, FAILED, PENDING, and SUCCEEDED.

Type: String

Valid Values: `file-system-id` | `task-lifecycle` | `data-repository-association-id` | `file-cache-id`

Required: No

Values

Use Values to include the specific file system IDs and task lifecycle states for the filters you are using.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[0-9a-zA-Z\*\.\.\|\^?\-\_]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataRepositoryTaskStatus

Provides the task status showing a running total of the total number of files to be processed, the number successfully processed, and the number of files the task failed to process.

Contents

FailedCount

A running total of the number of files that the task failed to process.

Type: Long

Required: No

LastUpdatedTime

The time at which the task status was last updated.

Type: Timestamp

Required: No

ReleasedCapacity

The total amount of data, in GiB, released by an Amazon File Cache AUTO_RELEASE_DATA task that automatically releases files from the cache.

Type: Long

Required: No

SucceededCount

A running total of the number of files that the task has successfully processed.

Type: Long

Required: No

TotalCount

The total number of files that the task will process. While a task is executing, the sum of SucceededCount plus FailedCount may not equal TotalCount. When the task is complete, TotalCount equals the sum of SucceededCount plus FailedCount.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteFileSystemLustreConfiguration

The configuration object for the Amazon FSx for Lustre file system being deleted in the `DeleteFileSystem` operation.

Contents

FinalBackupTags

Use if `SkipFinalBackup` is set to `false`, and you want to apply an array of tags to the final backup. If you have set the file system property `CopyTagsToBackups` to `true`, and you specify one or more `FinalBackupTags` when deleting a file system, Amazon FSx will not copy any existing file system tags to the backup.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

SkipFinalBackup

Set `SkipFinalBackup` to `false` if you want to take a final backup of the file system you are deleting. By default, Amazon FSx will not take a final backup on your behalf when the `DeleteFileSystem` operation is invoked. (Default = `true`)

Note

The `fsx:CreateBackup` permission is required if you set `SkipFinalBackup` to `false` in order to delete the file system and take a final backup.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteFileSystemLustreResponse

The response object for the Amazon FSx for Lustre file system being deleted in the DeleteFileSystem operation.

Contents

FinalBackupId

The ID of the final backup for this file system.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: No

FinalBackupTags

The set of tags applied to the final backup.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteFileSystemOpenZFSConfiguration

The configuration object for the Amazon FSx for OpenZFS file system used in the `DeleteFileSystem` operation.

Contents

FinalBackupTags

A list of tags to apply to the file system's final backup.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Options

To delete a file system if there are child volumes present below the root volume, use the string `DELETE_CHILD_VOLUMES_AND_SNAPSHOTS`. If your file system has child volumes and you don't use this option, the delete request will fail.

Type: Array of strings

Array Members: Maximum number of 1 item.

Valid Values: `DELETE_CHILD_VOLUMES_AND_SNAPSHOTS`

Required: No

SkipFinalBackup

By default, Amazon FSx for OpenZFS takes a final backup on your behalf when the `DeleteFileSystem` operation is invoked. Doing this helps protect you from data loss, and we highly recommend taking the final backup. If you want to skip taking a final backup, set this value to `true`.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteFileSystemOpenZFSResponse

The response object for the Amazon FSx for OpenZFS file system that's being deleted in the DeleteFileSystem operation.

Contents

FinalBackupId

The ID of the source backup. Specifies the backup that you are copying.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: No

FinalBackupTags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteFileSystemWindowsConfiguration

The configuration object for the Microsoft Windows file system used in the DeleteFileSystem operation.

Contents

FinalBackupTags

A set of tags for your final backup.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

SkipFinalBackup

By default, Amazon FSx for Windows takes a final backup on your behalf when the DeleteFileSystem operation is invoked. Doing this helps protect you from data loss, and we highly recommend taking the final backup. If you want to skip this backup, use this flag to do so.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteFileSystemWindowsResponse

The response object for the Microsoft Windows file system used in the DeleteFileSystem operation.

Contents

FinalBackupId

The ID of the final backup for this file system.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: No

FinalBackupTags

The set of tags applied to the final backup.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteVolumeOntapConfiguration

Use to specify skipping a final backup, adding tags to a final backup, or bypassing the retention period of an FSx for ONTAP SnapLock Enterprise volume when deleting an FSx for ONTAP volume.

Contents

BypassSnaplockEnterpriseRetention

Setting this to `true` allows a SnapLock administrator to delete an FSx for ONTAP SnapLock Enterprise volume with unexpired write once, read many (WORM) files. The IAM permission `fsx:BypassSnaplockEnterpriseRetention` is also required to delete SnapLock Enterprise volumes with unexpired WORM files. The default value is `false`.

For more information, see [Deleting a SnapLock volume](#).

Type: Boolean

Required: No

FinalBackupTags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

SkipFinalBackup

Set to `true` if you want to skip taking a final backup of the volume you are deleting.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteVolumeOntapResponse

The response object for the Amazon FSx for NetApp ONTAP volume being deleted in the DeleteVolume operation.

Contents

FinalBackupId

The ID of the source backup. Specifies the backup that you are copying.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 128.

Pattern: `^(backup-[0-9a-f]{8,})$`

Required: No

FinalBackupTags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteVolumeOpenZFSConfiguration

A value that specifies whether to delete all child volumes and snapshots.

Contents

Options

To delete the volume's child volumes, snapshots, and clones, use the string `DELETE_CHILD_VOLUMES_AND_SNAPSHOTS`.

Type: Array of strings

Array Members: Maximum number of 1 item.

Valid Values: `DELETE_CHILD_VOLUMES_AND_SNAPSHOTS`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DiskIopsConfiguration

The SSD IOPS (input/output operations per second) configuration for an Amazon FSx for NetApp ONTAP, Amazon FSx for Windows File Server, or FSx for OpenZFS file system. By default, Amazon FSx automatically provisions 3 IOPS per GB of storage capacity. You can provision additional IOPS per GB of storage. The configuration consists of the total number of provisioned SSD IOPS and how it is was provisioned, or the mode (by the customer or by Amazon FSx).

Contents

Iops

The total number of SSD IOPS provisioned for the file system.

The minimum and maximum values for this property depend on the value of `HAPairs` and `StorageCapacity`. The minimum value is calculated as $\text{StorageCapacity} * 3 * \text{HAPairs}$ (3 IOPS per GB of `StorageCapacity`). The maximum value is calculated as $200,000 * \text{HAPairs}$.

Amazon FSx responds with an HTTP status code 400 (Bad Request) if the value of `Iops` is outside of the minimum or maximum values.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 2400000.

Required: No

Mode

Specifies whether the file system is using the AUTOMATIC setting of SSD IOPS of 3 IOPS per GB of storage capacity, or if it using a USER_PROVISIONED value.

Type: String

Valid Values: AUTOMATIC | USER_PROVISIONED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DurationSinceLastAccess

Defines the minimum amount of time since last access for a file to be eligible for release. Only files that have been exported to S3 and that were last accessed or modified before this point-in-time are eligible to be released from the Amazon FSx for Lustre file system.

Contents

Unit

The unit of time used by the `Value` parameter to determine if a file can be released, based on when it was last accessed. `DAYS` is the only supported value. This is a required parameter.

Type: String

Valid Values: `DAYS`

Required: No

Value

An integer that represents the minimum amount of time (in days) since a file was last accessed in the file system. Only exported files with a `MAX(ctime, mtime)` timestamp that is more than this amount of time in the past (relative to the task create time) will be released. The default of `Value` is `0`. This is a required parameter.

Note

If an exported file meets the last accessed time criteria, its file or directory path must also be specified in the `Paths` parameter of the [CreateDataRepositoryTask](#) operation in order for the file to be released.

Type: Long

Valid Range: Minimum value of `0`.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileCache

A description of a specific Amazon File Cache resource, which is a response object from the `DescribeFileCaches` operation.

Contents

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

DataRepositoryAssociationIds

A list of IDs of data repository associations that are associated with this cache.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 13. Maximum length of 23.

Pattern: `^(dra-[0-9a-f]{8,})$`

Required: No

DNSName

The Domain Name System (DNS) name for the cache.

Type: String

Length Constraints: Minimum length of 16. Maximum length of 275.

Pattern: `^((fs|fc)i?-[0-9a-f]{8,})\.{4,253}$`

Required: No

FailureDetails

A structure providing details of any failures that occurred.

Type: [FileCacheFailureDetails](#) object

Required: No

FileCacheId

The system-generated, unique ID of the cache.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fc-[0-9a-f]{8,})$`

Required: No

FileCacheType

The type of cache, which must be LUSTRE.

Type: String

Valid Values: LUSTRE

Required: No

FileCacheTypeVersion

The Lustre version of the cache, which must be 2.12.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[0-9](.[0-9]*)*$`

Required: No

KmsKeyId

Specifies the ID of the AWS Key Management Service (AWS KMS) key to use for encrypting data on an Amazon File Cache. If a `KmsKeyId` isn't specified, the Amazon FSx-managed AWS KMS key for your account is used. For more information, see [Encrypt](#) in the *AWS Key Management Service API Reference*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^\.{1,2048}$`

Required: No

Lifecycle

The lifecycle status of the cache. The following are the possible values and what they mean:

- AVAILABLE - The cache is in a healthy state, and is reachable and available for use.
- CREATING - The new cache is being created.
- DELETING - An existing cache is being deleted.
- UPDATING - The cache is undergoing a customer-initiated update.
- FAILED - An existing cache has experienced an unrecoverable failure. When creating a new cache, the cache was unable to be created.

Type: String

Valid Values: AVAILABLE | CREATING | DELETING | UPDATING | FAILED

Required: No

LustreConfiguration

The configuration for the Amazon File Cache resource.

Type: [FileCacheLustreConfiguration](#) object

Required: No

NetworkInterfaceIds

A list of network interface IDs.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(eni-[0-9a-f]{8,})$`

Required: No

OwnerId

An AWS account ID. This ID is a 12-digit number that you use to construct Amazon Resource Names (ARNs) for resources.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--))?:){4}(?!/){0,1024}$`

Required: No

StorageCapacity

The storage capacity of the cache in gibibytes (GiB).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

SubnetIds

A list of subnet IDs that the cache will be accessible from. You can specify only one subnet ID in a call to the `CreateFileCache` operation.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

VpcId

The ID of your virtual private cloud (VPC). For more information, see [VPC and subnets](#) in the *Amazon VPC User Guide*.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(vpc-[0-9a-f]{8,})$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileCacheCreating

The response object for the Amazon File Cache resource being created in the `CreateFileCache` operation.

Contents

CopyTagsToDataRepositoryAssociations

A boolean flag indicating whether tags for the cache should be copied to data repository associations.

Type: Boolean

Required: No

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

DataRepositoryAssociationIds

A list of IDs of data repository associations that are associated with this cache.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 13. Maximum length of 23.

Pattern: `^(dra-[0-9a-f]{8,})$`

Required: No

DNSName

The Domain Name System (DNS) name for the cache.

Type: String

Length Constraints: Minimum length of 16. Maximum length of 275.

Pattern: `^((fs|fc)i?-[0-9a-f]{8,}\.?.{4,253})$`

Required: No

FailureDetails

A structure providing details of any failures that occurred in creating a cache.

Type: [FileCacheFailureDetails](#) object

Required: No

FileCacheId

The system-generated, unique ID of the cache.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fc-[0-9a-f]{8,})$`

Required: No

FileCacheType

The type of cache, which must be LUSTRE.

Type: String

Valid Values: LUSTRE

Required: No

FileCacheTypeVersion

The Lustre version of the cache, which must be 2.12.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[0-9](.[0-9]*)*$`

Required: No

KmsKeyId

Specifies the ID of the AWS Key Management Service (AWS KMS) key to use for encrypting data on an Amazon File Cache. If a KmsKeyId isn't specified, the Amazon FSx-managed AWS KMS key for your account is used. For more information, see [Encrypt](#) in the *AWS Key Management Service API Reference*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^\.{1,2048}$`

Required: No

Lifecycle

The lifecycle status of the cache. The following are the possible values and what they mean:

- AVAILABLE - The cache is in a healthy state, and is reachable and available for use.
- CREATING - The new cache is being created.
- DELETING - An existing cache is being deleted.
- UPDATING - The cache is undergoing a customer-initiated update.
- FAILED - An existing cache has experienced an unrecoverable failure. When creating a new cache, the cache was unable to be created.

Type: String

Valid Values: AVAILABLE | CREATING | DELETING | UPDATING | FAILED

Required: No

LustreConfiguration

The configuration for the Amazon File Cache resource.

Type: [FileCacheLustreConfiguration](#) object

Required: No

NetworkInterfaceIds

A list of network interface IDs.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(eni-[0-9a-f]{8,})$`

Required: No

OwnerId

An AWS account ID. This ID is a 12-digit number that you use to construct Amazon Resource Names (ARNs) for resources.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-){2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-))?:){4}(?!/){0,1024}$`

Required: No

StorageCapacity

The storage capacity of the cache in gibibytes (GiB).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

SubnetIds

A list of subnet IDs that the cache will be accessible from. You can specify only one subnet ID in a call to the `CreateFileCache` operation.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

VpcId

The ID of your virtual private cloud (VPC). For more information, see [VPC and subnets](#) in the *Amazon VPC User Guide*.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(vpc-[0-9a-f]{8,})$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileCacheDataRepositoryAssociation

The configuration for a data repository association (DRA) to be created during the Amazon File Cache resource creation. The DRA links the cache to either an Amazon S3 bucket or prefix, or a Network File System (NFS) data repository that supports the NFSv3 protocol.

The DRA does not support automatic import or automatic export.

Contents

DataRepositoryPath

The path to the S3 or NFS data repository that links to the cache. You must provide one of the following paths:

- The path can be an NFS data repository that links to the cache. The path can be in one of two formats:
 - If you are not using the `DataRepositorySubdirectories` parameter, the path is to an NFS Export directory (or one of its subdirectories) in the format `nfs://nfs-domain-name/exportpath`. You can therefore link a single NFS Export to a single data repository association.
 - If you are using the `DataRepositorySubdirectories` parameter, the path is the domain name of the NFS file system in the format `nfs://filer-domain-name`, which indicates the root of the subdirectories specified with the `DataRepositorySubdirectories` parameter.
- The path can be an S3 bucket or prefix in the format `s3://bucket-name/prefix/` (where `prefix` is optional).

Type: String

Length Constraints: Minimum length of 3. Maximum length of 4357.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{3,4357}$`

Required: Yes

FileCachePath

A path on the cache that points to a high-level directory (such as `/ns1/`) or subdirectory (such as `/ns1/subdir/`) that will be mapped 1-1 with `DataRepositoryPath`. The leading forward

slash in the name is required. Two data repository associations cannot have overlapping cache paths. For example, if a data repository is associated with cache path `/ns1/`, then you cannot link another data repository with cache path `/ns1/ns2`.

This path specifies where in your cache files will be exported from. This cache directory can be linked to only one data repository, and no data repository other can be linked to the directory.

 Note

The cache path can only be set to root (`/`) on an NFS DRA when `DataRepositorySubdirectories` is specified. If you specify root (`/`) as the cache path, you can create only one DRA on the cache.

The cache path cannot be set to root (`/`) for an S3 DRA.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,4096}$`

Required: Yes

DataRepositorySubdirectories

A list of NFS Exports that will be linked with this data repository association. The Export paths are in the format `/exportpath1`. To use this parameter, you must configure `DataRepositoryPath` as the domain name of the NFS file system. The NFS file system domain name in effect is the root of the subdirectories. Note that `DataRepositorySubdirectories` is not supported for S3 data repositories.

Type: Array of strings

Array Members: Maximum number of 500 items.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,4096}$`

Required: No

NFS

The configuration for a data repository association that links an Amazon File Cache resource to an NFS data repository.

Type: [FileCacheNFSConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileCacheFailureDetails

A structure providing details of any failures that occurred.

Contents

Message

A message describing any failures that occurred.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileCacheLustreConfiguration

The configuration for the Amazon File Cache resource.

Contents

DeploymentType

The deployment type of the Amazon File Cache resource, which must be CACHE_1.

Type: String

Valid Values: CACHE_1

Required: No

LogConfiguration

The configuration for Lustre logging used to write the enabled logging events for your Amazon File Cache resource to Amazon CloudWatch Logs.

Type: [LustreLogConfiguration](#) object

Required: No

MetadataConfiguration

The configuration for a Lustre MDT (Metadata Target) storage volume.

Type: [FileCacheLustreMetadataConfiguration](#) object

Required: No

MountName

You use the MountName value when mounting the cache. If you pass a cache ID to the DescribeFileCaches operation, it returns the the MountName value as part of the cache's description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 8.

Pattern: `^[A-Za-z0-9_-]{1,8}$`

Required: No

PerUnitStorageThroughput

Per unit storage throughput represents the megabytes per second of read or write throughput per 1 tebibyte of storage provisioned. Cache throughput capacity is equal to Storage capacity (TiB) * PerUnitStorageThroughput (MB/s/TiB). The only supported value is 1000.

Type: Integer

Valid Range: Minimum value of 12. Maximum value of 1000.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileCacheLustreMetadataConfiguration

The configuration for a Lustre MDT (Metadata Target) storage volume. The metadata on Amazon File Cache is managed by a Lustre Metadata Server (MDS) while the actual metadata is persisted on an MDT.

Contents

StorageCapacity

The storage capacity of the Lustre MDT (Metadata Target) storage volume in gibibytes (GiB). The only supported value is 2400 GiB.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileCacheNFSConfiguration

The configuration for an NFS data repository association (DRA) created during the creation of the Amazon File Cache resource.

Contents

Version

The version of the NFS (Network File System) protocol of the NFS data repository. The only supported value is NFS3, which indicates that the data repository must support the NFSv3 protocol.

Type: String

Valid Values: NFS3

Required: Yes

DnsIps

A list of up to 2 IP addresses of DNS servers used to resolve the NFS file system domain name. The provided IP addresses can either be the IP addresses of a DNS forwarder or resolver that the customer manages and runs inside the customer VPC, or the IP addresses of the on-premises DNS servers.

Type: Array of strings

Array Members: Maximum number of 10 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])\.){3}([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileSystem

A description of a specific Amazon FSx file system.

Contents

AdministrativeActions

A list of administrative actions for the file system that are in process or waiting to be processed. Administrative actions describe changes to the Amazon FSx system that you have initiated using the `UpdateFileSystem` operation.

Type: Array of [AdministrativeAction](#) objects

Array Members: Maximum number of 50 items.

Required: No

CreationTime

The time that the file system was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

DNSName

The Domain Name System (DNS) name for the file system.

Type: String

Length Constraints: Minimum length of 16. Maximum length of 275.

Pattern: `^((fs|fc)i?-[0-9a-f]{8,})\.{4,253}$`

Required: No

FailureDetails

A structure providing details of any failures that occurred.

Type: [FileSystemFailureDetails](#) object

Required: No

FileSystemId

The system-generated, unique 17-digit ID of the file system.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: No

FileSystemType

The type of Amazon FSx file system, which can be LUSTRE, WINDOWS, ONTAP, or OPENZFS.

Type: String

Valid Values: WINDOWS | LUSTRE | ONTAP | OPENZFS

Required: No

FileSystemTypeVersion

The Lustre version of the Amazon FSx for Lustre file system, which can be 2.10, 2.12, or 2.15.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[0-9](.[0-9]*)*$`

Required: No

KmsKeyId

The ID of the AWS Key Management Service (AWS KMS) key used to encrypt Amazon FSx file system data. Used as follows with Amazon FSx file system types:

- Amazon FSx for Lustre PERSISTENT_1 and PERSISTENT_2 deployment types only.

SCRATCH_1 and SCRATCH_2 types are encrypted using the Amazon FSx service AWS KMS key for your account.

- Amazon FSx for NetApp ONTAP
- Amazon FSx for OpenZFS
- Amazon FSx for Windows File Server

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^[1,2048]$`

Required: No

Lifecycle

The lifecycle status of the file system. The following are the possible values and what they mean:

- AVAILABLE - The file system is in a healthy state, and is reachable and available for use.
- CREATING - Amazon FSx is creating the new file system.
- DELETING - Amazon FSx is deleting an existing file system.
- FAILED - An existing file system has experienced an unrecoverable failure. When creating a new file system, Amazon FSx was unable to create the file system.
- MISCONFIGURED - The file system is in a failed but recoverable state.
- MISCONFIGURED_UNAVAILABLE - (Amazon FSx for Windows File Server only) The file system is currently unavailable due to a change in your Active Directory configuration.
- UPDATING - The file system is undergoing a customer-initiated update.

Type: String

Valid Values: AVAILABLE | CREATING | FAILED | DELETING | MISCONFIGURED | UPDATING | MISCONFIGURED_UNAVAILABLE

Required: No

LustreConfiguration

The configuration for the Amazon FSx for Lustre file system.

Type: [LustreFileSystemConfiguration](#) object

Required: No

NetworkInterfaceIds

The IDs of the elastic network interfaces from which a specific file system is accessible. The elastic network interface is automatically created in the same virtual private cloud (VPC) that the Amazon FSx file system was created in. For more information, see [Elastic Network Interfaces](#) in the *Amazon EC2 User Guide*.

For an Amazon FSx for Windows File Server file system, you can have one network interface ID. For an Amazon FSx for Lustre file system, you can have more than one.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(eni-[0-9a-f]{8,})$`

Required: No

OntapConfiguration

The configuration for this Amazon FSx for NetApp ONTAP file system.

Type: [OntapFileSystemConfiguration](#) object

Required: No

OpenZFSConfiguration

The configuration for this Amazon FSx for OpenZFS file system.

Type: [OpenZFSFileSystemConfiguration](#) object

Required: No

OwnerId

The AWS account that created the file system. If the file system was created by a user in IAM Identity Center, the AWS account to which the IAM user belongs is the owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

ResourceARN

The Amazon Resource Name (ARN) of the file system resource.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-))?:){4}(?!/){0,1024}$`

Required: No

StorageCapacity

The storage capacity of the file system in gibibytes (GiB).

Amazon FSx responds with an HTTP status code 400 (Bad Request) if the value of StorageCapacity is outside of the minimum or maximum values.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

StorageType

The type of storage the file system is using.

- If set to SSD, the file system uses solid state drive storage.
- If set to HDD, the file system uses hard disk drive storage.
- If set to INTELLIGENT_TIERING, the file system uses fully elastic, intelligently-tiered storage.

Type: String

Valid Values: SSD | HDD | INTELLIGENT_TIERING

Required: No

SubnetIds

Specifies the IDs of the subnets that the file system is accessible from. For the Amazon FSx Windows and ONTAP MULTI_AZ_1 file system deployment type, there are two subnet IDs, one for the preferred file server and one for the standby file server. The preferred file server subnet identified in the PreferredSubnetID property. All other file systems have only one subnet ID.

For FSx for Lustre file systems, and Single-AZ Windows file systems, this is the ID of the subnet that contains the file system's endpoint. For MULTI_AZ_1 Windows and ONTAP file systems, the file system endpoint is available in the PreferredSubnetID.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

Tags

The tags to associate with the file system. For more information, see [Tagging your Amazon FSx resources](#) in the *Amazon FSx for Lustre User Guide*.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

VpcId

The ID of the primary virtual private cloud (VPC) for the file system.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(vpc-[0-9a-f]{8,})$`

Required: No

WindowsConfiguration

The configuration for this Amazon FSx for Windows File Server file system.

Type: [WindowsFileSystemConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileSystemEndpoint

An Amazon FSx for NetApp ONTAP file system has two endpoints that are used to access data or to manage the file system using the NetApp ONTAP CLI, REST API, or NetApp SnapMirror. They are the `Management` and `Intercluster` endpoints.

Contents

DNSName

The file system's DNS name. You can mount your file system using its DNS name.

Type: String

Length Constraints: Minimum length of 16. Maximum length of 275.

Pattern: `^((fs|fc)i?-[0-9a-f]{8,}\.){4,253}$`

Required: No

IpAddresses

IP addresses of the file system endpoint.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 24 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])\.){3}([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileSystemEndpoints

An Amazon FSx for NetApp ONTAP file system has the following endpoints that are used to access data or to manage the file system using the NetApp ONTAP CLI, REST API, or NetApp SnapMirror.

Contents

Intercluster

An endpoint for managing your file system by setting up NetApp SnapMirror with other ONTAP systems.

Type: [FileSystemEndpoint](#) object

Required: No

Management

An endpoint for managing your file system using the NetApp ONTAP CLI and NetApp ONTAP API.

Type: [FileSystemEndpoint](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileSystemFailureDetails

A structure providing details of any failures that occurred.

Contents

Message

A message describing any failures that occurred.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileSystemLustreMetadataConfiguration

The Lustre metadata performance configuration of an Amazon FSx for Lustre file system using a `PERSISTENT_2` deployment type. The configuration enables the file system to support increasing metadata performance.

Contents

Mode

The metadata configuration mode for provisioning Metadata IOPS for the file system.

- In `AUTOMATIC` mode (supported only on SSD file systems), FSx for Lustre automatically provisions and scales the number of Metadata IOPS on your file system based on your file system storage capacity.
- In `USER_PROVISIONED` mode, you can choose to specify the number of Metadata IOPS to provision for your file system.

Type: String

Valid Values: `AUTOMATIC` | `USER_PROVISIONED`

Required: Yes

Iops

The number of Metadata IOPS provisioned for the file system.

- For SSD file systems, valid values are 1500, 3000, 6000, 12000, and multiples of 12000 up to a maximum of 192000.
- For Intelligent-Tiering file systems, valid values are 6000 and 12000.

Type: Integer

Valid Range: Minimum value of 1500. Maximum value of 192000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Filter

A filter used to restrict the results of describe calls. You can use multiple filters to return results that meet all applied filter requirements.

Contents

Name

The name for this filter.

Type: String

Valid Values: file-system-id | backup-type | file-system-type | volume-id | data-repository-type | file-cache-id | file-cache-type

Required: No

Values

The values of the filter. These are all the values for any of the applied filters.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[0-9a-zA-Z\*\.\ \\/\?\-\_\]\*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LifecycleTransitionReason

Describes why a resource lifecycle state changed.

Contents

Message

A detailed error message.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LustreFileSystemConfiguration

The configuration for the Amazon FSx for Lustre file system.

Contents

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

CopyTagsToBackups

A boolean flag indicating whether tags on the file system are copied to backups. If it's set to true, all tags on the file system are copied to all automatic backups and any user-initiated backups where the user doesn't specify any tags. If this value is true, and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the file system, regardless of this value. (Default = false)

Type: Boolean

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: ^([01]\d|2[0-3]):?([0-5]\d)\$

Required: No

DataCompressionType

The data compression configuration for the file system. DataCompressionType can have the following values:

- NONE - Data compression is turned off for the file system.
- LZ4 - Data compression is turned on with the LZ4 algorithm.

For more information, see [Lustre data compression](#).

Type: String

Valid Values: NONE | LZ4

Required: No

DataReadCacheConfiguration

Required when StorageType is set to INTELLIGENT_TIERING. Specifies the optional provisioned SSD read cache.

Type: [LustreReadCacheConfiguration](#) object

Required: No

DataRepositoryConfiguration

The data repository configuration object for Lustre file systems returned in the response of the CreateFileSystem operation.

This data type is not supported on file systems with a data repository association. For file systems with a data repository association, see [DataRepositoryAssociation](#).

Type: [DataRepositoryConfiguration](#) object

Required: No

DeploymentType

The deployment type of the FSx for Lustre file system. *Scratch deployment type* is designed for temporary storage and shorter-term processing of data.

SCRATCH_1 and SCRATCH_2 deployment types are best suited for when you need temporary storage and shorter-term processing of data. The SCRATCH_2 deployment type provides in-transit encryption of data and higher burst throughput capacity than SCRATCH_1.

The `PERSISTENT_1` and `PERSISTENT_2` deployment type is used for longer-term storage and workloads and encryption of data in transit. `PERSISTENT_2` offers higher `PerUnitStorageThroughput` (up to 1000 MB/s/TiB) along with a lower minimum storage capacity requirement (600 GiB). To learn more about FSx for Lustre deployment types, see [Deployment and storage class options for FSx for Lustre file systems](#).

The default is `SCRATCH_1`.

Type: String

Valid Values: `SCRATCH_1` | `SCRATCH_2` | `PERSISTENT_1` | `PERSISTENT_2`

Required: No

DriveCacheType

The type of drive cache used by `PERSISTENT_1` file systems that are provisioned with HDD storage devices. This parameter is required when `StorageType` is `HDD`. When set to `READ` the file system has an SSD storage cache that is sized to 20% of the file system's storage capacity. This improves the performance for frequently accessed files by caching up to 20% of the total storage capacity.

This parameter is required when `StorageType` is set to `HDD`.

Type: String

Valid Values: `NONE` | `READ`

Required: No

EfaEnabled

Specifies whether Elastic Fabric Adapter (EFA) and GPUDirect Storage (GDS) support is enabled for the Amazon FSx for Lustre file system.

Type: Boolean

Required: No

LogConfiguration

The Lustre logging configuration. Lustre logging writes the enabled log events for your file system to Amazon CloudWatch Logs.

Type: [LustreLogConfiguration](#) object

Required: No

MetadataConfiguration

The Lustre metadata performance configuration for an Amazon FSx for Lustre file system using a PERSISTENT_2 deployment type.

Type: [FileSystemLustreMetadataConfiguration](#) object

Required: No

MountName

You use the MountName value when mounting the file system.

For the SCRATCH_1 deployment type, this value is always "fsx". For SCRATCH_2, PERSISTENT_1, and PERSISTENT_2 deployment types, this value is a string that is unique within an AWS Region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 8.

Pattern: $^([A-Za-z0-9_-]{1,8})\$$

Required: No

PerUnitStorageThroughput

Per unit storage throughput represents the megabytes per second of read or write throughput per 1 tebibyte of storage provisioned. File system throughput capacity is equal to Storage capacity (TiB) * PerUnitStorageThroughput (MB/s/TiB). This option is only valid for PERSISTENT_1 and PERSISTENT_2 deployment types.

Valid values:

- For PERSISTENT_1 SSD storage: 50, 100, 200.
- For PERSISTENT_1 HDD storage: 12, 40.
- For PERSISTENT_2 SSD storage: 125, 250, 500, 1000.

Type: Integer

Valid Range: Minimum value of 12. Maximum value of 1000.

Required: No

RootSquashConfiguration

The Lustre root squash configuration for an Amazon FSx for Lustre file system. When enabled, root squash restricts root-level access from clients that try to access your file system as a root user.

Type: [LustreRootSquashConfiguration](#) object

Required: No

ThroughputCapacity

The throughput of an Amazon FSx for Lustre file system using the Intelligent-Tiering storage class, measured in megabytes per second (MBps).

Type: Integer

Valid Range: Minimum value of 4000. Maximum value of 2000000.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone. Here, d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LustreLogConfiguration

The configuration for Lustre logging used to write the enabled logging events for your Amazon FSx for Lustre file system or Amazon File Cache resource to Amazon CloudWatch Logs.

Contents

Level

The data repository events that are logged by Amazon FSx.

- `WARN_ONLY` - only warning events are logged.
- `ERROR_ONLY` - only error events are logged.
- `WARN_ERROR` - both warning events and error events are logged.
- `DISABLED` - logging of data repository events is turned off.

Note that Amazon File Cache uses a default setting of `WARN_ERROR`, which can't be changed.

Type: String

Valid Values: `DISABLED` | `WARN_ONLY` | `ERROR_ONLY` | `WARN_ERROR`

Required: Yes

Destination

The Amazon Resource Name (ARN) that specifies the destination of the logs. The destination can be any Amazon CloudWatch Logs log group ARN. The destination ARN must be in the same AWS partition, AWS Region, and AWS account as your Amazon FSx file system.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 1024.

Pattern: `^arn:[^:]{1,63}:[^:]{0,63}:[^:]{0,63}:(?:|\d{12}):[^/].{0,1023}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LustreLogCreateConfiguration

The Lustre logging configuration used when creating or updating an Amazon FSx for Lustre file system. An Amazon File Cache is created with Lustre logging enabled by default, with a setting of `WARN_ERROR` for the logging events, which can't be changed.

Lustre logging writes the enabled logging events for your file system or cache to Amazon CloudWatch Logs.

Contents

Level

Sets which data repository events are logged by Amazon FSx.

- `WARN_ONLY` - only warning events are logged.
- `ERROR_ONLY` - only error events are logged.
- `WARN_ERROR` - both warning events and error events are logged.
- `DISABLED` - logging of data repository events is turned off.

Type: String

Valid Values: `DISABLED` | `WARN_ONLY` | `ERROR_ONLY` | `WARN_ERROR`

Required: Yes

Destination

The Amazon Resource Name (ARN) that specifies the destination of the logs.

The destination can be any Amazon CloudWatch Logs log group ARN, with the following requirements:

- The destination ARN that you provide must be in the same AWS partition, AWS Region, and AWS account as your Amazon FSx file system.
- The name of the Amazon CloudWatch Logs log group must begin with the `/aws/fsx/` prefix.
- If you do not provide a destination, Amazon FSx will create and use a log stream in the CloudWatch Logs `/aws/fsx/lustre` log group (for Amazon FSx for Lustre) or `/aws/fsx/filecache` (for Amazon File Cache).
- If `Destination` is provided and the resource does not exist, the request will fail with a `BadRequest` error.

- If `Level` is set to `DISABLED`, you cannot specify a destination in `Destination`.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 1024.

Pattern: `^arn:[^:]{1,63}:[^:]{0,63}:[^:]{0,63}:(?:|\d{12}):[^/].{0,1023}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LustreReadCacheConfiguration

The configuration for the optional provisioned SSD read cache on Amazon FSx for Lustre file systems that use the Intelligent-Tiering storage class.

Contents

SizeGiB

Required if `SizingMode` is set to `USER_PROVISIONED`. Specifies the size of the file system's SSD read cache, in gibibytes (GiB).

The SSD read cache size is distributed across provisioned file servers in your file system. Intelligent-Tiering file systems support a minimum of 32 GiB and maximum of 131072 GiB for SSD read cache size for every 4,000 MB/s of throughput capacity provisioned.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

SizingMode

Specifies how the provisioned SSD read cache is sized, as follows:

- Set to `NO_CACHE` if you do not want to use an SSD read cache with your Intelligent-Tiering file system.
- Set to `USER_PROVISIONED` to specify the exact size of your SSD read cache.
- Set to `PROPORTIONAL_TO_THROUGHPUT_CAPACITY` to have your SSD read cache automatically sized based on your throughput capacity.

Type: String

Valid Values: `NO_CACHE` | `USER_PROVISIONED` | `PROPORTIONAL_TO_THROUGHPUT_CAPACITY`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LustreRootSquashConfiguration

The configuration for Lustre root squash used to restrict root-level access from clients that try to access your FSx for Lustre file system as root. Use the `RootSquash` parameter to enable root squash. To learn more about Lustre root squash, see [Lustre root squash](#).

You can also use the `NoSquashNids` parameter to provide an array of clients who are not affected by the root squash setting. These clients will access the file system as root, with unrestricted privileges.

Contents

NoSquashNids

When root squash is enabled, you can optionally specify an array of NIDs of clients for which root squash does not apply. A client NID is a Lustre Network Identifier used to uniquely identify a client. You can specify the NID as either a single address or a range of addresses:

- A single address is described in standard Lustre NID format by specifying the client's IP address followed by the Lustre network ID (for example, `10.0.1.6@tcp`).
- An address range is described using a dash to separate the range (for example, `10.0.[2-10].[1-255]@tcp`).

Type: Array of strings

Array Members: Maximum number of 64 items.

Length Constraints: Minimum length of 11. Maximum length of 43.

Pattern: `^([0-9\[\]\-]*\.){3}([0-9\[\]\-]*)@tcp$`

Required: No

RootSquash

You enable root squash by setting a user ID (UID) and group ID (GID) for the file system in the format `UID:GID` (for example, `365534:65534`). The UID and GID values can range from 0 to 4294967294:

- A non-zero value for UID and GID enables root squash. The UID and GID values can be different, but each must be a non-zero value.
- A value of 0 (zero) for UID and GID indicates root, and therefore disables root squash.

When root squash is enabled, the user ID and group ID of a root user accessing the file system are re-mapped to the UID and GID you provide.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 21.

Pattern: `^([0-9]{1,10}):([0-9]{1,10})$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NFSDataRepositoryConfiguration

The configuration for a data repository association that links an Amazon File Cache resource to an NFS data repository.

Contents

Version

The version of the NFS (Network File System) protocol of the NFS data repository. Currently, the only supported value is NFS3, which indicates that the data repository must support the NFSv3 protocol.

Type: String

Valid Values: NFS3

Required: Yes

AutoExportPolicy

This parameter is not supported for Amazon File Cache.

Type: [AutoExportPolicy](#) object

Required: No

DnsIps

A list of up to 2 IP addresses of DNS servers used to resolve the NFS file system domain name. The provided IP addresses can either be the IP addresses of a DNS forwarder or resolver that the customer manages and runs inside the customer VPC, or the IP addresses of the on-premises DNS servers.

Type: Array of strings

Array Members: Maximum number of 10 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(( [0-9] | [1-9][0-9] | 1[0-9]{2} | 2[0-4][0-9] | 25[0-5])\.){3}([0-9] | [1-9][0-9] | 1[0-9]{2} | 2[0-4][0-9] | 25[0-5])$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OntapFileSystemConfiguration

Configuration for the FSx for NetApp ONTAP file system.

Contents

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DeploymentType

Specifies the FSx for ONTAP file system deployment type in use in the file system.

- **MULTI_AZ_1** - A high availability file system configured for Multi-AZ redundancy to tolerate temporary Availability Zone (AZ) unavailability. This is a first-generation FSx for ONTAP file system.
- **MULTI_AZ_2** - A high availability file system configured for Multi-AZ redundancy to tolerate temporary AZ unavailability. This is a second-generation FSx for ONTAP file system.
- **SINGLE_AZ_1** - A file system configured for Single-AZ redundancy. This is a first-generation FSx for ONTAP file system.
- **SINGLE_AZ_2** - A file system configured with multiple high-availability (HA) pairs for Single-AZ redundancy. This is a second-generation FSx for ONTAP file system.

For information about the use cases for Multi-AZ and Single-AZ deployments, refer to [Choosing Multi-AZ or Single-AZ file system deployment](#).

Type: String

Valid Values: MULTI_AZ_1 | SINGLE_AZ_1 | SINGLE_AZ_2 | MULTI_AZ_2

Required: No

DiskIopsConfiguration

The SSD IOPS configuration for the ONTAP file system, specifying the number of provisioned IOPS and the provision mode.

Type: [DiskIopsConfiguration](#) object

Required: No

EndpointIpAddressRange

(Multi-AZ only) Specifies the IP address range in which the endpoints to access your file system will be created. By default in the Amazon FSx API, Amazon FSx selects an unused IP address range for you from the 198.19.* range. By default in the Amazon FSx console, Amazon FSx chooses the last 64 IP addresses from the VPC's primary CIDR range to use as the endpoint IP address range for the file system. You can have overlapping endpoint IP addresses for file systems deployed in the same VPC/route tables.

Type: String

Length Constraints: Minimum length of 9. Maximum length of 17.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{9,17}$`

Required: No

Endpoints

The Management and Intercluster endpoints that are used to access data or to manage the file system using the NetApp ONTAP CLI, REST API, or NetApp SnapMirror.

Type: [FileSystemEndpoints](#) object

Required: No

FsxAdminPassword

You can use the `fsxadmin` user account to access the NetApp ONTAP CLI and REST API. The password value is always redacted in the response.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 50.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{8,50}$`

Required: No

HAPairs

Specifies how many high-availability (HA) file server pairs the file system will have. The default value is 1. The value of this property affects the values of `StorageCapacity`, `Iops`, and `ThroughputCapacity`. For more information, see [High-availability \(HA\) pairs](#) in the FSx for ONTAP user guide.

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The value of `HAPairs` is less than 1 or greater than 12.
- The value of `HAPairs` is greater than 1 and the value of `DeploymentType` is `SINGLE_AZ_1`, `MULTI_AZ_1`, or `MULTI_AZ_2`.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 12.

Required: No

PreferredSubnetId

The ID for a subnet. A *subnet* is a range of IP addresses in your virtual private cloud (VPC). For more information, see [VPC and subnets](#) in the *Amazon VPC User Guide*.

Type: String

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

RouteTableIds

(Multi-AZ only) The VPC route tables in which your file system's endpoints are created.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

ThroughputCapacity

The sustained throughput of an Amazon FSx file system in Megabytes per second (MBps).

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: No

ThroughputCapacityPerHAPair

Use to choose the throughput capacity per HA pair. When the value of `HAPairs` is equal to 1, the value of `ThroughputCapacityPerHAPair` is the total throughput for the file system.

This field and `ThroughputCapacity` cannot be defined in the same API call, but one is required.

This field and `ThroughputCapacity` are the same for file systems with one HA pair.

- For `SINGLE_AZ_1` and `MULTI_AZ_1` file systems, valid values are 128, 256, 512, 1024, 2048, or 4096 MBps.
- For `SINGLE_AZ_2`, valid values are 1536, 3072, or 6144 MBps.
- For `MULTI_AZ_2`, valid values are 384, 768, 1536, 3072, or 6144 MBps.

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The value of `ThroughputCapacity` and `ThroughputCapacityPerHAPair` are not the same value.
- The value of deployment type is `SINGLE_AZ_2` and `ThroughputCapacity / ThroughputCapacityPerHAPair` is not a valid HA pair (a value between 1 and 12).

- The value of `ThroughputCapacityPerHAPair` is not a valid value.

Type: Integer

Valid Range: Minimum value of 128. Maximum value of 6144.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OntapVolumeConfiguration

The configuration of an Amazon FSx for NetApp ONTAP volume.

Contents

AggregateConfiguration

This structure specifies configuration options for a volume's storage aggregate or aggregates.

Type: [AggregateConfiguration](#) object

Required: No

CopyTagsToBackups

A boolean flag indicating whether tags for the volume should be copied to backups. This value defaults to false. If it's set to true, all tags for the volume are copied to all automatic and user-initiated backups where the user doesn't specify tags. If this value is true, and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the volume, regardless of this value.

Type: Boolean

Required: No

FlexCacheEndpointType

Specifies the FlexCache endpoint type of the volume. Valid values are the following:

- NONE specifies that the volume doesn't have a FlexCache configuration. NONE is the default.
- ORIGIN specifies that the volume is the origin volume for a FlexCache volume.
- CACHE specifies that the volume is a FlexCache volume.

Type: String

Valid Values: NONE | ORIGIN | CACHE

Required: No

JunctionPath

Specifies the directory that network-attached storage (NAS) clients use to mount the volume, along with the storage virtual machine (SVM) Domain Name System (DNS) name or IP address.

You can create a `JunctionPath` directly below a parent volume junction or on a directory within a volume. A `JunctionPath` for a volume named `vol3` might be `/vol1/vol2/vol3`, or `/vol1/dir2/vol3`, or even `/dir1/dir2/vol3`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

OntapVolumeType

Specifies the type of volume. Valid values are the following:

- `RW` specifies a read/write volume. `RW` is the default.
- `DP` specifies a data-protection volume. You can protect data by replicating it to data-protection mirror copies. If a disaster occurs, you can use these data-protection mirror copies to recover data.
- `LS` specifies a load-sharing mirror volume. A load-sharing mirror reduces the network traffic to a FlexVol volume by providing additional read-only access to clients.

Type: String

Valid Values: `RW` | `DP` | `LS`

Required: No

SecurityStyle

The security style for the volume, which can be `UNIX`, `NTFS`, or `MIXED`.

Type: String

Valid Values: `UNIX` | `NTFS` | `MIXED`

Required: No

SizeInBytes

The configured size of the volume, in bytes.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 22517998000000000.

Required: No

SizeInMegabytes

The configured size of the volume, in megabytes (MBs).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

SnaplockConfiguration

The SnapLock configuration object for an FSx for ONTAP SnapLock volume.

Type: [SnaplockConfiguration](#) object

Required: No

SnapshotPolicy

Specifies the snapshot policy for the volume. There are three built-in snapshot policies:

- `default`: This is the default policy. A maximum of six hourly snapshots taken five minutes past the hour. A maximum of two daily snapshots taken Monday through Saturday at 10 minutes after midnight. A maximum of two weekly snapshots taken every Sunday at 15 minutes after midnight.
- `default-1weekly`: This policy is the same as the `default` policy except that it only retains one snapshot from the weekly schedule.
- `none`: This policy does not take any snapshots. This policy can be assigned to volumes to prevent automatic snapshots from being taken.

You can also provide the name of a custom policy that you created with the ONTAP CLI or REST API.

For more information, see [Snapshot policies](#) in the Amazon FSx for NetApp ONTAP User Guide.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

StorageEfficiencyEnabled

The volume's storage efficiency setting.

Type: Boolean

Required: No

StorageVirtualMachineId

The ID of the volume's storage virtual machine.

Type: String

Length Constraints: Fixed length of 21.

Pattern: `^(svm-[0-9a-f]{17,})$`

Required: No

StorageVirtualMachineRoot

A Boolean flag indicating whether this volume is the root volume for its storage virtual machine (SVM). Only one volume on an SVM can be the root volume. This value defaults to `false`. If this value is `true`, then this is the SVM root volume.

This flag is useful when you're deleting an SVM, because you must first delete all non-root volumes. This flag, when set to `false`, helps you identify which volumes to delete before you can delete the SVM.

Type: Boolean

Required: No

TieringPolicy

The volume's TieringPolicy setting.

Type: [TieringPolicy](#) object

Required: No

UUID

The volume's universally unique identifier (UUID).

Type: String

Length Constraints: Maximum length of 36.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,36}$`

Required: No

VolumeStyle

Use to specify the style of an ONTAP volume. For more information about FlexVols and FlexGroups, see [Volume types](#) in Amazon FSx for NetApp ONTAP User Guide.

Type: String

Valid Values: FLEXVOL | FLEXGROUP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSClientConfiguration

Specifies who can mount an OpenZFS file system and the options available while mounting the file system.

Contents

Clients

A value that specifies who can mount the file system. You can provide a wildcard character (*), an IP address (0.0.0.0), or a CIDR address (192.0.2.0/24). By default, Amazon FSx uses the wildcard character when specifying the client.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[ -~]{1,128}$`

Required: Yes

Options

The options to use when mounting the file system. For a list of options that you can use with Network File System (NFS), see the [exports\(5\) - Linux man page](#). When choosing your options, consider the following:

- `crossmnt` is used by default. If you don't specify `crossmnt` when changing the client configuration, you won't be able to see or access snapshots in your file system's snapshot directory.
- `sync` is used by default. If you instead specify `async`, the system acknowledges writes before writing to disk. If the system crashes before the writes are finished, you lose the unwritten data.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[ -~]{1,128}$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSCreateRootVolumeConfiguration

The configuration of an Amazon FSx for OpenZFS root volume.

Contents

CopyTagsToSnapshots

A Boolean value indicating whether tags for the volume should be copied to snapshots of the volume. This value defaults to `false`. If it's set to `true`, all tags for the volume are copied to snapshots where the user doesn't specify tags. If this value is `true` and you specify one or more tags, only the specified tags are copied to snapshots. If you specify one or more tags when creating the snapshot, no tags are copied from the volume, regardless of this value.

Type: Boolean

Required: No

DataCompressionType

Specifies the method used to compress the data on the volume. The compression type is `NONE` by default.

- `NONE` - Doesn't compress the data on the volume. `NONE` is the default.
- `ZSTD` - Compresses the data in the volume using the Zstandard (`ZSTD`) compression algorithm. Compared to `LZ4`, Z-Standard provides a better compression ratio to minimize on-disk storage utilization.
- `LZ4` - Compresses the data in the volume using the `LZ4` compression algorithm. Compared to Z-Standard, `LZ4` is less compute-intensive and delivers higher write throughput speeds.

Type: String

Valid Values: `NONE` | `ZSTD` | `LZ4`

Required: No

NfsExports

The configuration object for mounting a file system.

Type: Array of [OpenZFSNfsExport](#) objects

Array Members: Maximum number of 1 item.

Required: No

ReadOnly

A Boolean value indicating whether the volume is read-only. Setting this value to `true` can be useful after you have completed changes to a volume and no longer want changes to occur.

Type: Boolean

Required: No

RecordSizeKiB

Specifies the record size of an OpenZFS root volume, in kibibytes (KiB). Valid values are 4, 8, 16, 32, 64, 128, 256, 512, or 1024 KiB. The default is 128 KiB. Most workloads should use the default record size. Database workflows can benefit from a smaller record size, while streaming workflows can benefit from a larger record size. For additional guidance on setting a custom record size, see [Tips for maximizing performance](#) in the *Amazon FSx for OpenZFS User Guide*.

Type: Integer

Valid Range: Minimum value of 4. Maximum value of 4096.

Required: No

UserAndGroupQuotas

An object specifying how much storage users or groups can use on the volume.

Type: Array of [OpenZFSUserOrGroupQuota](#) objects

Array Members: Maximum number of 500 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSFileSystemConfiguration

The configuration for the Amazon FSx for OpenZFS file system.

Contents

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to `0` disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

CopyTagsToBackups

A Boolean value indicating whether tags on the file system should be copied to backups. If it's set to `true`, all tags on the file system are copied to all automatic backups and any user-initiated backups where the user doesn't specify any tags. If this value is `true` and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the file system, regardless of this value.

Type: Boolean

Required: No

CopyTagsToVolumes

A Boolean value indicating whether tags for the volume should be copied to snapshots. This value defaults to `false`. If it's set to `true`, all tags for the volume are copied to snapshots where the user doesn't specify tags. If this value is `true` and you specify one or more tags, only the specified tags are copied to snapshots. If you specify one or more tags when creating the snapshot, no tags are copied from the volume, regardless of this value.

Type: Boolean

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DeploymentType

Specifies the file-system deployment type. Amazon FSx for OpenZFS supports MULTI_AZ_1, SINGLE_AZ_HA_2, SINGLE_AZ_HA_1, SINGLE_AZ_2, and SINGLE_AZ_1.

Type: String

Valid Values: SINGLE_AZ_1 | SINGLE_AZ_2 | SINGLE_AZ_HA_1 | SINGLE_AZ_HA_2 | MULTI_AZ_1

Required: No

DiskIopsConfiguration

The SSD IOPS (input/output operations per second) configuration for an Amazon FSx for NetApp ONTAP, Amazon FSx for Windows File Server, or FSx for OpenZFS file system. By default, Amazon FSx automatically provisions 3 IOPS per GB of storage capacity. You can provision additional IOPS per GB of storage. The configuration consists of the total number of provisioned SSD IOPS and how it is was provisioned, or the mode (by the customer or by Amazon FSx).

Type: [DiskIopsConfiguration](#) object

Required: No

EndpointIpAddress

The IP address of the endpoint that is used to access data or to manage the file system.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])\.){3}([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])$`

Required: No

EndpointIpAddressRange

(Multi-AZ only) Specifies the IP address range in which the endpoints to access your file system will be created. By default in the Amazon FSx API and Amazon FSx console, Amazon FSx selects an available /28 IP address range for you from one of the VPC's CIDR ranges. You can have overlapping endpoint IP addresses for file systems deployed in the same VPC/route tables.

Type: String

Length Constraints: Minimum length of 9. Maximum length of 17.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{9,17}$`

Required: No

PreferredSubnetId

Required when `DeploymentType` is set to `MULTI_AZ_1`. This specifies the subnet in which you want the preferred file server to be located.

Type: String

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

ReadCacheConfiguration

Required when `StorageType` is set to `INTELLIGENT_TIERING`. Specifies the optional provisioned SSD read cache.

Type: [OpenZFSReadCacheConfiguration](#) object

Required: No

RootVolumeId

The ID of the root volume of the OpenZFS file system.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: No

RouteTableIds

(Multi-AZ only) The VPC route tables in which your file system's endpoints are created.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

ThroughputCapacity

The throughput of an Amazon FSx file system, measured in megabytes per second (MBps).

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSFileSystemIdentity

Specifies the file system user identity that will be used for authorizing all file access requests that are made using the S3 access point.

Contents

Type

Specifies the FSx for OpenZFS user identity type, accepts only POSIX.

Type: String

Valid Values: POSIX

Required: Yes

PosixUser

Specifies the UID and GIDs of the file system POSIX user.

Type: [OpenZFSPosixFileSystemUser](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSNfsExport

The Network File System (NFS) configurations for mounting an Amazon FSx for OpenZFS file system.

Contents

ClientConfigurations

A list of configuration objects that contain the client and options for mounting the OpenZFS file system.

Type: Array of [OpenZFSClientConfiguration](#) objects

Array Members: Maximum number of 25 items.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSOriginSnapshotConfiguration

The snapshot configuration used when creating an Amazon FSx for OpenZFS volume from a snapshot.

Contents

CopyStrategy

The strategy used when copying data from the snapshot to the new volume.

- **CLONE** - The new volume references the data in the origin snapshot. Cloning a snapshot is faster than copying the data from a snapshot to a new volume and doesn't consume disk throughput. However, the origin snapshot can't be deleted if there is a volume using its copied data.
- **FULL_COPY** - Copies all data from the snapshot to the new volume.

Note

The **INCREMENTAL_COPY** option is only for updating an existing volume by using a snapshot from another FSx for OpenZFS file system. For more information, see [CopySnapshotAndUpdateVolume](#).

Type: String

Valid Values: **CLONE** | **FULL_COPY** | **INCREMENTAL_COPY**

Required: No

SnapshotARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-)):{4}(?!/)).{0,1024}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSPosixFileSystemUser

The FSx for OpenZFS file system user that is used for authorizing all file access requests that are made using the S3 access point.

Contents

Gid

The GID of the file system user.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 4294967295.

Required: Yes

Uid

The UID of the file system user.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 4294967295.

Required: Yes

SecondaryGids

The list of secondary GIDs for the file system user.

Type: Array of longs

Array Members: Maximum number of 15 items.

Valid Range: Minimum value of 0. Maximum value of 4294967295.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSReadCacheConfiguration

The configuration for the optional provisioned SSD read cache on Amazon FSx for OpenZFS file systems that use the Intelligent-Tiering storage class.

Contents

SizeGiB

Required if `SizingMode` is set to `USER_PROVISIONED`. Specifies the size of the file system's SSD read cache, in gibibytes (GiB).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

SizingMode

Specifies how the provisioned SSD read cache is sized, as follows:

- Set to `NO_CACHE` if you do not want to use an SSD read cache with your Intelligent-Tiering file system.
- Set to `USER_PROVISIONED` to specify the exact size of your SSD read cache.
- Set to `PROPORTIONAL_TO_THROUGHPUT_CAPACITY` to have your SSD read cache automatically sized based on your throughput capacity.

Type: String

Valid Values: `NO_CACHE` | `USER_PROVISIONED` | `PROPORTIONAL_TO_THROUGHPUT_CAPACITY`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSUserOrGroupQuota

Used to configure quotas that define how much storage a user or group can use on an FSx for OpenZFS volume. For more information, see [Volume properties](#) in the FSx for OpenZFS User Guide.

Contents

Id

The ID of the user or group that the quota applies to.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: Yes

StorageCapacityQuotaGiB

The user or group's storage quota, in gibibytes (GiB).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: Yes

Type

Specifies whether the quota applies to a user or group.

Type: String

Valid Values: USER | GROUP

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpenZFSVolumeConfiguration

The configuration of an Amazon FSx for OpenZFS volume.

Contents

CopyStrategy

Specifies the strategy used when copying data from the snapshot to the new volume.

- **CLONE** - The new volume references the data in the origin snapshot. Cloning a snapshot is faster than copying data from the snapshot to a new volume and doesn't consume disk throughput. However, the origin snapshot can't be deleted if there is a volume using its copied data.
- **FULL_COPY** - Copies all data from the snapshot to the new volume.

Specify this option to create the volume from a snapshot on another FSx for OpenZFS file system.

Note

The **INCREMENTAL_COPY** option is only for updating an existing volume by using a snapshot from another FSx for OpenZFS file system. For more information, see [CopySnapshotAndUpdateVolume](#).

Type: String

Valid Values: **CLONE** | **FULL_COPY** | **INCREMENTAL_COPY**

Required: No

CopyTagsToSnapshots

A Boolean value indicating whether tags for the volume should be copied to snapshots. This value defaults to `false`. If it's set to `true`, all tags for the volume are copied to snapshots where the user doesn't specify tags. If this value is `true` and you specify one or more tags, only the specified tags are copied to snapshots. If you specify one or more tags when creating the snapshot, no tags are copied from the volume, regardless of this value.

Type: Boolean

Required: No

DataCompressionType

Specifies the method used to compress the data on the volume. The compression type is NONE by default.

- NONE - Doesn't compress the data on the volume. NONE is the default.
- ZSTD - Compresses the data in the volume using the Zstandard (ZSTD) compression algorithm. Compared to LZ4, Z-Standard provides a better compression ratio to minimize on-disk storage utilization.
- LZ4 - Compresses the data in the volume using the LZ4 compression algorithm. Compared to Z-Standard, LZ4 is less compute-intensive and delivers higher write throughput speeds.

Type: String

Valid Values: NONE | ZSTD | LZ4

Required: No

DeleteClonedVolumes

A Boolean value indicating whether dependent clone volumes created from intermediate snapshots should be deleted when a volume is restored from snapshot.

Type: Boolean

Required: No

DeleteIntermediateData

A Boolean value indicating whether snapshot data that differs between the current state and the specified snapshot should be overwritten when a volume is restored from a snapshot.

Type: Boolean

Required: No

DeleteIntermediateSnapshots

A Boolean value indicating whether snapshots between the current state and the specified snapshot should be deleted when a volume is restored from snapshot.

Type: Boolean

Required: No

DestinationSnapshot

The ID of the snapshot that's being copied or was most recently copied to the destination volume.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Required: No

NfsExports

The configuration object for mounting a Network File System (NFS) file system.

Type: Array of [OpenZFSNfsExport](#) objects

Array Members: Maximum number of 1 item.

Required: No

OriginSnapshot

The configuration object that specifies the snapshot to use as the origin of the data for the volume.

Type: [OpenZFSAOriginSnapshotConfiguration](#) object

Required: No

ParentVolumeId

The ID of the parent volume.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: No

ReadOnly

A Boolean value indicating whether the volume is read-only.

Type: Boolean

Required: No

RecordSizeKiB

The record size of an OpenZFS volume, in kibibytes (KiB). Valid values are 4, 8, 16, 32, 64, 128, 256, 512, or 1024 KiB. The default is 128 KiB. Most workloads should use the default record size. For guidance on when to set a custom record size, see the *Amazon FSx for OpenZFS User Guide*.

Type: Integer

Valid Range: Minimum value of 4. Maximum value of 4096.

Required: No

RestoreToSnapshot

Specifies the ID of the snapshot to which the volume was restored.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Required: No

SourceSnapshotARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--)):{4}(?!/).{0,1024}$`

Required: No

StorageCapacityQuotaGiB

The maximum amount of storage in gibibytes (GiB) that the volume can use from its parent. You can specify a quota larger than the storage on the parent volume.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

StorageCapacityReservationGiB

The amount of storage in gibibytes (GiB) to reserve from the parent volume. You can't reserve more storage than the parent volume has reserved.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

UserAndGroupQuotas

An object specifying how much storage users or groups can use on the volume.

Type: Array of [OpenZFSUserOrGroupQuota](#) objects

Array Members: Maximum number of 500 items.

Required: No

VolumePath

The path to the volume from the root volume. For example, fsx/parentVolume/volume1.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^[A-Za-z0-9_\.\:\-\/]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReleaseConfiguration

The configuration that specifies a minimum amount of time since last access for an exported file to be eligible for release from an Amazon FSx for Lustre file system. Only files that were last accessed before this point-in-time can be released. For example, if you specify a last accessed time criteria of 9 days, only files that were last accessed 9.00001 or more days ago can be released.

Only file data that has been exported to S3 can be released. Files that have not yet been exported to S3, such as new or changed files that have not been exported, are not eligible for release. When files are released, their metadata stays on the file system, so they can still be accessed later. Users and applications can access a released file by reading the file again, which restores data from Amazon S3 to the FSx for Lustre file system.

Note

If a file meets the last accessed time criteria, its file or directory path must also be specified with the `Paths` parameter of the [CreateDataRepositoryTask](#) operation in order for the file to be released.

Contents

DurationSinceLastAccess

Defines the point-in-time since an exported file was last accessed, in order for that file to be eligible for release. Only files that were last accessed before this point-in-time are eligible to be released from the file system.

Type: [DurationSinceLastAccess](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RetentionPeriod

Specifies the retention period of an FSx for ONTAP SnapLock volume. After it is set, it can't be changed. Files can't be deleted or modified during the retention period.

For more information, see [Working with the retention period in SnapLock](#).

Contents

Type

Defines the type of time for the retention period of an FSx for ONTAP SnapLock volume. Set it to one of the valid types. If you set it to INFINITE, the files are retained forever. If you set it to UNSPECIFIED, the files are retained until you set an explicit retention period.

Type: String

Valid Values: SECONDS | MINUTES | HOURS | DAYS | MONTHS | YEARS | INFINITE | UNSPECIFIED

Required: Yes

Value

Defines the amount of time for the retention period of an FSx for ONTAP SnapLock volume. You can't set a value for INFINITE or UNSPECIFIED. For all other options, the following ranges are valid:

- Seconds: 0 - 65,535
- Minutes: 0 - 65,535
- Hours: 0 - 24
- Days: 0 - 365
- Months: 0 - 12
- Years: 0 - 100

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 65535.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3AccessPoint

Describes the S3 access point configuration of the S3 access point attachment.

Contents

Alias

The S3 access point's alias.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[0-9a-z\\-]{1,63}`

Required: No

ResourceARN

The S3 access point's ARN.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 1024.

Pattern: `^arn:[^:]{1,63}:[^:]{0,63}:[^:]{0,63}:(?:|\\d{12}):[^/].{0,1023}$`

Required: No

VpcConfiguration

The S3 access point's virtual private cloud (VPC) configuration.

Type: [S3AccessPointVpcConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3AccessPointAttachment

An S3 access point attached to an Amazon FSx volume.

Contents

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

Lifecycle

The lifecycle status of the S3 access point attachment. The lifecycle can have the following values:

- AVAILABLE - the S3 access point attachment is available for use
- CREATING - Amazon FSx is creating the S3 access point and attachment
- DELETING - Amazon FSx is deleting the S3 access point and attachment
- FAILED - The S3 access point attachment is in a failed state. Delete and detach the S3 access point attachment, and create a new one.
- UPDATING - Amazon FSx is updating the S3 access point attachment

Type: String

Valid Values: AVAILABLE | CREATING | DELETING | UPDATING | FAILED

Required: No

LifecycleTransitionReason

Describes why a resource lifecycle state changed.

Type: [LifecycleTransitionReason](#) object

Required: No

Name

The name of the S3 access point attachment; also used for the name of the S3 access point.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 50.

Pattern: `^(?=[a-z0-9])[a-z0-9-]{1,48}[a-z0-9]$`

Required: No

OpenZFSConfiguration

The OpenZFSConfiguration of the S3 access point attachment.

Type: [S3AccessPointOpenZFSConfiguration](#) object

Required: No

S3AccessPoint

The S3 access point configuration of the S3 access point attachment.

Type: [S3AccessPoint](#) object

Required: No

Type

The type of Amazon FSx volume that the S3 access point is attached to.

Type: String

Valid Values: OPENZFS

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3AccessPointAttachmentsFilter

A set of Name and Values pairs used to view a select set of S3 access point attachments.

Contents

Name

The name of the filter.

Type: String

Valid Values: file-system-id | volume-id | type

Required: No

Values

The values of the filter.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[0-9a-zA-Z\*\.\ \\/\?\-\_]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3AccessPointOpenZFSConfiguration

Describes the FSx for OpenZFS attachment configuration of an S3 access point attachment.

Contents

FileSystemIdentity

The file system identity used to authorize file access requests made using the S3 access point.

Type: [OpenZFSFileSystemIdentity](#) object

Required: No

Volumeld

The ID of the FSx for OpenZFS volume that the S3 access point is attached to.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3AccessPointVpcConfiguration

If included, Amazon S3 restricts access to this access point to requests from the specified virtual private cloud (VPC).

Contents

VpcId

Specifies the virtual private cloud (VPC) for the S3 access point VPC configuration, if one exists.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(vpc-[0-9a-f]{8,})$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3DataRepositoryConfiguration

The configuration for an Amazon S3 data repository linked to an Amazon FSx for Lustre file system with a data repository association. The configuration consists of an `AutoImportPolicy` that defines which file events on the data repository are automatically imported to the file system and an `AutoExportPolicy` that defines which file events on the file system are automatically exported to the data repository. File events are when files or directories are added, changed, or deleted on the file system or the data repository.

Note

Data repository associations on Amazon File Cache don't use `S3DataRepositoryConfiguration` because they don't support automatic import or automatic export.

Contents

AutoExportPolicy

Specifies the type of updated objects (new, changed, deleted) that will be automatically exported from your file system to the linked S3 bucket.

Type: [AutoExportPolicy](#) object

Required: No

AutoImportPolicy

Specifies the type of updated objects (new, changed, deleted) that will be automatically imported from the linked S3 bucket to your file system.

Type: [AutoImportPolicy](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SelfManagedActiveDirectoryAttributes

The configuration of the self-managed Microsoft Active Directory (AD) directory to which the Windows File Server or ONTAP storage virtual machine (SVM) instance is joined.

Contents

DnsIps

A list of up to three IP addresses of DNS servers or domain controllers in the self-managed AD directory.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 3 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])\.){3}([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])$`

Required: No

DomainName

The fully qualified domain name of the self-managed AD directory.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

FileSystemAdministratorsGroup

The name of the domain group whose members have administrative privileges for the FSx file system.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[^\\u0000\\u0085\\u2028\\u2029\\r\\n]{1,256}$`

Required: No

OrganizationalUnitDistinguishedName

The fully qualified distinguished name of the organizational unit within the self-managed AD directory to which the Windows File Server or ONTAP storage virtual machine (SVM) instance is joined.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Pattern: `^[^\\u0000\\u0085\\u2028\\u2029\\r\\n]{1,2000}$`

Required: No

UserName

The user name for the service account on your self-managed AD domain that FSx uses to join to your AD domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[^\\u0000\\u0085\\u2028\\u2029\\r\\n]{1,256}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SelfManagedActiveDirectoryConfiguration

The configuration that Amazon FSx uses to join a FSx for Windows File Server file system or an FSx for ONTAP storage virtual machine (SVM) to a self-managed (including on-premises) Microsoft Active Directory (AD) directory. For more information, see [Using Amazon FSx for Windows with your self-managed Microsoft Active Directory](#) or [Managing FSx for ONTAP SVMs](#).

Contents

DnsIps

A list of up to three IP addresses of DNS servers or domain controllers in the self-managed AD directory.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 3 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(( [0-9] | [1-9][0-9] | 1[0-9]{2} | 2[0-4][0-9] | 25[0-5])\.){3}([0-9] | [1-9][0-9] | 1[0-9]{2} | 2[0-4][0-9] | 25[0-5])$`

Required: Yes

DomainName

The fully qualified domain name of the self-managed AD directory, such as `corp.example.com`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: Yes

Password

The password for the service account on your self-managed AD domain that Amazon FSx will use to join to your AD domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^\.{1,256}$`

Required: Yes

UserName

The user name for the service account on your self-managed AD domain that Amazon FSx will use to join to your AD domain. This account must have the permission to join computers to the domain in the organizational unit provided in `OrganizationalUnitDistinguishedName`, or in the default location of your AD domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,256}$`

Required: Yes

FileSystemAdministratorsGroup

(Optional) The name of the domain group whose members are granted administrative privileges for the file system. Administrative privileges include taking ownership of files and folders, setting audit controls (audit ACLs) on files and folders, and administering the file system remotely by using the FSx Remote PowerShell. The group that you specify must already exist in your domain. If you don't provide one, your AD domain's Domain Admins group is used.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,256}$`

Required: No

OrganizationalUnitDistinguishedName

(Optional) The fully qualified distinguished name of the organizational unit within your self-managed AD directory. Amazon FSx only accepts OU as the direct parent of the file system. An example is `OU=FSx,DC=yourdomain,DC=corp,DC=com`. To learn more, see [RFC 2253](#). If

none is provided, the FSx file system is created in the default location of your self-managed AD directory.

 Important

Only Organizational Unit (OU) objects can be the direct parent of the file system that you're creating.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,2000}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SelfManagedActiveDirectoryConfigurationUpdates

Specifies changes you are making to the self-managed Microsoft Active Directory configuration to which an FSx for Windows File Server file system or an FSx for ONTAP SVM is joined.

Contents

DnsIps

A list of up to three DNS server or domain controller IP addresses in your self-managed Active Directory domain.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 3 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])\.){3}([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])$`

Required: No

DomainName

Specifies an updated fully qualified domain name of your self-managed Active Directory configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

FileSystemAdministratorsGroup

For FSx for ONTAP file systems only - Specifies the updated name of the self-managed Active Directory domain group whose members are granted administrative privileges for the Amazon FSx resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,256}$`

Required: No

OrganizationalUnitDistinguishedName

Specifies an updated fully qualified distinguished name of the organization unit within your self-managed Active Directory.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,2000}$`

Required: No

Password

Specifies the updated password for the service account on your self-managed Active Directory domain. Amazon FSx uses this account to join to your self-managed Active Directory domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[.]{1,256}$`

Required: No

UserName

Specifies the updated user name for the service account on your self-managed Active Directory domain. Amazon FSx uses this account to join to your self-managed Active Directory domain.

This account must have the permissions required to join computers to the domain in the organizational unit provided in `OrganizationalUnitDistinguishedName`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,256}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SnaplockConfiguration

Specifies the SnapLock configuration for an FSx for ONTAP SnapLock volume.

Contents

AuditLogVolume

Enables or disables the audit log volume for an FSx for ONTAP SnapLock volume. The default value is `false`. If you set `AuditLogVolume` to `true`, the SnapLock volume is created as an audit log volume. The minimum retention period for an audit log volume is six months.

For more information, see [SnapLock audit log volumes](#).

Type: Boolean

Required: No

AutocommitPeriod

The configuration object for setting the autocommit period of files in an FSx for ONTAP SnapLock volume.

Type: [AutocommitPeriod](#) object

Required: No

PrivilegedDelete

Enables, disables, or permanently disables privileged delete on an FSx for ONTAP SnapLock Enterprise volume. Enabling privileged delete allows SnapLock administrators to delete write once, read many (WORM) files even if they have active retention periods. `PERMANENTLY_DISABLED` is a terminal state. If privileged delete is permanently disabled on a SnapLock volume, you can't re-enable it. The default value is `DISABLED`.

For more information, see [Privileged delete](#).

Type: String

Valid Values: `DISABLED` | `ENABLED` | `PERMANENTLY_DISABLED`

Required: No

RetentionPeriod

Specifies the retention period of an FSx for ONTAP SnapLock volume.

Type: [SnaplockRetentionPeriod](#) object

Required: No

SnaplockType

Specifies the retention mode of an FSx for ONTAP SnapLock volume. After it is set, it can't be changed. You can choose one of the following retention modes:

- **COMPLIANCE:** Files transitioned to write once, read many (WORM) on a Compliance volume can't be deleted until their retention periods expire. This retention mode is used to address government or industry-specific mandates or to protect against ransomware attacks. For more information, see [SnapLock Compliance](#).
- **ENTERPRISE:** Files transitioned to WORM on an Enterprise volume can be deleted by authorized users before their retention periods expire using privileged delete. This retention mode is used to advance an organization's data integrity and internal compliance or to test retention settings before using SnapLock Compliance. For more information, see [SnapLock Enterprise](#).

Type: String

Valid Values: COMPLIANCE | ENTERPRISE

Required: No

VolumeAppendModeEnabled

Enables or disables volume-append mode on an FSx for ONTAP SnapLock volume. Volume-append mode allows you to create WORM-appendable files and write data to them incrementally. The default value is `false`.

For more information, see [Volume-append mode](#).

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SnaplockRetentionPeriod

The configuration to set the retention period of an FSx for ONTAP SnapLock volume. The retention period includes default, maximum, and minimum settings. For more information, see [Working with the retention period in SnapLock](#).

Contents

DefaultRetention

The retention period assigned to a write once, read many (WORM) file by default if an explicit retention period is not set for an FSx for ONTAP SnapLock volume. The default retention period must be greater than or equal to the minimum retention period and less than or equal to the maximum retention period.

Type: [RetentionPeriod](#) object

Required: Yes

MaximumRetention

The longest retention period that can be assigned to a WORM file on an FSx for ONTAP SnapLock volume.

Type: [RetentionPeriod](#) object

Required: Yes

MinimumRetention

The shortest retention period that can be assigned to a WORM file on an FSx for ONTAP SnapLock volume.

Type: [RetentionPeriod](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Snapshot

A snapshot of an Amazon FSx for OpenZFS volume.

Contents

AdministrativeActions

A list of administrative actions for the file system that are in process or waiting to be processed. Administrative actions describe changes to the Amazon FSx system.

Type: Array of [AdministrativeAction](#) objects

Array Members: Maximum number of 50 items.

Required: No

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

Lifecycle

The lifecycle status of the snapshot.

- PENDING - Amazon FSx hasn't started creating the snapshot.
- CREATING - Amazon FSx is creating the snapshot.
- DELETING - Amazon FSx is deleting the snapshot.
- AVAILABLE - The snapshot is fully available.

Type: String

Valid Values: PENDING | CREATING | DELETING | AVAILABLE

Required: No

LifecycleTransitionReason

Describes why a resource lifecycle state changed.

Type: [LifecycleTransitionReason](#) object

Required: No

Name

The name of the snapshot.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 203.

Pattern: `^[a-zA-Z0-9_:. -]{1,203}$`

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+:\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-){2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-))?:){4}(?!/){0,1024}$`

Required: No

SnapshotId

The ID of the snapshot.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 28.

Pattern: `^((fs)?volsnap-[0-9a-f]{8,})$`

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

Volumeld

The ID of the volume that the snapshot is of.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SnapshotFilter

A filter used to restrict the results of DescribeSnapshots calls. You can use multiple filters to return results that meet all applied filter requirements.

Contents

Name

The name of the filter to use. You can filter by the `file-system-id` or by `volume-id`.

Type: String

Valid Values: `file-system-id` | `volume-id`

Required: No

Values

The `file-system-id` or `volume-id` that you are filtering for.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[0-9a-zA-Z\*\.\ \\/\?\-\_\]]*\$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StorageVirtualMachine

Describes the Amazon FSx for NetApp ONTAP storage virtual machine (SVM) configuration.

Contents

ActiveDirectoryConfiguration

Describes the Microsoft Active Directory configuration to which the SVM is joined, if applicable.

Type: [SvmActiveDirectoryConfiguration](#) object

Required: No

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

Endpoints

The endpoints that are used to access data or to manage the SVM using the NetApp ONTAP CLI, REST API, or NetApp CloudManager. They are the Iscsi, Management, Nfs, and Smb endpoints.

Type: [SvmEndpoints](#) object

Required: No

FileSystemId

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: No

Lifecycle

Describes the SVM's lifecycle status.

- **CREATED** - The SVM is fully available for use.
- **CREATING** - Amazon FSx is creating the new SVM.
- **DELETING** - Amazon FSx is deleting an existing SVM.
- **FAILED** - Amazon FSx was unable to create the SVM.
- **MISCONFIGURED** - The SVM is in a failed but recoverable state.
- **PENDING** - Amazon FSx has not started creating the SVM.

Type: String

Valid Values: **CREATED** | **CREATING** | **DELETING** | **FAILED** | **MISCONFIGURED** | **PENDING**

Required: No

LifecycleTransitionReason

Describes why the SVM lifecycle state changed.

Type: [LifecycleTransitionReason](#) object

Required: No

Name

The name of the SVM, if provisioned.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,47}$`

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3})){3})(?![^\:]*-{2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?!-))):){4}(?!/){0,1024}$`

Required: No

RootVolumeSecurityStyle

The security style of the root volume of the SVM.

Type: String

Valid Values: UNIX | NTFS | MIXED

Required: No

StorageVirtualMachineId

The SVM's system generated unique ID.

Type: String

Length Constraints: Fixed length of 21.

Pattern: `^(svm-[0-9a-f]{17,})$`

Required: No

Subtype

Describes the SVM's subtype.

Type: String

Valid Values: DEFAULT | DP_DESTINATION | SYNC_DESTINATION | SYNC_SOURCE

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

UUID

The SVM's UUID (universally unique identifier).

Type: String

Length Constraints: Maximum length of 36.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,36}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StorageVirtualMachineFilter

A filter used to restrict the results of describe calls for Amazon FSx for NetApp ONTAP storage virtual machines (SVMs). You can use multiple filters to return results that meet all applied filter requirements.

Contents

Name

The name for this filter.

Type: String

Valid Values: `file-system-id`

Required: No

Values

The values of the filter. These are all the values for any of the applied filters.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[0-9a-zA-Z\*\.\ \\/\?\-\_\]]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SvmActiveDirectoryConfiguration

Describes the Microsoft Active Directory (AD) directory configuration to which the FSx for ONTAP storage virtual machine (SVM) is joined. Note that account credentials are not returned in the response payload.

Contents

NetBiosName

The NetBIOS name of the AD computer object to which the SVM is joined.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 15.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

SelfManagedActiveDirectoryConfiguration

The configuration of the self-managed Microsoft Active Directory (AD) directory to which the Windows File Server or ONTAP storage virtual machine (SVM) instance is joined.

Type: [SelfManagedActiveDirectoryAttributes](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SvmEndpoint

An Amazon FSx for NetApp ONTAP storage virtual machine (SVM) has four endpoints that are used to access data or to manage the SVM using the NetApp ONTAP CLI, REST API, or NetApp CloudManager. They are the `Iscsi`, `Management`, `Nfs`, and `Smb` endpoints.

Contents

DNSName

The file system's DNS name. You can mount your file system using its DNS name.

Type: String

Length Constraints: Minimum length of 16. Maximum length of 275.

Pattern: `^((fs|fc)i?-[0-9a-f]{8,}\.){4,253}$`

Required: No

IpAddresses

The SVM endpoint's IP addresses.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 24 items.

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])\.){3}([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SvmEndpoints

An Amazon FSx for NetApp ONTAP storage virtual machine (SVM) has the following endpoints that are used to access data or to manage the SVM using the NetApp ONTAP CLI, REST API, or NetApp CloudManager.

Contents

Iscsi

An endpoint for connecting using the Internet Small Computer Systems Interface (iSCSI) protocol.

Type: [SvmEndpoint](#) object

Required: No

Management

An endpoint for managing SVMs using the NetApp ONTAP CLI, NetApp ONTAP API, or NetApp CloudManager.

Type: [SvmEndpoint](#) object

Required: No

Nfs

An endpoint for connecting using the Network File System (NFS) protocol.

Type: [SvmEndpoint](#) object

Required: No

Smb

An endpoint for connecting using the Server Message Block (SMB) protocol.

Type: [SvmEndpoint](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

Specifies a key-value pair for a resource tag.

Contents

Key

A value that specifies the TagKey, the name of the tag. Tag keys must be unique for the resource to which they are attached.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_.: /+=\ -@]*)$`

Required: Yes

Value

A value that specifies the TagValue, the value assigned to the corresponding tag key. Tag values can be null and don't have to be unique in a tag set. For example, you can have a key-value pair in a tag set of `finances : April` and also of `payroll : April`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_.: /+=\ -@]*)$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TieringPolicy

Describes the data tiering policy for an ONTAP volume. When enabled, Amazon FSx for ONTAP's intelligent tiering automatically transitions a volume's data between the file system's primary storage and capacity pool storage based on your access patterns.

Valid tiering policies are the following:

- **SNAPSHOT_ONLY** - (Default value) moves cold snapshots to the capacity pool storage tier.
- **AUTO** - moves cold user data and snapshots to the capacity pool storage tier based on your access patterns.
- **ALL** - moves all user data blocks in both the active file system and Snapshot copies to the storage pool tier.
- **NONE** - keeps a volume's data in the primary storage tier, preventing it from being moved to the capacity pool tier.

Contents

CoolingPeriod

Specifies the number of days that user data in a volume must remain inactive before it is considered "cold" and moved to the capacity pool. Used with the **AUTO** and **SNAPSHOT_ONLY** tiering policies. Enter a whole number between 2 and 183. Default values are 31 days for **AUTO** and 2 days for **SNAPSHOT_ONLY**.

Type: Integer

Valid Range: Minimum value of 2. Maximum value of 183.

Required: No

Name

Specifies the tiering policy used to transition data. Default value is **SNAPSHOT_ONLY**.

- **SNAPSHOT_ONLY** - moves cold snapshots to the capacity pool storage tier.

- **AUTO** - moves cold user data and snapshots to the capacity pool storage tier based on your access patterns.
- **ALL** - moves all user data blocks in both the active file system and Snapshot copies to the storage pool tier.
- **NONE** - keeps a volume's data in the primary storage tier, preventing it from being moved to the capacity pool tier.

Type: String

Valid Values: `SNAPSHOT_ONLY` | `AUTO` | `ALL` | `NONE`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateFileCacheLustreConfiguration

The configuration update for an Amazon File Cache resource.

Contents

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateFileSystemLustreConfiguration

The configuration object for Amazon FSx for Lustre file systems used in the `UpdateFileSystem` operation.

Contents

AutoImportPolicy

(Optional) When you create your file system, your existing S3 objects appear as file and directory listings. Use this property to choose how Amazon FSx keeps your file and directory listing up to date as you add or modify objects in your linked S3 bucket. `AutoImportPolicy` can have the following values:

- **NONE** - (Default) `AutoImport` is off. Amazon FSx only updates file and directory listings from the linked S3 bucket when the file system is created. FSx does not update the file and directory listing for any new or changed objects after choosing this option.
- **NEW** - `AutoImport` is on. Amazon FSx automatically imports directory listings of any new objects added to the linked S3 bucket that do not currently exist in the FSx file system.
- **NEW_CHANGED** - `AutoImport` is on. Amazon FSx automatically imports file and directory listings of any new objects added to the S3 bucket and any existing objects that are changed in the S3 bucket after you choose this option.
- **NEW_CHANGED_DELETED** - `AutoImport` is on. Amazon FSx automatically imports file and directory listings of any new objects added to the S3 bucket, any existing objects that are changed in the S3 bucket, and any objects that were deleted in the S3 bucket.

This parameter is not supported for file systems with a data repository association.

Type: String

Valid Values: NONE | NEW | NEW_CHANGED | NEW_CHANGED_DELETED

Required: No

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 0.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DataCompressionType

Sets the data compression configuration for the file system. DataCompressionType can have the following values:

- NONE - Data compression is turned off for the file system.
- LZ4 - Data compression is turned on with the LZ4 algorithm.

If you don't use DataCompressionType, the file system retains its current data compression configuration.

For more information, see [Lustre data compression](#).

Type: String

Valid Values: NONE | LZ4

Required: No

DataReadCacheConfiguration

Specifies the optional provisioned SSD read cache on Amazon FSx for Lustre file systems that use the Intelligent-Tiering storage class.

Type: [LustreReadCacheConfiguration](#) object

Required: No

LogConfiguration

The Lustre logging configuration used when updating an Amazon FSx for Lustre file system. When logging is enabled, Lustre logs error and warning events for data repositories associated with your file system to Amazon CloudWatch Logs.

Type: [LustreLogCreateConfiguration](#) object

Required: No

MetadataConfiguration

The Lustre metadata performance configuration for an Amazon FSx for Lustre file system using a PERSISTENT_2 deployment type. When this configuration is enabled, the file system supports increasing metadata performance.

Type: [UpdateFileSystemLustreMetadataConfiguration](#) object

Required: No

PerUnitStorageThroughput

The throughput of an Amazon FSx for Lustre Persistent SSD-based file system, measured in megabytes per second per tebibyte (MB/s/TiB). You can increase or decrease your file system's throughput. Valid values depend on the deployment type of the file system, as follows:

- For PERSISTENT_1 SSD-based deployment types, valid values are 50, 100, and 200 MB/s/TiB.
- For PERSISTENT_2 SSD-based deployment types, valid values are 125, 250, 500, and 1000 MB/s/TiB.

For more information, see [Managing throughput capacity](#).

Type: Integer

Valid Range: Minimum value of 12. Maximum value of 1000.

Required: No

RootSquashConfiguration

The Lustre root squash configuration used when updating an Amazon FSx for Lustre file system. When enabled, root squash restricts root-level access from clients that try to access your file system as a root user.

Type: [LustreRootSquashConfiguration](#) object

Required: No

ThroughputCapacity

The throughput of an Amazon FSx for Lustre file system using an Intelligent-Tiering storage class, measured in megabytes per second (MBps). You can only increase your file system's throughput. Valid values are 4000 MBps or multiples of 4000 MBps.

Type: Integer

Valid Range: Minimum value of 4000. Maximum value of 2000000.

Required: No

WeeklyMaintenanceStartTime

(Optional) The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone. d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateFileSystemLustreMetadataConfiguration

The Lustre metadata performance configuration update for an Amazon FSx for Lustre file system using a PERSISTENT_2 deployment type. You can request an increase in your file system's Metadata IOPS and/or switch your file system's metadata configuration mode. For more information, see [Managing metadata performance](#) in the *Amazon FSx for Lustre User Guide*.

Contents

Iops

(USER_PROVISIONED mode only) Specifies the number of Metadata IOPS to provision for your file system.

- For SSD file systems, valid values are 1500, 3000, 6000, 12000, and multiples of 12000 up to a maximum of 192000.
- For Intelligent-Tiering file systems, valid values are 6000 and 12000.

The value you provide must be greater than or equal to the current number of Metadata IOPS provisioned for the file system.

Type: Integer

Valid Range: Minimum value of 1500. Maximum value of 192000.

Required: No

Mode

The metadata configuration mode for provisioning Metadata IOPS for an FSx for Lustre file system using a PERSISTENT_2 deployment type.

- To increase the Metadata IOPS or to switch an SSD file system from AUTOMATIC, specify USER_PROVISIONED as the value for this parameter. Then use the iops parameter to provide a Metadata IOPS value that is greater than or equal to the current number of Metadata IOPS provisioned for the file system.
- To switch from USER_PROVISIONED mode on an SSD file system, specify AUTOMATIC as the value for this parameter, but do not input a value for iops.

Note

- If you request to switch from `USER_PROVISIONED` to `AUTOMATIC` mode and the current Metadata IOPS value is greater than the automated default, FSx for Lustre rejects the request because downscaling Metadata IOPS is not supported.
- `AUTOMATIC` mode is not supported on Intelligent-Tiering file systems. For Intelligent-Tiering file systems, use `USER_PROVISIONED` mode.

Type: String

Valid Values: `AUTOMATIC` | `USER_PROVISIONED`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateFileSystemOntapConfiguration

The configuration updates for an Amazon FSx for NetApp ONTAP file system.

Contents

AddRouteTableIds

(Multi-AZ only) A list of IDs of new virtual private cloud (VPC) route tables to associate (add) with your Amazon FSx for NetApp ONTAP file system.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, 05:00 specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DiskIopsConfiguration

The SSD IOPS (input output operations per second) configuration for an Amazon FSx for NetApp ONTAP file system. The default is 3 IOPS per GB of storage capacity, but you can provision additional IOPS per GB of storage. The configuration consists of an IOPS mode (AUTOMATIC or USER_PROVISIONED), and in the case of USER_PROVISIONED IOPS, the total number of SSD IOPS provisioned. For more information, see [Updating SSD storage capacity and IOPS](#).

Type: [DiskIopsConfiguration](#) object

Required: No

FsxAdminPassword

Update the password for the fsxadmin user by entering a new password. You use the fsxadmin user to access the NetApp ONTAP CLI and REST API to manage your file system resources. For more information, see [Managing resources using NetApp Application](#).

Type: String

Length Constraints: Minimum length of 8. Maximum length of 50.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{8,50}$`

Required: No

HAPairs

Use to update the number of high-availability (HA) pairs for a second-generation single-AZ file system. If you increase the number of HA pairs for your file system, you must specify proportional increases for StorageCapacity, Iops, and ThroughputCapacity. For more information, see [High-availability \(HA\) pairs](#) in the FSx for ONTAP user guide. Block storage protocol support (iSCSI and NVMe over TCP) is disabled on file systems with more than 6 HA pairs. For more information, see [Using block storage protocols](#).

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 12.

Required: No

RemoveRouteTableIds

(Multi-AZ only) A list of IDs of existing virtual private cloud (VPC) route tables to disassociate (remove) from your Amazon FSx for NetApp ONTAP file system. You can use the [DescribeFileSystems](#) API operation to retrieve the list of VPC route table IDs for a file system.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

ThroughputCapacity

Enter a new value to change the amount of throughput capacity for the file system in megabytes per second (MBps). For more information, see [Managing throughput capacity](#) in the FSx for ONTAP User Guide.

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The value of `ThroughputCapacity` and `ThroughputCapacityPerHAPair` are not the same value.
- The value of `ThroughputCapacity` when divided by the value of `HAPairs` is outside of the valid range for `ThroughputCapacity`.

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: No

ThroughputCapacityPerHAPair

Use to choose the throughput capacity per HA pair, rather than the total throughput for the file system.

This field and `ThroughputCapacity` cannot be defined in the same API call, but one is required.

This field and `ThroughputCapacity` are the same for file systems with one HA pair.

- For SINGLE_AZ_1 and MULTI_AZ_1 file systems, valid values are 128, 256, 512, 1024, 2048, or 4096 MBps.
- For SINGLE_AZ_2, valid values are 1536, 3072, or 6144 MBps.
- For MULTI_AZ_2, valid values are 384, 768, 1536, 3072, or 6144 MBps.

Amazon FSx responds with an HTTP status code 400 (Bad Request) for the following conditions:

- The value of `ThroughputCapacity` and `ThroughputCapacityPerHAPair` are not the same value for file systems with one HA pair.
- The value of deployment type is SINGLE_AZ_2 and `ThroughputCapacity / ThroughputCapacityPerHAPair` is not a valid HA pair (a value between 1 and 12).
- The value of `ThroughputCapacityPerHAPair` is not a valid value.

Type: Integer

Valid Range: Minimum value of 128. Maximum value of 6144.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateFileSystemOpenZFSConfiguration

The configuration updates for an Amazon FSx for OpenZFS file system.

Contents

AddRouteTableIds

(Multi-AZ only) A list of IDs of new virtual private cloud (VPC) route tables to associate (add) with your Amazon FSx for OpenZFS file system.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

CopyTagsToBackups

A Boolean value indicating whether tags for the file system should be copied to backups. This value defaults to `false`. If it's set to `true`, all tags for the file system are copied to all automatic and user-initiated backups where the user doesn't specify tags. If this value is `true` and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the file system, regardless of this value.

Type: Boolean

Required: No

CopyTagsToVolumes

A Boolean value indicating whether tags for the volume should be copied to snapshots. This value defaults to `false`. If it's set to `true`, all tags for the volume are copied to snapshots where the user doesn't specify tags. If this value is `true` and you specify one or more tags, only the specified tags are copied to snapshots. If you specify one or more tags when creating the snapshot, no tags are copied from the volume, regardless of this value.

Type: Boolean

Required: No

DailyAutomaticBackupStartTime

A recurring daily time, in the format HH:MM. HH is the zero-padded hour of the day (0-23), and MM is the zero-padded minute of the hour. For example, `05:00` specifies 5 AM daily.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DiskIopsConfiguration

The SSD IOPS (input/output operations per second) configuration for an Amazon FSx for NetApp ONTAP, Amazon FSx for Windows File Server, or FSx for OpenZFS file system. By default, Amazon FSx automatically provisions 3 IOPS per GB of storage capacity. You can provision additional IOPS per GB of storage. The configuration consists of the total number of provisioned SSD IOPS and how it is was provisioned, or the mode (by the customer or by Amazon FSx).

Type: [DiskIopsConfiguration](#) object

Required: No

ReadCacheConfiguration

The configuration for the optional provisioned SSD read cache on file systems that use the Intelligent-Tiering storage class.

Type: [OpenZFSReadCacheConfiguration](#) object

Required: No

RemoveRouteTableIds

(Multi-AZ only) A list of IDs of existing virtual private cloud (VPC) route tables to disassociate (remove) from your Amazon FSx for OpenZFS file system. You can use the [DescribeFileSystems](#) API operation to retrieve the list of VPC route table IDs for a file system.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 12. Maximum length of 21.

Pattern: `^(rtb-[0-9a-f]{8,})$`

Required: No

ThroughputCapacity

The throughput of an Amazon FSx for OpenZFS file system, measured in megabytes per second (MB/s). Valid values depend on the `DeploymentType` you choose, as follows:

- For `MULTI_AZ_1` and `SINGLE_AZ_2`, valid values are 160, 320, 640, 1280, 2560, 3840, 5120, 7680, or 10240 MB/s.
- For `SINGLE_AZ_1`, valid values are 64, 128, 256, 512, 1024, 2048, 3072, or 4096 MB/s.

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone, where d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

For example, 1:05:00 specifies maintenance at 5 AM Monday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateFileSystemWindowsConfiguration

Updates the configuration for an existing Amazon FSx for Windows File Server file system. Amazon FSx only overwrites existing properties with non-null values provided in the request.

Contents

AuditLogConfiguration

The configuration that Amazon FSx for Windows File Server uses to audit and log user accesses of files, folders, and file shares on the Amazon FSx for Windows File Server file system..

Type: [WindowsAuditLogCreateConfiguration](#) object

Required: No

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this property to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days. The default is 30. For more information, see [Working with Automatic Daily Backups](#).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

DailyAutomaticBackupStartTime

The preferred time to start the daily automatic backup, in the UTC time zone, for example, 02:00

Type: String

Length Constraints: Fixed length of 5.

Pattern: ^([01]\d|2[0-3]):?([0-5]\d)\$

Required: No

DiskIOPSConfiguration

The SSD IOPS (input/output operations per second) configuration for an Amazon FSx for Windows file system. By default, Amazon FSx automatically provisions 3 IOPS per GiB of

storage capacity. You can provision additional IOPS per GiB of storage, up to the maximum limit associated with your chosen throughput capacity.

Type: [DiskIopsConfiguration](#) object

Required: No

SelfManagedActiveDirectoryConfiguration

The configuration Amazon FSx uses to join the Windows File Server instance to the self-managed Microsoft AD directory. You cannot make a self-managed Microsoft AD update request if there is an existing self-managed Microsoft AD update request in progress.

Type: [SelfManagedActiveDirectoryConfigurationUpdates](#) object

Required: No

ThroughputCapacity

Sets the target value for a file system's throughput capacity, in MB/s, that you are updating the file system to. Valid values are 8, 16, 32, 64, 128, 256, 512, 1024, 2048. You cannot make a throughput capacity update request if there is an existing throughput capacity update request in progress. For more information, see [Managing Throughput Capacity](#).

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone. Where d is the weekday number, from 1 through 7, with 1 = Monday and 7 = Sunday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateOntapVolumeConfiguration

Used to specify changes to the ONTAP configuration for the volume you are updating.

Contents

CopyTagsToBackups

A boolean flag indicating whether tags for the volume should be copied to backups. This value defaults to false. If it's set to true, all tags for the volume are copied to all automatic and user-initiated backups where the user doesn't specify tags. If this value is true, and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the volume, regardless of this value.

Type: Boolean

Required: No

JunctionPath

Specifies the location in the SVM's namespace where the volume is mounted. The `JunctionPath` must have a leading forward slash, such as `/vol3`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

SecurityStyle

The security style for the volume, which can be UNIX, NTFS, or MIXED.

Type: String

Valid Values: UNIX | NTFS | MIXED

Required: No

SizeInBytes

The configured size of the volume, in bytes.

Type: Long

Valid Range: Minimum value of 0. Maximum value of 22517998000000000.

Required: No

SizeInMegabytes

Specifies the size of the volume in megabytes.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2147483647.

Required: No

SnaplockConfiguration

The configuration object for updating the SnapLock configuration of an FSx for ONTAP SnapLock volume.

Type: [UpdateSnaplockConfiguration](#) object

Required: No

SnapshotPolicy

Specifies the snapshot policy for the volume. There are three built-in snapshot policies:

- `default`: This is the default policy. A maximum of six hourly snapshots taken five minutes past the hour. A maximum of two daily snapshots taken Monday through Saturday at 10 minutes after midnight. A maximum of two weekly snapshots taken every Sunday at 15 minutes after midnight.
- `default-1weekly`: This policy is the same as the `default` policy except that it only retains one snapshot from the weekly schedule.
- `none`: This policy does not take any snapshots. This policy can be assigned to volumes to prevent automatic snapshots from being taken.

You can also provide the name of a custom policy that you created with the ONTAP CLI or REST API.

For more information, see [Snapshot policies](#) in the *Amazon FSx for NetApp ONTAP User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

StorageEfficiencyEnabled

Default is `false`. Set to `true` to enable the deduplication, compression, and compaction storage efficiency features on the volume.

Type: Boolean

Required: No

TieringPolicy

Update the volume's data tiering policy.

Type: [TieringPolicy](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateOpenZFSVolumeConfiguration

Used to specify changes to the OpenZFS configuration for the volume that you are updating.

Contents

DataCompressionType

Specifies the method used to compress the data on the volume. The compression type is NONE by default.

- NONE - Doesn't compress the data on the volume. NONE is the default.
- ZSTD - Compresses the data in the volume using the Zstandard (ZSTD) compression algorithm. Compared to LZ4, Z-Standard provides a better compression ratio to minimize on-disk storage utilization.
- LZ4 - Compresses the data in the volume using the LZ4 compression algorithm. Compared to Z-Standard, LZ4 is less compute-intensive and delivers higher write throughput speeds.

Type: String

Valid Values: NONE | ZSTD | LZ4

Required: No

NfsExports

The configuration object for mounting a Network File System (NFS) file system.

Type: Array of [OpenZFSNfsExport](#) objects

Array Members: Maximum number of 1 item.

Required: No

ReadOnly

A Boolean value indicating whether the volume is read-only.

Type: Boolean

Required: No

RecordSizeKiB

Specifies the record size of an OpenZFS volume, in kibibytes (KiB). Valid values are 4, 8, 16, 32, 64, 128, 256, 512, or 1024 KiB. The default is 128 KiB. Most workloads should use the default record size. Database workflows can benefit from a smaller record size, while streaming workflows can benefit from a larger record size. For additional guidance on when to set a custom record size, see [Tips for maximizing performance](#) in the *Amazon FSx for OpenZFS User Guide*.

Type: Integer

Valid Range: Minimum value of 4. Maximum value of 4096.

Required: No

StorageCapacityQuotaGiB

The maximum amount of storage in gibibytes (GiB) that the volume can use from its parent. You can specify a quota larger than the storage on the parent volume. You can specify a value of -1 to unset a volume's storage capacity quota.

Type: Integer

Valid Range: Minimum value of -1. Maximum value of 2147483647.

Required: No

StorageCapacityReservationGiB

The amount of storage in gibibytes (GiB) to reserve from the parent volume. You can't reserve more storage than the parent volume has reserved. You can specify a value of -1 to unset a volume's storage capacity reservation.

Type: Integer

Valid Range: Minimum value of -1. Maximum value of 2147483647.

Required: No

UserAndGroupQuotas

An object specifying how much storage users or groups can use on the volume.

Type: Array of [OpenZFSUserOrGroupQuota](#) objects

Array Members: Maximum number of 500 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateSnaplockConfiguration

Updates the SnapLock configuration for an existing FSx for ONTAP volume.

Contents

AuditLogVolume

Enables or disables the audit log volume for an FSx for ONTAP SnapLock volume. The default value is `false`. If you set `AuditLogVolume` to `true`, the SnapLock volume is created as an audit log volume. The minimum retention period for an audit log volume is six months.

For more information, see [SnapLock audit log volumes](#).

Type: Boolean

Required: No

AutocommitPeriod

The configuration object for setting the autocommit period of files in an FSx for ONTAP SnapLock volume.

Type: [AutocommitPeriod](#) object

Required: No

PrivilegedDelete

Enables, disables, or permanently disables privileged delete on an FSx for ONTAP SnapLock Enterprise volume. Enabling privileged delete allows SnapLock administrators to delete write once, read many (WORM) files even if they have active retention periods. `PERMANENTLY_DISABLED` is a terminal state. If privileged delete is permanently disabled on a SnapLock volume, you can't re-enable it. The default value is `DISABLED`.

For more information, see [Privileged delete](#).

Type: String

Valid Values: `DISABLED` | `ENABLED` | `PERMANENTLY_DISABLED`

Required: No

RetentionPeriod

Specifies the retention period of an FSx for ONTAP SnapLock volume.

Type: [SnaplockRetentionPeriod](#) object

Required: No

VolumeAppendModeEnabled

Enables or disables volume-append mode on an FSx for ONTAP SnapLock volume. Volume-append mode allows you to create WORM-appendable files and write data to them incrementally. The default value is `false`.

For more information, see [Volume-append mode](#).

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateSvmActiveDirectoryConfiguration

Specifies updates to an FSx for ONTAP storage virtual machine's (SVM) Microsoft Active Directory (AD) configuration. Note that account credentials are not returned in the response payload.

Contents

NetBiosName

Specifies an updated NetBIOS name of the AD computer object NetBiosName to which an SVM is joined.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 15.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,255}$`

Required: No

SelfManagedActiveDirectoryConfiguration

Specifies changes you are making to the self-managed Microsoft Active Directory configuration to which an FSx for Windows File Server file system or an FSx for ONTAP SVM is joined.

Type: [SelfManagedActiveDirectoryConfigurationUpdates](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Volume

Describes an Amazon FSx volume.

Contents

AdministrativeActions

A list of administrative actions for the volume that are in process or waiting to be processed. Administrative actions describe changes to the volume that you have initiated using the `UpdateVolume` action.

Type: Array of [AdministrativeAction](#) objects

Array Members: Maximum number of 50 items.

Required: No

CreationTime

The time that the resource was created, in seconds (since 1970-01-01T00:00:00Z), also known as Unix time.

Type: Timestamp

Required: No

FileSystemId

The globally unique ID of the file system, assigned by Amazon FSx.

Type: String

Length Constraints: Minimum length of 11. Maximum length of 21.

Pattern: `^(fs-[0-9a-f]{8,})$`

Required: No

Lifecycle

The lifecycle status of the volume.

- `AVAILABLE` - The volume is fully available for use.
- `CREATED` - The volume has been created.

- CREATING - Amazon FSx is creating the new volume.
- DELETING - Amazon FSx is deleting an existing volume.
- FAILED - Amazon FSx was unable to create the volume.
- MISCONFIGURED - The volume is in a failed but recoverable state.
- PENDING - Amazon FSx hasn't started creating the volume.

Type: String

Valid Values: CREATING | CREATED | DELETING | FAILED | MISCONFIGURED | PENDING | AVAILABLE

Required: No

LifecycleTransitionReason

The reason why the volume lifecycle status changed.

Type: [LifecycleTransitionReason](#) object

Required: No

Name

The name of the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 203.

Pattern: `^[^\u0000\u0085\u2028\u2029\r\n]{1,203}$`

Required: No

OntapConfiguration

The configuration of an Amazon FSx for NetApp ONTAP volume.

Type: [OntapVolumeConfiguration](#) object

Required: No

OpenZFSConfiguration

The configuration of an Amazon FSx for OpenZFS volume.

Type: [OpenZFSVolumeConfiguration](#) object

Required: No

ResourceARN

The Amazon Resource Name (ARN) for a given resource. ARNs uniquely identify AWS resources. We require an ARN when you need to specify a resource unambiguously across all of AWS. For more information, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 512.

Pattern: `^arn:(?=[^:]+:fsx:[^:]+\d{12}:)((|(?=[a-z0-9-]{1,63})(?!\\d{1,3}(\\.\\d{1,3}){3})(?![^\:]*-){2})(?![^\:]*-\\.)(?![^\:]*\\.-)[a-z0-9].*(?<!--))?:){4}(?!/){0,1024}$`

Required: No

Tags

A list of Tag values, with a maximum of 50 elements.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: No

VolumeId

The system-generated, unique ID of the volume.

Type: String

Length Constraints: Fixed length of 23.

Pattern: `^(fsvol-[0-9a-f]{17,})$`

Required: No

VolumeType

The type of the volume.

Type: String

Valid Values: ONTAP | OPENZFS

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VolumeFilter

A filter used to restrict the results of describe calls for Amazon FSx for NetApp ONTAP or Amazon FSx for OpenZFS volumes. You can use multiple filters to return results that meet all applied filter requirements.

Contents

Name

The name for this filter.

Type: String

Valid Values: `file-system-id` | `storage-virtual-machine-id`

Required: No

Values

The values of the filter. These are all the values for any of the applied filters.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[0-9a-zA-Z\*\.\ \\/\?\-\_\]\*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WindowsAuditLogConfiguration

The configuration that Amazon FSx for Windows File Server uses to audit and log user accesses of files, folders, and file shares on the Amazon FSx for Windows File Server file system. For more information, see [File access auditing](#).

Contents

FileAccessAuditLogLevel

Sets which attempt type is logged by Amazon FSx for file and folder accesses.

- `SUCCESS_ONLY` - only successful attempts to access files or folders are logged.
- `FAILURE_ONLY` - only failed attempts to access files or folders are logged.
- `SUCCESS_AND_FAILURE` - both successful attempts and failed attempts to access files or folders are logged.
- `DISABLED` - access auditing of files and folders is turned off.

Type: String

Valid Values: `DISABLED` | `SUCCESS_ONLY` | `FAILURE_ONLY` | `SUCCESS_AND_FAILURE`

Required: Yes

FileShareAccessAuditLogLevel

Sets which attempt type is logged by Amazon FSx for file share accesses.

- `SUCCESS_ONLY` - only successful attempts to access file shares are logged.
- `FAILURE_ONLY` - only failed attempts to access file shares are logged.
- `SUCCESS_AND_FAILURE` - both successful attempts and failed attempts to access file shares are logged.
- `DISABLED` - access auditing of file shares is turned off.

Type: String

Valid Values: `DISABLED` | `SUCCESS_ONLY` | `FAILURE_ONLY` | `SUCCESS_AND_FAILURE`

Required: Yes

AuditLogDestination

The Amazon Resource Name (ARN) for the destination of the audit logs. The destination can be any Amazon CloudWatch Logs log group ARN or Amazon Kinesis Data Firehose delivery stream ARN.

The name of the Amazon CloudWatch Logs log group must begin with the `/aws/fsx` prefix. The name of the Amazon Kinesis Data Firehose delivery stream must begin with the `aws-fsx` prefix.

The destination ARN (either CloudWatch Logs log group or Kinesis Data Firehose delivery stream) must be in the same AWS partition, AWS Region, and AWS account as your Amazon FSx file system.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 1024.

Pattern: `^arn:[^:]{1,63}:[^:]{0,63}:[^:]{0,63}:(?:|\d{12}):[^/].{0,1023}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WindowsAuditLogCreateConfiguration

The Windows file access auditing configuration used when creating or updating an Amazon FSx for Windows File Server file system.

Contents

FileAccessAuditLogLevel

Sets which attempt type is logged by Amazon FSx for file and folder accesses.

- `SUCCESS_ONLY` - only successful attempts to access files or folders are logged.
- `FAILURE_ONLY` - only failed attempts to access files or folders are logged.
- `SUCCESS_AND_FAILURE` - both successful attempts and failed attempts to access files or folders are logged.
- `DISABLED` - access auditing of files and folders is turned off.

Type: String

Valid Values: `DISABLED` | `SUCCESS_ONLY` | `FAILURE_ONLY` | `SUCCESS_AND_FAILURE`

Required: Yes

FileShareAccessAuditLogLevel

Sets which attempt type is logged by Amazon FSx for file share accesses.

- `SUCCESS_ONLY` - only successful attempts to access file shares are logged.
- `FAILURE_ONLY` - only failed attempts to access file shares are logged.
- `SUCCESS_AND_FAILURE` - both successful attempts and failed attempts to access file shares are logged.
- `DISABLED` - access auditing of file shares is turned off.

Type: String

Valid Values: `DISABLED` | `SUCCESS_ONLY` | `FAILURE_ONLY` | `SUCCESS_AND_FAILURE`

Required: Yes

AuditLogDestination

The Amazon Resource Name (ARN) that specifies the destination of the audit logs.

The destination can be any Amazon CloudWatch Logs log group ARN or Amazon Kinesis Data Firehose delivery stream ARN, with the following requirements:

- The destination ARN that you provide (either CloudWatch Logs log group or Kinesis Data Firehose delivery stream) must be in the same AWS partition, AWS Region, and AWS account as your Amazon FSx file system.
- The name of the Amazon CloudWatch Logs log group must begin with the `/aws/fsx` prefix. The name of the Amazon Kinesis Data Firehose delivery stream must begin with the `aws-fsx` prefix.
- If you do not provide a destination in `AuditLogDestination`, Amazon FSx will create and use a log stream in the CloudWatch Logs `/aws/fsx/windows` log group.
- If `AuditLogDestination` is provided and the resource does not exist, the request will fail with a `BadRequest` error.
- If `FileAccessAuditLogLevel` and `FileShareAccessAuditLogLevel` are both set to `DISABLED`, you cannot specify a destination in `AuditLogDestination`.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 1024.

Pattern: `^arn:[^:]{1,63}:[^:]{0,63}:[^:]{0,63}:(?:|\d{12}):[^/].{0,1023}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WindowsFileSystemConfiguration

The configuration for this Microsoft Windows file system.

Contents

ActiveDirectoryId

The ID for an existing AWS Managed Microsoft Active Directory instance that the file system is joined to.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^d-[0-9a-f]{10}$`

Required: No

Aliases

An array of one or more DNS aliases that are currently associated with the Amazon FSx file system. Aliases allow you to use existing DNS names to access the data in your Amazon FSx file system. You can associate up to 50 aliases with a file system at any time. You can associate additional DNS aliases after you create the file system using the `AssociateFileSystemAliases` operation. You can remove DNS aliases from the file system after it is created using the `DisassociateFileSystemAliases` operation. You only need to specify the alias name in the request payload. For more information, see [DNS aliases](#).

Type: Array of [Alias](#) objects

Array Members: Maximum number of 50 items.

Required: No

AuditLogConfiguration

The configuration that Amazon FSx for Windows File Server uses to audit and log user accesses of files, folders, and file shares on the Amazon FSx for Windows File Server file system.

Type: [WindowsAuditLogConfiguration](#) object

Required: No

AutomaticBackupRetentionDays

The number of days to retain automatic backups. Setting this to 0 disables automatic backups. You can retain automatic backups for a maximum of 90 days.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 90.

Required: No

CopyTagsToBackups

A boolean flag indicating whether tags on the file system should be copied to backups. This value defaults to false. If it's set to true, all tags on the file system are copied to all automatic backups and any user-initiated backups where the user doesn't specify any tags. If this value is true, and you specify one or more tags, only the specified tags are copied to backups. If you specify one or more tags when creating a user-initiated backup, no tags are copied from the file system, regardless of this value.

Type: Boolean

Required: No

DailyAutomaticBackupStartTime

The preferred time to take daily automatic backups, in the UTC time zone.

Type: String

Length Constraints: Fixed length of 5.

Pattern: `^([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

DeploymentType

Specifies the file system deployment type, valid values are the following:

- **MULTI_AZ_1** - Specifies a high availability file system that is configured for Multi-AZ redundancy to tolerate temporary Availability Zone (AZ) unavailability, and supports SSD and HDD storage.
- **SINGLE_AZ_1** - (Default) Specifies a file system that is configured for single AZ redundancy, only supports SSD storage.

- **SINGLE_AZ_2** - Latest generation Single AZ file system. Specifies a file system that is configured for single AZ redundancy and supports SSD and HDD storage.

For more information, see [Single-AZ and Multi-AZ File Systems](#).

Type: String

Valid Values: MULTI_AZ_1 | SINGLE_AZ_1 | SINGLE_AZ_2

Required: No

DiskIopsConfiguration

The SSD IOPS (input/output operations per second) configuration for an Amazon FSx for Windows file system. By default, Amazon FSx automatically provisions 3 IOPS per GiB of storage capacity. You can provision additional IOPS per GiB of storage, up to the maximum limit associated with your chosen throughput capacity.

Type: [DiskIopsConfiguration](#) object

Required: No

MaintenanceOperationsInProgress

The list of maintenance operations in progress for this file system.

Type: Array of strings

Array Members: Maximum number of 20 items.

Valid Values: PATCHING | BACKING_UP

Required: No

PreferredFileServerIp

For MULTI_AZ_1 deployment types, the IP address of the primary, or preferred, file server.

Use this IP address when mounting the file system on Linux SMB clients or Windows SMB clients that are not joined to a Microsoft Active Directory. Applicable for all Windows file system deployment types. This IP address is temporarily unavailable when the file system is undergoing maintenance. For Linux and Windows SMB clients that are joined to an Active Directory, use the file system's DNSName instead. For more information on mapping and mounting file shares, see [Accessing File Shares](#).

Type: String

Length Constraints: Minimum length of 7. Maximum length of 15.

Pattern: `^(([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])\.){3}([0-9]|[1-9][0-9]|1[0-9]{2}|2[0-4][0-9]|25[0-5])$`

Required: No

PreferredSubnetId

For MULTI_AZ_1 deployment types, it specifies the ID of the subnet where the preferred file server is located. Must be one of the two subnet IDs specified in SubnetIds property. Amazon FSx serves traffic from this subnet except in the event of a failover to the secondary file server.

For SINGLE_AZ_1 and SINGLE_AZ_2 deployment types, this value is the same as that for SubnetIDs. For more information, see [Availability and durability: Single-AZ and Multi-AZ file systems](#).

Type: String

Length Constraints: Minimum length of 15. Maximum length of 24.

Pattern: `^(subnet-[0-9a-f]{8,})$`

Required: No

RemoteAdministrationEndpoint

For MULTI_AZ_1 deployment types, use this endpoint when performing administrative tasks on the file system using Amazon FSx Remote PowerShell.

For SINGLE_AZ_1 and SINGLE_AZ_2 deployment types, this is the DNS name of the file system.

This endpoint is temporarily unavailable when the file system is undergoing maintenance.

Type: String

Length Constraints: Minimum length of 16. Maximum length of 275.

Pattern: `^((fs|fc)i?-[0-9a-f]{8,}\.){4,253}$`

Required: No

SelfManagedActiveDirectoryConfiguration

The configuration of the self-managed Microsoft Active Directory (AD) directory to which the Windows File Server or ONTAP storage virtual machine (SVM) instance is joined.

Type: [SelfManagedActiveDirectoryAttributes](#) object

Required: No

ThroughputCapacity

The throughput of the Amazon FSx file system, measured in megabytes per second.

Type: Integer

Valid Range: Minimum value of 8. Maximum value of 100000.

Required: No

WeeklyMaintenanceStartTime

The preferred start time to perform weekly maintenance, formatted d:HH:MM in the UTC time zone. d is the weekday number, from 1 through 7, beginning with Monday and ending with Sunday.

Type: String

Length Constraints: Fixed length of 7.

Pattern: `^[1-7]:([01]\d|2[0-3]):?([0-5]\d)$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400