



API Reference

# AWS Ground Station



**API Version 2019-05-23**

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

## AWS Ground Station: API Reference

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

Welcome .....	1
Actions .....	2
CancelContact .....	4
Request Syntax .....	4
URI Request Parameters .....	4
Request Body .....	4
Response Syntax .....	4
Response Elements .....	4
Errors .....	5
See Also .....	5
CreateConfig .....	7
Request Syntax .....	7
URI Request Parameters .....	7
Request Body .....	7
Response Syntax .....	8
Response Elements .....	8
Errors .....	9
See Also .....	9
CreateDataflowEndpointGroup .....	11
Request Syntax .....	11
URI Request Parameters .....	12
Request Body .....	12
Response Syntax .....	13
Response Elements .....	14
Errors .....	14
See Also .....	14
CreateEphemeris .....	16
Request Syntax .....	16
URI Request Parameters .....	16
Request Body .....	16
Response Syntax .....	18
Response Elements .....	18
Errors .....	19
See Also .....	19

CreateMissionProfile .....	21
Request Syntax .....	21
URI Request Parameters .....	21
Request Body .....	21
Response Syntax .....	24
Response Elements .....	24
Errors .....	24
See Also .....	25
DeleteConfig .....	26
Request Syntax .....	26
URI Request Parameters .....	26
Request Body .....	26
Response Syntax .....	26
Response Elements .....	27
Errors .....	27
See Also .....	28
DeleteDataflowEndpointGroup .....	29
Request Syntax .....	29
URI Request Parameters .....	29
Request Body .....	29
Response Syntax .....	29
Response Elements .....	29
Errors .....	30
See Also .....	30
DeleteEphemeris .....	32
Request Syntax .....	32
URI Request Parameters .....	32
Request Body .....	32
Response Syntax .....	32
Response Elements .....	32
Errors .....	33
See Also .....	33
DeleteMissionProfile .....	35
Request Syntax .....	35
URI Request Parameters .....	35
Request Body .....	35

Response Syntax .....	35
Response Elements .....	35
Errors .....	36
See Also .....	36
DescribeContact .....	38
Request Syntax .....	38
URI Request Parameters .....	38
Request Body .....	38
Response Syntax .....	38
Response Elements .....	39
Errors .....	42
See Also .....	42
DescribeEphemeris .....	44
Request Syntax .....	44
URI Request Parameters .....	44
Request Body .....	44
Response Syntax .....	44
Response Elements .....	45
Errors .....	47
See Also .....	47
GetAgentConfiguration .....	49
Request Syntax .....	49
URI Request Parameters .....	49
Request Body .....	49
Response Syntax .....	49
Response Elements .....	50
Errors .....	50
See Also .....	51
GetConfig .....	52
Request Syntax .....	52
URI Request Parameters .....	52
Request Body .....	52
Response Syntax .....	52
Response Elements .....	53
Errors .....	54
See Also .....	54

GetDataflowEndpointGroup .....	56
Request Syntax .....	56
URI Request Parameters .....	56
Request Body .....	56
Response Syntax .....	56
Response Elements .....	58
Errors .....	59
See Also .....	59
GetMinuteUsage .....	61
Request Syntax .....	61
URI Request Parameters .....	61
Request Body .....	61
Response Syntax .....	62
Response Elements .....	62
Errors .....	63
See Also .....	63
GetMissionProfile .....	65
Request Syntax .....	65
URI Request Parameters .....	65
Request Body .....	65
Response Syntax .....	65
Response Elements .....	66
Errors .....	68
See Also .....	69
GetSatellite .....	70
Request Syntax .....	70
URI Request Parameters .....	70
Request Body .....	70
Response Syntax .....	70
Response Elements .....	71
Errors .....	72
See Also .....	72
ListConfigs .....	74
Request Syntax .....	74
URI Request Parameters .....	74
Request Body .....	74

Response Syntax .....	74
Response Elements .....	75
Errors .....	75
See Also .....	76
ListContacts .....	77
Request Syntax .....	77
URI Request Parameters .....	77
Request Body .....	77
Response Syntax .....	79
Response Elements .....	80
Errors .....	81
See Also .....	81
ListDataflowEndpointGroups .....	82
Request Syntax .....	82
URI Request Parameters .....	82
Request Body .....	82
Response Syntax .....	82
Response Elements .....	83
Errors .....	83
See Also .....	84
ListEphemerides .....	85
Request Syntax .....	85
URI Request Parameters .....	85
Request Body .....	85
Response Syntax .....	86
Response Elements .....	87
Errors .....	87
See Also .....	88
ListGroundStations .....	89
Request Syntax .....	89
URI Request Parameters .....	89
Request Body .....	89
Response Syntax .....	89
Response Elements .....	90
Errors .....	90
See Also .....	91

ListMissionProfiles .....	92
Request Syntax .....	92
URI Request Parameters .....	92
Request Body .....	92
Response Syntax .....	92
Response Elements .....	93
Errors .....	93
See Also .....	94
ListSatellites .....	95
Request Syntax .....	95
URI Request Parameters .....	95
Request Body .....	95
Response Syntax .....	95
Response Elements .....	96
Errors .....	96
See Also .....	97
ListTagsForResource .....	98
Request Syntax .....	98
URI Request Parameters .....	98
Request Body .....	98
Response Syntax .....	98
Response Elements .....	98
Errors .....	99
See Also .....	99
RegisterAgent .....	101
Request Syntax .....	101
URI Request Parameters .....	101
Request Body .....	102
Response Syntax .....	102
Response Elements .....	102
Errors .....	103
See Also .....	103
ReserveContact .....	105
Request Syntax .....	105
URI Request Parameters .....	105
Request Body .....	105

Response Syntax .....	107
Response Elements .....	107
Errors .....	107
See Also .....	108
TagResource .....	109
Request Syntax .....	109
URI Request Parameters .....	109
Request Body .....	109
Response Syntax .....	110
Response Elements .....	110
Errors .....	110
See Also .....	110
UntagResource .....	112
Request Syntax .....	112
URI Request Parameters .....	112
Request Body .....	112
Response Syntax .....	112
Response Elements .....	113
Errors .....	113
See Also .....	113
UpdateAgentStatus .....	115
Request Syntax .....	115
URI Request Parameters .....	115
Request Body .....	116
Response Syntax .....	116
Response Elements .....	117
Errors .....	117
See Also .....	118
UpdateConfig .....	119
Request Syntax .....	119
URI Request Parameters .....	119
Request Body .....	119
Response Syntax .....	120
Response Elements .....	120
Errors .....	121
See Also .....	122

UpdateEphemeris .....	123
Request Syntax .....	123
URI Request Parameters .....	123
Request Body .....	123
Response Syntax .....	124
Response Elements .....	124
Errors .....	125
See Also .....	125
UpdateMissionProfile .....	127
Request Syntax .....	127
URI Request Parameters .....	127
Request Body .....	127
Response Syntax .....	130
Response Elements .....	130
Errors .....	130
See Also .....	131
<b>Data Types .....</b>	<b>132</b>
AgentDetails .....	135
Contents .....	135
See Also .....	136
AggregateStatus .....	137
Contents .....	137
See Also .....	137
AntennaDemodDecodeDetails .....	138
Contents .....	138
See Also .....	138
AntennaDownlinkConfig .....	139
Contents .....	139
See Also .....	139
AntennaDownlinkDemodDecodeConfig .....	140
Contents .....	140
See Also .....	140
AntennaUplinkConfig .....	141
Contents .....	141
See Also .....	141
AwsGroundStationAgentEndpoint .....	142

Contents .....	142
See Also .....	143
ComponentStatusData .....	144
Contents .....	144
See Also .....	145
ComponentVersion .....	146
Contents .....	146
See Also .....	146
ConfigDetails .....	147
Contents .....	147
See Also .....	147
ConfigListItem .....	149
Contents .....	149
See Also .....	150
ConfigTypeData .....	151
Contents .....	151
See Also .....	152
ConnectionDetails .....	153
Contents .....	153
See Also .....	153
ContactData .....	154
Contents .....	154
See Also .....	157
DataflowDetail .....	158
Contents .....	158
See Also .....	158
DataflowEndpoint .....	159
Contents .....	159
See Also .....	160
DataflowEndpointConfig .....	161
Contents .....	161
See Also .....	161
DataflowEndpointListItem .....	162
Contents .....	162
See Also .....	162
DecodeConfig .....	163

Contents .....	163
See Also .....	163
DemodulationConfig .....	164
Contents .....	164
See Also .....	164
Destination .....	165
Contents .....	165
See Also .....	166
DiscoveryData .....	167
Contents .....	167
See Also .....	168
Eirp .....	169
Contents .....	169
See Also .....	169
Elevation .....	170
Contents .....	170
See Also .....	170
EndpointDetails .....	171
Contents .....	171
See Also .....	172
EphemerisData .....	173
Contents .....	173
See Also .....	173
EphemerisDescription .....	175
Contents .....	175
See Also .....	175
EphemerisItem .....	176
Contents .....	176
See Also .....	177
EphemerisMetaData .....	179
Contents .....	179
See Also .....	180
EphemerisTypeDescription .....	181
Contents .....	181
See Also .....	181
Frequency .....	182

Contents .....	182
See Also .....	182
FrequencyBandwidth .....	183
Contents .....	183
See Also .....	183
GroundStationData .....	184
Contents .....	184
See Also .....	185
IntegerRange .....	186
Contents .....	186
See Also .....	186
KmsKey .....	187
Contents .....	187
See Also .....	188
MissionProfileListItem .....	189
Contents .....	189
See Also .....	190
OEMEphemeris .....	191
Contents .....	191
See Also .....	191
RangedConnectionDetails .....	193
Contents .....	193
See Also .....	193
RangedSocketAddress .....	194
Contents .....	194
See Also .....	194
S3Object .....	195
Contents .....	195
See Also .....	196
S3RecordingConfig .....	197
Contents .....	197
See Also .....	197
S3RecordingDetails .....	199
Contents .....	199
See Also .....	199
SatelliteListItem .....	200

Contents .....	200
See Also .....	201
SecurityDetails .....	202
Contents .....	202
See Also .....	202
SocketAddress .....	203
Contents .....	203
See Also .....	203
Source .....	204
Contents .....	204
See Also .....	205
SpectrumConfig .....	206
Contents .....	206
See Also .....	206
TimeRange .....	208
Contents .....	208
See Also .....	208
TLEData .....	209
Contents .....	209
See Also .....	210
TLEEphemeris .....	211
Contents .....	211
See Also .....	211
TrackingConfig .....	212
Contents .....	212
See Also .....	212
UplinkEchoConfig .....	213
Contents .....	213
See Also .....	213
UplinkSpectrumConfig .....	214
Contents .....	214
See Also .....	214
<b>Common Parameters .....</b>	<b>215</b>
<b>Common Errors .....</b>	<b>218</b>

# Welcome

Welcome to the AWS Ground Station API Reference. AWS Ground Station is a fully managed service that enables you to control satellite communications, downlink and process satellite data, and scale your satellite operations efficiently and cost-effectively without having to build or manage your own ground station infrastructure.

This document was last published on July 24, 2025.

# Actions

The following actions are supported:

- [CancelContact](#)
- [CreateConfig](#)
- [CreateDataflowEndpointGroup](#)
- [CreateEphemeris](#)
- [CreateMissionProfile](#)
- [DeleteConfig](#)
- [DeleteDataflowEndpointGroup](#)
- [DeleteEphemeris](#)
- [DeleteMissionProfile](#)
- [DescribeContact](#)
- [DescribeEphemeris](#)
- [GetAgentConfiguration](#)
- [GetConfig](#)
- [GetDataflowEndpointGroup](#)
- [GetMinuteUsage](#)
- [GetMissionProfile](#)
- [GetSatellite](#)
- [ListConfigs](#)
- [ListContacts](#)
- [ListDataflowEndpointGroups](#)
- [ListEphemerides](#)
- [ListGroundStations](#)
- [ListMissionProfiles](#)
- [ListSatellites](#)
- [ListTagsForResource](#)
- [RegisterAgent](#)
- [ReserveContact](#)

- [TagResource](#)
- [UntagResource](#)
- [UpdateAgentStatus](#)
- [UpdateConfig](#)
- [UpdateEphemeris](#)
- [UpdateMissionProfile](#)

# CancelContact

Cancels a contact with a specified contact ID.

## Request Syntax

```
DELETE /contact/contactId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### contactId

UUID of a contact.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "contactId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [contactId](#)

UUID of a contact.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateConfig

Creates a Config with the specified configData parameters.

Only one type of configData can be specified.

## Request Syntax

```
POST /config HTTP/1.1
Content-type: application/json

{
  "configData": { ... },
  "name": "string",
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### configData

Parameters of a Config.

Type: [ConfigTypeData](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

### name

Name of a Config.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: Yes

### tags

Tags assigned to a Config.

Type: String to string map

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "configArn": "string",
    "configId": "string",
    "configType": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### configArn

ARN of a Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

### configId

UUID of a Config.

Type: String

### [configType](#)

Type of a Config.

Type: String

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceLimitExceededException**

Account limits for this resource have been exceeded.

HTTP Status Code: 429

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateDataflowEndpointGroup

Creates a DataflowEndpoint group containing the specified list of DataflowEndpoint objects.

The name field in each endpoint is used in your mission profile DataflowEndpointConfig to specify which endpoints to use during a contact.

When a contact uses multiple DataflowEndpointConfig objects, each Config must match a DataflowEndpoint in the same group.

## Request Syntax

```
POST /dataflowEndpointGroup HTTP/1.1
Content-type: application/json

{
  "contactPostPassDurationSeconds": number,
  "contactPrePassDurationSeconds": number,
  "endpointDetails": [
    {
      "awsGroundStationAgentEndpoint": {
        "agentStatus": "string",
        "auditResults": "string",
        "egressAddress": {
          "mtu": number,
          "socketAddress": {
            "name": "string",
            "port": number
          }
        },
        "ingressAddress": {
          "mtu": number,
          "socketAddress": {
            "name": "string",
            "portRange": {
              "maximum": number,
              "minimum": number
            }
          }
        }
      },
      "name": "string"
    }
  ]
}
```

```
"endpoint": {  
    "address        "name": "string",  
        "port": number  
    },  
    "mtu": number,  
    "name": "string",  
    "status": "string"  
},  
"healthReasons": [ "string" ],  
"healthStatus": "string",  
"securityDetails": {  
    "roleArn": "string",  
    "securityGroupIds": [ "string" ],  
    "subnetIds": [ "string" ]  
}  
}  
}  
],  
"tags": {  
    "string" : "string"  
}  
}  
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [contactPostPassDurationSeconds](#)

Amount of time, in seconds, after a contact ends that the Ground Station Dataflow Endpoint Group will be in a POSTPASS state. A Ground Station Dataflow Endpoint Group State Change event will be emitted when the Dataflow Endpoint Group enters and exits the POSTPASS state.

Type: Integer

Valid Range: Minimum value of 120. Maximum value of 480.

Required: No

## [contactPrePassDurationSeconds](#)

Amount of time, in seconds, before a contact starts that the Ground Station Dataflow Endpoint Group will be in a PREPASS state. A Ground Station Dataflow Endpoint Group State Change event will be emitted when the Dataflow Endpoint Group enters and exits the PREPASS state.

Type: Integer

Valid Range: Minimum value of 120. Maximum value of 480.

Required: No

## [endpointDetails](#)

Endpoint details of each endpoint in the dataflow endpoint group. All dataflow endpoints within a single dataflow endpoint group must be of the same type. You cannot mix [AWS Ground Station Agent endpoints](#) with [Dataflow endpoints](#) in the same group. If your use case requires both types of endpoints, you must create separate dataflow endpoint groups for each type.

Type: Array of [EndpointDetails](#) objects

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Required: Yes

## [tags](#)

Tags of a dataflow endpoint group.

Type: String to string map

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "dataflowEndpointGroupId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [dataflowEndpointGroupId](#)

UUID of a dataflow endpoint group.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateEphemeris

Creates an Ephemeris with the specified EphemerisData.

## Request Syntax

```
POST /ephemeris HTTP/1.1
Content-type: application/json

{
    "enabled": boolean,
    "ephemeris": { ... },
    "expirationTime": number,
    "kmsKeyArn": "string",
    "name": "string",
    "priority": number,
    "satelliteId": "string",
    "tags": {
        "string" : "string"
    }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### enabled

Whether to set the ephemeris status to ENABLED after validation.

Setting this to false will set the ephemeris status to DISABLED after validation.

Type: Boolean

Required: No

### ephemeris

Ephemeris data.

Type: [EphemerisData object](#)

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### [expirationTime](#)

An overall expiration time for the ephemeris in UTC, after which it will become EXPIRED.

Type: Timestamp

Required: No

### [kmsKeyArn](#)

The ARN of a KMS key used to encrypt the ephemeris in Ground Station.

Type: String

Required: No

### [name](#)

A name string associated with the ephemeris. Used as a human-readable identifier for the ephemeris.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: Yes

### [priority](#)

Customer-provided priority score to establish the order in which overlapping ephemerides should be used.

The default for customer-provided ephemeris priority is 1, and higher numbers take precedence.

Priority must be 1 or greater

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 99999.

Required: No

### satelliteId

AWS Ground Station satellite ID for this ephemeris.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### tags

Tags assigned to an ephemeris.

Type: String to string map

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ephemerisId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ephemerisId

The AWS Ground Station ephemeris ID.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### DependencyException

Dependency encountered an error.

HTTP Status Code: 531

### InvalidArgumentException

One or more parameters are not valid.

HTTP Status Code: 431

### ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateMissionProfile

Creates a mission profile.

dataflowEdges is a list of lists of strings. Each lower level list of strings has two elements: a *from* ARN and a *to* ARN.

## Request Syntax

```
POST /missionprofile HTTP/1.1
Content-type: application/json

{
    "contactPostPassDurationSeconds": number,
    "contactPrePassDurationSeconds": number,
    "dataflowEdges": [
        [ "string" ]
    ],
    "minimumViableContactDurationSeconds": number,
    "name": "string",
    "streamsKmsKey": { ... },
    "streamsKmsRole": "string",
    "tags": {
        "string": "string"
    },
    "trackingConfigArn": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [contactPostPassDurationSeconds](#)

Amount of time after a contact ends that you'd like to receive a Ground Station Contact State Change event indicating the pass has finished.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 21600.

Required: No

### [contactPrePassDurationSeconds](#)

Amount of time prior to contact start you'd like to receive a Ground Station Contact State Change event indicating an upcoming pass.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 21600.

Required: No

### [dataflowEdges](#)

A list of lists of ARNs. Each list of ARNs is an edge, with a *from* Config and a *to* Config.

Type: Array of arrays of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Array Members: Fixed number of 2 items.

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

Required: Yes

### [minimumViableContactDurationSeconds](#)

Smallest amount of time in seconds that you'd like to see for an available contact. AWS Ground Station will not present you with contacts shorter than this duration.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 21600.

Required: Yes

### [name](#)

Name of a mission profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: Yes

### [streamsKmsKey](#)

KMS key to use for encrypting streams.

Type: [KmsKey](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### [streamsKmsRole](#)

Role to use for encrypting streams with KMS key.

Type: String

Required: No

### [tags](#)

Tags assigned to a mission profile.

Type: String to string map

Required: No

### [trackingConfigArn](#)

ARN of a tracking Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "missionProfileId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [\*\*missionProfileId\*\*](#)

UUID of a mission profile.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteConfig

Deletes a Config.

## Request Syntax

```
DELETE /config/configType/configId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### configId

UUID of a Config.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### configType

Type of a Config.

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
    "configArn": "string",  
    "configId": "string",  
    "configType": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [configArn](#)

ARN of a Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

### [configId](#)

UUID of a Config.

Type: String

### [configType](#)

Type of a Config.

Type: String

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## DependencyException

Dependency encountered an error.

HTTP Status Code: 531

## InvalidParameterException

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteDataflowEndpointGroup

Deletes a dataflow endpoint group.

## Request Syntax

```
DELETE /dataflowEndpointGroup/dataflowEndpointGroupId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [dataflowEndpointGroupId](#)

UUID of a dataflow endpoint group.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "dataflowEndpointGroupId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [dataflowEndpointGroupId](#)

UUID of a dataflow endpoint group.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteEphemeris

Deletes an ephemeris

## Request Syntax

```
DELETE /ephemeris/ephemerisId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ephemerisId

The AWS Ground Station ephemeris ID.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ephemerisId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## ephemerisId

The AWS Ground Station ephemeris ID.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteMissionProfile

Deletes a mission profile.

## Request Syntax

```
DELETE /missionprofile/missionProfileId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### missionProfileId

UUID of a mission profile.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "missionProfileId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## missionProfileId

UUID of a mission profile.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeContact

Describes an existing contact.

## Request Syntax

```
GET /contact/contactId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [contactId](#)

UUID of a contact.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "contactId": "string",
  "contactStatus": "string",
  "dataflowList": [
    {
      "destination": {
        "configDetails": { ... },
        "configId": "string",
        "configType": "string",
        "dataflowDestinationRegion": "string"
      }
    }
  ]
}
```

```
        },
        "errorMessage": "string",
        "source": {
            "configDetailsconfigId": "string",
            "configType": "string",
            "dataflowSourceRegion": "string"
        }
    }
],
"endTime": number,
"errorMessage": "string",
"groundStation": "string",
"maximumElevation": {
    "unit": "string",
    "value": number
},
"missionProfileArn": "string",
"postPassEndTime": number,
"prePassStartTime": number,
"region": "string",
"satelliteArn": "string",
"startTime": number,
"tags": {
    "string" : "string"
},
"visibilityEndTime": number,
"visibilityStartTime": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### contactId

UUID of a contact.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## [contactStatus](#)

Status of a contact.

Type: String

Valid Values: SCHEDULING | FAILED\_TO\_SCHEDULE | SCHEDULED | CANCELLED | AWS\_CANCELLED | PREPASS | PASS | POSTPASS | COMPLETED | FAILED | AVAILABLE | CANCELLING | AWS\_FAILED

## [dataflowList](#)

List describing source and destination details for each dataflow edge.

Type: Array of [DataflowDetail](#) objects

## [endTime](#)

End time of a contact in UTC.

Type: Timestamp

## [errorMessage](#)

Error message for a contact.

Type: String

## [groundStation](#)

Ground station for a contact.

Type: String

## [maximumElevation](#)

Maximum elevation angle of a contact.

Type: [Elevation](#) object

## [missionProfileArn](#)

ARN of a mission profile.

Type: String

Length Constraints: Minimum length of 89. Maximum length of 138.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:mission-profile/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

### [postPassEndTime](#)

Amount of time after a contact ends that you'd like to receive a CloudWatch event indicating the pass has finished.

Type: Timestamp

### [prePassStartTime](#)

Amount of time prior to contact start you'd like to receive a CloudWatch event indicating an upcoming pass.

Type: Timestamp

### [region](#)

Region of a contact.

Type: String

### [satelliteArn](#)

ARN of a satellite.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 132.

Pattern: `arn:aws:groundstation:([-a-zA-Z0-9]{1,50})?:[0-9]{12}:satellite/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

### [startTime](#)

Start time of a contact in UTC.

Type: Timestamp

### [tags](#)

Tags assigned to a contact.

Type: String to string map

## [visibilityEndTime](#)

Projected time in UTC your satellite will set below the [receive mask](#). This time is based on the satellite's current active ephemeris for future contacts and the ephemeris that was active during contact execution for completed contacts.

Type: Timestamp

## [visibilityStartTime](#)

Projected time in UTC your satellite will rise above the [receive mask](#). This time is based on the satellite's current active ephemeris for future contacts and the ephemeris that was active during contact execution for completed contacts.

Type: Timestamp

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeEphemeris

Describes an existing ephemeris.

## Request Syntax

```
GET /ephemeris/ephemerisId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### ephemerisId

The AWS Ground Station ephemeris ID.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "creationTimeenabledephemerisIdinvalidReasonnameprioritysatelliteIdstatus
```

```
"suppliedData": { ... },  
"tags": {  
    "string": "string"  
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### creationTime

The time the ephemeris was uploaded in UTC.

Type: Timestamp

### enabled

Whether or not the ephemeris is enabled.

Type: Boolean

### ephemerisId

The AWS Ground Station ephemeris ID.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

### invalidReason

Reason that an ephemeris failed validation. Only provided for ephemerides with INVALID status.

Type: String

Valid Values: METADATA\_INVALID | TIME\_RANGE\_INVALID | TRAJECTORY\_INVALID | KMS\_KEY\_INVALID | VALIDATION\_ERROR

## [name](#)

A name string associated with the ephemeris. Used as a human-readable identifier for the ephemeris.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

## [priority](#)

Customer-provided priority score to establish the order in which overlapping ephemerides should be used.

The default for customer-provided ephemeris priority is 1, and higher numbers take precedence.

Priority must be 1 or greater

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 99999.

## [satelliteId](#)

The AWS Ground Station satellite ID associated with ephemeris.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## [status](#)

The status of the ephemeris.

Type: String

Valid Values: VALIDATING | INVALID | ERROR | ENABLED | DISABLED | EXPIRED

## [suppliedData](#)

Supplied ephemeris data.

Type: [EphemerisTypeDescription](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

## [tags](#)

Tags assigned to an ephemeris.

Type: String to string map

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetAgentConfiguration

## Note

For use by AWS Ground Station Agent and shouldn't be called directly.

Gets the latest configuration information for a registered agent.

## Request Syntax

```
GET /agent/agentId/configuration HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### agentId

UUID of agent to get configuration information for.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "agentId": "string",
  "taskingDocument": "string"
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### agentId

UUID of agent.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

### taskingDocument

Tasking document for agent.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

## HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetConfig

Returns Config information.

Only one Config response can be returned.

## Request Syntax

```
GET /config/configType/configId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [configId](#)

UUID of a Config.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### [configType](#)

Type of a Config.

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
    "configArn": "string",  
    "configData": { ... },  
    "configId": "string",  
    "configType": "string",  
    "name": "string",  
    "tags": {  
        "string" : "string"  
    }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [configArn](#)

ARN of a Config

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

### [configData](#)

Data elements in a Config.

Type: [ConfigTypeData](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

### [configId](#)

UUID of a Config.

Type: String

### [configType](#)

Type of a Config.

Type: String

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

### [name](#)

Name of a Config.

Type: String

### [tags](#)

Tags assigned to a Config.

Type: String to string map

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetDataflowEndpointGroup

Returns the dataflow endpoint group.

## Request Syntax

```
GET /dataflowEndpointGroup/dataflowEndpointGroupId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [dataflowEndpointGroupId](#)

UUID of a dataflow endpoint group.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "contactPostPassDurationSeconds": number,
  "contactPrePassDurationSeconds": number,
  "dataflowEndpointGroupArn": "string",
  "dataflowEndpointGroupId": "string",
  "endpointsDetails": [
    {
      "awsGroundStationAgentEndpoint": {
        "agentStatusstring",
        "auditResults": "string",
        "egressAddress": {
```

```
        "mtu": number,
        "socketAddress": {
            "name": "string",
            "port": number
        }
    },
    "ingressAddress": {
        "mtu": number,
        "socketAddress": {
            "name": "string",
            "portRange": {
                "maximum": number,
                "minimum": number
            }
        }
    },
    "name": "string"
},
"endpoint": {
    "address": {
        "name": "string",
        "port": number
    },
    "mtu": number,
    "name": "string",
    "status": "string"
},
"healthReasons": [ "string" ],
"healthStatus": "string",
"securityDetails": {
    "roleArn": "string",
    "securityGroupIds": [ "string" ],
    "subnetIds": [ "string" ]
}
},
"tags": {
    "string" : "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [contactPostPassDurationSeconds](#)

Amount of time, in seconds, after a contact ends that the Ground Station Dataflow Endpoint Group will be in a POSTPASS state. A Ground Station Dataflow Endpoint Group State Change event will be emitted when the Dataflow Endpoint Group enters and exits the POSTPASS state.

Type: Integer

Valid Range: Minimum value of 120. Maximum value of 480.

### [contactPrePassDurationSeconds](#)

Amount of time, in seconds, before a contact starts that the Ground Station Dataflow Endpoint Group will be in a PREPASS state. A Ground Station Dataflow Endpoint Group State Change event will be emitted when the Dataflow Endpoint Group enters and exits the PREPASS state.

Type: Integer

Valid Range: Minimum value of 120. Maximum value of 480.

### [dataflowEndpointGroupArn](#)

ARN of a dataflow endpoint group.

Type: String

Length Constraints: Minimum length of 97. Maximum length of 146.

Pattern: `arn:aws:groundstation:[-a-z0-9]{1,50}:[0-9]{12}:dataflow-endpoint-group/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

### [dataflowEndpointGroupId](#)

UUID of a dataflow endpoint group.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## [endpointsDetails](#)

Details of a dataflow endpoint.

Type: Array of [EndpointDetails](#) objects

Array Members: Minimum number of 0 items. Maximum number of 500 items.

## [tags](#)

Tags assigned to a dataflow endpoint group.

Type: String to string map

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetMinuteUsage

Returns the number of reserved minutes used by account.

## Request Syntax

```
POST /minute-usage HTTP/1.1
Content-type: application/json

{
    "monthnumber,
    "yearnumber
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### month

The month being requested, with a value of 1-12.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 12.

Required: Yes

### year

The year being requested, in the format of YYYY.

Type: Integer

Valid Range: Minimum value of 2018. Maximum value of 3000.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "estimatedMinutesRemaining": number,
    "isReservedMinutesCustomerboolean,
    "totalReservedMinuteAllocation": number,
    "totalScheduledMinutes": number,
    "upcomingMinutesScheduled": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [\*\*estimatedMinutesRemaining\*\*](#)

Estimated number of minutes remaining for an account, specific to the month being requested.

Type: Integer

### [\*\*isReservedMinutesCustomer\*\*](#)

Returns whether or not an account has signed up for the reserved minutes pricing plan, specific to the month being requested.

Type: Boolean

### [\*\*totalReservedMinuteAllocation\*\*](#)

Total number of reserved minutes allocated, specific to the month being requested.

Type: Integer

### [\*\*totalScheduledMinutes\*\*](#)

Total scheduled minutes for an account, specific to the month being requested.

Type: Integer

## [upcomingMinutesScheduled](#)

Upcoming minutes scheduled for an account, specific to the month being requested.

Type: Integer

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetMissionProfile

Returns a mission profile.

## Request Syntax

```
GET /missionprofile/missionProfileId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### missionProfileId

UUID of a mission profile.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "contactPostPassDurationSeconds": number,
    "contactPrePassDurationSeconds": number,
    "dataflowEdges": [
        [ "string" ]
    ],
    "minimumViableContactDurationSeconds": number,
    "missionProfileArn": "string",
    "missionProfileId": "string",
```

```
"name": "string",
"region": "string",
"streamsKmsKey": { ... },
"streamsKmsRole": "string",
"tags": {
    "string" : "string"
},
"trackingConfigArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [contactPostPassDurationSeconds](#)

Amount of time after a contact ends that you'd like to receive a CloudWatch event indicating the pass has finished.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 21600.

### [contactPrePassDurationSeconds](#)

Amount of time prior to contact start you'd like to receive a CloudWatch event indicating an upcoming pass.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 21600.

### [dataflowEdges](#)

A list of lists of ARNs. Each list of ARNs is an edge, with a *from* Config and a *to* Config.

Type: Array of arrays of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Array Members: Fixed number of 2 items.

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?`

### [minimumViableContactDurationSeconds](#)

Smallest amount of time in seconds that you'd like to see for an available contact. AWS Ground Station will not present you with contacts shorter than this duration.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 21600.

### [missionProfileArn](#)

ARN of a mission profile.

Type: String

Length Constraints: Minimum length of 89. Maximum length of 138.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:mission-profile/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

### [missionProfileId](#)

UUID of a mission profile.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

### [name](#)

Name of a mission profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9_-]{1,256}`

### [region](#)

Region of a mission profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [\w-]+

### [streamsKmsKey](#)

KMS key to use for encrypting streams.

Type: [KmsKey](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

### [streamsKmsRole](#)

Role to use for encrypting streams with KMS key.

Type: String

### [tags](#)

Tags assigned to a mission profile.

Type: String to string map

### [trackingConfigArn](#)

ARN of a tracking Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSatellite

Returns a satellite.

## Request Syntax

```
GET /satellite/satelliteId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### satelliteId

UUID of a satellite.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "currentEphemerisstring",
    "epoch": number,
    "name": "string",
    "source": "string"
  },
  "groundStationsstring" ],
  "noradSatelliteIDnumber,
}
```

```
"satelliteArn": "string",  
"satelliteId": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [currentEphemeris](#)

The current ephemeris being used to compute the trajectory of the satellite.

Type: [EphemerisMetaData](#) object

### [groundStations](#)

A list of ground stations to which the satellite is on-boarded.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Length Constraints: Minimum length of 4. Maximum length of 500.

Pattern: [ a-zA-Z0-9-\_:=]{4,256}

### [noradSatelliteID](#)

NORAD satellite ID number.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 99999.

### [satelliteArn](#)

ARN of a satellite.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 132.

Pattern: arn:aws:groundstation:([-a-zA-Z0-9]{1,50})?:[0-9]{12}:satellite/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## [satelliteId](#)

UUID of a satellite.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListConfigs

Returns a list of Config objects.

## Request Syntax

```
GET /config?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

Maximum number of Configs returned.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

Next token returned in the request of a previous ListConfigs call. Used to get the next page of results.

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=\_.=]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "configListconfigArnstring",
      "configIdstring",
```

```
        "configType": "string",
        "name": "string"
    },
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [configList](#)

List of Config items.

Type: Array of [ConfigListItem](#) objects

### [nextToken](#)

Next token returned in the response of a previous `ListConfigs` call. Used to get the next page of results.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=\_.]+

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListContacts

Returns a list of contacts.

If `statusList` contains AVAILABLE, the request must include `groundStation`, `missionprofileArn`, and `satelliteArn`.

## Request Syntax

```
POST /contacts HTTP/1.1
Content-type: application/json

{
    "endTime": number,
    "groundStation": "string",
    "maxResults": number,
    "missionProfileArn": "string",
    "nextToken": "string",
    "satelliteArn": "string",
    "startTime": number,
    "statusList": [ "string" ]
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### endTime

End time of a contact in UTC.

Type: Timestamp

Required: Yes

### groundStation

Name of a ground station.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 500.

Pattern: [ a-zA-Z0-9-.\_:=]{4,256}

Required: No

### maxResults

Maximum number of contacts returned.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

### missionProfileArn

ARN of a mission profile.

Type: String

Length Constraints: Minimum length of 89. Maximum length of 138.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:mission-profile/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

### nextToken

Next token returned in the request of a previous `ListContacts` call. Used to get the next page of results.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=.]+

Required: No

### satelliteArn

ARN of a satellite.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 132.

Pattern: arn:aws:groundstation:([-a-z0-9]{1,50})?:[0-9]{12}:satellite/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

### startTime

Start time of a contact in UTC.

Type: Timestamp

Required: Yes

### statusList

Status of a contact reservation.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Valid Values: SCHEDULING | FAILED\_TO\_SCHEDULE | SCHEDULED | CANCELLED | AWS\_CANCELLED | PREPASS | PASS | POSTPASS | COMPLETED | FAILED | AVAILABLE | CANCELLING | AWS\_FAILED

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "contactListcontactIdcontactStatusendTimeerrorMessage
```

```
  "groundStation": "string",
  "maximumElevation": {
    "unit": "string",
    "value": number
  },
  "missionProfileArn": "string",
  "postPassEndTime": number,
  "prePassStartTime": number,
  "region": "string",
  "satelliteArn": "string",
  "startTime": number,
  "tags": {
    "string" : "string"
  },
  "visibilityEndTime": number,
  "visibilityStartTime": number
},
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [contactList](#)

List of contacts.

Type: Array of [ContactData](#) objects

### [nextToken](#)

Next token returned in the response of a previous `ListContacts` call. Used to get the next page of results.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=]+

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### DependencyException

Dependency encountered an error.

HTTP Status Code: 531

### InvalidParameterException

One or more parameters are not valid.

HTTP Status Code: 431

### ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDataflowEndpointGroups

Returns a list of DataflowEndpoint groups.

## Request Syntax

```
GET /dataflowEndpointGroup?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

Maximum number of dataflow endpoint groups returned.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

Next token returned in the request of a previous `ListDataflowEndpointGroups` call. Used to get the next page of results.

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=\_.=]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "dataflowEndpointGroupList": [
    {
      "dataflowEndpointGroupArnstring",
      "dataflowEndpointGroupIdstring"
    }
  ]
}
```

```
    }
],
"nextToken
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [dataflowEndpointGroupList](#)

A list of dataflow endpoint groups.

Type: Array of [DataflowEndpointListItem](#) objects

### [nextToken](#)

Next token returned in the response of a previous `ListDataflowEndpointGroups` call. Used to get the next page of results.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+\_.=]+

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListEphemerides

List existing ephemerides.

## Request Syntax

```
POST /ephemerides?maxResults=maxResults&nextToken=nextToken HTTP/1.1
Content-type: application/json

{
    "endTime": number,
    "satelliteId": "string",
    "startTime": number,
    "statusList": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### maxResults

Maximum number of ephemerides to return.

Valid Range: Minimum value of 1. Maximum value of 100.

### nextToken

Pagination token.

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/\_.=]+

## Request Body

The request accepts the following data in JSON format.

### endTime

The end time to list in UTC. The operation will return an ephemeris if its expiration time is within the time range defined by the startTime and endTime.

Type: Timestamp

Required: Yes

### satelliteId

The AWS Ground Station satellite ID to list ephemeris for.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### startTime

The start time to list in UTC. The operation will return an ephemeris if its expiration time is within the time range defined by the startTime and endTime.

Type: Timestamp

Required: Yes

### statusList

The list of ephemeris status to return.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Valid Values: VALIDATING | INVALID | ERROR | ENABLED | DISABLED | EXPIRED

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ephemerides": [
    {
      "start_time": "2018-06-01T00:00:00Z",
      "end_time": "2018-06-01T00:01:00Z",
      "status": "VALIDATING"
    }
  ]
}
```

```
"creationTimenumber,  
"enabledboolean,  
"ephemerisIdstring",  
"namestring",  
"prioritynumber,  
"sourceS3Object    "bucketstring",  
    "keystring",  
    "versionstring"  
},  
"statusstring"  
},  
],  
"nextTokenstring"  

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ephemerides

List of ephemerides.

Type: Array of [EphemerisItem](#) objects

Array Members: Minimum number of 1 item. Maximum number of 500 items.

### nextToken

Pagination token.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/\_.=]+

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## DependencyException

Dependency encountered an error.

HTTP Status Code: 531

## InvalidParameterException

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListGroundStations

Returns a list of ground stations.

## Request Syntax

```
GET /groundstation?maxResults=maxResults&nextToken=nextToken&satelliteId=satelliteId
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### maxResults

Maximum number of ground stations returned.

Valid Range: Minimum value of 1. Maximum value of 100.

### nextToken

Next token that can be supplied in the next call to get the next page of ground stations.

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+\_.=]+

### satelliteId

Satellite ID to retrieve on-boarded ground stations.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
    "groundStationList": [  
        {  
            "groundStationId": "string",  
            "groundStationName": "string",  
            "region": "string"  
        }  
    ],  
    "nextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [groundStationList](#)

List of ground stations.

Type: Array of [GroundStationData](#) objects

### [nextToken](#)

Next token that can be supplied in the next call to get the next page of ground stations.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=\_.=]+

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListMissionProfiles

Returns a list of mission profiles.

## Request Syntax

```
GET /missionprofile?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

Maximum number of mission profiles returned.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

Next token returned in the request of a previous ListMissionProfiles call. Used to get the next page of results.

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=\_.=]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "missionProfileList": [
        {
            "missionProfileArnstring",
            "missionProfileIdstring",
        }
    \\]
}
```

```
        "name": "string",
        "region": "string"
    },
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [missionProfileList](#)

List of mission profiles.

Type: Array of [MissionProfileListItem](#) objects

### [nextToken](#)

Next token returned in the response of a previous `ListMissionProfiles` call. Used to get the next page of results.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+=\_.]+

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSatellites

Returns a list of satellites.

## Request Syntax

```
GET /satellite?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

Maximum number of satellites returned.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

Next token that can be supplied in the next call to get the next page of satellites.

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+\_.=]+

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "satellites": [
        {
            "currentEphemeris": {
                "ephemerisIdstring",
```

```
        "epoch": number,
        "name": "string",
        "source": "string"
    },
    "groundStations": [ "string" ],
    "noradSatelliteID": number,
    "satelliteArn": "string",
    "satelliteId": "string"
}
]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [nextToken](#)

Next token that can be supplied in the next call to get the next page of satellites.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 1000.

Pattern: [A-Za-z0-9-/+\_.=]+

### [satellites](#)

List of satellites.

Type: Array of [SatelliteListItem](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

## InvalidOperationException

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTagsForResource

Returns a list of tags for a specified resource.

## Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

ARN of a resource.

Length Constraints: Minimum length of 5. Maximum length of 1024.

Pattern: (`arn:aws:`)`[\s\S]{0,1024}`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## tags

Tags assigned to a resource.

Type: String to string map

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# RegisterAgent

## Note

For use by AWS Ground Station Agent and shouldn't be called directly.

Registers a new agent with AWS Ground Station.

## Request Syntax

```
POST /agent HTTP/1.1
Content-type: application/json

{
  "agentDetails": {
    "agentCpuCores": [ number ],
    "agentVersion": "string",
    "componentVersions": [
      {
        "componentType": "string",
        "versions": [ "string" ]
      }
    ],
    "instanceId": "string",
    "instanceType": "string",
    "reservedCpuCores": [ number ]
  },
  "discoveryData": {
    "capabilityArns": [ "string" ],
    "privateIpAddresses": [ "string" ],
    "publicIpAddresses": [ "string" ]
  },
  "tags": {
    "string": "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### agentDetails

Detailed information about the agent being registered.

Type: [AgentDetails](#) object

Required: Yes

### discoveryData

Data for associating an agent with the capabilities it is managing.

Type: [DiscoveryData](#) object

Required: Yes

### tags

Tags assigned to an Agent.

Type: String to string map

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "agentId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## agentId

UUID of registered agent.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ReserveContact

Reserves a contact using specified parameters.

## Request Syntax

```
POST /contact HTTP/1.1
Content-type: application/json

{
  "endTime": number,
  "groundStation": "string",
  "missionProfileArn": "string",
  "satelliteArn": "string",
  "startTime": number,
  "tags": {
    "string": "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### endTime

End time of a contact in UTC.

Type: Timestamp

Required: Yes

### groundStation

Name of a ground station.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 500.

Pattern: [ a-zA-Z0-9-.:\_]{4,256}

Required: Yes

### missionProfileArn

ARN of a mission profile.

Type: String

Length Constraints: Minimum length of 89. Maximum length of 138.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:mission-profile/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### satelliteArn

ARN of a satellite

Type: String

Length Constraints: Minimum length of 82. Maximum length of 132.

Pattern: arn:aws:groundstation:([-a-zA-Z0-9]{1,50})?:[0-9]{12}:satellite/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### startTime

Start time of a contact in UTC.

Type: Timestamp

Required: Yes

### tags

Tags assigned to a contact.

Type: String to string map

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "contactId
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [\*\*contactId\*\*](#)

UUID of a contact.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Assigns a tag to a resource.

## Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string": "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### [resourceArn](#)

ARN of a resource tag.

Length Constraints: Minimum length of 5. Maximum length of 1024.

Pattern: (`arn:aws:`)`[\s\S]{0,1024}`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### [tags](#)

Tags assigned to a resource.

Type: String to string map

Required: Yes

## Response Syntax

HTTP/1.1 200

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### DependencyException

Dependency encountered an error.

HTTP Status Code: 531

### InvalidParameterException

One or more parameters are not valid.

HTTP Status Code: 431

### ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Deassigns a resource tag.

## Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

ARN of a resource.

Length Constraints: Minimum length of 5. Maximum length of 1024.

Pattern: (`arn:aws:`)`[\s\S]{0,1024}`

Required: Yes

### tagKeys

Keys of a resource tag.

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Length Constraints: Minimum length of 1.

Pattern: `[\s\S]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### DependencyException

Dependency encountered an error.

HTTP Status Code: 531

### InvalidParameterException

One or more parameters are not valid.

HTTP Status Code: 431

### ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# UpdateAgentStatus

## Note

For use by AWS Ground Station Agent and shouldn't be called directly.

Update the status of the agent.

## Request Syntax

```
PUT /agent/agentId HTTP/1.1
Content-type: application/json

{
  "aggregateStatus": {
    "signatureMap": {
      "string": boolean
    },
    "status": "string"
  },
  "componentStatuses": [
    {
      "bytesReceived": number,
      "bytesSent": number,
      "capabilityArn": "string",
      "componentType": "string",
      "dataflowId": "string",
      "packetsDropped": number,
      "status": "string"
    }
  ],
  "taskId": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### agentId

UUID of agent to update.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### aggregateStatus

Aggregate status for agent.

Type: [AggregateStatus](#) object

Required: Yes

### componentStatuses

List of component statuses for agent.

Type: Array of [ComponentStatusData](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Required: Yes

### taskId

GUID of agent task.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Response Syntax

HTTP/1.1 200

```
Content-type: application/json

{
    "agentId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [agentId](#)

UUID of updated agent.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateConfig

Updates the Config used when scheduling contacts.

Updating a Config will not update the execution parameters for existing future contacts scheduled with this Config.

## Request Syntax

```
PUT /config/configType/configId HTTP/1.1
Content-type: application/json

{
  "configDatanamestring"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### configId

UUID of a Config.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### configType

Type of a Config.

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## configData

Parameters of a Config.

Type: [ConfigTypeData](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

## name

Name of a Config.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configArn": "string",
  "configId": "string",
  "configType": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### configArn

ARN of a Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-z0-9]{1,50}:[0-9]{12}:config/[a-z0-9]+(-[a-z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

### configId

UUID of a Config.

Type: String

### configType

Type of a Config.

Type: String

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidParameterException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateEphemeris

Updates an existing ephemeris

## Request Syntax

```
PUT /ephemeris/ephemerisId HTTP/1.1
Content-type: application/json

{
    "enabledboolean,
    "namestring",
    "prioritynumber
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ephemerisId

The AWS Ground Station ephemeris ID.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### enabled

Whether the ephemeris is enabled or not. Changing this value will not require the ephemeris to be re-validated.

Type: Boolean

Required: Yes

## [name](#)

A name string associated with the ephemeris. Used as a human-readable identifier for the ephemeris.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: No

## [priority](#)

Customer-provided priority score to establish the order in which overlapping ephemerides should be used.

The default for customer-provided ephemeris priority is 1, and higher numbers take precedence.

Priority must be 1 or greater

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 99999.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ephemerisId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [ephemerisId](#)

The AWS Ground Station ephemeris ID.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

### **ResourceNotFoundException**

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateMissionProfile

Updates a mission profile.

Updating a mission profile will not update the execution parameters for existing future contacts.

## Request Syntax

```
PUT /missionprofile/missionProfileId HTTP/1.1
Content-type: application/json

{
    "contactPostPassDurationSecondsnumber,
    "contactPrePassDurationSecondsnumber,
    "dataflowEdgesstring" ]
    ],
    "minimumViableContactDurationSecondsnumber,
    "namestring",
    "streamsKmsKeystreamsKmsRolestring",
    "trackingConfigArnstring"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### missionProfileId

UUID of a mission profile.

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## [contactPostPassDurationSeconds](#)

Amount of time after a contact ends that you'd like to receive a Ground Station Contact State Change event indicating the pass has finished.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 21600.

Required: No

## [contactPrePassDurationSeconds](#)

Amount of time after a contact ends that you'd like to receive a Ground Station Contact State Change event indicating the pass has finished.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 21600.

Required: No

## [dataflowEdges](#)

A list of lists of ARNs. Each list of ARNs is an edge, with a *from* Config and a *to* Config.

Type: Array of arrays of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Array Members: Fixed number of 2 items.

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?`

Required: No

## [minimumViableContactDurationSeconds](#)

Smallest amount of time in seconds that you'd like to see for an available contact. AWS Ground Station will not present you with contacts shorter than this duration.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 21600.

Required: No

### [name](#)

Name of a mission profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: No

### [streamsKmsKey](#)

KMS key to use for encrypting streams.

Type: [KmsKey](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### [streamsKmsRole](#)

Role to use for encrypting streams with KMS key.

Type: String

Required: No

### [trackingConfigArn](#)

ARN of a tracking Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "missionProfileId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [\*\*missionProfileId\*\*](#)

UUID of a mission profile.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### **DependencyException**

Dependency encountered an error.

HTTP Status Code: 531

### **InvalidArgumentException**

One or more parameters are not valid.

HTTP Status Code: 431

## ResourceNotFoundException

Resource was not found.

HTTP Status Code: 434

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The AWS Ground Station API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AgentDetails](#)
- [AggregateStatus](#)
- [AntennaDemodDecodeDetails](#)
- [AntennaDownlinkConfig](#)
- [AntennaDownlinkDemodDecodeConfig](#)
- [AntennaUplinkConfig](#)
- [AwsGroundStationAgentEndpoint](#)
- [ComponentStatusData](#)
- [ComponentVersion](#)
- [ConfigDetails](#)
- [ConfigListItem](#)
- [ConfigTypeData](#)
- [ConnectionDetails](#)
- [ContactData](#)
- [DataflowDetail](#)
- [DataflowEndpoint](#)
- [DataflowEndpointConfig](#)
- [DataflowEndpointListItem](#)
- [DecodeConfig](#)
- [DemodulationConfig](#)

- [Destination](#)
- [DiscoveryData](#)
- [Eirp](#)
- [Elevation](#)
- [EndpointDetails](#)
- [EphemerisData](#)
- [EphemerisDescription](#)
- [EphemerisItem](#)
- [EphemerisMetaData](#)
- [EphemerisTypeDescription](#)
- [Frequency](#)
- [FrequencyBandwidth](#)
- [GroundStationData](#)
- [IntegerRange](#)
- [KmsKey](#)
- [MissionProfileListItem](#)
- [OEMEphemeris](#)
- [RangedConnectionDetails](#)
- [RangedSocketAddress](#)
- [S3Object](#)
- [S3RecordingConfig](#)
- [S3RecordingDetails](#)
- [SatelliteListItem](#)
- [SecurityDetails](#)
- [SocketAddress](#)
- [Source](#)
- [SpectrumConfig](#)
- [TimeRange](#)
- [TLEDATA](#)
- [TLEEphemeris](#)

- [TrackingConfig](#)
- [UplinkEchoConfig](#)
- [UplinkSpectrumConfig](#)

# AgentDetails

Detailed information about the agent.

## Contents

### agentVersion

Current agent version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern:  $(0|[1-9]\d*)(\.(0|[1-9]\d*))^*$

Required: Yes

### componentVersions

List of versions being used by agent components.

Type: Array of [ComponentVersion](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

### instanceId

ID of EC2 instance agent is running on.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 64.

Pattern:  $[a-z0-9-]{10,64}$

Required: Yes

### instanceType

Type of EC2 instance agent is running on.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-z0-9.-]{1,64}

Required: Yes

## agentCpuCores

List of CPU cores reserved for the agent.

Type: Array of integers

Array Members: Minimum number of 0 items. Maximum number of 256 items.

Required: No

## reservedCpuCores

### Note

This field should not be used. Use agentCpuCores instead.

List of CPU cores reserved for processes other than the agent running on the EC2 instance.

Type: Array of integers

Array Members: Minimum number of 0 items. Maximum number of 256 items.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AggregateStatus

Aggregate status of Agent components.

## Contents

### **status**

Aggregate status.

Type: String

Valid Values: SUCCESS | FAILED | ACTIVE | INACTIVE

Required: Yes

### **signatureMap**

Sparse map of failure signatures.

Type: String to boolean map

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AntennaDemodDecodeDetails

Details about an antenna demod decode Config used in a contact.

## Contents

### **outputNode**

Name of an antenna demod decode output node used in a contact.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AntennaDownlinkConfig

Information about how AWS Ground Station should configure an antenna for downlink during a contact.

## Contents

### spectrumConfig

Object that describes a spectral Config.

Type: [SpectrumConfig](#) object

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AntennaDownlinkDemodDecodeConfig

Information about how AWS Ground Station should configure an antenna for downlink demod decode during a contact.

## Contents

### decodeConfig

Information about the decode Config.

Type: [DecodeConfig](#) object

Required: Yes

### demodulationConfig

Information about the demodulation Config.

Type: [DemodulationConfig](#) object

Required: Yes

### spectrumConfig

Information about the spectral Config.

Type: [SpectrumConfig](#) object

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AntennaUplinkConfig

Information about the uplink Config of an antenna.

## Contents

### spectrumConfig

Information about the uplink spectral Config.

Type: [UplinkSpectrumConfig](#) object

Required: Yes

### targetEirp

EIRP of the target.

Type: [Eirp](#) object

Required: Yes

### transmitDisabled

Whether or not uplink transmit is disabled.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AwsGroundStationAgentEndpoint

Information about AwsGroundStationAgentEndpoint.

## Contents

### egressAddress

The egress address of AgentEndpoint.

Type: [ConnectionDetails](#) object

Required: Yes

### ingressAddress

The ingress address of AgentEndpoint.

Type: [RangedConnectionDetails](#) object

Required: Yes

### name

Name string associated with AgentEndpoint. Used as a human-readable identifier for AgentEndpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: Yes

### agentStatus

The status of AgentEndpoint.

Type: String

Valid Values: SUCCESS | FAILED | ACTIVE | INACTIVE

Required: No

## auditResults

The results of the audit.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComponentStatusData

Data on the status of agent components.

## Contents

### capabilityArn

Capability ARN of the component.

Type: String

Required: Yes

### componentType

The Component type.

Type: String

Pattern: [a-zA-Z0-9\_]{1,64}

Required: Yes

### dataflowId

Dataflow UUID associated with the component.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

### status

Component status.

Type: String

Valid Values: SUCCESS | FAILED | ACTIVE | INACTIVE

Required: Yes

**bytesReceived**

Bytes received by the component.

Type: Long

Required: No

**bytesSent**

Bytes sent by the component.

Type: Long

Required: No

**packetsDropped**

Packets dropped by component.

Type: Long

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ComponentVersion

Version information for agent components.

## Contents

### componentType

Component type.

Type: String

Pattern: [a-zA-Z0-9\_]{1,64}

Required: Yes

### versions

List of versions.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: (0|[1-9]\d\*)(\.(0|[1-9]\d\*))\*

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigDetails

Details for certain Config object types in a contact.

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

### antennaDemodDecodeDetails

Details for antenna demod decode Config in a contact.

Type: [AntennaDemodDecodeDetails](#) object

Required: No

### endpointDetails

Information about the endpoint details.

Type: [EndpointDetails](#) object

Required: No

### s3RecordingDetails

Details for an S3 recording Config in a contact.

Type: [S3RecordingDetails](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigListItem

An item in a list of Config objects.

## Contents

### configArn

ARN of a Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: `arn:aws:groundstation:[-a-z0-9]{1,50}:[0-9]{12}:config/[a-z0-9]+(-[a-z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./{1,256})?`

Required: No

### configId

UUID of a Config.

Type: String

Required: No

### configType

Type of a Config.

Type: String

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

Required: No

### name

Name of a Config.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConfigTypeData

Object containing the parameters of a Config.

See the subtype definitions for what each type of Config contains.

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

### antennaDownlinkConfig

Information about how AWS Ground Station should configure an antenna for downlink during a contact.

Type: [AntennaDownlinkConfig](#) object

Required: No

### antennaDownlinkDemodDecodeConfig

Information about how AWS Ground Station should configure an antenna for downlink demod decode during a contact.

Type: [AntennaDownlinkDemodDecodeConfig](#) object

Required: No

### antennaUplinkConfig

Information about how AWS Ground Station should configure an antenna for uplink during a contact.

Type: [AntennaUplinkConfig](#) object

Required: No

### dataflowEndpointConfig

Information about the dataflow endpoint Config.

Type: [DataflowEndpointConfig](#) object

Required: No

### s3RecordingConfig

Information about an S3 recording Config.

Type: [S3RecordingConfig](#) object

Required: No

### trackingConfig

Object that determines whether tracking should be used during a contact executed with this Config in the mission profile.

Type: [TrackingConfig](#) object

Required: No

### uplinkEchoConfig

Information about an uplink echo Config.

Parameters from the AntennaUplinkConfig, corresponding to the specified AntennaUplinkConfigArn, are used when this UplinkEchoConfig is used in a contact.

Type: [UplinkEchoConfig](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ConnectionDetails

Egress address of AgentEndpoint with an optional mtu.

## Contents

### socketAddress

A socket address.

Type: [SocketAddress](#) object

Required: Yes

### mtu

Maximum transmission unit (MTU) size in bytes of a dataflow endpoint.

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ContactData

Data describing a contact.

## Contents

### **contactId**

UUID of a contact.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

### **contactStatus**

Status of a contact.

Type: String

Valid Values: SCHEDULING | FAILED\_TO\_SCHEDULE | SCHEDULED | CANCELLED | AWS\_CANCELLED | PREPASS | PASS | POSTPASS | COMPLETED | FAILED | AVAILABLE | CANCELLING | AWS\_FAILED

Required: No

### **endTime**

End time of a contact in UTC.

Type: Timestamp

Required: No

### **errorMessage**

Error message of a contact.

Type: String

Required: No

**groundStation**

Name of a ground station.

Type: String

Required: No

**maximumElevation**

Maximum elevation angle of a contact.

Type: [Elevation](#) object

Required: No

**missionProfileArn**

ARN of a mission profile.

Type: String

Length Constraints: Minimum length of 89. Maximum length of 138.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:mission-profile/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

**postPassEndTime**

Amount of time after a contact ends that you'd like to receive a CloudWatch event indicating the pass has finished.

Type: Timestamp

Required: No

**prePassStartTime**

Amount of time prior to contact start you'd like to receive a CloudWatch event indicating an upcoming pass.

Type: Timestamp

Required: No

**region**

Region of a contact.

Type: String

Required: No

**satelliteArn**

ARN of a satellite.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 132.

Pattern: `arn:aws:groundstation:([-a-zA-Z0-9]{1,50})?:[0-9]{12}:satellite/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

**startTime**

Start time of a contact in UTC.

Type: Timestamp

Required: No

**tags**

Tags assigned to a contact.

Type: String to string map

Required: No

**visibilityEndTime**

Projected time in UTC your satellite will set below the [receive mask](#). This time is based on the satellite's current active ephemeris for future contacts and the ephemeris that was active during contact execution for completed contacts. *This field is not present for contacts with a SCHEDULING or SCHEDULED status.*

Type: Timestamp

Required: No

### **visibilityStartTime**

Projected time in UTC your satellite will rise above the [receive mask](#). This time is based on the satellite's current active ephemeris for future contacts and the ephemeris that was active during contact execution for completed contacts. *This field is not present for contacts with a SCHEDULING or SCHEDULED status.*

Type: Timestamp

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DataflowDetail

Information about a dataflow edge used in a contact.

## Contents

### destination

Dataflow details for the destination side.

Type: [Destination object](#)

Required: No

### errorMessage

Error message for a dataflow.

Type: String

Required: No

### source

Dataflow details for the source side.

Type: [Source object](#)

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DataflowEndpoint

Information about a dataflow endpoint.

## Contents

### address

Socket address of a dataflow endpoint.

Type: [SocketAddress](#) object

Required: No

### mtu

Maximum transmission unit (MTU) size in bytes of a dataflow endpoint.

Type: Integer

Valid Range: Minimum value of 1400. Maximum value of 1500.

Required: No

### name

Name of a dataflow endpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: No

### status

Status of a dataflow endpoint.

Type: String

Valid Values: created | creating | deleted | deleting | failed

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DataflowEndpointConfig

Information about the dataflow endpoint Config.

## Contents

### **dataflowEndpointName**

Name of a dataflow endpoint.

Type: String

Required: Yes

### **dataflowEndpointRegion**

Region of a dataflow endpoint.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DataflowEndpointListItem

Item in a list of DataflowEndpoint groups.

## Contents

### **dataflowEndpointGroupArn**

ARN of a dataflow endpoint group.

Type: String

Length Constraints: Minimum length of 97. Maximum length of 146.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:dataflow-endpoint-group/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

### **dataflowEndpointGroupId**

UUID of a dataflow endpoint group.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DecodeConfig

Information about the decode Config.

## Contents

### unvalidatedJSON

Unvalidated JSON of a decode Config.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 8192.

Pattern: [{}\\[\\]:., "0-9A-Za-z\\-\_\\s]{2,8192}

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DemodulationConfig

Information about the demodulation Config.

## Contents

### unvalidatedJSON

Unvalidated JSON of a demodulation Config.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 8192.

Pattern: [{}\\[\\]:., "0-9A-Za-z\\-\_\\s]{2,8192}

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Destination

Dataflow details for the destination side.

## Contents

### configDetails

Additional details for a Config, if type is dataflow endpoint or antenna demod decode.

Type: [ConfigDetails](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### configId

UUID of a Config.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

### configType

Type of a Config.

Type: String

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

Required: No

### dataflowDestinationRegion

Region of a dataflow destination.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DiscoveryData

Data for agent discovery.

## Contents

### capabilityArns

List of capabilities to associate with agent.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

### privateIpAddresses

List of private IP addresses to associate with agent.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 7. Maximum length of 16.

Pattern: \d{1,3}\.\d{1,3}\.\d{1,3}\.\d{1,3}

Required: Yes

### publicIpAddresses

List of public IP addresses to associate with agent.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 7. Maximum length of 16.

Pattern: \d{1,3}\.\d{1,3}\.\d{1,3}\.\d{1,3}

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Eirp

Object that represents EIRP.

## Contents

### units

Units of an EIRP.

Type: String

Valid Values: dBW

Required: Yes

### value

Value of an EIRP. Valid values are between 20.0 to 50.0 dBW.

Type: Double

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Elevation

Elevation angle of the satellite in the sky during a contact.

## Contents

### unit

Elevation angle units.

Type: String

Valid Values: DEGREE\_ANGLE | RADIANT

Required: Yes

### value

Elevation angle value.

Type: Double

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EndpointDetails

Information about the endpoint details.

## Contents

### **awsGroundStationAgentEndpoint**

An agent endpoint.

Type: [AwsGroundStationAgentEndpoint](#) object

Required: No

### **endpoint**

A dataflow endpoint.

Type: [DataflowEndpoint](#) object

Required: No

### **healthReasons**

Health reasons for a dataflow endpoint. This field is ignored when calling `CreateDataflowEndpointGroup`.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Valid Values: NO\_REGISTERED\_AGENT | INVALID\_IP\_OWNERSHIP | NOTAUTHORIZED\_TO\_CREATE\_SLR | UNVERIFIED\_IP\_OWNERSHIP | INITIALIZING\_DATAPLANE | DATAPLANE\_FAILURE | HEALTHY

Required: No

### **healthStatus**

A dataflow endpoint health status. This field is ignored when calling `CreateDataflowEndpointGroup`.

Type: String

Valid Values: **HEALTHY** | **UNHEALTHY**

Required: No

### **securityDetails**

Endpoint security details including a list of subnets, a list of security groups and a role to connect streams to instances.

Type: [SecurityDetails](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EphemerisData

Ephemeris data.

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

### **oem**

Ephemeris data in Orbit Ephemeris Message (OEM) format.

AWS Ground Station processes OEM Customer Provided Ephemerides according to the [CCSDS standard](#) with some extra restrictions. OEM files should be in KVN format. For more detail about the OEM format that AWS Ground Station supports, see [OEM ephemeris format](#) in the AWS Ground Station user guide.

Type: [OEMEphemeris](#) object

Required: No

### **tle**

Two-line element set (TLE) ephemeris.

Type: [TLEEphemeris](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# EphemerisDescription

Description of ephemeris.

## Contents

### ephemerisData

Supplied ephemeris data.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [\s\S]+

Required: No

### sourceS3Object

Source S3 object used for the ephemeris.

Type: [S3Object](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EphemerisItem

Ephemeris item.

## Contents

### **creationTime**

The time the ephemeris was uploaded in UTC.

Type: Timestamp

Required: No

### **enabled**

Whether or not the ephemeris is enabled.

Type: Boolean

Required: No

### **ephemerisId**

The AWS Ground Station ephemeris ID.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

### **name**

A name string associated with the ephemeris. Used as a human-readable identifier for the ephemeris.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: No

### **priority**

Customer-provided priority score to establish the order in which overlapping ephemerides should be used.

The default for customer-provided ephemeris priority is 1, and higher numbers take precedence.

Priority must be 1 or greater

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 99999.

Required: No

### **sourceS3Object**

Source S3 object used for the ephemeris.

Type: [S3Object](#) object

Required: No

### **status**

The status of the ephemeris.

Type: String

Valid Values: VALIDATING | INVALID | ERROR | ENABLED | DISABLED | EXPIRED

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# EphemerisMetaData

Metadata describing a particular ephemeris.

## Contents

### source

The EphemerisSource that generated a given ephemeris.

Type: String

Valid Values: CUSTOMER\_PROVIDED | SPACE\_TRACK

Required: Yes

### ephemerisId

UUID of a customer-provided ephemeris.

This field is not populated for default ephemerides from Space Track.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

### epoch

The epoch of a default, ephemeris from Space Track in UTC.

This field is not populated for customer-provided ephemerides.

Type: Timestamp

Required: No

### name

A name string associated with the ephemeris. Used as a human-readable identifier for the ephemeris.

A name is only returned for customer-provider ephemerides that have a name associated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [ a-zA-Z0-9\_-:-]{1,256}

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EphemerisTypeDescription

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

#### **oem**

Description of ephemeris.

Type: [EphemerisDescription](#) object

Required: No

#### **tle**

Description of ephemeris.

Type: [EphemerisDescription](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Frequency

Object that describes the frequency.

## Contents

### units

Frequency units.

Type: String

Valid Values: GHz | MHz | kHz

Required: Yes

### value

Frequency value. Valid values are between 2200 to 2300 MHz and 7750 to 8400 MHz for downlink and 2025 to 2120 MHz for uplink.

Type: Double

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FrequencyBandwidth

Object that describes the frequency bandwidth.

## Contents

### units

Frequency bandwidth units.

Type: String

Valid Values: GHz | MHz | kHz

Required: Yes

### value

Frequency bandwidth value. AWS Ground Station currently has the following bandwidth limitations:

- For AntennaDownlinkDemodDecodeconfig, valid values are between 125 kHz to 650 MHz.
- For AntennaDownlinkconfig, valid values are between 10 kHz to 54 MHz.
- For AntennaUplinkConfig, valid values are between 10 kHz to 54 MHz.

Type: Double

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GroundStationData

Information about the ground station data.

## Contents

### groundStationId

UUID of a ground station.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 500.

Pattern: [ a-zA-Z0-9-.:=]{4,256}

Required: No

### groundStationName

Name of a ground station.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 500.

Pattern: [ a-zA-Z0-9-.:=]{4,256}

Required: No

### region

Ground station Region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [\w-]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IntegerRange

An integer range that has a minimum and maximum value.

## Contents

### maximum

A maximum value.

Type: Integer

Required: Yes

### minimum

A minimum value.

Type: Integer

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

## KmsKey

KMS key info.

### Contents

#### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

#### kmsAliasArn

KMS Alias Arn.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `arn:aws[a-zA-Z-]{0,16}:kms:[-a-zA-Z0-9]{1,50}:[0-9]{12}:((alias/[a-zA-Z0-9:_-]{1,256}))`

Required: No

#### kmsAliasName

KMS Alias Name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `alias/[a-zA-Z0-9:_-]+`

Required: No

#### kmsKeyArn

KMS Key Arn.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MissionProfileListItem

Item in a list of mission profiles.

## Contents

### missionProfileArn

ARN of a mission profile.

Type: String

Length Constraints: Minimum length of 89. Maximum length of 138.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:mission-profile/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

### missionProfileId

UUID of a mission profile.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

### name

Name of a mission profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9_-]{1,256}`

Required: No

### region

Region of a mission profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [\w-]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# OEMEphemeris

Ephemeris data in Orbit Ephemeris Message (OEM) format.

AWS Ground Station processes OEM Customer Provided Ephemerides according to the [CCSDS standard](#) with some extra restrictions. OEM files should be in KVN format. For more detail about the OEM format that AWS Ground Station supports, see [OEM ephemeris format](#) in the AWS Ground Station user guide.

## Contents

### **oemData**

The data for an OEM ephemeris, supplied directly in the request rather than through an S3 object.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [\s\S]+

Required: No

### **s3Object**

Identifies the S3 object to be used as the ephemeris.

Type: [S3Object](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# RangedConnectionDetails

Ingress address of AgentEndpoint with a port range and an optional mtu.

## Contents

### socketAddress

A ranged socket address.

Type: [RangedSocketAddress](#) object

Required: Yes

### mtu

Maximum transmission unit (MTU) size in bytes of a dataflow endpoint.

Type: Integer

Valid Range: Minimum value of 1400. Maximum value of 1500.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RangedSocketAddress

A socket address with a port range.

## Contents

### **name**

IPv4 socket address.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 16.

Pattern: \d{1,3}\.\d{1,3}\.\d{1,3}\.\d{1,3}

Required: Yes

### **portRange**

Port range of a socket address.

Type: [IntegerRange](#) object

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# S3Object

Object stored in S3 containing ephemeris data.

## Contents

### bucket

An Amazon S3 Bucket name.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9.-]{3,63}

Required: No

### key

An Amazon S3 key for the ephemeris.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: [a-zA-Z0-9!\*'\\)\\(./\_-]{1,1024}

Required: No

### version

For versioned S3 objects, the version to use for the ephemeris.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: [\s\S]{1,1024}

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# S3RecordingConfig

Information about an S3 recording Config.

## Contents

### bucketArn

ARN of the bucket to record to.

Type: String

Required: Yes

### roleArn

ARN of the role Ground Station assumes to write data to the bucket.

Type: String

Required: Yes

### prefix

S3 Key prefix to preface data files.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 900.

Pattern: ([a-zA-Z0-9\-=/]\{satellite\_id\}\{config-name\}\{s3-config-id\}\{year\}\{month\}\{day\}){1,900}

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# S3RecordingDetails

Details about an S3 recording Config used in a contact.

## Contents

### bucketArn

ARN of the bucket used.

Type: String

Required: No

### keyTemplate

Key template used for the S3 Recording Configuration

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SatelliteListItem

Item in a list of satellites.

## Contents

### currentEphemeris

The current ephemeris being used to compute the trajectory of the satellite.

Type: [EphemerisMetaData](#) object

Required: No

### groundStations

A list of ground stations to which the satellite is on-boarded.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 500 items.

Length Constraints: Minimum length of 4. Maximum length of 500.

Pattern: [ a-zA-Z0-9-\_:=]{4, 256}

Required: No

### noradSatelliteID

NORAD satellite ID number.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 99999.

Required: No

### satelliteArn

ARN of a satellite.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 132.

Pattern: `arn:aws:groundstation:([-a-zA-Z0-9]{1,50})?:[0-9]{12}:satellite/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

### **satelliteId**

UUID of a satellite.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SecurityDetails

Information about endpoints.

## Contents

### roleArn

ARN to a role needed for connecting streams to your instances.

Type: String

Required: Yes

### securityGroupIds

The security groups to attach to the elastic network interfaces.

Type: Array of strings

Required: Yes

### subnetIds

A list of subnets where AWS Ground Station places elastic network interfaces to send streams to your instances.

Type: Array of strings

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SocketAddress

Information about the socket address.

## Contents

### **name**

Name of a socket address.

Type: String

Required: Yes

### **port**

Port of a socket address.

Type: Integer

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Source

Dataflow details for the source side.

## Contents

### configDetails

Additional details for a Config, if type is dataflow-endpoint or antenna-downlink-demod-decode

Type: [ConfigDetails](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### configId

UUID of a Config.

Type: String

Required: No

### configType

Type of a Config.

Type: String

Valid Values: antenna-downlink | antenna-downlink-demod-decode | tracking | dataflow-endpoint | antenna-uplink | uplink-echo | s3-recording

Required: No

### dataflowSourceRegion

Region of a dataflow source.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SpectrumConfig

Object that describes a spectral Config.

## Contents

### bandwidth

Bandwidth of a spectral Config. AWS Ground Station currently has the following bandwidth limitations:

- For AntennaDownlinkDemodDecodeconfig, valid values are between 125 kHz to 650 MHz.
- For AntennaDownlinkconfig valid values are between 10 kHz to 54 MHz.
- For AntennaUplinkConfig, valid values are between 10 kHz to 54 MHz.

Type: [FrequencyBandwidth](#) object

Required: Yes

### centerFrequency

Center frequency of a spectral Config. Valid values are between 2200 to 2300 MHz and 7750 to 8400 MHz for downlink and 2025 to 2120 MHz for uplink.

Type: [Frequency](#) object

Required: Yes

### polarization

Polarization of a spectral Config. Capturing both "RIGHT\_HAND" and "LEFT\_HAND" polarization requires two separate configs.

Type: String

Valid Values: RIGHT\_HAND | LEFT\_HAND | NONE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TimeRange

A time range with a start and end time.

## Contents

### **endTime**

Time in UTC at which the time range ends.

Type: Timestamp

Required: Yes

### **startTime**

Time in UTC at which the time range starts.

Type: Timestamp

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TLEData

Two-line element set (TLE) data.

## Contents

### tleLine1

First line of two-line element set (TLE) data.

Type: String

Length Constraints: Fixed length of 69.

Pattern: 1 [ 0-9]{5}[A-Z] [ 0-9]{5}[ A-Z]{3} [ 0-9]{5}[.][ 0-9]{8} (?:(:[ 0+-][.][ 0-9]{8})|(?:[ +-][.][ 0-9]{7})) [ +-][ 0-9]{5}[+-][ 0-9] [ +-][ 0-9]{5}[+-][ 0-9] [ 0-9] [ 0-9]{4}[ 0-9]

Required: Yes

### tleLine2

Second line of two-line element set (TLE) data.

Type: String

Length Constraints: Fixed length of 69.

Pattern: 2 [ 0-9]{5} [ 0-9]{3}[.][ 0-9]{4} [ 0-9]{3}[.][ 0-9]{4} [ 0-9]{7} [ 0-9]{3}[.][ 0-9]{4} [ 0-9]{3}[.][ 0-9]{4} [ 0-9]{2}[.][ 0-9]{13}[ 0-9]

Required: Yes

### validTimeRange

The valid time range for the TLE. Gaps or overlap are not permitted.

Type: [TimeRange](#) object

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TLEEphemeris

Two-line element set (TLE) ephemeris.

## Contents

### s3Object

Identifies the S3 object to be used as the ephemeris.

Type: [S3Object](#) object

Required: No

### tleData

The data for a TLE ephemeris, supplied directly in the request rather than through an S3 object.

Type: Array of [TLEData](#) objects

Array Members: Minimum number of 1 item. Maximum number of 500 items.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TrackingConfig

Object that determines whether tracking should be used during a contact executed with this Config in the mission profile.

## Contents

### autotrack

Current setting for autotrack.

Type: String

Valid Values: REQUIRED | PREFERRED | REMOVED

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UplinkEchoConfig

Information about an uplink echo Config.

Parameters from the AntennaUplinkConfig, corresponding to the specified AntennaUplinkConfigArn, are used when this UplinkEchoConfig is used in a contact.

## Contents

### antennaUplinkConfigArn

ARN of an uplink Config.

Type: String

Length Constraints: Minimum length of 82. Maximum length of 424.

Pattern: `arn:aws:groundstation:[-a-zA-Z0-9]{1,50}:[0-9]{12}:config/[a-zA-Z0-9]+(-[a-zA-Z0-9]+){0,4}/[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}(./.{1,256})?`

Required: Yes

### enabled

Whether or not an uplink Config is enabled.

Type: Boolean

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UplinkSpectrumConfig

Information about the uplink spectral Config.

## Contents

### centerFrequency

Center frequency of an uplink spectral Config. Valid values are between 2025 to 2120 MHz.

Type: [Frequency](#) object

Required: Yes

### polarization

Polarization of an uplink spectral Config. Capturing both "RIGHT\_HAND" and "LEFT\_HAND" polarization requires two separate configs.

Type: String

Valid Values: RIGHT\_HAND | LEFT\_HAND | NONE

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request").

The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

#### X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

#### X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

#### X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

## **ExpiredTokenException**

The security token included in the request is expired

HTTP Status Code: 403

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 403

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **MalformedHttpRequestException**

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

## **NotAuthorized**

You do not have permission to perform this action.

HTTP Status Code: 401

## **OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

### **RequestAbortedException**

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

### **RequestEntityTooLargeException**

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

### **RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

### **RequestTimeoutException**

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

### **ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

### **UnrecognizedClientException**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **UnknownOperationException**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

## **ValidationError**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400