Hands-on tutorials

Send Messages Between Distributed Applications



Send Messages Between Distributed Applications: Hands-on tutorials

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Send Messages Between Distributed Applications i		
Overview		
Implementation		
Conclusion	14	

Send Messages Between Distributed Applications

Cost to Complete	Free Tier
Services Used	Amazon SQS
Sending Messages on AWS Requires an Account	AWS Free Tier includes 1,000,000 requests of Amazon Simple Queue Service.
	View AWS Free Tier Details »
	Create a Free Account in Minutes

Overview

In this tutorial, you will learn how to set up asynchronous messaging with <u>Amazon Simple Queue</u> <u>Service (Amazon SQS)</u>. Amazon SQS is the AWS service that allows application components to communicate in the cloud. You will use the Amazon SQS console to create and configure a message queue, send a message, receive and delete that message, and then delete the queue.

The AWS services you use in this tutorial are within the AWS Free Tier.


Implementation

Step 1: Open the Amazon SQS console

1. Launch the AWS Management Console


When you <u>click here</u>, the AWS Management Console will open in a new browser window, so you can keep this step-by-step guide open. When the screen loads, enter your user name and password to get started. Then type **queue** in the search bar and select **Simple Queue Service** to open the console.

Overview 1



2. Start the Amazon SQS Console

If the SQS console landing page appears, as shown on by the screenshot, click **Get Started Now.** If you don't see this page, skip to the next step.




Step 2: Create an Amazon SQS Queue

In this step, you will create and configure an Amazon SQS queue. A queue is a reliable, highly-scalable buffer that stores messages as they travel between distributed applications or microservices. Queues help to decouple applications, connect microservices, batch tasks, or store notifications.

Our use case for this tutorial will simulate the storage of incoming orders from an e-commerce application.


1. Enter a queue name

First, we will create a simple queue that stores orders that are placed on the store. Enter **Orders** in the **Queue Name** field.




Choose a queue type

For this tutorial, we do not require strict ordering, so we won't make any changes to the queue type. Leave **Standard Queue** selected.




3. Create the queue

You can configure your queue to modify settings such as retention period, maximum message size and delivery delays. For this tutorial, we will keep the default parameters. Choose **Quick-Create Queue**.



4. Verify queue creation

Your new queue is created and selected in the queue list.




Step 3: Send messages to the Queue

Once you have created your queue, it is ready to receive messages from the online store that capture the details of each new order.

Send a message


Your queue is already selected in the list. From **Queue Actions**, select **Send a Message**. The **Send a Message to Orders** dialog box is displayed.



2. Enter message content


The **Send a Message to Orders** dialog box is displayed. On the **Message Body** tab, enter the following text to represent a sample order:

1 x Widget @ \$29.99 USD 2 x Widget Cables @ \$4.99




3. Enter message attributes

Select the **Message Attributes** tab to add some optional metadata about this message for easy processing. Let's add an order type to the order. Enter **Order-Type** in the **Name** field, **String** in the **Type** field, and **Online** in the **Value** field. Click **Add Attribute**.



4. Send message

To send the message immediately, click **Send Message**. Confirmation that your message was sent is displayed in the **Send a Message to Orders** dialog box. Click **Close**.




Step 4: Retrieve and Delete a Message

After you send a message to a queue, another application can consume it from the queue and do something with it. In this example, you will simply retrieve the message to view the order, and then delete it.

1. View or delete messages


Ensure that your **Orders** queue is selected in the queue list. Next, from **Queue Actions**, select **View/Delete Messages**.



Poll for messages


The **View/Delete Messages in Orders** dialog box is displayed. When you request a message from a queue, you don't specify request a specific message. Instead, you specify the maximum number of messages (up to 10) that you want to retrieve.

Click **Start Polling for messages** to retrieve messages from the queue.




3. Select and delete the message

Once a consumer has received and processed a message, it can be deleted from the queue. Select the message that you want to delete and then choose **Delete 1 Message**.



4. Confirm deletion

The **Delete Messages** dialog box is displayed. Check the box next to the message and click **Yes, Delete Checked Messages**. The selected message is deleted. Choose **Close**.




Step 5: Clean Up Resources

When you no longer need to use an Amazon SQS queue, we recommend that you delete the queue as a best practice.


1. Select and delete queue

In the queue list, select the Orders queue. Then, from Queue Actions, select Delete Queue.



2. Confirm deletion

The **Delete Queues** dialog box is displayed. You can still delete your queue, even though you still have messages in it. Choose **Yes, Delete Queue**. The queue is deleted.



Conclusion

You have created your first Amazon Simple Queue Service (Amazon SQS) message queue, sent messages to your queue, retrieved and deleted messages, and then deleted the queue. You are now ready to use Amazon SQS queues to store and move data between distributed application components and microservices.

Conclusion 14