



Real-Time Streaming API Reference

Amazon IVS



API Version 2020-07-14

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon IVS: Real-Time Streaming API Reference

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	3
CreateEncoderConfiguration	5
Request Syntax	5
URI Request Parameters	5
Request Body	5
Response Syntax	6
Response Elements	7
Errors	7
See Also	8
CreateIngestConfiguration	9
Request Syntax	9
URI Request Parameters	9
Request Body	9
Response Syntax	11
Response Elements	12
Errors	12
See Also	13
CreateParticipantToken	14
Request Syntax	14
URI Request Parameters	14
Request Body	14
Response Syntax	16
Response Elements	16
Errors	16
See Also	17
CreateStage	18
Request Syntax	18
URI Request Parameters	19
Request Body	19
Response Syntax	20
Response Elements	21
Errors	21
See Also	22

CreateStorageConfiguration	23
Request Syntax	23
URI Request Parameters	23
Request Body	23
Response Syntax	24
Response Elements	25
Errors	25
See Also	26
DeleteEncoderConfiguration	27
Request Syntax	27
URI Request Parameters	27
Request Body	27
Response Syntax	27
Response Elements	27
Errors	28
See Also	28
DeleteIngestConfiguration	30
Request Syntax	30
URI Request Parameters	30
Request Body	30
Response Syntax	31
Response Elements	31
Errors	31
See Also	31
DeletePublicKey	33
Request Syntax	33
URI Request Parameters	33
Request Body	33
Response Syntax	33
Response Elements	33
Errors	34
See Also	34
DeleteStage	36
Request Syntax	36
URI Request Parameters	36
Request Body	36

Response Syntax	36
Response Elements	37
Errors	37
See Also	37
DeleteStorageConfiguration	39
Request Syntax	39
URI Request Parameters	39
Request Body	39
Response Syntax	39
Response Elements	40
Errors	40
See Also	40
DisconnectParticipant	42
Request Syntax	42
URI Request Parameters	42
Request Body	42
Response Syntax	43
Response Elements	43
Errors	43
See Also	44
GetComposition	45
Request Syntax	45
URI Request Parameters	45
Request Body	45
Response Syntax	45
Response Elements	47
Errors	47
See Also	48
GetEncoderConfiguration	49
Request Syntax	49
URI Request Parameters	49
Request Body	49
Response Syntax	49
Response Elements	50
Errors	50
See Also	51

GetIngestConfiguration	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	52
Response Elements	53
Errors	53
See Also	54
GetParticipant	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	56
Response Elements	57
Errors	57
See Also	57
GetPublicKey	59
Request Syntax	59
URI Request Parameters	59
Request Body	59
Response Syntax	59
Response Elements	60
Errors	60
See Also	60
GetStage	62
Request Syntax	62
URI Request Parameters	62
Request Body	62
Response Syntax	62
Response Elements	63
Errors	63
See Also	64
GetStageSession	65
Request Syntax	65
URI Request Parameters	65
Request Body	65

Response Syntax	66
Response Elements	66
Errors	66
See Also	67
GetStorageConfiguration	68
Request Syntax	68
URI Request Parameters	68
Request Body	68
Response Syntax	68
Response Elements	69
Errors	69
See Also	70
ImportPublicKey	71
Request Syntax	71
URI Request Parameters	71
Request Body	71
Response Syntax	72
Response Elements	72
Errors	73
See Also	73
ListCompositions	75
Request Syntax	75
URI Request Parameters	75
Request Body	75
Response Syntax	76
Response Elements	77
Errors	77
See Also	78
ListEncoderConfigurations	79
Request Syntax	79
URI Request Parameters	79
Request Body	79
Response Syntax	80
Response Elements	80
Errors	81
See Also	81

ListIngestConfigurations	83
Request Syntax	83
URI Request Parameters	83
Request Body	83
Response Syntax	84
Response Elements	85
Errors	85
See Also	86
ListParticipantEvents	87
Request Syntax	87
URI Request Parameters	87
Request Body	87
Response Syntax	88
Response Elements	89
Errors	89
See Also	90
ListParticipantReplicas	91
Request Syntax	91
URI Request Parameters	91
Request Body	91
Response Syntax	92
Response Elements	93
Errors	93
See Also	93
ListParticipants	95
Request Syntax	95
URI Request Parameters	95
Request Body	95
Response Syntax	97
Response Elements	98
Errors	98
See Also	99
ListPublicKeys	100
Request Syntax	100
URI Request Parameters	100
Request Body	100

Response Syntax	101
Response Elements	101
Errors	102
See Also	102
ListStages	103
Request Syntax	103
URI Request Parameters	103
Request Body	103
Response Syntax	104
Response Elements	104
Errors	105
See Also	105
ListStageSessions	106
Request Syntax	106
URI Request Parameters	106
Request Body	106
Response Syntax	107
Response Elements	107
Errors	108
See Also	108
ListStorageConfigurations	110
Request Syntax	110
URI Request Parameters	110
Request Body	110
Response Syntax	111
Response Elements	111
Errors	112
See Also	112
ListTagsForResource	114
Request Syntax	114
URI Request Parameters	114
Request Body	114
Response Syntax	114
Response Elements	114
Errors	115
See Also	115

StartComposition	117
Request Syntax	117
URI Request Parameters	118
Request Body	118
Response Syntax	120
Response Elements	122
Errors	122
See Also	123
StartParticipantReplication	124
Request Syntax	124
URI Request Parameters	124
Request Body	124
Response Syntax	126
Response Elements	126
Errors	126
See Also	127
StopComposition	129
Request Syntax	129
URI Request Parameters	129
Request Body	129
Response Syntax	129
Response Elements	129
Errors	130
See Also	130
StopParticipantReplication	132
Request Syntax	132
URI Request Parameters	132
Request Body	132
Response Syntax	133
Response Elements	133
Errors	134
See Also	134
TagResource	136
Request Syntax	136
URI Request Parameters	136
Request Body	136

Response Syntax	137
Response Elements	137
Errors	137
See Also	137
UntagResource	139
Request Syntax	139
URI Request Parameters	139
Request Body	139
Response Syntax	139
Response Elements	140
Errors	140
See Also	140
UpdateIngestConfiguration	141
Request Syntax	141
URI Request Parameters	141
Request Body	141
Response Syntax	142
Response Elements	142
Errors	142
See Also	143
UpdateStage	144
Request Syntax	144
URI Request Parameters	144
Request Body	144
Response Syntax	145
Response Elements	146
Errors	146
See Also	147
Data Types	148
AutoParticipantRecordingConfiguration	150
Contents	150
See Also	151
ChannelDestinationConfiguration	152
Contents	152
See Also	152
Composition	153

Contents	153
See Also	155
CompositionRecordingHlsConfiguration	156
Contents	156
See Also	156
CompositionSummary	157
Contents	157
See Also	158
CompositionThumbnailConfiguration	160
Contents	160
See Also	160
Destination	162
Contents	162
See Also	163
DestinationConfiguration	164
Contents	164
See Also	164
DestinationDetail	166
Contents	166
See Also	166
DestinationSummary	167
Contents	167
See Also	168
EncoderConfiguration	169
Contents	169
See Also	170
EncoderConfigurationSummary	171
Contents	171
See Also	172
Event	173
Contents	173
See Also	176
GridConfiguration	177
Contents	177
See Also	178
IngestConfiguration	179

Contents	179
See Also	181
IngestConfigurationSummary	183
Contents	183
See Also	185
LayoutConfiguration	186
Contents	186
See Also	186
Participant	187
Contents	187
See Also	192
ParticipantRecordingHlsConfiguration	193
Contents	193
See Also	193
ParticipantReplica	194
Contents	194
See Also	195
ParticipantSummary	196
Contents	196
See Also	198
ParticipantThumbnailConfiguration	199
Contents	199
See Also	200
ParticipantToken	201
Contents	201
See Also	202
ParticipantTokenConfiguration	204
Contents	204
See Also	205
PipConfiguration	206
Contents	206
See Also	208
PublicKey	209
Contents	209
See Also	210
PublicKeySummary	211

Contents	211
See Also	212
RecordingConfiguration	213
Contents	213
See Also	213
S3DestinationConfiguration	214
Contents	214
See Also	215
S3Detail	216
Contents	216
See Also	216
S3StorageConfiguration	217
Contents	217
See Also	217
Stage	218
Contents	218
See Also	219
StageEndpoints	220
Contents	220
See Also	221
StageSession	222
Contents	222
See Also	222
StageSessionSummary	224
Contents	224
See Also	224
StageSummary	226
Contents	226
See Also	227
StorageConfiguration	228
Contents	228
See Also	229
StorageConfigurationSummary	230
Contents	230
See Also	231
Video	232

Contents	232
See Also	233
Common Parameters	234
Common Errors	237

Welcome

The Amazon Interactive Video Service (IVS) real-time API is REST compatible, using a standard HTTP API and an AWS EventBridge event stream for responses. JSON is used for both requests and responses, including errors.

Key Concepts

- **Stage** — A virtual space where participants can exchange video in real time.
- **Participant token** — A token that authenticates a participant when they join a stage.
- **Participant object** — Represents participants (people) in the stage and contains information about them. When a token is created, it includes a participant ID; when a participant uses that token to join a stage, the participant is associated with that participant ID. There is a 1:1 mapping between participant tokens and participants.

For server-side composition:

- **Composition process** — Composes participants of a stage into a single video and forwards it to a set of outputs (e.g., IVS channels). Composition operations support this process.
- **Composition** — Controls the look of the outputs, including how participants are positioned in the video.

For participant replication:

- **Source stage** — The stage where the participant originally joined, which is used as the source for replication.
- **Destination stage** — The stage to which the participant is replicated.
- **Replicated participant** — A participant in a stage that is replicated to one or more destination stages.
- **Replica participant** — A participant in a destination stage that is replicated from another stage (the source stage).

For more information about your IVS live stream, also see [Getting Started with Amazon IVS Real-Time Streaming](#).

Tagging

A *tag* is a metadata label that you assign to an AWS resource. A tag comprises a *key* and a *value*, both set by you. For example, you might set a tag as `topic:nature` to label a particular video category. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS stages has no service-specific constraints beyond what is documented there.

Tags can help you identify and organize your AWS resources. For example, you can use the same tag for different resources to indicate that they are related. You can also use tags to manage access (see [Access Tags](#)).

The Amazon IVS real-time API has these tag-related operations: [TagResource](#), [UntagResource](#), and [ListTagsForResource](#). The following resource supports tagging: Stage.

At most 50 tags can be applied to a resource.

This document was last published on July 28, 2025.

Actions

The following actions are supported:

- [CreateEncoderConfiguration](#)
- [CreateIngestConfiguration](#)
- [CreateParticipantToken](#)
- [CreateStage](#)
- [CreateStorageConfiguration](#)
- [DeleteEncoderConfiguration](#)
- [DeleteIngestConfiguration](#)
- [DeletePublicKey](#)
- [DeleteStage](#)
- [DeleteStorageConfiguration](#)
- [DisconnectParticipant](#)
- [GetComposition](#)
- [GetEncoderConfiguration](#)
- [GetIngestConfiguration](#)
- [GetParticipant](#)
- [GetPublicKey](#)
- [GetStage](#)
- [GetStageSession](#)
- [GetStorageConfiguration](#)
- [ImportPublicKey](#)
- [ListCompositions](#)
- [ListEncoderConfigurations](#)
- [ListIngestConfigurations](#)
- [ListParticipantEvents](#)
- [ListParticipantReplicas](#)
- [ListParticipants](#)
- [ListPublicKeys](#)

- [ListStages](#)
- [ListStageSessions](#)
- [ListStorageConfigurations](#)
- [ListTagsForResource](#)
- [StartComposition](#)
- [StartParticipantReplication](#)
- [StopComposition](#)
- [StopParticipantReplication](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateIngestConfiguration](#)
- [UpdateStage](#)

CreateEncoderConfiguration

Creates an EncoderConfiguration object.

Request Syntax

```
POST /CreateEncoderConfiguration HTTP/1.1
Content-type: application/json

{
    "name": "string",
    "tags": {
        "string" : "string"
    },
    "video": {
        "bitrate": number,
        "framerate": number,
        "height": number,
        "width": number
    }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

name

Optional name to identify the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

[tags](#)

Tags attached to the resource. Array of maps, each of the form `string:string` (`key:value`). See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[video](#)

Video configuration. Default: video resolution 1280x720, bitrate 2500 kbps, 30 fps.

Type: [Video](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "encoderConfiguration": {
    "arnname": "string",
    "tags": {
      "string" : "string"
    },
    "video": {
      "bitrate": number,
      "framerate": number,
      "height": number,
      "width": number
    }
  }
}
```

```
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[encoderConfiguration](#)

The EncoderConfiguration that was created.

Type: [EncoderConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateIngestConfiguration

Creates a new IngestConfiguration resource, used to specify the ingest protocol for a stage.

Request Syntax

```
POST /CreateIngestConfiguration HTTP/1.1
Content-type: application/json

{
  "attributes": {
    "string": "string"
  },
  "ingestProtocol": "string",
  "insecureIngest": boolean,
  "name": "string",
  "stageArn": "string",
  "tags": {
    "string": "string"
  },
  "userId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

attributes

Application-provided attributes to store in the IngestConfiguration and attach to a stage. Map keys and values can contain UTF-8 encoded text. The maximum length of this field is 1 KB total.
This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.

Type: String to string map

Required: No

ingestProtocol

Type of ingest protocol that the user employs to broadcast. If this is set to RTMP, `insecureIngest` must be set to true.

Type: String

Valid Values: RTMP | RTMPS

Required: Yes

insecureIngest

Whether the stage allows insecure RTMP ingest. This must be set to true, if `ingestProtocol` is set to RTMP. Default: false.

Type: Boolean

Required: No

name

Optional name that can be specified for the `IngestConfiguration` being created.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

stageArn

ARN of the stage with which the `IngestConfiguration` is associated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: ^\$|^arn:aws:ivs:[a-zA-Z0-9-_]+:[0-9]+:stage/[a-zA-Z0-9-_]+\$

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string` (`key:value`). See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

userId

Customer-assigned name to help identify the participant using the `IngestConfiguration`; this can be used to link a participant to a user in the customer's own systems. This can be any UTF-8 encoded text. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ingestConfiguration": {
    "arnstring",
    "attributes": {
      "string": "string"
    },
    "ingestProtocol": "string",
  }
}
```

```
"name": "string",
"participantId": "string",
"stageArn": "string",
"state": "string",
"streamKey": "string",
"tags": {
    "string" : "string"
},
"userId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ingestConfiguration](#)

The IngestConfiguration that was created.

Type: [IngestConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

PendingVerification

HTTP Status Code: 403

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateParticipantToken

Creates an additional token for a specified stage. This can be done after stage creation or when tokens expire. Tokens always are scoped to the stage for which they are created.

Encryption keys are owned by Amazon IVS and never used directly by your application.

Request Syntax

```
POST /CreateParticipantToken HTTP/1.1
Content-type: application/json

{
  "attributes": {
    "string": "string"
  },
  "capabilities": [ "string" ],
  "duration": number,
  "stageArn": "string",
  "userId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

attributes

Application-provided attributes to encode into the token and attach to a stage. Map keys and values can contain UTF-8 encoded text. The maximum length of this field is 1 KB total. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String to string map

Required: No

capabilities

Set of capabilities that the user is allowed to perform in the stage. Default: PUBLISH, SUBSCRIBE.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 2 items.

Valid Values: PUBLISH | SUBSCRIBE

Required: No

duration

Duration (in minutes), after which the token expires. Default: 720 (12 hours).

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 20160.

Required: No

stageArn

ARN of the stage to which this token is scoped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+`

Required: Yes

userId

Name that can be specified to help identify the token. This can be any UTF-8 encoded text. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "participantToken": {
    "attributes": {
      "string" : "string"
    },
    "capabilities": [ "string" ],
    "duration": number,
    "expirationTime": "string",
    "participantId": "string",
    "token": "string",
    "userId": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[participantToken](#)

The participant token that was created.

Type: [ParticipantToken](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStage

Creates a new stage (and optionally participant tokens).

Request Syntax

```
POST /CreateStage HTTP/1.1
Content-type: application/json

{
    "autoParticipantRecordingConfiguration": {
        "hlsConfiguration": {
            "targetSegmentDurationSeconds": number
        },
        "mediaTypes": [ "string" ],
        "recordingReconnectWindowSeconds": number,
        "recordParticipantReplicas": boolean,
        "storageConfigurationArn": "string",
        "thumbnailConfiguration": {
            "recordingMode": "string",
            "storage": [ "string" ],
            "targetIntervalSeconds": number
        }
    },
    "name": "string",
    "participantTokenConfigurations": [
        {
            "attributes": {
                "string": "string"
            },
            "capabilities": [ "string" ],
            "duration": number,
            "userId": "string"
        }
    ],
    "tags": {
        "string": "string"
    }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

autoParticipantRecordingConfiguration

Configuration object for individual participant recording, to attach to the new stage.

Type: [AutoParticipantRecordingConfiguration](#) object

Required: No

name

Optional name that can be specified for the stage being created.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

participantTokenConfigurations

Array of participant token configuration objects to attach to the new stage.

Type: Array of [ParticipantTokenConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 12 items.

Required: No

tags

Tags attached to the resource. Array of maps, each of the form string:string (key:value). See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "participantTokens": [
    {
      "attributesstring : "string"
      },
      "capabilities": [ "string " ],
      "duration": number,
      "expirationTime": "string",
      "participantId": "string",
      "token": "string",
      "userId": "string"
    }
  ],
  "stage": {
    "activeSessionId": "string",
    "arn": "string",
    "autoParticipantRecordingConfiguration": {
      "hlsConfiguration": {
        "targetSegmentDurationSeconds": number
      },
      "mediaTypes": [ "string " ],
      "recordingReconnectWindowSeconds": number,
      "recordParticipantReplicas": boolean,
      "storageConfigurationArn": "string",
      "thumbnailConfiguration": {
        "recordingMode": "string",
        "storage": [ "string " ],
      }
    }
  }
}
```

```
        "targetIntervalSeconds": number
    }
},
"endpoints": {
    "events": "string",
    "rtmp": "string",
    "rtmps": "string",
    "whip": "string"
},
"name": "string",
"tags": {
    "string" : "string"
}
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[participantTokens](#)

Participant tokens attached to the stage. These correspond to the participants in the request.

Type: Array of [ParticipantToken](#) objects

[stage](#)

The stage that was created.

Type: [Stage](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

PendingVerification

HTTP Status Code: 403

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStorageConfiguration

Creates a new storage configuration, used to enable recording to Amazon S3. When a StorageConfiguration is created, IVS will modify the S3 bucketPolicy of the provided bucket. This will ensure that IVS has sufficient permissions to write content to the provided bucket.

Request Syntax

```
POST /CreateStorageConfiguration HTTP/1.1
Content-type: application/json

{
  "names3: {
    "bucketNametags: {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

name

Storage configuration name. The value does not need to be unique.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

s3

A complex type that contains a storage configuration for where recorded video will be stored.

Type: [S3StorageConfiguration](#) object

Required: Yes

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "storageConfiguration": {
        "arnstring",
        "namestring",
        "s3bucketNamestring"
        },
        "tagsstring : "string"
        }
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[storageConfiguration](#)

The StorageConfiguration that was created.

Type: [StorageConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteEncoderConfiguration

Deletes an EncoderConfiguration resource. Ensures that no Compositions are using this template; otherwise, returns an error.

Request Syntax

```
POST /DeleteEncoderConfiguration HTTP/1.1
Content-type: application/json

{
    "arn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the EncoderConfiguration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:encoder-configuration/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteIngestConfiguration

Deletes a specified IngestConfiguration, so it can no longer be used to broadcast. An IngestConfiguration cannot be deleted if the publisher is actively streaming to a stage, unless force is set to true.

Request Syntax

```
POST /DeleteIngestConfiguration HTTP/1.1
Content-type: application/json

{
  "arnforce
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the IngestConfiguration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:ingest-configuration/[a-zA-Z0-9-]+

Required: Yes

force

Optional field to force deletion of the IngestConfiguration. If this is set to true when a participant is actively publishing, the participant is disconnected from the stage, followed by deletion of the IngestConfiguration. Default: false.

Type: Boolean

Required: No

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeletePublicKey

Deletes the specified public key used to sign stage participant tokens. This invalidates future participant tokens generated using the key pair's private key.

Request Syntax

```
POST /DeletePublicKey HTTP/1.1
Content-type: application/json

{
    "arn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the public key to be deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:public-key/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStage

Shuts down and deletes the specified stage (disconnecting all participants). This operation also removes the `stageArn` from the associated [IngestConfiguration](#), if there are participants using the `IngestConfiguration` to publish to the stage.

Request Syntax

```
POST /DeleteStage HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the stage to be deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStorageConfiguration

Deletes the storage configuration for the specified ARN.

If you try to delete a storage configuration that is used by a Composition, you will get an error (409 ConflictException). To avoid this, for all Compositions that reference the storage configuration, first use [StopComposition](#) and wait for it to complete, then use DeleteStorageConfiguration.

Request Syntax

```
POST /DeleteStorageConfiguration HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the storage configuration to be deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:storage-configuration/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisconnectParticipant

Disconnects a specified participant from a specified stage. If the participant is publishing using an [IngestConfiguration](#), DisconnectParticipant also updates the stageArn in the IngestConfiguration to be an empty string.

Request Syntax

```
POST /DisconnectParticipant HTTP/1.1
Content-type: application/json

{
  "participantId": "string",
  "reason": "string",
  "stageArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

participantId

Identifier of the participant to be disconnected. IVS assigns this; it is returned by [CreateParticipantToken](#) (for streams using WebRTC ingest) or [CreateIngestConfiguration](#) (for streams using RTMP ingest).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-_]*

Required: Yes

reason

Description of why this participant is being disconnected.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

stageArn

ARN of the stage to which the participant is attached.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetComposition

Get information about the specified Composition resource.

Request Syntax

```
POST /GetComposition HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the Composition resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:composition/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "compositionarndestinations
```

```
{  
    "configuration": {  
        "channel": {  
            "channelArn": "string",  
            "encoderConfigurationArn": "string"  
        },  
        "name": "string",  
        "s3": {  
            "encoderConfigurationArns": [ "string" ],  
            "recordingConfiguration": {  
                "format": "string",  
                "hlsConfiguration": {  
                    "targetSegmentDurationSeconds": number  
                }  
            },  
            "storageConfigurationArn": "string",  
            "thumbnailConfigurations": [  
                {  
                    "storage": [ "string" ],  
                    "targetIntervalSeconds": number  
                }  
            ]  
        }  
    },  
    "detail": {  
        "s3": {  
            "recordingPrefix": "string"  
        }  
    },  
    "endTime": "string",  
    "id": "string",  
    "startTime": "string",  
    "state": "string"  
},  
],  
"endTime": "string",  
"layout": {  
    "grid": {  
        "featuredParticipantAttribute": "string",  
        "gridGap": number,  
        "omitStoppedVideo": boolean,  
        "videoAspectRatio": "string",  
        "videoFillMode": "string"  
    },  
},
```

```
"pip": {  
    "featuredParticipantAttribute": "string",  
    "gridGap": number,  
    "omitStoppedVideo": boolean,  
    "pipBehavior": "string",  
    "pipHeight": number,  
    "pipOffset": number,  
    "pipParticipantAttribute": "string",  
    "pipPosition": "string",  
    "pipWidth": number,  
    "videoFillMode": "string"  
},  
"stageArn": "string",  
"startTime": "string",  
"state": "string",  
"tags": {  
    "string" : "string"  
}  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[composition](#)

The Composition that was returned.

Type: [Composition](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEncoderConfiguration

Gets information about the specified EncoderConfiguration resource.

Request Syntax

```
POST /GetEncoderConfiguration HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the EncoderConfiguration resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:encoder-configuration/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "encoderConfiguration
```

```
"arn": "string",
"name": "string",
"tags": {
    "string" : "string"
},
"video": {
    "bitrate": number,
    "framerate": number,
    "height": number,
    "width": number
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[encoderConfiguration](#)

The EncoderConfiguration that was returned.

Type: [EncoderConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetIngestConfiguration

Gets information about the specified IngestConfiguration.

Request Syntax

```
POST /GetIngestConfiguration HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the ingest for which the information is to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:ingest-configuration/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ingestConfigurationarn
```

```
"attributes": {  
    "string": "string"  
},  
"ingestProtocol": "string",  
"name": "string",  
"participantId": "string",  
"stageArn": "string",  
"state": "string",  
"streamKey": "string",  
"tags": {  
    "string": "string"  
},  
"userId": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ingestConfiguration

The IngestConfiguration that was returned.

Type: [IngestConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetParticipant

Gets information about the specified participant token.

Request Syntax

```
POST /GetParticipant HTTP/1.1
Content-type: application/json

{
    "participantId": "string",
    "sessionId": "string",
    "stageArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[participantId](#)

Unique identifier for the participant. This is assigned by IVS and returned by [CreateParticipantToken](#).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: Yes

[sessionId](#)

ID of a session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: Yes

stageArn

Stage ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "participant": {
    "attributes": {
      "string" : "string"
    },
    "browserName": "string",
    "browserVersion": "string",
    "firstJoinTime": "string",
    "ispName": "string",
    "osName": "string",
    "osVersion": "string",
    "participantId": "string",
    "protocol": "string",
    "published": boolean,
    "recordingS3BucketName": "string",
    "recordingS3Prefix": "string",
    "recordingState": "string",
    "replicationState": "string",
    "replicationType": "string",
    "sdkVersion": "string",
  }
}
```

```
"sourceSessionId": "string",
"sourceStageArn": "string",
"state": "string",
"userId": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[participant](#)

The participant that is returned.

Type: [Participant](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetPublicKey

Gets information for the specified public key.

Request Syntax

```
POST /GetPublicKey HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the public key for which the information is to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:public-key/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "publicKey": {
        "arn
```

```
"fingerprint": "string",
"namepublicKeyMaterial": "string",
"tags": {
    "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

publicKey

The public key that is returned.

Type: [PublicKey](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStage

Gets information for the specified stage.

Request Syntax

```
POST /GetStage HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the stage for which the information is to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "stageactiveSessionId
```

```
"arn": "string",
"autoParticipantRecordingConfiguration": {
    "hlsConfiguration": {
        "targetSegmentDurationSeconds": number
    },
    "mediaTypes": [ "string" ],
    "recordingReconnectWindowSeconds": number,
    "recordParticipantReplicas": boolean,
    "storageConfigurationArn": "string",
    "thumbnailConfiguration": {
        "recordingMode": "string",
        "storage": [ "string" ],
        "targetIntervalSeconds": number
    }
},
"endpoints": {
    "events": "string",
    "rtmp": "string",
    "rtmps": "string",
    "whip": "string"
},
"name": "string",
"tags": {
    "string" : "string"
}
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

stage

The stage that is returned.

Type: [Stage](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStageSession

Gets information for the specified stage session.

Request Syntax

```
POST /GetStageSession HTTP/1.1
Content-type: application/json

{
    "sessionIdstageArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

sessionId

ID of a session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: Yes

stageArn

ARN of the stage for which the information is to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "stageSession": {
    "endTime": "string",
    "sessionId": "string",
    "startTime": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[stageSession](#)

The stage session that is returned.

Type: [StageSession](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStorageConfiguration

Gets the storage configuration for the specified ARN.

Request Syntax

```
POST /GetStorageConfiguration HTTP/1.1
Content-type: application/json

{
    "arn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the storage configuration to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:storage-configuration/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "storageConfiguration
```

```
"arn": "string",
"name": "string",
"s3": {
  "bucketName": "string"
},
"tags": {
  "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[storageConfiguration](#)

The StorageConfiguration that was returned.

Type: [StorageConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ImportPublicKey

Import a public key to be used for signing stage participant tokens.

Request Syntax

```
POST /ImportPublicKey HTTP/1.1
Content-type: application/json

{
  "name": "string",
  "publicKeyMaterial": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

name

Name of the public key to be imported.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

publicKeyMaterial

The content of the public key to be imported.

Type: String

Pattern: . *-----BEGIN PUBLIC KEY-----\r?\n([a-zA-Z0-9+/=\r\n]+)\r?\n-----
END PUBLIC KEY-----(\r?\n)?.*

Required: Yes

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "publicKey": {
    "arn": "string",
    "fingerprint": "string",
    "name": "string",
    "publicKeyMaterial": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

publicKey

The public key that was imported.

Type: [PublicKey](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

PendingVerification

HTTP Status Code: 403

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCompositions

Gets summary information about all Compositions in your account, in the AWS region where the API request is processed.

Request Syntax

```
POST /ListCompositions HTTP/1.1
Content-type: application/json

{
  "filterByEncoderConfigurationArn": "string",
  "filterByStageArn": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[filterByEncoderConfigurationArn](#)

Filters the Composition list to match the specified EncoderConfiguration attached to at least one of its output.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:encoder-configuration/[a-zA-Z0-9-]+

Required: No

[filterByStageArn](#)

Filters the Composition list to match the specified Stage ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: No

[maxResults](#)

Maximum number of results to return. Default: 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

[nextToken](#)

The first Composition to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/=_-]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "compositions": [
    {
      "arnstring",
      "destinations": \[
        {
          "endTimestring",
          "idstring",
```

```
        "startTime": "string",
        "state": "string"
    },
],
"endTime": "string",
"stageArn": "string",
"startTime": "string",
"state": "string",
"tags": {
    "string" : "string"
}
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[compositions](#)

List of the matching Compositions (summary information only).

Type: Array of [CompositionSummary](#) objects

[nextToken](#)

If there are more compositions than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-_]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEncoderConfigurations

Gets summary information about all EncoderConfigurations in your account, in the AWS region where the API request is processed.

Request Syntax

```
POST /ListEncoderConfigurations HTTP/1.1
Content-type: application/json

{
    "maxResults": number,
    "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

Maximum number of results to return. Default: 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The first encoder configuration to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "encoderConfigurations": [
        {
            "arnnametags": {
                "string" : "string"
            }
        }
    ],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**encoderConfigurations**](#)

List of the matching EncoderConfigurations (summary information only).

Type: Array of [EncoderConfigurationSummary](#) objects

[**nextToken**](#)

If there are more encoder configurations than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListIngestConfigurations

Lists all IngestConfigurations in your account, in the AWS region where the API request is processed.

Request Syntax

```
POST /ListIngestConfigurations HTTP/1.1
Content-type: application/json

{
  "filterByStageArn": "string",
  "filterByState": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

filterByStageArn

Filters the response list to match the specified stage ARN. Only one filter (by stage ARN or by state) can be used at a time.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: No

filterByState

Filters the response list to match the specified state. Only one filter (by stage ARN or by state) can be used at a time.

Type: String

Valid Values: ACTIVE | INACTIVE

Required: No

[maxResults](#)

Maximum number of results to return. Default: 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

[nextToken](#)

The first IngestConfiguration to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-_]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ingestConfigurations": [
    {
      "arnstring",
      "ingestProtocolstring",
      "namestring",
      "participantIdstring",
      "stageArnstring",
      "statestring",
    }
  \\\\\\]
}
```

```
        "userId": "string"
    }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ingestConfigurations](#)

List of the matching ingest configurations (summary information only).

Type: Array of [IngestConfigurationSummary](#) objects

[nextToken](#)

If there are more IngestConfigurations than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListParticipantEvents

Lists events for a specified participant that occurred during a specified stage session.

Request Syntax

```
POST /ListParticipantEvents HTTP/1.1
Content-type: application/json

{
    "maxResults": number,
    "nextToken": "string",
    "participantId": "string",
    "sessionId": "string",
    "stageArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

Maximum number of results to return. Default: 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The first participant event to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

[participantId](#)

Unique identifier for this participant. This is assigned by IVS and returned by

[CreateParticipantToken](#).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: Yes

[sessionId](#)

ID of a session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: Yes

[stageArn](#)

Stage ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

HTTP/1.1 200

```
Content-type: application/json

{
  "events": [
    {
      "destinationSessionId": "string",
      "destinationStageArn": "string",
      "errorCode": "string",
      "eventTime": "string",
      "name": "string",
      "participantId": "string",
      "remoteParticipantId": "string",
      "replica": boolean
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

events

List of the matching events.

Type: Array of [Event](#) objects

nextToken

If there are more events than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListParticipantReplicas

Lists all the replicas for a participant from a source stage.

Request Syntax

```
POST /ListParticipantReplicas HTTP/1.1
Content-type: application/json

{
    "maxResults": number,
    "nextToken": "string",
    "participantId": "string",
    "sourceStageArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

Maximum number of results to return. Default: 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

nextToken

The first participant to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

[participantId](#)

Participant ID of the publisher that has been replicated. This is assigned by IVS and returned by [CreateParticipantToken](#) or the jti (JWT ID) used to [create a self signed token](#).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: Yes

[sourceStageArn](#)

ARN of the stage where the participant is publishing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "replicas": [
        {
            "destinationSessionId": "string",
            "destinationStageArn": "string",
            "participantId": "string",
            "replicationState": "string",
            "sourceSessionId": "string",
            "sourceStageArn": "string"
        }
    ]
}
```

}

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

If there are more participants than `maxResults`, use `nextToken` in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/_-]*

replicas

List of all participant replicas.

Type: Array of [ParticipantReplica](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListParticipants

Lists all participants in a specified stage session.

Request Syntax

```
POST /ListParticipants HTTP/1.1
Content-type: application/json

{
  "filterByPublished": boolean,
  "filterByRecordingState": "string",
  "filterByState": "string",
  "filterByUserId": "string",
  "maxResults": number,
  "nextToken": "string",
  "sessionId": "string",
  "stageArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

filterByPublished

Filters the response list to only show participants who published during the stage session. Only one of filterByUserId, filterByPublished, filterByState, or filterByRecordingState can be provided per request.

Type: Boolean

Required: No

filterByRecordingState

Filters the response list to only show participants with the specified recording state. Only one of filterByUserId, filterByPublished, filterByState, or filterByRecordingState can be provided per request.

Type: String

Valid Values: STARTING | ACTIVE | STOPPING | STOPPED | FAILED

Required: No

[filterByState](#)

Filters the response list to only show participants in the specified state. Only one of filterByUserId, filterByPublished, filterByState, or filterByRecordingState can be provided per request.

Type: String

Valid Values: CONNECTED | DISCONNECTED

Required: No

[filterByUserId](#)

Filters the response list to match the specified user ID. Only one of filterByUserId, filterByPublished, filterByState, or filterByRecordingState can be provided per request. A userId is a customer-assigned name to help identify the token; this can be used to link a participant to a user in the customer's own systems.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

[maxResults](#)

Maximum number of results to return. Default: 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

[nextToken](#)

The first participant to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

sessionId

ID of the session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: Yes

stageArn

Stage ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "participants": [
    {
      "firstJoinTime": "string",
      "participantId": "string",
      "published": boolean,
      "recordingState": "string",
      "replicationState": "string",
```

```
    "replicationType": "string",
    "sourceSessionId": "string",
    "sourceStageArn": "string",
    "state": "string",
    "userId": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

If there are more participants than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

[participants](#)

List of the matching participants (summary information only).

Type: Array of [ParticipantSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPublicKeys

Gets summary information about all public keys in your account, in the AWS region where the API request is processed.

Request Syntax

```
POST /ListPublicKeys HTTP/1.1
Content-type: application/json

{
    "maxResults": number,
    "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

Maximum number of results to return. Default: 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The first public key to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "publicKeys": [
        {
            "arn": "string",
            "name": "string",
            "tags": {
                "string": "string"
            }
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

If there are more public keys than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

[publicKeys](#)

List of the matching public keys (summary information only).

Type: Array of [PublicKeySummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStages

Gets summary information about all stages in your account, in the AWS region where the API request is processed.

Request Syntax

```
POST /ListStages HTTP/1.1
Content-type: application/json

{
    "maxResults": number,
    "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

Maximum number of results to return. Default: 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The first stage to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "stages": [
        {
            "activeSessionId": "string",
            "arn": "string",
            "name": "string",
            "tags": {
                "string": "string"
            }
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

If there are more stages than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

stages

List of the matching stages (summary information only).

Type: Array of [StageSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStageSessions

Gets all sessions for a specified stage.

Request Syntax

```
POST /ListStageSessions HTTP/1.1
Content-type: application/json

{
    "maxResultsnumber,
    "nextTokenstring",
    "stageArnstring"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

Maximum number of results to return. Default: 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The first stage session to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

stageArn

Stage ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "nextToken": "string",
  "stageSessions": [
    {
      "endTime": "string",
      "sessionId": "string",
      "startTime": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

If there are more stage sessions than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

stageSessions

List of matching stage sessions.

Type: Array of [StageSessionSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

ListStorageConfigurations

Gets summary information about all storage configurations in your account, in the AWS region where the API request is processed.

Request Syntax

```
POST /ListStorageConfigurations HTTP/1.1
Content-type: application/json

{
    "maxResults": number,
    "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

Maximum number of storage configurations to return. Default: your service quota or 100, whichever is smaller.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The first storage configuration to retrieve. This is used for pagination; see the nextToken response field.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "storageConfigurations": [
        {
            "arn": "string",
            "name": "string",
            "s3": {
                "bucketName": "string"
            },
            "tags": {
                "string" : "string"
            }
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

If there are more storage configurations than maxResults, use nextToken in the request to get the next set.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: [a-zA-Z0-9+/-]*

storageConfigurations

List of the matching storage configurations.

Type: Array of [StorageConfigurationSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Gets information about AWS tags for the specified ARN.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The ARN of the resource to be retrieved. The ARN must be URL-encoded.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-z0-9-]+:[0-9]+:[a-z-]/[a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartComposition

Starts a Composition from a stage based on the configuration provided in the request.

A Composition is an ephemeral resource that exists after this operation returns successfully. Composition stops and the resource is deleted:

- When [StopComposition](#) is called.
- After a 1-minute timeout, when all participants are disconnected from the stage.
- After a 1-minute timeout, if there are no participants in the stage when StartComposition is called.
- When broadcasting to the IVS channel fails and all retries are exhausted.
- When broadcasting is disconnected and all attempts to reconnect are exhausted.

Request Syntax

```
POST /StartComposition HTTP/1.1
Content-type: application/json

{
  "destinationschannelchannelArnstring",
        "encoderConfigurationArnstring"
      },
      "namestring",
      "s3encoderConfigurationArnsstring " ],
        "recordingConfigurationformatstring",
          "hlsConfigurationtargetSegmentDurationSecondsnumber
          }
        },
        "storageConfigurationArnstring",
        "thumbnailConfigurationsstoragestring " ],
            "
```

```
        "targetIntervalSeconds": number
    }
]
}
],
"idempotencyToken": "string",
"layout": {
    "grid": {
        "featuredParticipantAttribute": "string",
        "gridGap": number,
        "omitStoppedVideo": boolean,
        "videoAspectRatio": "string",
        "videoFillMode": "string"
    },
    "pip": {
        "featuredParticipantAttribute": "string",
        "gridGap": number,
        "omitStoppedVideo": boolean,
        "pipBehavior": "string",
        "pipHeight": number,
        "pipOffset": number,
        "pipParticipantAttribute": "string",
        "pipPosition": "string",
        "pipWidth": number,
        "videoFillMode": "string"
    }
},
"stageArn": "string",
"tags": {
    "string" : "string"
}
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

destinations

Array of destination configuration.

Type: Array of [DestinationConfiguration](#) objects

Array Members: Minimum number of 1 item. Maximum number of 2 items.

Required: Yes

idempotencyToken

Idempotency token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9-_]*

Required: No

layout

Layout object to configure composition parameters.

Type: [LayoutConfiguration](#) object

Required: No

stageArn

ARN of the stage to be used for compositing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

tags

Tags attached to the resource. Array of maps, each of the form string:string (key:value). See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "compositionarnstring",
    "destinationsconfigurationchannelchannelArnstring",
            "encoderConfigurationArnstring"
          },
          "namestring",
          "s3encoderConfigurationArnsstring" ],
            "recordingConfigurationformatstring",
              "hlsConfigurationtargetSegmentDurationSecondsnumber
              }
            },
            "storageConfigurationArnstring",
            "thumbnailConfigurationsstoragestring" ],
                "targetIntervalSecondsnumber
              }
            ]
          }
        },
        "storagestring" ],
        "targetIntervalSecondsnumber
      }
    ],
    "storagestring" ],
    "targetIntervalSecondsnumber
  }
},
```

```
"detail": {  
    "s3": {  
        "recordingPrefix    }  
},  
"endTime": "string",  
"id": "string",  
"startTime": "string",  
"state": "string"  
}  
],  
"endTime": "string",  
"layout": {  
    "grid": {  
        "featuredParticipantAttribute": "string",  
        "gridGap": number,  
        "omitStoppedVideo": boolean,  
        "videoAspectRatio": "string",  
        "videoFillMode": "string"  
    },  
    "pip": {  
        "featuredParticipantAttribute": "string",  
        "gridGap": number,  
        "omitStoppedVideo": boolean,  
        "pipBehavior": "string",  
        "pipHeight": number,  
        "pipOffset": number,  
        "pipParticipantAttribute": "string",  
        "pipPosition": "string",  
        "pipWidth": number,  
        "videoFillMode": "string"  
    }  
},  
"stageArn": "string",  
"startTime": "string",  
"state": "string",  
"tags": {  
    "string" : "string"  
}  
}  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[composition](#)

The Composition that was created.

Type: [Composition](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartParticipantReplication

Starts replicating a publishing participant from a source stage to a destination stage.

Request Syntax

```
POST /StartParticipantReplication HTTP/1.1
Content-type: application/json

{
  "attributes" : {
    "string" : "string"
  },
  "destinationStageArn" : "string",
  "participantId" : "string",
  "reconnectWindowSeconds" : number,
  "sourceStageArn" : "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

attributes

Application-provided attributes to set on the replicated participant in the destination stage. Map keys and values can contain UTF-8 encoded text. The maximum length of this field is 1 KB total. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

These attributes are merged with any attributes set for this participant when creating the token. If there is overlap in keys, the values in these attributes are replaced.

Type: String to string map

Required: No

destinationStageArn

ARN of the stage to which the participant will be replicated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+`

Required: Yes

participantId

Participant ID of the publisher that will be replicated. This is assigned by IVS and returned by [CreateParticipantToken](#) or the jti (JWT ID) used to [create a self signed token](#).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: `[a-zA-Z0-9-]*`

Required: Yes

reconnectWindowSeconds

If the participant disconnects and then reconnects within the specified interval, replication will continue to be ACTIVE. Default: 0.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 60.

Required: No

sourceStageArn

ARN of the stage where the participant is publishing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Access-Control-Allow-Origin: accessControlAllowOrigin
Access-Control-Expose-Headers: accessControlExposeHeaders
Cache-Control: cacheControl
Content-Security-Policy: contentSecurityPolicy
Strict-Transport-Security: strictTransportSecurity
X-Content-Type-Options: xContentTypeOptions
X-Frame-Options: xFrameOptions
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

[accessControlAllowOrigin](#)

[accessControlExposeHeaders](#)

[cacheControl](#)

[contentSecurityPolicy](#)

[strictTransportSecurity](#)

[xContentTypeOptions](#)

[xFrameOptions](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopComposition

Stops and deletes a Composition resource. Any broadcast from the Composition resource is stopped.

Request Syntax

```
POST /StopComposition HTTP/1.1
Content-type: application/json

{
    "arn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the Composition.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:composition/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopParticipantReplication

Stops a replicated participant session.

Request Syntax

```
POST /StopParticipantReplication HTTP/1.1
Content-type: application/json

{
  "destinationStageArn": "string",
  "participantId": "string",
  "sourceStageArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[destinationStageArn](#)

ARN of the stage where the participant has been replicated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

[participantId](#)

Participant ID of the publisher that has been replicated. This is assigned by IVS and returned by [CreateParticipantToken](#) or the jti (JWT ID) used to [create a self signed token](#).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: Yes

sourceStageArn

ARN of the stage where the participant is publishing.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Access-Control-Allow-Origin: accessControlAllowOrigin
Access-Control-Expose-Headers: accessControlExposeHeaders
Cache-Control: cacheControl
Content-Security-Policy: contentSecurityPolicy
Strict-Transport-Security: strictTransportSecurity
X-Content-Type-Options: xContentTypeOptions
X-Frame-Options: xFrameOptions
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

accessControlAllowOrigin

accessControlExposeHeaders

cacheControl

[contentSecurityPolicy](#)

[strictTransportSecurity](#)

[xContentTypeOptions](#)

[xFrameOptions](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds or updates tags for the AWS resource with the specified ARN.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": [
    "string : "string"
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn](#)

The ARN of the resource to be tagged. The ARN must be URL-encoded.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-z0-9-]+:[0-9]+:[a-zA-Z0-9-]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

[tags](#)

Array of tags to be added or updated. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes tags from the resource with the specified ARN.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The ARN of the resource to be untagged. The ARN must be URL-encoded.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-z0-9-]+:[0-9]+:[a-z-]/[a-zA-Z0-9-]+

Required: Yes

tagKeys

Array of tag keys (strings) for the tags to be removed. See [Best practices and strategies in Tagging AWS Resources and Tag Editor](#) for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerException

HTTP Status Code: 500

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateIngestConfiguration

Updates a specified IngestConfiguration. Only the stage ARN attached to the IngestConfiguration can be updated. An IngestConfiguration that is active cannot be updated.

Request Syntax

```
POST /UpdateIngestConfiguration HTTP/1.1
Content-type: application/json

{
  "arnstageArn
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the IngestConfiguration, for which the related stage ARN needs to be updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:ingest-configuration/[a-zA-Z0-9-]+

Required: Yes

stageArn

Stage ARN that needs to be updated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: ^\$ | ^arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+\$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ingestConfiguration": {
        "arn": "string",
        "attributes": {
            "string" : "string"
        },
        "ingestProtocol": "string",
        "name": "string",
        "participantId": "string",
        "stageArn": "string",
        "state": "string",
        "streamKey": "string",
        "tags": {
            "string" : "string"
        },
        "userId": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ingestConfiguration](#)

The updated IngestConfiguration.

Type: [IngestConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateStage

Updates a stage's configuration.

Request Syntax

```
POST /UpdateStage HTTP/1.1
Content-type: application/json

{
  "arn": "string",
  "autoParticipantRecordingConfiguration": {
    "hlsConfiguration": {
      "targetSegmentDurationSeconds": number
    },
    "mediaTypes": [ "string" ],
    "recordingReconnectWindowSeconds": number,
    "recordParticipantReplicas": boolean,
    "storageConfigurationArn": "string",
    "thumbnailConfiguration": {
      "recordingMode": "string",
      "storage": [ "string" ],
      "targetIntervalSeconds": number
    }
  },
  "name": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

arn

ARN of the stage to be updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

[autoParticipantRecordingConfiguration](#)

Configuration object for individual participant recording, to attach to the stage. Note that this cannot be updated while recording is active.

Type: [AutoParticipantRecordingConfiguration](#) object

Required: No

[name](#)

Name of the stage to be updated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "stage": {
        "activeSessionId": "string",
        "arn": "string",
        "autoParticipantRecordingConfiguration": {
            "hlsConfiguration": {
                "targetSegmentDurationSeconds": number
            },
            "mediaTypes": [ "string" ],
            "recordingReconnectWindowSeconds": number,
            "recordParticipantReplicas": boolean,
        }
    }
}
```

```
  "storageConfigurationArn": "string",
  "thumbnailConfiguration": {
    "recordingMode": "string",
    "storage": [ "string" ],
    "targetIntervalSeconds": number
  },
  "endpoints": {
    "events": "string",
    "rtmp": "string",
    "rtmps": "string",
    "whip": "string"
  },
  "name": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

stage

The updated stage.

Type: [Stage](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

HTTP Status Code: 403

ConflictException

HTTP Status Code: 409

PendingVerification

HTTP Status Code: 403

ResourceNotFoundException

HTTP Status Code: 404

ServiceQuotaExceededException

HTTP Status Code: 402

ValidationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon Interactive Video Service RealTime API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AutoParticipantRecordingConfiguration](#)
- [ChannelDestinationConfiguration](#)
- [Composition](#)
- [CompositionRecordingHlsConfiguration](#)
- [CompositionSummary](#)
- [CompositionThumbnailConfiguration](#)
- [Destination](#)
- [DestinationConfiguration](#)
- [DestinationDetail](#)
- [DestinationSummary](#)
- [EncoderConfiguration](#)
- [EncoderConfigurationSummary](#)
- [Event](#)
- [GridConfiguration](#)
- [IngestConfiguration](#)
- [IngestConfigurationSummary](#)
- [LayoutConfiguration](#)
- [Participant](#)
- [ParticipantRecordingHlsConfiguration](#)
- [ParticipantReplica](#)

- [ParticipantSummary](#)
- [ParticipantThumbnailConfiguration](#)
- [ParticipantToken](#)
- [ParticipantTokenConfiguration](#)
- [PipConfiguration](#)
- [PublicKey](#)
- [PublicKeySummary](#)
- [RecordingConfiguration](#)
- [S3DestinationConfiguration](#)
- [S3Detail](#)
- [S3StorageConfiguration](#)
- [Stage](#)
- [StageEndpoints](#)
- [StageSession](#)
- [StageSessionSummary](#)
- [StageSummary](#)
- [StorageConfiguration](#)
- [StorageConfigurationSummary](#)
- [Video](#)

AutoParticipantRecordingConfiguration

Object specifying a configuration for individual participant recording.

Contents

storageConfigurationArn

ARN of the [StorageConfiguration](#) resource to use for individual participant recording. Default: "" (empty string, no storage configuration is specified). Individual participant recording cannot be started unless a storage configuration is specified, when a [Stage](#) is created or updated. To disable individual participant recording, set this to ""; other fields in this object will get reset to their defaults when sending "".

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: ^\$ | ^arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:storage-configuration/[a-zA-Z0-9-]+\$

Required: Yes

hlsConfiguration

HLS configuration object for individual participant recording.

Type: [ParticipantRecordingHlsConfiguration](#) object

Required: No

mediaTypes

Types of media to be recorded. Default: AUDIO_VIDEO.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Valid Values: AUDIO_VIDEO | AUDIO_ONLY | NONE

Required: No

recordingReconnectWindowSeconds

If a stage publisher disconnects and then reconnects within the specified interval, the multiple recordings will be considered a single recording and merged together.

The default value is 0, which disables merging.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 300.

Required: No

recordParticipantReplicas

Optional field to disable replica participant recording. If this is set to `false` when a participant is a replica, replica participants are not recorded. Default: `true`.

Type: Boolean

Required: No

thumbnailConfiguration

A complex type that allows you to enable/disable the recording of thumbnails for individual participant recording and modify the interval at which thumbnails are generated for the live session.

Type: [ParticipantThumbnailConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ChannelDestinationConfiguration

Object specifying a channel as a destination.

Contents

channelArn

ARN of the channel to use for broadcasting. The channel and stage resources must be in the same AWS account and region. The channel must be offline (not broadcasting).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:channel/[a-zA-Z0-9-]+`

Required: Yes

encoderConfigurationArn

ARN of the [EncoderConfiguration](#) resource. The encoder configuration and stage resources must be in the same AWS account and region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:encoder-configuration/[a-zA-Z0-9-]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Composition

Object specifying a Composition resource.

Contents

arn

ARN of the Composition resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:composition/[a-zA-Z0-9-]+

Required: Yes

destinations

Array of Destination objects. A Composition can contain either one destination (channel or s3) or two (one channel and one s3).

Type: Array of [Destination](#) objects

Array Members: Minimum number of 1 item. Maximum number of 2 items.

Required: Yes

layout

Layout object to configure composition parameters.

Type: [LayoutConfiguration](#) object

Required: Yes

stageArn

ARN of the stage used as input

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+`

Required: Yes

state

State of the Composition.

Type: String

Valid Values: STARTING | ACTIVE | STOPPING | FAILED | STOPPED

Required: Yes

endTime

UTC time of the Composition end. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

startTime

UTC time of the Composition start. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompositionRecordingHlsConfiguration

An object representing a configuration of HLS recordings for server-side composition.

Contents

targetSegmentDurationSeconds

Defines the target duration for recorded segments generated when using composite recording.

Default: 2.

Type: Integer

Valid Range: Minimum value of 2. Maximum value of 10.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompositionSummary

Summary information about a Composition.

Contents

arn

ARN of the Composition resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:composition/[a-zA-Z0-9-]+`

Required: Yes

destinations

Array of Destination objects.

Type: Array of [DestinationSummary](#) objects

Array Members: Minimum number of 1 item. Maximum number of 2 items.

Required: Yes

stageArn

ARN of the attached stage.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+`

Required: Yes

state

State of the Composition resource.

Type: String

Valid Values: STARTING | ACTIVE | STOPPING | FAILED | STOPPED

Required: Yes

endTime

UTC time of the Composition end. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

startTime

UTC time of the Composition start. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompositionThumbnailConfiguration

An object representing a configuration of thumbnails for recorded video for a [Composition](#).

Contents

storage

Indicates the format in which thumbnails are recorded. SEQUENTIAL records all generated thumbnails in a serial manner, to the media/thumbnails/(width)x(height) directory, where (width) and (height) are the width and height of the thumbnail. LATEST saves the latest thumbnail in media/latest_thumbnail/(width)x(height)/thumb.jpg and overwrites it at the interval specified by targetIntervalSeconds. You can enable both SEQUENTIAL and LATEST. Default: SEQUENTIAL.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 2 items.

Valid Values: SEQUENTIAL | LATEST

Required: No

targetIntervalSeconds

The targeted thumbnail-generation interval in seconds. Default: 60.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 86400.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Destination

Object specifying the status of a Destination.

Contents

configuration

Configuration used to create this destination.

Type: [DestinationConfiguration](#) object

Required: Yes

id

Unique identifier for this destination, assigned by IVS.

Type: String

Required: Yes

state

State of the Composition Destination.

Type: String

Valid Values: STARTING | ACTIVE | STOPPING | RECONNECTING | FAILED | STOPPED

Required: Yes

detail

Optional details regarding the status of the destination.

Type: [DestinationDetail](#) object

Required: No

endTime

UTC time of the destination end. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

startTime

UTC time of the destination start. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DestinationConfiguration

Complex data type that defines destination-configuration objects.

Contents

channel

An IVS channel to be used for broadcasting, for server-side composition. Either a channel or an s3 must be specified.

Type: [ChannelDestinationConfiguration](#) object

Required: No

name

Name that can be specified to help identify the destination.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

s3

An S3 storage configuration to be used for recording video data. Either a channel or an s3 must be specified.

Type: [S3DestinationConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DestinationDetail

Complex data type that defines destination-detail objects.

Contents

s3

An S3 detail object to return information about the S3 destination.

Type: [S3Detail](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DestinationSummary

Summary information about a Destination.

Contents

id

Unique identifier for this destination, assigned by IVS.

Type: String

Required: Yes

state

State of the Composition Destination.

Type: String

Valid Values: STARTING | ACTIVE | STOPPING | RECONNECTING | FAILED | STOPPED

Required: Yes

endTime

UTC time of the destination end. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

startTime

UTC time of the destination start. This is an ISO 8601 timestamp; *note that this is returned as a string*.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EncoderConfiguration

Settings for transcoding.

Contents

arn

ARN of the EncoderConfiguration resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:encoder-configuration/[a-zA-Z0-9-]+`

Required: Yes

name

Optional name to identify the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: `[a-zA-Z0-9-_]*`

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

video

Video configuration. Default: video resolution 1280x720, bitrate 2500 kbps, 30 fps

Type: [Video object](#)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EncoderConfigurationSummary

Summary information about an EncoderConfiguration.

Contents

arn

ARN of the EncoderConfiguration resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:encoder-configuration/[a-zA-Z0-9-]+`

Required: Yes

name

Optional name to identify the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: `[a-zA-Z0-9-_]*`

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Event

An occurrence during a stage session.

Contents

destinationSessionId

ID of the session within the destination stage. Applicable only if the event name is REPLICATION_STARTED or REPLICATION_STOPPED.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: No

destinationStageArn

ARN of the stage where the participant is replicated. Applicable only if the event name is REPLICATION_STARTED or REPLICATION_STOPPED.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: No

errorCode

If the event is an error event, the error code is provided to give insight into the specific error that occurred. If the event is not an error event, this field is null.

- **B_FRAME_PRESENT** — The participant's stream includes B-frames. For details, see [IVS RTMP Publishing](#).
- **BITRATE_EXCEEDED** — The participant exceeded the maximum supported bitrate. For details, see [Service Quotas](#).
- **INSUFFICIENT_CAPABILITIES** — The participant tried to take an action that the participant's token is not allowed to do. For details on participant capabilities, see the **capabilities** field in [CreateParticipantToken](#).

- INTERNAL_SERVER_EXCEPTION — The participant failed to publish to the stage due to an internal server error.
- INVALID_AUDIO_CODEC — The participant is using an invalid audio codec. For details, see [Stream Ingest](#).
- INVALID_INPUT — The participant is using an invalid input stream.
- INVALID_PROTOCOL — The participant's IngestConfiguration resource is configured for RTMPS but they tried streaming with RTMP. For details, see [IVS RTMP Publishing](#).
- INVALID_STREAM_KEY — The participant is using an invalid stream key. For details, see [IVS RTMP Publishing](#).
- INVALID_VIDEO_CODEC — The participant is using an invalid video codec. For details, see [Stream Ingest](#).
- PUBLISHER_NOT_FOUND — The participant tried to subscribe to a publisher that doesn't exist.
- QUOTA_EXCEEDED — The number of participants who want to publish/subscribe to a stage exceeds the quota. For details, see [Service Quotas](#).
- RESOLUTION_EXCEEDED — The participant exceeded the maximum supported resolution. For details, see [Service Quotas](#).
- REUSE_OF_STREAM_KEY — The participant tried to use a stream key that is associated with another active stage session.
- STREAM_DURATION_EXCEEDED — The participant exceeded the maximum allowed stream duration. For details, see [Service Quotas](#).

Type: String

Valid Values: INSUFFICIENT_CAPABILITIES | QUOTA_EXCEEDED |
PUBLISHER_NOT_FOUND | BITRATE_EXCEEDED | RESOLUTION_EXCEEDED |
STREAM_DURATION_EXCEEDED | INVALID_AUDIO_CODEC | INVALID_VIDEO_CODEC
| INVALID_PROTOCOL | INVALID_STREAM_KEY | REUSE_OF_STREAM_KEY |
B_FRAME_PRESENT | INVALID_INPUT | INTERNAL_SERVER_EXCEPTION

Required: No

eventTime

ISO 8601 timestamp (returned as a string) for when the event occurred.

Type: Timestamp

Required: No

name

The name of the event.

Type: String

Valid Values: JOINED | LEFT | PUBLISH_STARTED | PUBLISH_STOPPED |
SUBSCRIBE_STARTED | SUBSCRIBE_STOPPED | PUBLISH_ERROR | SUBSCRIBE_ERROR
| JOIN_ERROR | REPLICATION_STARTED | REPLICATION_STOPPED

Required: No

participantId

Unique identifier for the participant who triggered the event. This is assigned by IVS.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: No

remoteParticipantId

Unique identifier for the remote participant. For a subscribe event, this is the publisher. For a publish or join event, this is null. This is assigned by IVS.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: No

replica

If true, this indicates the participantId is a replicated participant. If this is a subscribe event, then this flag refers to remoteParticipantId. Default: false.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GridConfiguration

Configuration information specific to Grid layout, for server-side composition. See "Layouts" in [Server-Side Composition](#).

Contents

featuredParticipantAttribute

This attribute name identifies the featured slot. A participant with this attribute set to "true" (as a string value) in [ParticipantTokenConfiguration](#) is placed in the featured slot. Default: "" (no featured participant).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

gridGap

Specifies the spacing between participant tiles in pixels. Default: 2.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

omitStoppedVideo

Determines whether to omit participants with stopped video in the composition. Default: false.

Type: Boolean

Required: No

videoAspectRatio

Sets the non-featured participant display mode, to control the aspect ratio of video tiles. VIDEO is 16:9, SQUARE is 1:1, and PORTRAIT is 3:4. Default: VIDEO.

Type: String

Valid Values: AUTO | VIDEO | SQUARE | PORTRAIT

Required: No

videoFillMode

Defines how video content fits within the participant tile: FILL (stretched), COVER (cropped), or CONTAIN (letterboxed). When not set, `videoFillMode` defaults to COVER fill mode for participants in the grid and to CONTAIN fill mode for featured participants.

Type: String

Valid Values: FILL | COVER | CONTAIN

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngestConfiguration

Object specifying an ingest configuration.

Contents

arn

Ingest configuration ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:ingest-configuration/[a-zA-Z0-9-]+`

Required: Yes

ingestProtocol

Type of ingest protocol that the user employs for broadcasting.

Type: String

Valid Values: RTMP | RTMPS

Required: Yes

participantId

ID of the participant within the stage.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: `[a-zA-Z0-9-]*`

Required: Yes

stageArn

ARN of the stage with which the IngestConfiguration is associated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: ^\$ | ^arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+\$

Required: Yes

state

State of the ingest configuration. It is ACTIVE if a publisher currently is publishing to the stage associated with the ingest configuration.

Type: String

Valid Values: ACTIVE | INACTIVE

Required: Yes

streamKey

Ingest-key value for the RTMP(S) protocol.

Type: String

Pattern: rt_[0-9]+_[a-zA-Z0-9-]+_[a-zA-Z0-9-]+_.+

Required: Yes

attributes

Application-provided attributes to store in the IngestConfiguration and attach to a stage. Map keys and values can contain UTF-8 encoded text. The maximum length of this field is 1 KB total. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String to string map

Required: No

name

Ingest name

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

userId

Customer-assigned name to help identify the participant using the IngestConfiguration; this can be used to link a participant to a user in the customer's own systems. This can be any UTF-8 encoded text. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngestConfigurationSummary

Summary information about an IngestConfiguration.

Contents

arn

Ingest configuration ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:ingest-configuration/[a-zA-Z0-9-]+`

Required: Yes

ingestProtocol

Type of ingest protocol that the user employs for broadcasting.

Type: String

Valid Values: RTMP | RTMPS

Required: Yes

participantId

ID of the participant within the stage.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: `[a-zA-Z0-9-]*`

Required: Yes

stageArn

ARN of the stage with which the IngestConfiguration is associated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: ^\$ | ^arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+\$

Required: Yes

state

State of the ingest configuration. It is ACTIVE if a publisher currently is publishing to the stage associated with the ingest configuration.

Type: String

Valid Values: ACTIVE | INACTIVE

Required: Yes

name

Ingest name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

userId

Customer-assigned name to help identify the participant using the IngestConfiguration; this can be used to link a participant to a user in the customer's own systems. This can be any UTF-8 encoded text. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LayoutConfiguration

Configuration information of supported layouts for server-side composition.

Contents

grid

Configuration related to grid layout. Default: Grid layout.

Type: [GridConfiguration](#) object

Required: No

pip

Configuration related to PiP layout.

Type: [PipConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Participant

Object describing a participant that has joined a stage.

Contents

attributes

Application-provided attributes to encode into the token and attach to a stage. Map keys and values can contain UTF-8 encoded text. The maximum length of this field is 1 KB total. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String to string map

Required: No

browserName

The participant's browser.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_.,:;\\s]*

Required: No

browserVersion

The participant's browser version.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_.,:;\\s]*

Required: No

firstJoinTime

ISO 8601 timestamp (returned as a string) when the participant first joined the stage session.

Type: Timestamp

Required: No

ispName

The participant's Internet Service Provider.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_.,:;\\s]*

Required: No

osName

The participant's operating system.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_.,:;\\s]*

Required: No

osVersion

The participant's operating system version.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_.,:;\\s]*

Required: No

participantId

Unique identifier for this participant, assigned by IVS.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: No

protocol

Type of ingest protocol that the participant employs for broadcasting.

Type: String

Valid Values: UNKNOWN | WHIP | RTMP | RTMPS

Required: No

published

Whether the participant ever published to the stage session.

Type: Boolean

Required: No

recordingS3BucketName

Name of the S3 bucket to where the participant is being recorded, if individual participant recording is enabled, or "" (empty string), if recording is not enabled.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 63.

Pattern: [a-zA-Z0-9-.]*

Required: No

recordingS3Prefix

S3 prefix of the S3 bucket where the participant is being recorded, if individual participant recording is enabled, or "" (empty string), if recording is not enabled. If individual participant recording merge is enabled, and if a stage publisher disconnects from a stage and then reconnects, IVS tries to record to the same S3 prefix as the previous session. See [Merge Fragmented Individual Participant Recordings](#).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: [a-zA-Z0-9-]*

Required: No

recordingState

The participant's recording state.

Type: String

Valid Values: STARTING | ACTIVE | STOPPING | STOPPED | FAILED | DISABLED

Required: No

replicationState

The participant's replication state.

Type: String

Valid Values: ACTIVE | STOPPED

Required: No

replicationType

Indicates if the participant has been replicated to another stage or is a replica from another stage. Default: NONE.

Type: String

Valid Values: SOURCE | REPLICA | NONE

Required: No

sdkVersion

The participant's SDK version.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_.,:;\s]*

Required: No

sourceSessionId

ID of the session within the source stage, if `replicationType` is `REPLICA`.

Type: String

Length Constraints: Fixed length of 16.

Pattern: `st-[a-zA-Z0-9]+`

Required: No

sourceStageArn

Source stage ARN from which this participant is replicated, if `replicationType` is `REPLICA`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+`

Required: No

state

Whether the participant is connected to or disconnected from the stage.

Type: String

Valid Values: `CONNECTED` | `DISCONNECTED`

Required: No

userId

Customer-assigned name to help identify the token; this can be used to link a participant to a user in the customer's own systems. This can be any UTF-8 encoded text. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParticipantRecordingHlsConfiguration

An object representing a configuration of participant HLS recordings for individual participant recording.

Contents

targetSegmentDurationSeconds

Defines the target duration for recorded segments generated when recording a stage participant. Segments may have durations longer than the specified value when needed to ensure each segment begins with a keyframe. Default: 6.

Type: Integer

Valid Range: Minimum value of 2. Maximum value of 10.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParticipantReplica

Information about the replicated destination stage for a participant.

Contents

destinationSessionId

ID of the session within the destination stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: Yes

destinationStageArn

ARN of the stage where the participant is replicated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

participantId

Participant ID of the publisher that will be replicated. This is assigned by IVS and returned by [CreateParticipantToken](#) or the jti (JWT ID) used to [create a self signed token](#).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: Yes

replicationState

Replica's current replication state.

Type: String

Valid Values: ACTIVE | STOPPED

Required: Yes

sourceSessionId

ID of the session within the source stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: Yes

sourceStageArn

ARN of the stage from which this participant is replicated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParticipantSummary

Summary object describing a participant that has joined a stage.

Contents

firstJoinTime

ISO 8601 timestamp (returned as a string) when the participant first joined the stage session.

Type: Timestamp

Required: No

participantId

Unique identifier for this participant, assigned by IVS.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: No

published

Whether the participant ever published to the stage session.

Type: Boolean

Required: No

recordingState

The participant's recording state.

Type: String

Valid Values: STARTING | ACTIVE | STOPPING | STOPPED | FAILED | DISABLED

Required: No

replicationState

The participant's replication state.

Type: String

Valid Values: ACTIVE | STOPPED

Required: No

replicationType

Indicates if the participant has been replicated to another stage or is a replica from another stage. Default: NONE.

Type: String

Valid Values: SOURCE | REPLICA | NONE

Required: No

sourceSessionId

ID of the session within the source stage, if replicationType is REPLICA.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: No

sourceStageArn

Source stage ARN from which this participant is replicated, if replicationType is REPLICA.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: No

state

Whether the participant is connected to or disconnected from the stage.

Type: String

Valid Values: CONNECTED | DISCONNECTED

Required: No

userId

Customer-assigned name to help identify the token; this can be used to link a participant to a user in the customer's own systems. This can be any UTF-8 encoded text. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParticipantThumbnailConfiguration

An object representing a configuration of thumbnails for recorded video from an individual participant.

Contents

recordingMode

Thumbnail recording mode. Default: DISABLED.

Type: String

Valid Values: INTERVAL | DISABLED

Required: No

storage

Indicates the format in which thumbnails are recorded. SEQUENTIAL records all generated thumbnails in a serial manner, to the media/thumbnails/high directory. LATEST saves the latest thumbnail in media/latest_thumbnail/high/thumb.jpg and overwrites it at the interval specified by targetIntervalSeconds. You can enable both SEQUENTIAL and LATEST. Default: SEQUENTIAL.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 2 items.

Valid Values: SEQUENTIAL | LATEST

Required: No

targetIntervalSeconds

The targeted thumbnail-generation interval in seconds. This is configurable only if recordingMode is INTERVAL. Default: 60.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 86400.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParticipantToken

Object specifying a participant token in a stage.

Important: Treat tokens as opaque; i.e., do not build functionality based on token contents. The format of tokens could change in the future.

Contents

attributes

Application-provided attributes to encode into the token and attach to a stage. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String to string map

Required: No

capabilities

Set of capabilities that the user is allowed to perform in the stage.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 2 items.

Valid Values: PUBLISH | SUBSCRIBE

Required: No

duration

Duration (in minutes), after which the participant token expires. Default: 720 (12 hours).

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 20160.

Required: No

expirationTime

ISO 8601 timestamp (returned as a string) for when this token expires.

Type: Timestamp

Required: No

participantId

Unique identifier for this participant token, assigned by IVS.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9-_]*

Required: No

token

The issued client token, encrypted.

Type: String

Required: No

userId

Customer-assigned name to help identify the token; this can be used to link a participant to a user in the customer's own systems. This can be any UTF-8 encoded text. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ParticipantTokenConfiguration

Object specifying a participant token configuration in a stage.

Contents

attributes

Application-provided attributes to encode into the corresponding participant token and attach to a stage. Map keys and values can contain UTF-8 encoded text. The maximum length of this field is 1 KB total. *This field is exposed to all stage participants and should not be used for personally identifying, confidential, or sensitive information.*

Type: String to string map

Required: No

capabilities

Set of capabilities that the user is allowed to perform in the stage.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 2 items.

Valid Values: PUBLISH | SUBSCRIBE

Required: No

duration

Duration (in minutes), after which the corresponding participant token expires. Default: 720 (12 hours).

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 20160.

Required: No

userId

Customer-assigned name to help identify the token; this can be used to link a participant to a user in the customer's own systems. This can be any UTF-8 encoded text. *This field is exposed to*

all stage participants and should not be used for personally identifying, confidential, or sensitive information.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PipConfiguration

Configuration information specific to Picture-in-Picture (PiP) layout, for [server-side composition](#).

Contents

featuredParticipantAttribute

This attribute name identifies the featured slot. A participant with this attribute set to "true" (as a string value) in [ParticipantTokenConfiguration](#) is placed in the featured slot. Default: "" (no featured participant).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

gridGap

Specifies the spacing between participant tiles in pixels. Default: 0.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

omitStoppedVideo

Determines whether to omit participants with stopped video in the composition. Default: false.

Type: Boolean

Required: No

pipBehavior

Defines PiP behavior when all participants have left: STATIC (maintains original position/size) or DYNAMIC (expands to full composition). Default: STATIC.

Type: String

Valid Values: STATIC | DYNAMIC

Required: No

pipHeight

Specifies the height of the PiP window in pixels. When this is not set explicitly, pipHeight's value will be based on the size of the composition and the aspect ratio of the participant's video.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

pipOffset

Sets the PiP window's offset position in pixels from the closest edges determined by PipPosition. Default: 0.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

pipParticipantAttribute

Specifies the participant for the PiP window. A participant with this attribute set to "true" (as a string value) in [ParticipantTokenConfiguration](#) is placed in the PiP slot. Default: "" (no PiP participant).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

pipPosition

Determines the corner position of the PiP window. Default: BOTTOM_RIGHT.

Type: String

Valid Values: TOP_LEFT | TOP_RIGHT | BOTTOM_LEFT | BOTTOM_RIGHT

Required: No

pipWidth

Specifies the width of the PiP window in pixels. When this is not set explicitly, pipWidth's value will be based on the size of the composition and the aspect ratio of the participant's video.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

videoFillMode

Defines how video content fits within the participant tile: FILL (stretched), COVER (cropped), or CONTAIN (letterboxed). Default: COVER.

Type: String

Valid Values: FILL | COVER | CONTAIN

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PublicKey

Object specifying a public key used to sign stage participant tokens.

Contents

arn

Public key ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:public-key/[a-zA-Z0-9-]+

Required: No

fingerprint

The public key fingerprint, a short string used to identify or verify the full public key.

Type: String

Required: No

name

Public key name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

publicKeyMaterial

Public key material.

Type: String

Pattern: .*-----BEGIN PUBLIC KEY-----\r?\n([a-zA-Z0-9+/=\r\n]+)\r?\n-----END PUBLIC KEY-----(\r?\n)?.*

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PublicKeySummary

Summary information about a public key.

Contents

arn

Public key ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:public-key/[a-zA-Z0-9-]+`

Required: No

name

Public key name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: `[a-zA-Z0-9-_]*`

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecordingConfiguration

An object representing a configuration to record a stage stream.

Contents

format

The recording format for storing a recording in Amazon S3.

Type: String

Valid Values: HLS

Required: No

hlsConfiguration

An HLS configuration object to return information about how the recording will be configured.

Type: [CompositionRecordingHlsConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3DestinationConfiguration

A complex type that describes an S3 location where recorded videos will be stored.

Contents

encoderConfigurationArns

ARNs of the [EncoderConfiguration](#) resource. The encoder configuration and stage resources must be in the same AWS account and region.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:encoder-configuration/[a-zA-Z0-9-]+`

Required: Yes

storageConfigurationArn

ARN of the [StorageConfiguration](#) where recorded videos will be stored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:storage-configuration/[a-zA-Z0-9-]+`

Required: Yes

recordingConfiguration

Array of maps, each of the form `string:string` (`key:value`). This is an optional customer specification, currently used only to specify the recording format for storing a recording in Amazon S3.

Type: [RecordingConfiguration](#) object

Required: No

thumbnailConfigurations

A complex type that allows you to enable/disable the recording of thumbnails for a [Composition](#) and modify the interval at which thumbnails are generated for the live session.

Type: Array of [CompositionThumbnailConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Detail

Complex data type that defines S3Detail objects.

Contents

recordingPrefix

The S3 bucket prefix under which the recording is stored.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3StorageConfiguration

A complex type that describes an S3 location where recorded videos will be stored.

Contents

bucketName

Location (S3 bucket name) where recorded videos will be stored. Note that the StorageConfiguration and S3 bucket must be in the same region as the Composition.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9-.]+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Stage

Object specifying a stage.

Contents

arn

Stage ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

activeSessionId

ID of the active session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: No

autoParticipantRecordingConfiguration

Configuration object for individual participant recording, attached to the stage.

Type: [AutoParticipantRecordingConfiguration](#) object

Required: No

endpoints

Summary information about various endpoints for a stage.

Type: [StageEndpoints](#) object

Required: No

name

Stage name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

tags

Tags attached to the resource. Array of maps, each of the form string:string (key:value). See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StageEndpoints

Summary information about various endpoints for a stage. We recommend that you cache these values at stage creation; the values can be cached for up to 14 days.

Contents

events

Events endpoint.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

rtmp

The endpoint to be used for IVS real-time streaming using the RTMP protocol.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

rtmps

The endpoint to be used for IVS real-time streaming using the RTMPS protocol.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

whip

The endpoint to be used for IVS real-time streaming using the WHIP protocol.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StageSession

A stage session begins when the first participant joins a stage and ends after the last participant leaves the stage. A stage session helps with debugging stages by grouping events and participants into shorter periods of time (i.e., a session), which is helpful when stages are used over long periods of time.

Contents

endTime

ISO 8601 timestamp (returned as a string) when the stage session ended. This is null if the stage is active.

Type: Timestamp

Required: No

sessionId

ID of the session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: No

startTime

ISO 8601 timestamp (returned as a string) when this stage session began.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StageSessionSummary

Summary information about a stage session.

Contents

endTime

ISO 8601 timestamp (returned as a string) when the stage session ended. This is null if the stage is active.

Type: Timestamp

Required: No

sessionId

ID of the session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: No

startTime

ISO 8601 timestamp (returned as a string) when this stage session began.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

StageSummary

Summary information about a stage.

Contents

arn

Stage ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:stage/[a-zA-Z0-9-]+

Required: Yes

activeSessionId

ID of the active session within the stage.

Type: String

Length Constraints: Fixed length of 16.

Pattern: st-[a-zA-Z0-9]+

Required: No

name

Stage name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [a-zA-Z0-9-_]*

Required: No

tags

Tags attached to the resource. Array of maps, each of the form string:string (key:value). See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for

details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StorageConfiguration

A complex type that describes a location where recorded videos will be stored.

Contents

arn

ARN of the storage configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:storage-configuration/[a-zA-Z0-9-]+`

Required: Yes

name

Name of the storage configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: `[a-zA-Z0-9-_]*`

Required: No

s3

An S3 destination configuration where recorded videos will be stored.

Type: [S3StorageConfiguration](#) object

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StorageConfigurationSummary

Summary information about a storage configuration.

Contents

arn

ARN of the storage configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `arn:aws:ivs:[a-zA-Z0-9-]+:[0-9]+:storage-configuration/[a-zA-Z0-9-_]+`

Required: Yes

name

Name of the storage configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: `[a-zA-Z0-9-_]*`

Required: No

s3

An S3 destination configuration where recorded videos will be stored.

Type: [S3StorageConfiguration](#) object

Required: No

tags

Tags attached to the resource. Array of maps, each of the form `string:string (key:value)`. See [Best practices and strategies](#) in *Tagging AWS Resources and Tag Editor* for details, including restrictions that apply to tags and "Tag naming limits and requirements"; Amazon IVS has no constraints on tags beyond what is documented there.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Video

Settings for video.

Contents

bitrate

Bitrate for generated output, in bps. Default: 2500000.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 8500000.

Required: No

framerate

Video frame rate, in fps. Default: 30.

Type: Float

Valid Range: Minimum value of 1. Maximum value of 60.

Required: No

height

Video-resolution height. This must be an even number. Note that the maximum value is determined by width times height, such that the maximum total pixels is 2073600 (1920x1080 or 1080x1920). Default: 720.

Type: Integer

Valid Range: Minimum value of 2. Maximum value of 1920.

Required: No

width

Video-resolution width. This must be an even number. Note that the maximum value is determined by width times height, such that the maximum total pixels is 2073600 (1920x1080 or 1080x1920). Default: 1280.

Type: Integer

Valid Range: Minimum value of 2. Maximum value of 1920.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400