



API Reference

# Amazon Keyspaces (for Apache Cassandra)



**API Version 2022-02-10**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

# Amazon Keyspaces (for Apache Cassandra): API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

# Table of Contents

|                          |          |
|--------------------------|----------|
| <b>Welcome .....</b>     | <b>1</b> |
| <b>Actions .....</b>     | <b>2</b> |
| CreateKeyspace .....     | 3        |
| Request Syntax .....     | 3        |
| Request Parameters ..... | 3        |
| Response Syntax .....    | 4        |
| Response Elements .....  | 4        |
| Errors .....             | 5        |
| See Also .....           | 6        |
| CreateTable .....        | 7        |
| Request Syntax .....     | 7        |
| Request Parameters ..... | 10       |
| Response Syntax .....    | 15       |
| Response Elements .....  | 15       |
| Errors .....             | 15       |
| See Also .....           | 17       |
| CreateType .....         | 18       |
| Request Syntax .....     | 18       |
| Request Parameters ..... | 18       |
| Response Syntax .....    | 19       |
| Response Elements .....  | 19       |
| Errors .....             | 20       |
| See Also .....           | 22       |
| DeleteKeyspace .....     | 23       |
| Request Syntax .....     | 23       |
| Request Parameters ..... | 23       |
| Response Elements .....  | 23       |
| Errors .....             | 23       |
| See Also .....           | 25       |
| DeleteTable .....        | 26       |
| Request Syntax .....     | 26       |
| Request Parameters ..... | 26       |
| Response Elements .....  | 27       |
| Errors .....             | 27       |

|                                   |    |
|-----------------------------------|----|
| See Also .....                    | 28 |
| DeleteType .....                  | 30 |
| Request Syntax .....              | 30 |
| Request Parameters .....          | 30 |
| Response Syntax .....             | 31 |
| Response Elements .....           | 31 |
| Errors .....                      | 31 |
| See Also .....                    | 33 |
| GetKeyspace .....                 | 34 |
| Request Syntax .....              | 34 |
| Request Parameters .....          | 34 |
| Response Syntax .....             | 34 |
| Response Elements .....           | 35 |
| Errors .....                      | 36 |
| See Also .....                    | 37 |
| GetTable .....                    | 39 |
| Request Syntax .....              | 39 |
| Request Parameters .....          | 39 |
| Response Syntax .....             | 40 |
| Response Elements .....           | 42 |
| Errors .....                      | 44 |
| See Also .....                    | 46 |
| GetTableAutoScalingSettings ..... | 47 |
| Request Syntax .....              | 47 |
| Request Parameters .....          | 47 |
| Response Syntax .....             | 48 |
| Response Elements .....           | 50 |
| Errors .....                      | 51 |
| See Also .....                    | 52 |
| GetType .....                     | 53 |
| Request Syntax .....              | 53 |
| Request Parameters .....          | 53 |
| Response Syntax .....             | 54 |
| Response Elements .....           | 54 |
| Errors .....                      | 56 |
| See Also .....                    | 57 |

|                           |    |
|---------------------------|----|
| ListKeyspaces .....       | 59 |
| Request Syntax .....      | 59 |
| Request Parameters .....  | 59 |
| Response Syntax .....     | 60 |
| Response Elements .....   | 60 |
| Errors .....              | 60 |
| See Also .....            | 62 |
| ListTables .....          | 63 |
| Request Syntax .....      | 63 |
| Request Parameters .....  | 63 |
| Response Syntax .....     | 64 |
| Response Elements .....   | 64 |
| Errors .....              | 65 |
| See Also .....            | 66 |
| ListTagsForResource ..... | 68 |
| Request Syntax .....      | 68 |
| Request Parameters .....  | 68 |
| Response Syntax .....     | 69 |
| Response Elements .....   | 69 |
| Errors .....              | 70 |
| See Also .....            | 71 |
| ListTypes .....           | 72 |
| Request Syntax .....      | 72 |
| Request Parameters .....  | 72 |
| Response Syntax .....     | 73 |
| Response Elements .....   | 73 |
| Errors .....              | 74 |
| See Also .....            | 75 |
| RestoreTable .....        | 76 |
| Request Syntax .....      | 77 |
| Request Parameters .....  | 78 |
| Response Syntax .....     | 82 |
| Response Elements .....   | 82 |
| Errors .....              | 82 |
| See Also .....            | 84 |
| TagResource .....         | 85 |

|                                |            |
|--------------------------------|------------|
| Request Syntax .....           | 85         |
| Request Parameters .....       | 85         |
| Response Elements .....        | 86         |
| Errors .....                   | 86         |
| See Also .....                 | 88         |
| UntagResource .....            | 89         |
| Request Syntax .....           | 89         |
| Request Parameters .....       | 89         |
| Response Elements .....        | 90         |
| Errors .....                   | 90         |
| See Also .....                 | 91         |
| UpdateKeyspace .....           | 93         |
| Request Syntax .....           | 94         |
| Request Parameters .....       | 94         |
| Response Syntax .....          | 95         |
| Response Elements .....        | 95         |
| Errors .....                   | 96         |
| See Also .....                 | 97         |
| UpdateTable .....              | 99         |
| Request Syntax .....           | 99         |
| Request Parameters .....       | 101        |
| Response Syntax .....          | 105        |
| Response Elements .....        | 105        |
| Errors .....                   | 105        |
| See Also .....                 | 107        |
| <b>Data Types .....</b>        | <b>108</b> |
| AutoScalingPolicy .....        | 110        |
| Contents .....                 | 110        |
| See Also .....                 | 110        |
| AutoScalingSettings .....      | 111        |
| Contents .....                 | 112        |
| See Also .....                 | 113        |
| AutoScalingSpecification ..... | 114        |
| Contents .....                 | 114        |
| See Also .....                 | 114        |
| CapacitySpecification .....    | 115        |

|                                    |     |
|------------------------------------|-----|
| Contents .....                     | 115 |
| See Also .....                     | 116 |
| CapacitySpecificationSummary ..... | 117 |
| Contents .....                     | 117 |
| See Also .....                     | 118 |
| CdcSpecification .....             | 119 |
| Contents .....                     | 119 |
| See Also .....                     | 120 |
| CdcSpecificationSummary .....      | 121 |
| Contents .....                     | 121 |
| See Also .....                     | 121 |
| ClientSideTimestamps .....         | 123 |
| Contents .....                     | 123 |
| See Also .....                     | 123 |
| ClusteringKey .....                | 124 |
| Contents .....                     | 124 |
| See Also .....                     | 124 |
| ColumnDefinition .....             | 125 |
| Contents .....                     | 125 |
| See Also .....                     | 125 |
| Comment .....                      | 126 |
| Contents .....                     | 126 |
| See Also .....                     | 126 |
| EncryptionSpecification .....      | 127 |
| Contents .....                     | 127 |
| See Also .....                     | 128 |
| FieldDefinition .....              | 129 |
| Contents .....                     | 129 |
| See Also .....                     | 129 |
| KeyspaceSummary .....              | 130 |
| Contents .....                     | 130 |
| See Also .....                     | 131 |
| PartitionKey .....                 | 132 |
| Contents .....                     | 132 |
| See Also .....                     | 132 |
| PointInTimeRecovery .....          | 133 |

|                                                |     |
|------------------------------------------------|-----|
| Contents .....                                 | 133 |
| See Also .....                                 | 133 |
| PointInTimeRecoverySummary .....               | 134 |
| Contents .....                                 | 134 |
| See Also .....                                 | 134 |
| ReplicaAutoScalingSpecification .....          | 135 |
| Contents .....                                 | 135 |
| See Also .....                                 | 135 |
| ReplicaSpecification .....                     | 136 |
| Contents .....                                 | 136 |
| See Also .....                                 | 137 |
| ReplicaSpecificationSummary .....              | 138 |
| Contents .....                                 | 138 |
| See Also .....                                 | 139 |
| ReplicationGroupStatus .....                   | 140 |
| Contents .....                                 | 140 |
| See Also .....                                 | 140 |
| ReplicationSpecification .....                 | 142 |
| Contents .....                                 | 142 |
| See Also .....                                 | 142 |
| SchemaDefinition .....                         | 144 |
| Contents .....                                 | 144 |
| See Also .....                                 | 145 |
| StaticColumn .....                             | 146 |
| Contents .....                                 | 146 |
| See Also .....                                 | 146 |
| TableSummary .....                             | 147 |
| Contents .....                                 | 147 |
| See Also .....                                 | 148 |
| Tag .....                                      | 149 |
| Contents .....                                 | 149 |
| See Also .....                                 | 149 |
| TargetTrackingScalingPolicyConfiguration ..... | 151 |
| Contents .....                                 | 151 |
| See Also .....                                 | 152 |
| TimeToLive .....                               | 153 |



|                                          |            |
|------------------------------------------|------------|
| Contents .....                           | 153        |
| See Also .....                           | 153        |
| WarmThroughputSpecification .....        | 154        |
| Contents .....                           | 154        |
| See Also .....                           | 154        |
| WarmThroughputSpecificationSummary ..... | 156        |
| Contents .....                           | 156        |
| See Also .....                           | 156        |
| <b>Service-specific Errors .....</b>     | <b>157</b> |
| AccessDeniedException .....              | 158        |
| Contents .....                           | 158        |
| See Also .....                           | 158        |
| ConflictException .....                  | 159        |
| Contents .....                           | 159        |
| See Also .....                           | 159        |
| InternalServerError .....                | 160        |
| Contents .....                           | 160        |
| See Also .....                           | 160        |
| ResourceNotFoundException .....          | 161        |
| Contents .....                           | 161        |
| See Also .....                           | 161        |
| ServiceQuotaExceededException .....      | 162        |
| Contents .....                           | 162        |
| See Also .....                           | 162        |
| ValidationException .....                | 163        |
| Contents .....                           | 163        |
| See Also .....                           | 163        |
| <b>Common Parameters .....</b>           | <b>164</b> |
| <b>Common Errors .....</b>               | <b>167</b> |

# Welcome

Amazon Keyspaces (for Apache Cassandra) is a scalable, highly available, and managed Apache Cassandra-compatible database service. Amazon Keyspaces makes it easy to migrate, run, and scale Cassandra workloads in the AWS Cloud. With just a few clicks on the AWS Management Console or a few lines of code, you can create keyspaces and tables in Amazon Keyspaces, without deploying any infrastructure or installing software.

In addition to supporting Cassandra Query Language (CQL) requests via open-source Cassandra drivers, Amazon Keyspaces supports data definition language (DDL) operations to manage keyspaces and tables using the AWS SDK and AWS CLI, as well as infrastructure as code (IaC) services and tools such as AWS CloudFormation and Terraform. This API reference describes the supported DDL operations in detail.

For the list of all supported CQL APIs, see [Supported Cassandra APIs, operations, and data types in Amazon Keyspaces](#) in the *Amazon Keyspaces Developer Guide*.

To learn how Amazon Keyspaces API actions are recorded with AWS CloudTrail, see [Amazon Keyspaces information in CloudTrail](#) in the *Amazon Keyspaces Developer Guide*.

For more information about AWS APIs, for example how to implement retry logic or how to sign AWS API requests, see [AWS APIs](#) in the *General Reference*.

This document was last published on February 12, 2026.

# Actions

The following actions are supported:

- [CreateKeyspace](#)
- [CreateTable](#)
- [CreateType](#)
- [DeleteKeyspace](#)
- [DeleteTable](#)
- [DeleteType](#)
- [GetKeyspace](#)
- [GetTable](#)
- [GetTableAutoScalingSettings](#)
- [GetType](#)
- [ListKeyspaces](#)
- [ListTables](#)
- [ListTagsForResource](#)
- [ListTypes](#)
- [RestoreTable](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateKeyspace](#)
- [UpdateTable](#)

# CreateKeyspace

The CreateKeyspace operation adds a new keyspace to your account. In an AWS account, keyspace names must be unique within each Region.

CreateKeyspace is an asynchronous operation. You can monitor the creation status of the new keyspace by using the GetKeyspace operation.

For more information, see [Create a keyspace](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{
  "keyspaceName": "string",
  "replicationSpecification": {
    "regionList": [ "string" ],
    "replicationStrategy": "string"
  },
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [keyspaceName](#)

The name of the keyspace to be created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### replicationSpecification

The replication specification of the keyspace includes:

- `replicationStrategy` - the required value is `SINGLE_REGION` or `MULTI_REGION`.
- `regionList` - if the `replicationStrategy` is `MULTI_REGION`, the `regionList` requires the current Region and at least one additional AWS Region where the keyspace is going to be replicated in.

Type: [ReplicationSpecification](#) object

Required: No

### tags

A list of key-value pair tags to be attached to the keyspace.

For more information, see [Adding tags and labels to Amazon Keyspaces resources](#) in the *Amazon Keyspaces Developer Guide*.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 60 items.

Required: No

## Response Syntax

```
{  
  "resourceArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### resourceArn

The unique identifier of the keyspace in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [ConflictException](#)

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

#### **message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

### [InternalServerException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateTable

The CreateTable operation adds a new table to the specified keyspace. Within a keyspace, table names must be unique.

CreateTable is an asynchronous operation. When the request is received, the status of the table is set to CREATING. You can monitor the creation status of the new table by using the GetTable operation, which returns the current status of the table. You can start using a table when the status is ACTIVE.

For more information, see [Create a table](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{
  "autoScalingSpecification": {
    "readCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    },
    "writeCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    }
  }
}
```



```
{,
  "capacitySpecification": {
    "readCapacityUnits": number,
    "throughputMode": "string",
    "writeCapacityUnits": number
  },
  "cdcSpecification": {
    "propagateTags": "string",
    "status": "string",
    "tags": [
      {
        "key": "string",
        "value": "string"
      }
    ],
    "viewType": "string"
  },
  "clientSideTimestamps": {
    "status": "string"
  },
  "comment": {
    "message": "string"
  },
  "defaultTimeToLive": number,
  "encryptionSpecification": {
    "kmsKeyIdentifier": "string",
    "type": "string"
  },
  "keyspaceName": "string",
  "pointInTimeRecovery": {
    "status": "string"
  },
  "replicaSpecifications": [
    {
      "readCapacityAutoScaling": {
        "autoScalingDisabled": boolean,
        "maximumUnits": number,
        "minimumUnits": number,
        "scalingPolicy": {
          "targetTrackingScalingPolicyConfiguration": {
            "disableScaleIn": boolean,
            "scaleInCooldown": number,
            "scaleOutCooldown": number,
            "targetValue": number
          }
        }
      }
    }
  ]
}
```

```

        }
    }
    },
    "readCapacityUnits": number,
    "region": "string"
}
],
"schemaDefinition": {
    "allColumns": [
        {
            "name": "string",
            "type": "string"
        }
    ],
    "clusteringKeys": [
        {
            "name": "string",
            "orderBy": "string"
        }
    ],
    "partitionKeys": [
        {
            "name": "string"
        }
    ],
    "staticColumns": [
        {
            "name": "string"
        }
    ]
},
"tableName": "string",
"tags": [
    {
        "key": "string",
        "value": "string"
    }
],
"ttl": {
    "status": "string"
},
"warmThroughputSpecification": {
    "readUnitsPerSecond": number,
    "writeUnitsPerSecond": number
}

```

```
}  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [autoScalingSpecification](#)

The optional auto scaling settings for a table in provisioned capacity mode. Specifies if the service can manage throughput capacity automatically on your behalf.

Auto scaling helps you provision throughput capacity for variable workloads efficiently by increasing and decreasing your table's read and write capacity automatically in response to application traffic. For more information, see [Managing throughput capacity automatically with Amazon Keyspaces auto scaling](#) in the *Amazon Keyspaces Developer Guide*.

By default, auto scaling is disabled for a table.

Type: [AutoScalingSpecification](#) object

Required: No

### [capacitySpecification](#)

Specifies the read/write throughput capacity mode for the table. The options are:

- `throughputMode:PAY_PER_REQUEST` and
- `throughputMode:PROVISIONED` - Provisioned capacity mode requires `readCapacityUnits` and `writeCapacityUnits` as input.

The default is `throughput_mode:PAY_PER_REQUEST`.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

Type: [CapacitySpecification](#) object

Required: No

### [cdcSpecification](#)

The CDC stream settings of the table.

Type: [CdcSpecification](#) object

Required: No

### [clientSideTimestamps](#)

Enables client-side timestamps for the table. By default, the setting is disabled. You can enable client-side timestamps with the following option:

- `status: "enabled"`

Once client-side timestamps are enabled for a table, this setting cannot be disabled.

Type: [ClientSideTimestamps](#) object

Required: No

### [comment](#)

This parameter allows to enter a description of the table.

Type: [Comment](#) object

Required: No

### [defaultTimeToLive](#)

The default Time to Live setting in seconds for the table.

For more information, see [Setting the default TTL value for a table](#) in the *Amazon Keyspaces Developer Guide*.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 630720000.

Required: No

### [encryptionSpecification](#)

Specifies how the encryption key for encryption at rest is managed for the table. You can choose one of the following KMS key (KMS key):

- `type: AWS_OWNED_KMS_KEY` - This key is owned by Amazon Keyspaces.
- `type: CUSTOMER_MANAGED_KMS_KEY` - This key is stored in your account and is created, owned, and managed by you. This option requires the `kms_key_identifier` of the KMS key in Amazon Resource Name (ARN) format as input.

The default is type : `AWS_OWNED_KMS_KEY`.

For more information, see [Encryption at rest](#) in the *Amazon Keyspaces Developer Guide*.

Type: [EncryptionSpecification](#) object

Required: No

### [keyspaceName](#)

The name of the keyspace that the table is going to be created in.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### [pointInTimeRecovery](#)

Specifies if `pointInTimeRecovery` is enabled or disabled for the table. The options are:

- `status=ENABLED`
- `status=DISABLED`

If it's not specified, the default is `status=DISABLED`.

For more information, see [Point-in-time recovery](#) in the *Amazon Keyspaces Developer Guide*.

Type: [PointInTimeRecovery](#) object

Required: No

### [replicaSpecifications](#)

The optional AWS Region specific settings of a multi-Region table. These settings overwrite the general settings of the table for the specified Region.

For a multi-Region table in provisioned capacity mode, you can configure the table's read capacity differently for each Region's replica. The write capacity, however, remains synchronized between all replicas to ensure that there's enough capacity to replicate writes across all Regions. To define the read capacity for a table replica in a specific Region, you can do so by configuring the following parameters.

- **region**: The Region where these settings are applied. (Required)
- **readCapacityUnits**: The provisioned read capacity units. (Optional)
- **readCapacityAutoScaling**: The read capacity auto scaling settings for the table. (Optional)

Type: Array of [ReplicaSpecification](#) objects

Array Members: Minimum number of 1 item.

Required: No

## [schemaDefinition](#)

The `schemaDefinition` consists of the following parameters.

For each column to be created:

- **name** - The name of the column.
- **type** - An Amazon Keyspaces data type. For more information, see [Data types](#) in the *Amazon Keyspaces Developer Guide*.

The primary key of the table consists of the following columns:

- **partitionKeys** - The partition key can be a single column, or it can be a compound value composed of two or more columns. The partition key portion of the primary key is required and determines how Amazon Keyspaces stores your data.
- **name** - The name of each partition key column.
- **clusteringKeys** - The optional clustering column portion of your primary key determines how the data is clustered and sorted within each partition.
- **name** - The name of the clustering column.
- **orderBy** - Sets the ascendant (ASC) or descendant (DESC) order modifier.

To define a column as static use `staticColumns` - Static columns store values that are shared by all rows in the same partition:

- **name** - The name of the column.
- **type** - An Amazon Keyspaces data type.

Type: [SchemaDefinition](#) object

Required: Yes

## tableName

The name of the table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## tags

A list of key-value pair tags to be attached to the resource.

For more information, see [Adding tags and labels to Amazon Keyspaces resources](#) in the *Amazon Keyspaces Developer Guide*.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 60 items.

Required: No

## ttl

Enables Time to Live custom settings for the table. The options are:

- `status:enabled`
- `status:disabled`

The default is `status:disabled`. After `ttl` is enabled, you can't disable it for the table.

For more information, see [Expiring data by using Amazon Keyspaces Time to Live \(TTL\)](#) in the *Amazon Keyspaces Developer Guide*.

Type: [TimeToLive](#) object

Required: No

## warmThroughputSpecification

Specifies the warm throughput settings for the table. Pre-warming a table helps you avoid capacity exceeded exceptions by pre-provisioning read and write capacity units to reduce cold start latency when your table receives traffic.

For more information about pre-warming in Amazon Keyspaces, see [Pre-warm a table in Amazon Keyspaces](#) in the *Amazon Keyspaces Developer Guide*.

Type: [WarmThroughputSpecification](#) object

Required: No

## Response Syntax

```
{  
  "resourceArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [resourceArn](#)

The unique identifier of the table in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.



HTTP Status Code: 400

### [ConflictException](#)

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

#### **message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

### [InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

#### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

#### **resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

### [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

**[ValidationException](#)**

The operation failed due to an invalid or malformed request.

**message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateType

The CreateType operation creates a new user-defined type in the specified keyspace.

To configure the required permissions, see [Permissions to create a UDT](#) in the *Amazon Keyspaces Developer Guide*.

For more information, see [User-defined types \(UDTs\)](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{
  "fieldDefinitions": [
    {
      "name": "string",
      "type": "string"
    }
  ],
  "keyspaceName": "string",
  "typeName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [fieldDefinitions](#)

The field definitions, consisting of names and types, that define this type.

Type: Array of [FieldDefinition](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

### [keyspaceName](#)

The name of the keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### typeName

The name of the user-defined type.

UDT names must contain 48 characters or less, must begin with an alphabetic character, and can only contain alpha-numeric characters and underscores. Amazon Keyspaces converts upper case characters automatically into lower case characters.

Alternatively, you can declare a UDT name in double quotes. When declaring a UDT name inside double quotes, Amazon Keyspaces preserves upper casing and allows special characters.

You can also use double quotes as part of the name when you create the UDT, but you must escape each double quote character with an additional double quote character.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Required: Yes

## Response Syntax

```
{
  "keyspaceArn": "string",
  "typeName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### keyspaceArn

The unique identifier of the keyspace that contains the new type in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.+.*`

### typeName

The formatted name of the user-defined type that was created. Note that Amazon Keyspaces requires the formatted name of the type for other operations, for example `GetType`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### ConflictException

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

#### **message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

### InternalServerErrorException

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

**[ResourceNotFoundException](#)**

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

**[ServiceQuotaExceededException](#)**

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

**[ValidationException](#)**

The operation failed due to an invalid or malformed request.

**message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteKeyspace

The DeleteKeyspace operation deletes a keyspace and all of its tables.

## Request Syntax

```
{  
  "keyspaceName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace to be deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You don't have sufficient access permissions to perform this action.



**message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

**[ConflictException](#)**

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

**message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

**[InternalServerErrorException](#)**

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

**[ResourceNotFoundException](#)**

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteTable

The DeleteTable operation deletes a table and all of its data. After a DeleteTable request is received, the specified table is in the DELETING state until Amazon Keyspaces completes the deletion. If the table is in the ACTIVE state, you can delete it. If a table is either in the CREATING or UPDATING states, then Amazon Keyspaces returns a ResourceInUseException. If the specified table does not exist, Amazon Keyspaces returns a ResourceNotFoundException. If the table is already in the DELETING state, no error is returned.

## Request Syntax

```
{
  "keyspaceName": "string",
  "tableName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace of the to be deleted table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### tableName

The name of the table to be deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [ConflictException](#)

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

#### **message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

### [InternalServerError](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

#### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

#### **resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

### [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

#### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

### [ValidationException](#)

The operation failed due to an invalid or malformed request.

#### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteType

The DeleteType operation deletes a user-defined type (UDT). You can only delete a type that is not used in a table or another UDT.

To configure the required permissions, see [Permissions to delete a UDT](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{
  "keyspaceName": "string",
  "typeName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace of the to be deleted type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### typeName

The name of the type to be deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Required: Yes

## Response Syntax

```
{
  "keyspaceArn": "string",
  "typeName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### keyspaceArn

The unique identifier of the keyspace from which the type was deleted in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*`

### typeName

The name of the type that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You don't have sufficient access permissions to perform this action.



**message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

[ConflictException](#)

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

**message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

[InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetKeyspace

Returns the name of the specified keyspace, the Amazon Resource Name (ARN), the replication strategy, the AWS Regions of a multi-Region keyspace, and the status of newly added Regions after an UpdateKeyspace operation.

## Request Syntax

```
{
  "keyspaceName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## Response Syntax

```
{
  "keyspaceName": "string",
  "replicationGroupStatuses": [
    {
      "keyspaceStatus": "string",
      "region": "string",
      "tablesReplicationProgress": "string"
    }
  ],
}
```

```
"replicationRegions": [ "string" ],  
"replicationStrategy": "string",  
"resourceArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [keyspaceName](#)

The name of the keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

### [replicationGroupStatuses](#)

A list of all Regions the keyspace is replicated in after the update keyspace operation and their status.

Type: Array of [ReplicationGroupStatus](#) objects

Array Members: Minimum number of 2 items.

### [replicationRegions](#)

If the `replicationStrategy` of the keyspace is `MULTI_REGION`, a list of replication Regions is returned.

Type: Array of strings

Array Members: Minimum number of 2 items.

Length Constraints: Minimum length of 2. Maximum length of 25.

### [replicationStrategy](#)

Returns the replication strategy of the keyspace. The options are `SINGLE_REGION` or `MULTI_REGION`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Valid Values: SINGLE\_REGION | MULTI\_REGION

### [resourceArn](#)

Returns the ARN of the keyspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

**[ServiceQuotaExceededException](#)**

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

**[ValidationException](#)**

The operation failed due to an invalid or malformed request.

**message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetTable

Returns information about the table, including the table's name and current status, the keyspace name, configuration settings, and metadata.

To read table metadata using `GetTable`, the IAM principal needs `Select` action permissions for the table and the system keyspace.

## Request Syntax

```
{  
  "keyspaceName": "string",  
  "tableName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace that the table is stored in.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### tableName

The name of the table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes



# Response Syntax

```
{
  "capacitySpecification": {
    "lastUpdateToPayPerRequestTimestamp": number,
    "readCapacityUnits": number,
    "throughputMode": "string",
    "writeCapacityUnits": number
  },
  "cdcSpecification": {
    "status": "string",
    "viewType": "string"
  },
  "clientSideTimestamps": {
    "status": "string"
  },
  "comment": {
    "message": "string"
  },
  "creationTimestamp": number,
  "defaultTimeToLive": number,
  "encryptionSpecification": {
    "kmsKeyIdentifier": "string",
    "type": "string"
  },
  "keyspaceName": "string",
  "latestStreamArn": "string",
  "pointInTimeRecovery": {
    "earliestRestorableTimestamp": number,
    "status": "string"
  },
  "replicaSpecifications": [
    {
      "capacitySpecification": {
        "lastUpdateToPayPerRequestTimestamp": number,
        "readCapacityUnits": number,
        "throughputMode": "string",
        "writeCapacityUnits": number
      },
      "region": "string",
      "status": "string",
      "warmThroughputSpecification": {
        "readUnitsPerSecond": number,
```

```
        "status": "string",
        "writeUnitsPerSecond": number
    }
},
"resourceArn": "string",
"schemaDefinition": {
    "allColumns": [
        {
            "name": "string",
            "type": "string"
        }
    ],
    "clusteringKeys": [
        {
            "name": "string",
            "orderBy": "string"
        }
    ],
    "partitionKeys": [
        {
            "name": "string"
        }
    ],
    "staticColumns": [
        {
            "name": "string"
        }
    ]
},
"status": "string",
"tableName": "string",
"ttl": {
    "status": "string"
},
"warmThroughputSpecification": {
    "readUnitsPerSecond": number,
    "status": "string",
    "writeUnitsPerSecond": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### capacitySpecification

The read/write throughput capacity mode for a table. The options are:

- `throughputMode:PAY_PER_REQUEST`
- `throughputMode:PROVISIONED`

Type: [CapacitySpecificationSummary](#) object

### cdcSpecification

The CDC stream settings of the table.

Type: [CdcSpecificationSummary](#) object

### clientSideTimestamps

The client-side timestamps setting of the table.

Type: [ClientSideTimestamps](#) object

### comment

The the description of the specified table.

Type: [Comment](#) object

### creationTimestamp

The creation timestamp of the specified table.

Type: Timestamp

### defaultTimeToLive

The default Time to Live settings in seconds of the specified table.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 630720000.

## encryptionSpecification

The encryption settings of the specified table.

Type: [EncryptionSpecification](#) object

## keyspaceName

The name of the keyspace that the specified table is stored in.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

## latestStreamArn

The Amazon Resource Name (ARN) of the stream.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

## pointInTimeRecovery

The point-in-time recovery status of the specified table.

Type: [PointInTimeRecoverySummary](#) object

## replicaSpecifications

Returns the AWS Region specific settings of all Regions a multi-Region table is replicated in.

Type: Array of [ReplicaSpecificationSummary](#) objects

Array Members: Minimum number of 0 items.

## resourceArn

The Amazon Resource Name (ARN) of the specified table.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

### [schemaDefinition](#)

The schema definition of the specified table.

Type: [SchemaDefinition](#) object

### [status](#)

The current status of the specified table.

Type: String

Valid Values: ACTIVE | CREATING | UPDATING | DELETING | DELETED | RESTORING  
| INACCESSIBLE\_ENCRYPTION\_CREDENTIALS

### [tableName](#)

The name of the specified table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

### [ttl](#)

The custom Time to Live settings of the specified table.

Type: [TimeToLive](#) object

### [warmThroughputSpecification](#)

The warm throughput settings for the table, including the current status and configured read and write capacity units.

Type: [WarmThroughputSpecificationSummary](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

**message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [InternalServerException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

### [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

### [ValidationException](#)

The operation failed due to an invalid or malformed request.

#### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetTableAutoScalingSettings

Returns auto scaling related settings of the specified table in JSON format. If the table is a multi-Region table, the AWS Region specific auto scaling settings of the table are included.

Amazon Keyspaces auto scaling helps you provision throughput capacity for variable workloads efficiently by increasing and decreasing your table's read and write capacity automatically in response to application traffic. For more information, see [Managing throughput capacity automatically with Amazon Keyspaces auto scaling](#) in the *Amazon Keyspaces Developer Guide*.

## Important

GetTableAutoScalingSettings can't be used as an action in an IAM policy.

To define permissions for GetTableAutoScalingSettings, you must allow the following two actions in the IAM policy statement's Action element:

- application-autoscaling:DescribeScalableTargets
- application-autoscaling:DescribeScalingPolicies

## Request Syntax

```
{  
  "keyspaceName": "string",  
  "tableName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace.

Type: String



Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### tableName

The name of the table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## Response Syntax

```
{
  "autoScalingSpecification": {
    "readCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    },
    "writeCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,

```

```

        "targetValue": number
      }
    }
  },
  "keyspaceName": "string",
  "replicaSpecifications": [
    {
      "autoScalingSpecification": {
        "readCapacityAutoScaling": {
          "autoScalingDisabled": boolean,
          "maximumUnits": number,
          "minimumUnits": number,
          "scalingPolicy": {
            "targetTrackingScalingPolicyConfiguration": {
              "disableScaleIn": boolean,
              "scaleInCooldown": number,
              "scaleOutCooldown": number,
              "targetValue": number
            }
          }
        },
        "writeCapacityAutoScaling": {
          "autoScalingDisabled": boolean,
          "maximumUnits": number,
          "minimumUnits": number,
          "scalingPolicy": {
            "targetTrackingScalingPolicyConfiguration": {
              "disableScaleIn": boolean,
              "scaleInCooldown": number,
              "scaleOutCooldown": number,
              "targetValue": number
            }
          }
        }
      },
      "region": "string"
    }
  ],
  "resourceArn": "string",
  "tableName": "string"
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [autoScalingSpecification](#)

The auto scaling settings of the table.

Type: [AutoScalingSpecification](#) object

### [keyspaceName](#)

The name of the keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

### [replicaSpecifications](#)

The AWS Region specific settings of a multi-Region table. Returns the settings for all Regions the table is replicated in.

Type: Array of [ReplicaAutoScalingSpecification](#) objects

Array Members: Minimum number of 0 items.

### [resourceArn](#)

The Amazon Resource Name (ARN) of the table.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.+.*`

### [tableName](#)

The name of the table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

#### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

#### **resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetType

The GetType operation returns information about the type, for example the field definitions, the timestamp when the type was last modified, the level of nesting, the status, and details about if the type is used in other types and tables.

To read keyspace metadata using GetType, the IAM principal needs Select action permissions for the system keyspace. To configure the required permissions, see [Permissions to view a UDT](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{  
  "keyspaceName": "string",  
  "typeName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [keyspaceName](#)

The name of the keyspace that contains this type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### [typeName](#)

The formatted name of the type. For example, if the name of the type was created without double quotes, Amazon Keyspaces saved the name in lower-case characters. If the name was created in double quotes, you must use double quotes to specify the type name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Required: Yes

## Response Syntax

```
{
  "directParentTypes": [ "string" ],
  "directReferringTables": [ "string" ],
  "fieldDefinitions": [
    {
      "name": "string",
      "type": "string"
    }
  ],
  "keyspaceArn": "string",
  "keyspaceName": "string",
  "lastModifiedTimestamp": number,
  "maxNestingDepth": number,
  "status": "string",
  "typeName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### directParentTypes

The types that use this type.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 48.

### directReferringTables

The tables that use this type.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

### fieldDefinitions

The names and types that define this type.

Type: Array of [FieldDefinition](#) objects

Array Members: Minimum number of 1 item.

### keyspaceArn

The unique identifier of the keyspace that contains this type in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

### keyspaceName

The name of the keyspace that contains this type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

### lastModifiedTimestamp

The timestamp that shows when this type was last modified.

Type: Timestamp

### maxNestingDepth

The level of nesting implemented for this type.

Type: Integer



## status

The status of this type.

Type: String

Valid Values: ACTIVE | CREATING | DELETING | RESTORING

## typeName

The name of the type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### InternalServerErrorException

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### ResourceNotFoundException

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

**[ServiceQuotaExceededException](#)**

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

**[ValidationException](#)**

The operation failed due to an invalid or malformed request.

**message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListKeyspaces

The ListKeyspaces operation returns a list of keyspaces.

## Request Syntax

```
{  
  "maxResults": number,  
  "nextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### maxResults

The total number of keyspaces to return in the output. If the total number of keyspaces available is more than the value specified, a NextToken is provided in the output. To resume pagination, provide the NextToken value as an argument of a subsequent API invocation.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1000.

Required: No

### nextToken

The pagination token. To resume pagination, provide the NextToken value as argument of a subsequent API invocation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

## Response Syntax

```
{
  "keyspaces": [
    {
      "keyspaceName": "string",
      "replicationRegions": [ "string" ],
      "replicationStrategy": "string",
      "resourceArn": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [keyspaces](#)

A list of keyspaces.

Type: Array of [KeyspaceSummary](#) objects

### [nextToken](#)

A token to specify where to start paginating. This is the NextToken from a previously truncated response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

**message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

**[InternalServerException](#)**

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

**[ResourceNotFoundException](#)**

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

**[ServiceQuotaExceededException](#)**

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTables

The ListTables operation returns a list of tables for a specified keyspace.

To read keyspace metadata using ListTables, the IAM principal needs Select action permissions for the system keyspace.

## Request Syntax

```
{  
  "keyspaceName": "string",  
  "maxResults": number,  
  "nextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### maxResults

The total number of tables to return in the output. If the total number of tables available is more than the value specified, a NextToken is provided in the output. To resume pagination, provide the NextToken value as an argument of a subsequent API invocation.

Type: Integer



Valid Range: Minimum value of 1. Maximum value of 1000.

Required: No

### nextToken

The pagination token. To resume pagination, provide the NextToken value as an argument of a subsequent API invocation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

## Response Syntax

```
{
  "nextToken": "string",
  "tables": [
    {
      "keyspaceName": "string",
      "resourceArn": "string",
      "tableName": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### nextToken

A token to specify where to start paginating. This is the NextToken from a previously truncated response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

## [tables](#)

A list of tables.

Type: Array of [TableSummary](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

#### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

#### **resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

### [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

#### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

### [ValidationException](#)

The operation failed due to an invalid or malformed request.

#### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListTagsForResource

Returns a list of all tags associated with the specified Amazon Keyspaces resource.

To read keyspace metadata using `ListTagsForResource`, the IAM principal needs `Select` action permissions for the specified resource and the system keyspace.

## Request Syntax

```
{  
  "maxResults": number,  
  "nextToken": "string",  
  "resourceArn": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### maxResults

The total number of tags to return in the output. If the total number of tags available is more than the value specified, a `NextToken` is provided in the output. To resume pagination, provide the `NextToken` value as an argument of a subsequent API invocation.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1000.

Required: No

### nextToken

The pagination token. To resume pagination, provide the `NextToken` value as argument of a subsequent API invocation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

## resourceArn

The Amazon Resource Name (ARN) of the Amazon Keyspaces resource.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*`

Required: Yes

## Response Syntax

```
{
  "nextToken": "string",
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### nextToken

A token to specify where to start paginating. This is the NextToken from a previously truncated response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

### tags

A list of tags.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 60 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

#### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

#### **resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListTypes

The `ListTypes` operation returns a list of types for a specified keyspace.

To read keyspace metadata using `ListTypes`, the IAM principal needs `Select` action permissions for the system keyspace. To configure the required permissions, see [Permissions to view a UDT](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{
  "keyspaceName": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### keyspaceName

The name of the keyspace that contains the listed types.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### maxResults

The total number of types to return in the output. If the total number of types available is more than the value specified, a `NextToken` is provided in the output. To resume pagination, provide the `NextToken` value as an argument of a subsequent API invocation.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1000.

Required: No

### [nextToken](#)

The pagination token. To resume pagination, provide the `NextToken` value as an argument of a subsequent API invocation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

## Response Syntax

```
{
  "nextToken": "string",
  "types": [ "string" ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [nextToken](#)

The pagination token. To resume pagination, provide the `NextToken` value as an argument of a subsequent API invocation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

### [types](#)

The list of types contained in the specified keyspace.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 48.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

#### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

#### **resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# RestoreTable

Restores the table to the specified point in time within the `earliest_restorable_timestamp` and the current time. For more information about restore points, see [Time window for PITR continuous backups](#) in the *Amazon Keyspaces Developer Guide*.

Any number of users can execute up to 4 concurrent restores (any type of restore) in a given account.

When you restore using point in time recovery, Amazon Keyspaces restores your source table's schema and data to the state based on the selected timestamp (day:hour:minute:second) to a new table. The Time to Live (TTL) settings are also restored to the state based on the selected timestamp.

In addition to the table's schema, data, and TTL settings, `RestoreTable` restores the capacity mode, auto scaling settings, encryption settings, and point-in-time recovery settings from the source table. Unlike the table's schema data and TTL settings, which are restored based on the selected timestamp, these settings are always restored based on the table's settings as of the current time or when the table was deleted.

You can also overwrite these settings during restore:

- Read/write capacity mode
- Provisioned throughput capacity units
- Auto scaling settings
- Point-in-time (PITR) settings
- Tags

For more information, see [PITR restore settings](#) in the *Amazon Keyspaces Developer Guide*.

Note that the following settings are not restored, and you must configure them manually for the new table:

- AWS Identity and Access Management (IAM) policies
- Amazon CloudWatch metrics and alarms

# Request Syntax

```
{
  "autoScalingSpecification": {
    "readCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    },
    "writeCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    }
  },
  "capacitySpecificationOverride": {
    "readCapacityUnits": number,
    "throughputMode": "string",
    "writeCapacityUnits": number
  },
  "encryptionSpecificationOverride": {
    "kmsKeyIdentifier": "string",
    "type": "string"
  },
  "pointInTimeRecoveryOverride": {
    "status": "string"
  },
}
```

```

"replicaSpecifications": [
  {
    "readCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    },
    "readCapacityUnits": number,
    "region": "string"
  }
],
"restoreTimestamp": number,
"sourceKeyspaceName": "string",
"sourceTableName": "string",
"tagsOverride": [
  {
    "key": "string",
    "value": "string"
  }
],
"targetKeyspaceName": "string",
"targetTableName": "string"
}

```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [autoScalingSpecification](#)

The optional auto scaling settings for the restored table in provisioned capacity mode. Specifies if the service can manage throughput capacity of a provisioned table automatically on your behalf. Amazon Keyspaces auto scaling helps you provision throughput capacity for

variable workloads efficiently by increasing and decreasing your table's read and write capacity automatically in response to application traffic.

For more information, see [Managing throughput capacity automatically with Amazon Keyspaces auto scaling](#) in the *Amazon Keyspaces Developer Guide*.

Type: [AutoScalingSpecification](#) object

Required: No

### [capacitySpecificationOverride](#)

Specifies the read/write throughput capacity mode for the target table. The options are:

- `throughputMode:PAY_PER_REQUEST`
- `throughputMode:PROVISIONED` - Provisioned capacity mode requires `readCapacityUnits` and `writeCapacityUnits` as input.

The default is `throughput_mode:PAY_PER_REQUEST`.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

Type: [CapacitySpecification](#) object

Required: No

### [encryptionSpecificationOverride](#)

Specifies the encryption settings for the target table. You can choose one of the following KMS key (KMS key):

- `type:AWS_OWNED_KMS_KEY` - This key is owned by Amazon Keyspaces.
- `type:CUSTOMER_MANAGED_KMS_KEY` - This key is stored in your account and is created, owned, and managed by you. This option requires the `kms_key_identifier` of the KMS key in Amazon Resource Name (ARN) format as input.

The default is `type:AWS_OWNED_KMS_KEY`.

For more information, see [Encryption at rest](#) in the *Amazon Keyspaces Developer Guide*.

Type: [EncryptionSpecification](#) object

Required: No



## pointInTimeRecoveryOverride

Specifies the `pointInTimeRecovery` settings for the target table. The options are:

- `status=ENABLED`
- `status=DISABLED`

If it's not specified, the default is `status=DISABLED`.

For more information, see [Point-in-time recovery](#) in the *Amazon Keyspaces Developer Guide*.

Type: [PointInTimeRecovery](#) object

Required: No

## replicaSpecifications

The optional Region specific settings of a multi-Regional table.

Type: Array of [ReplicaSpecification](#) objects

Array Members: Minimum number of 1 item.

Required: No

## restoreTimestamp

The restore timestamp in ISO 8601 format.

Type: Timestamp

Required: No

## sourceKeyspaceName

The keyspace name of the source table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## sourceTableName

The name of the source table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### tagsOverride

A list of key-value pair tags to be attached to the restored table.

For more information, see [Adding tags and labels to Amazon Keyspaces resources](#) in the *Amazon Keyspaces Developer Guide*.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 60 items.

Required: No

### targetKeyspaceName

The name of the target keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### targetTableName

The name of the target table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## Response Syntax

```
{  
  "restoredTableARN": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### restoredTableARN

The Amazon Resource Name (ARN) of the restored table.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### ConflictException

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

**message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

**[InternalServerException](#)**

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

**[ResourceNotFoundException](#)**

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

**[ServiceQuotaExceededException](#)**

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Associates a set of tags with a Amazon Keyspaces resource. You can then activate these user-defined tags so that they appear on the Cost Management Console for cost allocation tracking. For more information, see [Adding tags and labels to Amazon Keyspaces resources](#) in the *Amazon Keyspaces Developer Guide*.

For IAM policy examples that show how to control access to Amazon Keyspaces resources based on tags, see [Amazon Keyspaces resource access based on tags](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{
  "resourceArn": "string",
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### resourceArn

The Amazon Resource Name (ARN) of the Amazon Keyspaces resource to which to add tags.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

Required: Yes

## tags

The tags to be assigned to the Amazon Keyspaces resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 60 items.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### ConflictException

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

#### **message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

### InternalServerErrorException

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

**[ResourceNotFoundException](#)**

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

**[ServiceQuotaExceededException](#)**

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

**message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

**[ValidationException](#)**

The operation failed due to an invalid or malformed request.

**message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400



## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Removes the association of tags from a Amazon Keyspaces resource.

## Request Syntax

```
{
  "resourceArn": "string",
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [resourceArn](#)

The Amazon Keyspaces resource that the tags will be removed from. This value is an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

Required: Yes

### [tags](#)

A list of existing tags to be removed from the Amazon Keyspaces resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 60 items.

Required: Yes

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [ConflictException](#)

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

#### **message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

### [InternalServerException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

## [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

### **resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateKeyspace

Adds a new AWS Region to the keyspace. You can add a new Region to a keyspace that is either a single or a multi-Region keyspace. Amazon Keyspaces is going to replicate all tables in the keyspace to the new Region. To successfully replicate all tables to the new Region, they must use client-side timestamps for conflict resolution. To enable client-side timestamps, specify `clientSideTimestamps.status = enabled` when invoking the API. For more information about client-side timestamps, see [Client-side timestamps in Amazon Keyspaces](#) in the *Amazon Keyspaces Developer Guide*.

To add a Region to a keyspace using the UpdateKeyspace API, the IAM principal needs permissions for the following IAM actions:

- `cassandra:Alter`
- `cassandra:AlterMultiRegionResource`
- `cassandra:Create`
- `cassandra:CreateMultiRegionResource`
- `cassandra:Select`
- `cassandra:SelectMultiRegionResource`
- `cassandra:Modify`
- `cassandra:ModifyMultiRegionResource`

If the keyspace contains a table that is configured in provisioned mode with auto scaling enabled, the following additional IAM actions need to be allowed.

- `application-autoscaling:RegisterScalableTarget`
- `application-autoscaling:DeregisterScalableTarget`
- `application-autoscaling:DescribeScalableTargets`
- `application-autoscaling:PutScalingPolicy`
- `application-autoscaling:DescribeScalingPolicies`

To use the UpdateKeyspace API, the IAM principal also needs permissions to create a service-linked role with the following elements:

- `iam:CreateServiceLinkedRole` - The **action** the principal can perform.

- `arn:aws:iam::*:role/aws-service-role/replication.cassandra.amazonaws.com/AWSServiceRoleForKeyspacesReplication` - The **resource** that the action can be performed on.
- `iam:AWSServiceName: replication.cassandra.amazonaws.com` - The only AWS service that this role can be attached to is Amazon Keyspaces.

For more information, see [Configure the IAM permissions required to add an AWS Region to a keyspace](#) in the *Amazon Keyspaces Developer Guide*.

## Request Syntax

```
{
  "clientSideTimestamps": {
    "status": "string"
  },
  "keyspaceName": "string",
  "replicationSpecification": {
    "regionList": [ "string" ],
    "replicationStrategy": "string"
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [clientSideTimestamps](#)

The client-side timestamp setting of the table.

For more information, see [How it works: Amazon Keyspaces client-side timestamps](#) in the *Amazon Keyspaces Developer Guide*.

Type: [ClientSideTimestamps](#) object

Required: No

### [keyspaceName](#)

The name of the keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### [replicationSpecification](#)

The replication specification of the keyspace includes:

- `regionList` - the AWS Regions where the keyspace is replicated in.
- `replicationStrategy` - the required value is `SINGLE_REGION` or `MULTI_REGION`.

Type: [ReplicationSpecification](#) object

Required: Yes

## Response Syntax

```
{  
  "resourceArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [resourceArn](#)

The unique identifier of the keyspace in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*`



## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

#### **message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

### [ConflictException](#)

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

#### **message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

### [InternalServerErrorException](#)

Amazon Keyspaces was unable to fully process this request because of an internal server error.

#### **message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

#### **message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

## resourceArn

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### message

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### message

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateTable

Adds new columns to the table or updates one of the table's settings, for example capacity mode, auto scaling, encryption, point-in-time recovery, or ttl settings. Note that you can only update one specific table setting per update operation.

## Request Syntax

```
{
  "addColumnns": [
    {
      "name": "string",
      "type": "string"
    }
  ],
  "autoScalingSpecification": {
    "readCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    },
    "writeCapacityAutoScaling": {
      "autoScalingDisabled": boolean,
      "maximumUnits": number,
      "minimumUnits": number,
      "scalingPolicy": {
        "targetTrackingScalingPolicyConfiguration": {
          "disableScaleIn": boolean,
          "scaleInCooldown": number,
          "scaleOutCooldown": number,
          "targetValue": number
        }
      }
    }
  }
}
```

```
{,
  "capacitySpecification": {
    "readCapacityUnits": number,
    "throughputMode": "string",
    "writeCapacityUnits": number
  },
  "cdcSpecification": {
    "propagateTags": "string",
    "status": "string",
    "tags": [
      {
        "key": "string",
        "value": "string"
      }
    ],
    "viewType": "string"
  },
  "clientSideTimestamps": {
    "status": "string"
  },
  "defaultTimeToLive": number,
  "encryptionSpecification": {
    "kmsKeyIdentifier": "string",
    "type": "string"
  },
  "keyspaceName": "string",
  "pointInTimeRecovery": {
    "status": "string"
  },
  "replicaSpecifications": [
    {
      "readCapacityAutoScaling": {
        "autoScalingDisabled": boolean,
        "maximumUnits": number,
        "minimumUnits": number,
        "scalingPolicy": {
          "targetTrackingScalingPolicyConfiguration": {
            "disableScaleIn": boolean,
            "scaleInCooldown": number,
            "scaleOutCooldown": number,
            "targetValue": number
          }
        }
      }
    }
  ],
}
```

```
    "readCapacityUnits": number,
    "region": "string"
  }
],
"tableName": "string",
"ttl": {
  "status": "string"
},
"warmThroughputSpecification": {
  "readUnitsPerSecond": number,
  "writeUnitsPerSecond": number
}
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [addColumnns](#)

For each column to be added to the specified table:

- name - The name of the column.
- type - An Amazon Keyspaces data type. For more information, see [Data types](#) in the *Amazon Keyspaces Developer Guide*.

Type: Array of [ColumnDefinition](#) objects

Array Members: Minimum number of 1 item.

Required: No

### [autoScalingSpecification](#)

The optional auto scaling settings to update for a table in provisioned capacity mode. Specifies if the service can manage throughput capacity of a provisioned table automatically on your behalf. Amazon Keyspaces auto scaling helps you provision throughput capacity for variable workloads efficiently by increasing and decreasing your table's read and write capacity automatically in response to application traffic.

If auto scaling is already enabled for the table, you can use `UpdateTable` to update the minimum and maximum values or the auto scaling policy settings independently.

For more information, see [Managing throughput capacity automatically with Amazon Keyspaces auto scaling](#) in the *Amazon Keyspaces Developer Guide*.

Type: [AutoScalingSpecification](#) object

Required: No

### [capacitySpecification](#)

Modifies the read/write throughput capacity mode for the table. The options are:

- `throughputMode:PAY_PER_REQUEST` and
- `throughputMode:PROVISIONED` - Provisioned capacity mode requires `readCapacityUnits` and `writeCapacityUnits` as input.

The default is `throughput_mode:PAY_PER_REQUEST`.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

Type: [CapacitySpecification](#) object

Required: No

### [cdcSpecification](#)

The CDC stream settings of the table.

Type: [CdcSpecification](#) object

Required: No

### [clientSideTimestamps](#)

Enables client-side timestamps for the table. By default, the setting is disabled. You can enable client-side timestamps with the following option:

- `status: "enabled"`

Once client-side timestamps are enabled for a table, this setting cannot be disabled.

Type: [ClientSideTimestamps](#) object

Required: No

### [defaultTimeToLive](#)

The default Time to Live setting in seconds for the table.

For more information, see [Setting the default TTL value for a table](#) in the *Amazon Keyspaces Developer Guide*.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 630720000.

Required: No

### [encryptionSpecification](#)

Modifies the encryption settings of the table. You can choose one of the following KMS key (KMS key):

- `type:AWS_OWNED_KMS_KEY` - This key is owned by Amazon Keyspaces.
- `type:CUSTOMER_MANAGED_KMS_KEY` - This key is stored in your account and is created, owned, and managed by you. This option requires the `kms_key_identifier` of the KMS key in Amazon Resource Name (ARN) format as input.

The default is `AWS_OWNED_KMS_KEY`.

For more information, see [Encryption at rest](#) in the *Amazon Keyspaces Developer Guide*.

Type: [EncryptionSpecification](#) object

Required: No

### [keyspaceName](#)

The name of the keyspace the specified table is stored in.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### [pointInTimeRecovery](#)

Modifies the `pointInTimeRecovery` settings of the table. The options are:

- `status=ENABLED`



- `status=DISABLED`

If it's not specified, the default is `status=DISABLED`.

For more information, see [Point-in-time recovery](#) in the *Amazon Keyspaces Developer Guide*.

Type: [PointInTimeRecovery](#) object

Required: No

## [replicaSpecifications](#)

The Region specific settings of a multi-Regional table.

Type: Array of [ReplicaSpecification](#) objects

Array Members: Minimum number of 1 item.

Required: No

## [tableName](#)

The name of the table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## [ttl](#)

Modifies Time to Live custom settings for the table. The options are:

- `status:enabled`
- `status:disabled`

The default is `status:disabled`. After `ttl` is enabled, you can't disable it for the table.

For more information, see [Expiring data by using Amazon Keyspaces Time to Live \(TTL\)](#) in the *Amazon Keyspaces Developer Guide*.

Type: [TimeToLive](#) object

Required: No

### [warmThroughputSpecification](#)

Modifies the warm throughput settings for the table. You can update the read and write capacity units to adjust the pre-provisioned throughput.

Type: [WarmThroughputSpecification](#) object

Required: No

## Response Syntax

```
{  
  "resourceArn": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [resourceArn](#)

The Amazon Resource Name (ARN) of the modified table.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*.*`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You don't have sufficient access permissions to perform this action.

**message**

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

HTTP Status Code: 400

**[ConflictException](#)**

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

**message**

The requested operation conflicts with the current state of the resource or another concurrent operation.

HTTP Status Code: 400

**[InternalServerErrorException](#)**

Amazon Keyspaces was unable to fully process this request because of an internal server error.

**message**

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

HTTP Status Code: 500

**[ResourceNotFoundException](#)**

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

**message**

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

**resourceArn**

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

HTTP Status Code: 400

## [ServiceQuotaExceededException](#)

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

### **message**

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

HTTP Status Code: 400

## [ValidationException](#)

The operation failed due to an invalid or malformed request.

### **message**

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The Amazon Keyspaces API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AutoScalingPolicy](#)
- [AutoScalingSettings](#)
- [AutoScalingSpecification](#)
- [CapacitySpecification](#)
- [CapacitySpecificationSummary](#)
- [CdcSpecification](#)
- [CdcSpecificationSummary](#)
- [ClientSideTimestamps](#)
- [ClusteringKey](#)
- [ColumnDefinition](#)
- [Comment](#)
- [EncryptionSpecification](#)
- [FieldDefinition](#)
- [KeyspaceSummary](#)
- [PartitionKey](#)
- [PointInTimeRecovery](#)
- [PointInTimeRecoverySummary](#)
- [ReplicaAutoScalingSpecification](#)
- [ReplicaSpecification](#)
- [ReplicaSpecificationSummary](#)

- [ReplicationGroupStatus](#)
- [ReplicationSpecification](#)
- [SchemaDefinition](#)
- [StaticColumn](#)
- [TableSummary](#)
- [Tag](#)
- [TargetTrackingScalingPolicyConfiguration](#)
- [TimeToLive](#)
- [WarmThroughputSpecification](#)
- [WarmThroughputSpecificationSummary](#)

# AutoScalingPolicy

Amazon Keyspaces supports the `target_tracking` auto scaling policy. With this policy, Amazon Keyspaces auto scaling ensures that the table's ratio of consumed to provisioned capacity stays at or near the target value that you specify. You define the target value as a percentage between 20 and 90.

## Contents

### **targetTrackingScalingPolicyConfiguration**

Auto scaling scales up capacity automatically when traffic exceeds this target utilization rate, and then back down when it falls below the target. A `double` between 20 and 90.

Type: [TargetTrackingScalingPolicyConfiguration](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AutoScalingSettings

The optional auto scaling settings for a table with provisioned throughput capacity.

To turn on auto scaling for a table in `throughputMode:PROVISIONED`, you must specify the following parameters.

Configure the minimum and maximum capacity units. The auto scaling policy ensures that capacity never goes below the minimum or above the maximum range.

- **minimumUnits:** The minimum level of throughput the table should always be ready to support. The value must be between 1 and the max throughput per second quota for your account (40,000 by default).
- **maximumUnits:** The maximum level of throughput the table should always be ready to support. The value must be between 1 and the max throughput per second quota for your account (40,000 by default).
- **scalingPolicy:** Amazon Keyspaces supports the `target_tracking` scaling policy. The auto scaling target is the provisioned capacity of the table.
- **targetTrackingScalingPolicyConfiguration:** To define the target tracking policy, you must define the target value.
  - **targetValue:** The target utilization rate of the table. Amazon Keyspaces auto scaling ensures that the ratio of consumed capacity to provisioned capacity stays at or near this value. You define `targetValue` as a percentage. A double between 20 and 90. (Required)
  - **disableScaleIn:** A boolean that specifies if `scale-in` is disabled or enabled for the table. This parameter is disabled by default. To turn on `scale-in`, set the boolean value to `FALSE`. This means that capacity for a table can be automatically scaled down on your behalf. (Optional)
  - **scaleInCooldown:** A cooldown period in seconds between scaling activities that lets the table stabilize before another scale in activity starts. If no value is provided, the default is 0. (Optional)
  - **scaleOutCooldown:** A cooldown period in seconds between scaling activities that lets the table stabilize before another scale out activity starts. If no value is provided, the default is 0. (Optional)

For more information, see [Managing throughput capacity automatically with Amazon Keyspaces auto scaling](#) in the *Amazon Keyspaces Developer Guide*.



# Contents

## autoScalingDisabled

This optional parameter enables auto scaling for the table if set to `false`.

Type: Boolean

Required: No

## maximumUnits

Manage costs by specifying the maximum amount of throughput to provision. The value must be between 1 and the max throughput per second quota for your account (40,000 by default).

Type: Long

Valid Range: Minimum value of 1.

Required: No

## minimumUnits

The minimum level of throughput the table should always be ready to support. The value must be between 1 and the max throughput per second quota for your account (40,000 by default).

Type: Long

Valid Range: Minimum value of 1.

Required: No

## scalingPolicy

Amazon Keyspaces supports the `target_tracking` auto scaling policy. With this policy, Amazon Keyspaces auto scaling ensures that the table's ratio of consumed to provisioned capacity stays at or near the target value that you specify. You define the target value as a percentage between 20 and 90.

Type: [AutoScalingPolicy](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AutoScalingSpecification

The optional auto scaling capacity settings for a table in provisioned capacity mode.

## Contents

### **readCapacityAutoScaling**

The auto scaling settings for the table's read capacity.

Type: [AutoScalingSettings](#) object

Required: No

### **writeCapacityAutoScaling**

The auto scaling settings for the table's write capacity.

Type: [AutoScalingSettings](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CapacitySpecification

Amazon Keyspaces has two read/write capacity modes for processing reads and writes on your tables:

- On-demand (default)
- Provisioned

The read/write capacity mode that you choose controls how you are charged for read and write throughput and how table throughput capacity is managed.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### throughputMode

The read/write throughput capacity mode for a table. The options are:

- `throughputMode:PAY_PER_REQUEST` and
- `throughputMode:PROVISIONED` - Provisioned capacity mode requires `readCapacityUnits` and `writeCapacityUnits` as input.

The default is `throughput_mode:PAY_PER_REQUEST`.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

Type: String

Valid Values: `PAY_PER_REQUEST` | `PROVISIONED`

Required: Yes

### readCapacityUnits

The throughput capacity specified for read operations defined in `read capacity units` (RCUs).

Type: Long

Valid Range: Minimum value of 1.

Required: No

### **writeCapacityUnits**

The throughput capacity specified for write operations defined in write capacity units (WCUs).

Type: Long

Valid Range: Minimum value of 1.

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CapacitySpecificationSummary

The read/write throughput capacity mode for a table. The options are:

- `throughputMode:PAY_PER_REQUEST` and
- `throughputMode:PROVISIONED`.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### **throughputMode**

The read/write throughput capacity mode for a table. The options are:

- `throughputMode:PAY_PER_REQUEST` and
- `throughputMode:PROVISIONED` - Provisioned capacity mode requires `readCapacityUnits` and `writeCapacityUnits` as input.

The default is `throughput_mode:PAY_PER_REQUEST`.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

Type: String

Valid Values: `PAY_PER_REQUEST` | `PROVISIONED`

Required: Yes

### **lastUpdateToPayPerRequestTimestamp**

The timestamp of the last operation that changed the provisioned throughput capacity of a table.

Type: Timestamp

Required: No

### **readCapacityUnits**

The throughput capacity specified for read operations defined in `read capacity units` (RCUs).

Type: Long

Valid Range: Minimum value of 1.

Required: No

### **writeCapacityUnits**

The throughput capacity specified for write operations defined in write capacity units (WCUs).

Type: Long

Valid Range: Minimum value of 1.

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CdcSpecification

The settings for the CDC stream of a table. For more information about CDC streams, see [Working with change data capture \(CDC\) streams in Amazon Keyspaces](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### status

The status of the CDC stream. You can enable or disable a stream for a table.

Type: String

Valid Values: ENABLED | ENABLING | DISABLED | DISABLING

Required: Yes

### propagateTags

Specifies that the stream inherits the tags from the table.

Type: String

Valid Values: TABLE | NONE

Required: No

### tags

The tags (key-value pairs) that you want to apply to the stream.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 1 item. Maximum number of 60 items.

Required: No

### viewType

The view type specifies the changes Amazon Keyspaces records for each changed row in the stream. After you create the stream, you can't make changes to this selection.

The options are:



- `NEW_AND_OLD_IMAGES` - both versions of the row, before and after the change. This is the default.
- `NEW_IMAGE` - the version of the row after the change.
- `OLD_IMAGE` - the version of the row before the change.
- `KEYS_ONLY` - the partition and clustering keys of the row that was changed.

Type: String

Valid Values: `NEW_IMAGE` | `OLD_IMAGE` | `KEYS_ONLY` | `NEW_AND_OLD_IMAGES`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CdcSpecificationSummary

The settings of the CDC stream of the table. For more information about CDC streams, see [Working with change data capture \(CDC\) streams in Amazon Keyspaces](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### status

The status of the CDC stream. Specifies if the table has a CDC stream.

Type: String

Valid Values: ENABLED | ENABLING | DISABLED | DISABLING

Required: Yes

### viewType

The view type specifies the changes Amazon Keyspaces records for each changed row in the stream. This setting can't be changed, after the stream has been created.

The options are:

- NEW\_AND\_OLD\_IMAGES - both versions of the row, before and after the change. This is the default.
- NEW\_IMAGE - the version of the row after the change.
- OLD\_IMAGE - the version of the row before the change.
- KEYS\_ONLY - the partition and clustering keys of the row that was changed.

Type: String

Valid Values: NEW\_IMAGE | OLD\_IMAGE | KEYS\_ONLY | NEW\_AND\_OLD\_IMAGES

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ClientSideTimestamps

The client-side timestamp setting of the table.

For more information, see [How it works: Amazon Keyspaces client-side timestamps](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### status

Shows how to enable client-side timestamps settings for the specified table.

Type: String

Valid Values: ENABLED

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ClusteringKey

The optional clustering column portion of your primary key determines how the data is clustered and sorted within each partition.

## Contents

### name

The name(s) of the clustering column(s).

Type: String

Required: Yes

### orderBy

Sets the ascendant (ASC) or descendant (DESC) order modifier.

Type: String

Valid Values: ASC | DESC

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ColumnDefinition

The names and data types of regular columns.

## Contents

### name

The name of the column.

Type: String

Required: Yes

### type

The data type of the column. For a list of available data types, see [Data types](#) in the *Amazon Keyspaces Developer Guide*.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Comment

An optional comment that describes the table.

## Contents

### message

An optional description of the table.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EncryptionSpecification

Amazon Keyspaces encrypts and decrypts the table data at rest transparently and integrates with AWS Key Management Service for storing and managing the encryption key. You can choose one of the following AWS KMS keys (KMS keys):

- **AWS owned key** - This is the default encryption type. The key is owned by Amazon Keyspaces (no additional charge).
- **Customer managed key** - This key is stored in your account and is created, owned, and managed by you. You have full control over the customer managed key (AWS KMS charges apply).

For more information about encryption at rest in Amazon Keyspaces, see [Encryption at rest](#) in the *Amazon Keyspaces Developer Guide*.

For more information about AWS KMS, see [AWS KMS management service concepts](#) in the *AWS Key Management Service Developer Guide*.

## Contents

### type

The encryption option specified for the table. You can choose one of the following KMS keys (KMS keys):

- `type:AWS_OWNED_KMS_KEY` - This key is owned by Amazon Keyspaces.
- `type:CUSTOMER_MANAGED_KMS_KEY` - This key is stored in your account and is created, owned, and managed by you. This option requires the `kms_key_identifier` of the KMS key in Amazon Resource Name (ARN) format as input.

The default is `type:AWS_OWNED_KMS_KEY`.

For more information, see [Encryption at rest](#) in the *Amazon Keyspaces Developer Guide*.

Type: String

Valid Values: `CUSTOMER_MANAGED_KMS_KEY` | `AWS_OWNED_KMS_KEY`

Required: Yes



## kmsKeyIdentifier

The Amazon Resource Name (ARN) of the customer managed KMS key, for example `kms_key_identifier:ARN`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 5096.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# FieldDefinition

A field definition consists out of a name and a type.

## Contents

### name

The identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

### type

Any supported Cassandra data type, including collections and other user-defined types that are contained in the same keyspace.

For more information, see [Cassandra data type support](#) in the *Amazon Keyspaces Developer Guide*.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# KeyspaceSummary

Represents the properties of a keyspace.

## Contents

### keyspaceName

The name of the keyspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### replicationStrategy

This property specifies if a keyspace is a single Region keyspace or a multi-Region keyspace. The available values are `SINGLE_REGION` or `MULTI_REGION`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Valid Values: `SINGLE_REGION` | `MULTI_REGION`

Required: Yes

### resourceArn

The unique identifier of the keyspace in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*`

Required: Yes

## replicationRegions

If the `replicationStrategy` of the keyspace is `MULTI_REGION`, a list of replication Regions is returned.

Type: Array of strings

Array Members: Minimum number of 2 items.

Length Constraints: Minimum length of 2. Maximum length of 25.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PartitionKey

The partition key portion of the primary key is required and determines how Amazon Keyspaces stores the data. The partition key can be a single column, or it can be a compound value composed of two or more columns.

## Contents

### name

The name(s) of the partition key column(s).

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PointInTimeRecovery

Point-in-time recovery (PITR) helps protect your Amazon Keyspaces tables from accidental write or delete operations by providing you continuous backups of your table data.

For more information, see [Point-in-time recovery](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### status

The options are:

- status=ENABLED
- status=DISABLED

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PointInTimeRecoverySummary

The point-in-time recovery status of the specified table.

## Contents

### status

Shows if point-in-time recovery is enabled or disabled for the specified table.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

### earliestRestorableTimestamp

Specifies the earliest possible restore point of the table in ISO 8601 format.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReplicaAutoScalingSpecification

The auto scaling settings of a multi-Region table in the specified AWS Region.

## Contents

### **autoScalingSpecification**

The auto scaling settings for a multi-Region table in the specified AWS Region.

Type: [AutoScalingSpecification](#) object

Required: No

### **region**

The AWS Region.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ReplicaSpecification

The AWS Region specific settings of a multi-Region table.

For a multi-Region table, you can configure the table's read capacity differently per AWS Region. You can do this by configuring the following parameters.

- `region`: The Region where these settings are applied. (Required)
- `readCapacityUnits`: The provisioned read capacity units. (Optional)
- `readCapacityAutoScaling`: The read capacity auto scaling settings for the table. (Optional)

## Contents

### **region**

The AWS Region.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Required: Yes

### **readCapacityAutoScaling**

The read capacity auto scaling settings for the multi-Region table in the specified AWS Region.

Type: [AutoScalingSettings](#) object

Required: No

### **readCapacityUnits**

The provisioned read capacity units for the multi-Region table in the specified AWS Region.

Type: Long

Valid Range: Minimum value of 1.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReplicaSpecificationSummary

The Region-specific settings of a multi-Region table in the specified AWS Region.

If the multi-Region table is using provisioned capacity and has optional auto scaling policies configured, note that the Region specific summary returns both read and write capacity settings. But only Region specific read capacity settings can be configured for a multi-Region table. In a multi-Region table, your write capacity units will be synced across all AWS Regions to ensure that there is enough capacity to replicate write events across Regions.

## Contents

### capacitySpecification

The read/write throughput capacity mode for a table. The options are:

- `throughputMode:PAY_PER_REQUEST` and
- `throughputMode:PROVISIONED`.

For more information, see [Read/write capacity modes](#) in the *Amazon Keyspaces Developer Guide*.

Type: [CapacitySpecificationSummary](#) object

Required: No

### region

The AWS Region.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Required: No

### status

The status of the multi-Region table in the specified AWS Region.

Type: String

Valid Values: ACTIVE | CREATING | UPDATING | DELETING | DELETED | RESTORING  
| INACCESSIBLE\_ENCRYPTION\_CREDENTIALS

Required: No

## **warmThroughputSpecification**

The warm throughput settings for this replica, including the current status and configured read and write capacity units.

Type: [WarmThroughputSpecificationSummary](#) object

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReplicationGroupStatus

This shows the summary status of the keyspace after a new AWS Region was added.

## Contents

### keyspaceStatus

The status of the keyspace.

Type: String

Valid Values: ACTIVE | CREATING | UPDATING | DELETING

Required: Yes

### region

The name of the Region that was added to the keyspace.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Required: Yes

### tablesReplicationProgress

This shows the replication progress of tables in the keyspace. The value is expressed as a percentage of the newly replicated tables with status Active compared to the total number of tables in the keyspace.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 7.

Pattern: [0-9]{1,3}(:[.][0-9]{1,2})?%

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReplicationSpecification

The replication specification of the keyspace includes:

- `regionList` - the AWS Regions where the keyspace is replicated in.
- `replicationStrategy` - the required value is `SINGLE_REGION` or `MULTI_REGION`.

## Contents

### `replicationStrategy`

The `replicationStrategy` of a keyspace, the required value is `SINGLE_REGION` or `MULTI_REGION`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Valid Values: `SINGLE_REGION` | `MULTI_REGION`

Required: Yes

### `regionList`

The `regionList` contains the AWS Regions where the keyspace is replicated in.

Type: Array of strings

Array Members: Minimum number of 2 items.

Length Constraints: Minimum length of 2. Maximum length of 25.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)



# SchemaDefinition

Describes the schema of the table.

## Contents

### **allColumns**

The regular columns of the table.

Type: Array of [ColumnDefinition](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

### **partitionKeys**

The columns that are part of the partition key of the table .

Type: Array of [PartitionKey](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

### **clusteringKeys**

The columns that are part of the clustering key of the table.

Type: Array of [ClusteringKey](#) objects

Required: No

### **staticColumns**

The columns that have been defined as STATIC. Static columns store values that are shared by all rows in the same partition.

Type: Array of [StaticColumn](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# StaticColumn

The static columns of the table. Static columns store values that are shared by all rows in the same partition.

## Contents

### name

The name of the static column.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TableSummary

Returns the name of the specified table, the keyspace it is stored in, and the unique identifier in the format of an Amazon Resource Name (ARN).

## Contents

### **keyspaceName**

The name of the keyspace that the table is stored in.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

### **resourceArn**

The unique identifier of the table in the format of an Amazon Resource Name (ARN).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*`

Required: Yes

### **tableName**

The name of the table.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 48.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_]{0,47}`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Tag

Describes a tag. A tag is a key-value pair. You can add up to 50 tags to a single Amazon Keyspaces resource.

AWS-assigned tag names and values are automatically assigned the `aws :` prefix, which the user cannot assign. AWS-assigned tag names do not count towards the tag limit of 50. User-assigned tag names have the prefix `user :` in the Cost Allocation Report. You cannot backdate the application of a tag.

For more information, see [Adding tags and labels to Amazon Keyspaces resources](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### key

The key of the tag. Tag keys are case sensitive. Each Amazon Keyspaces resource can only have up to one tag with the same key. If you try to add an existing tag (same key), the existing tag value will be updated to the new value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

### value

The value of the tag. Tag values are case-sensitive and can be null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TargetTrackingScalingPolicyConfiguration

The auto scaling policy that scales a table based on the ratio of consumed to provisioned capacity.

## Contents

### **targetValue**

Specifies the target value for the target tracking auto scaling policy.

Amazon Keyspaces auto scaling scales up capacity automatically when traffic exceeds this target utilization rate, and then back down when it falls below the target. This ensures that the ratio of consumed capacity to provisioned capacity stays at or near this value. You define `targetValue` as a percentage. A double between 20 and 90.

Type: Double

Required: Yes

### **disableScaleIn**

Specifies if `scale-in` is enabled.

When auto scaling automatically decreases capacity for a table, the table *scales in*. When scaling policies are set, they can't scale in the table lower than its minimum capacity.

Type: Boolean

Required: No

### **scaleInCooldown**

Specifies a `scale-in` cool down period.

A cooldown period in seconds between scaling activities that lets the table stabilize before another scaling activity starts.

Type: Integer

Required: No

### **scaleOutCooldown**

Specifies a scale out cool down period.



A cooldown period in seconds between scaling activities that lets the table stabilize before another scaling activity starts.

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# TimeToLive

Enable custom Time to Live (TTL) settings for rows and columns without setting a TTL default for the specified table.

For more information, see [Enabling TTL on tables](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### status

Shows how to enable custom Time to Live (TTL) settings for the specified table.

Type: String

Valid Values: ENABLED

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WarmThroughputSpecification

Specifies the warm throughput settings for a table. Pre-warming a table by specifying warm throughput pre-provisions read and write capacity units to help avoid capacity exceeded exceptions and reduce latency when your table starts receiving traffic.

For more information about pre-warming in Amazon Keyspaces, see [Pre-warm a table in Amazon Keyspaces](#) in the *Amazon Keyspaces Developer Guide*.

## Contents

### **readUnitsPerSecond**

The number of read capacity units per second to pre-warm the table for read capacity throughput. The minimum value is 1.

Type: Long

Valid Range: Minimum value of 1.

Required: No

### **writeUnitsPerSecond**

The number of write capacity units per second to pre-warm the table for write capacity throughput. The minimum value is 1.

Type: Long

Valid Range: Minimum value of 1.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# WarmThroughputSpecificationSummary

Contains the current warm throughput settings for a table, including the configured capacity units and the current status of the warm throughput configuration.

## Contents

### **readUnitsPerSecond**

The number of read capacity units per second currently configured for warm throughput.

Type: Long

Required: Yes

### **status**

The current status of the warm throughput configuration. Valid values are AVAILABLE when the configuration is active, and UPDATING when changes are being applied.

Type: String

Valid Values: AVAILABLE | UPDATING

Required: Yes

### **writeUnitsPerSecond**

The number of write capacity units per second currently configured for warm throughput.

Type: Long

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Service-specific Errors

The Amazon Keyspaces API contains service-specific exceptions that various actions return. This section describes each exception in detail.

The following service-specific exceptions are returned:

- [AccessDeniedException](#)
- [ConflictException](#)
- [InternalServerError](#)
- [ResourceNotFoundException](#)
- [ServiceQuotaExceededException](#)
- [ValidationException](#)

# AccessDeniedException

You don't have sufficient access permissions to perform this action.

HTTP Status Code returned: 400

## Contents

### message

You don't have the required permissions to perform this operation. Verify your IAM permissions and try again.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ConflictException

Amazon Keyspaces couldn't complete the requested action. This error may occur if you try to perform an action and the same or a different action is already in progress, or if you try to create a resource that already exists.

HTTP Status Code returned: 400

## Contents

### message

The requested operation conflicts with the current state of the resource or another concurrent operation.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)



# InternalServerErrorException

Amazon Keyspaces was unable to fully process this request because of an internal server error.

HTTP Status Code returned: 500

## Contents

### message

An internal service error occurred. Retry your request. If the problem persists, contact AWS Support.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ResourceNotFoundException

The operation tried to access a keyspace, table, or type that doesn't exist. The resource might not be specified correctly, or its status might not be ACTIVE.

HTTP Status Code returned: 400

## Contents

### message

The specified resource was not found. Verify the resource identifier and ensure the resource exists and is in an ACTIVE state.

Type: String

Required: No

### resourceArn

The unique identifier in the format of Amazon Resource Name (ARN) for the resource couldn't be found.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1000.

Pattern: `arn:(aws[a-zA-Z0-9-]*):cassandra:.*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ServiceQuotaExceededException

The operation exceeded the service quota for this resource. For more information on service quotas, see [Quotas](#) in the *Amazon Keyspaces Developer Guide*.

HTTP Status Code returned: 400

## Contents

### message

The requested operation would exceed the service quota for this resource. Review the service quotas and adjust your request accordingly.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ValidationException

The operation failed due to an invalid or malformed request.

HTTP Status Code returned: 400

## Contents

### message

The request parameters are invalid or malformed. Review the API documentation and correct the request format.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-Date**

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 400

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 400

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **InvalidAction**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

## **InvalidClientTokenId**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

## **NotAuthorized**

You do not have permission to perform this action.

HTTP Status Code: 400

## **OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403



**RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

**ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

**ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

**ValidationError**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400