



Welcome

Multi-party approval



API Version 2022-07-26

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Multi-party approval: Welcome

Copyright © 2025 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CancelSession	3
Request Syntax	3
URI Request Parameters	3
Request Body	3
Response Syntax	3
Response Elements	3
Errors	3
See Also	4
CreateApprovalTeam	6
Request Syntax	6
URI Request Parameters	6
Request Body	6
Response Syntax	9
Response Elements	9
Errors	10
See Also	11
CreateIdentitySource	12
Request Syntax	12
URI Request Parameters	12
Request Body	12
Response Syntax	13
Response Elements	14
Errors	14
See Also	15
DeleteIdentitySource	17
Request Syntax	17
URI Request Parameters	17
Request Body	17
Response Syntax	17
Response Elements	17
Errors	17
See Also	18

DeleteInactiveApprovalTeamVersion	20
Request Syntax	20
URI Request Parameters	20
Request Body	20
Response Syntax	20
Response Elements	21
Errors	21
See Also	22
GetApprovalTeam	23
Request Syntax	23
URI Request Parameters	23
Request Body	23
Response Syntax	23
Response Elements	24
Errors	27
See Also	28
GetIdentitySource	29
Request Syntax	29
URI Request Parameters	29
Request Body	29
Response Syntax	29
Response Elements	30
Errors	31
See Also	32
GetPolicyVersion	33
Request Syntax	33
URI Request Parameters	33
Request Body	33
Response Syntax	33
Response Elements	34
Errors	34
See Also	35
GetResourcePolicy	36
Request Syntax	36
URI Request Parameters	36
Request Body	36

Response Syntax	37
Response Elements	37
Errors	38
See Also	39
GetSession	40
Request Syntax	40
URI Request Parameters	40
Request Body	40
Response Syntax	40
Response Elements	41
Errors	45
See Also	46
ListApprovalTeams	48
Request Syntax	48
URI Request Parameters	48
Request Body	48
Response Syntax	48
Response Elements	49
Errors	49
See Also	50
ListIdentitySources	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	52
Response Elements	53
Errors	53
See Also	54
ListPolicies	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	55
Response Elements	56
Errors	56
See Also	57

ListPolicyVersions	58
Request Syntax	58
URI Request Parameters	58
Request Body	58
Response Syntax	59
Response Elements	59
Errors	60
See Also	60
ListResourcePolicies	62
Request Syntax	62
URI Request Parameters	62
Request Body	62
Response Syntax	63
Response Elements	63
Errors	64
See Also	64
ListSessions	66
Request Syntax	66
URI Request Parameters	66
Request Body	66
Response Syntax	67
Response Elements	68
Errors	69
See Also	69
ListTagsForResource	71
Request Syntax	71
URI Request Parameters	71
Request Body	71
Response Syntax	71
Response Elements	71
Errors	72
See Also	73
StartActiveApprovalTeamDeletion	74
Request Syntax	74
URI Request Parameters	74
Request Body	74

Response Syntax	75
Response Elements	75
Errors	75
See Also	76
TagResource	78
Request Syntax	78
URI Request Parameters	78
Request Body	78
Response Syntax	79
Response Elements	79
Errors	79
See Also	80
UntagResource	81
Request Syntax	81
URI Request Parameters	81
Request Body	81
Response Syntax	82
Response Elements	82
Errors	82
See Also	83
UpdateApprovalTeam	84
Request Syntax	84
URI Request Parameters	84
Request Body	85
Response Syntax	85
Response Elements	86
Errors	86
See Also	87
Data Types	88
ApprovalStrategy	90
Contents	90
See Also	90
ApprovalStrategyResponse	91
Contents	91
See Also	91
ApprovalTeamRequestApprover	92

Contents	92
See Also	92
Filter	93
Contents	93
See Also	94
GetApprovalTeamResponseApprover	95
Contents	95
See Also	96
GetSessionResponseApproverResponse	97
Contents	97
See Also	98
IamIdentityCenter	99
Contents	99
See Also	99
IamIdentityCenterForGet	100
Contents	100
See Also	100
IamIdentityCenterForList	102
Contents	102
See Also	102
IdentitySourceForList	104
Contents	104
See Also	105
IdentitySourceParameters	106
Contents	106
See Also	106
IdentitySourceParametersForGet	107
Contents	107
See Also	107
IdentitySourceParametersForList	108
Contents	108
See Also	108
ListApprovalTeamsResponseApprovalTeam	109
Contents	109
See Also	111
ListResourcePoliciesResponseResourcePolicy	112

Contents	112
See Also	112
ListSessionsResponseSession	114
Contents	114
See Also	117
MofNApprovalStrategy	119
Contents	119
See Also	119
PendingUpdate	120
Contents	120
See Also	122
Policy	123
Contents	123
See Also	124
PolicyReference	125
Contents	125
See Also	125
PolicyVersion	126
Contents	126
See Also	128
PolicyVersionSummary	129
Contents	129
See Also	131
Service-specific Errors	132
AccessDeniedException	133
Contents	133
See Also	133
ConflictException	134
Contents	134
See Also	134
InternalServerError	135
Contents	135
See Also	135
InvalidParameterException	136
Contents	136
See Also	136

ResourceNotFoundException	137
Contents	137
See Also	137
ServiceQuotaExceededException	138
Contents	138
See Also	138
ThrottlingException	139
Contents	139
See Also	139
TooManyTagsException	140
Contents	140
See Also	140
ValidationException	141
Contents	141
See Also	141
Common Parameters	142
Common Errors	145

Welcome

Multi-party approval is a capability of [AWS Organizations](#) that allows you to protect a predefined list of operations through a distributed approval process. Use Multi-party approval to establish approval workflows and transform security processes into team-based decisions.

When to use Multi-party approval:

- You need to align with the Zero Trust principle of "never trust, always verify"
- You need to make sure that the right humans have access to the right things in the right way
- You need distributed decision-making for sensitive or critical operations
- You need to protect against unintended operations on sensitive or critical resources
- You need formal reviews and approvals for auditing or compliance reasons

For more information, see [What is Multi-party approval](#) in the *Multi-party approval User Guide*.

This document was last published on July 18, 2025.

Actions

The following actions are supported:

- [CancelSession](#)
- [CreateApprovalTeam](#)
- [CreateIdentitySource](#)
- [DeleteIdentitySource](#)
- [DeleteInactiveApprovalTeamVersion](#)
- [GetApprovalTeam](#)
- [GetIdentitySource](#)
- [GetPolicyVersion](#)
- [GetResourcePolicy](#)
- [GetSession](#)
- [ListApprovalTeams](#)
- [ListIdentitySources](#)
- [ListPolicies](#)
- [ListPolicyVersions](#)
- [ListResourcePolicies](#)
- [ListSessions](#)
- [ListTagsForResource](#)
- [StartActiveApprovalTeamDeletion](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateApprovalTeam](#)

CancelSession

Cancels an approval session. For more information, see [Session](#) in the *Multi-party approval User Guide*.

Request Syntax

```
PUT /sessions/SessionArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

SessionArn

Amazon Resource Name (ARN) for the session.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?::mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code: 409

[InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateApprovalTeam

Creates a new approval team. For more information, see [Approval team](#) in the *Multi-party approval User Guide*.

Request Syntax

```
POST /approval-teams HTTP/1.1
Content-type: application/json

{
  "ApprovalStrategyApproversPrimaryIdentityIdPrimaryIdentitySourceArnClientTokenDescriptionNamePoliciesPolicyArnTags
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ApprovalStrategy

An ApprovalStrategy object. Contains details for how the team grants approval.

Type: [ApprovalStrategy](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

[Approvers](#)

An array of ApprovalTeamRequesterApprovers objects. Contains details for the approvers in the team.

Type: Array of [ApprovalTeamRequestApprover](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

[ClientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS populates this field.

Note

What is idempotency?

When you make a mutating API request, the request typically returns a result before the operation's asynchronous workflows have completed. Operations might also time out or encounter other server issues before they complete, even though the request has already returned a result. This could make it difficult to determine whether the request succeeded or not, and could lead to multiple retries to ensure that the operation completes successfully. However, if the original request and the subsequent retries are successful, the operation is completed multiple times. This means that you might create more resources than you intended.

Idempotency ensures that an API request completes no more than one time. With an idempotent request, if the original request completes successfully, any subsequent retries complete successfully without performing any further actions.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

Name

Name of the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9._-]+

Required: Yes

Policies

An array of PolicyReference objects. Contains a list of policies that define the permissions for team resources.

Type: Array of [PolicyReference](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

Tags

Tags you want to attach to the team.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "Arn": "string",
    "CreationTime": "string",
    "Name": "string",
    "VersionId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

Amazon Resource Name (ARN) for the team that was created.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?:mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

CreationTime

Timestamp when the team was created.

Type: Timestamp

Name

Name of the team that was created.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

VersionId

Version ID for the team that was created. When a team is updated, the version ID changes.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

ConflictException

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code: 409

InternalServerError

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

ServiceQuotaExceededException

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateIdentitySource

Creates a new identity source. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

Request Syntax

```
POST /identity-sources HTTP/1.1
Content-type: application/json

{
  "ClientTokenIdentitySourceParametersIamIdentityCenterInstanceArnRegionTags
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ClientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS populates this field.

Note

What is idempotency?

When you make a mutating API request, the request typically returns a result before the operation's asynchronous workflows have completed. Operations might also time

out or encounter other server issues before they complete, even though the request has already returned a result. This could make it difficult to determine whether the request succeeded or not, and could lead to multiple retries to ensure that the operation completes successfully. However, if the original request and the subsequent retries are successful, the operation is completed multiple times. This means that you might create more resources than you intended.

Idempotency ensures that an API request completes no more than one time. With an idempotent request, if the original request completes successfully, any subsequent retries complete successfully without performing any further actions.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

IdentitySourceParameters

A `IdentitySourceParameters` object. Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

Type: [IdentitySourceParameters](#) object

Required: Yes

Tags

Tag you want to attach to the identity source.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
    "CreationTime": "string",  
    "IdentitySourceArn": "string",  
    "IdentitySourceType": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[CreationTime](#)

Timestamp when the identity source was created.

Type: Timestamp

[IdentitySourceArn](#)

Amazon Resource Name (ARN) for the identity source that was created.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

[IdentitySourceType](#)

The type of resource that provided identities to the identity source. For example, an IAM Identity Center instance.

Type: String

Valid Values: IAM_IDENTITY_CENTER

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ServiceQuotaExceededException](#)

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

HTTP Status Code: 402

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteIdentitySource

Deletes an identity source. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

Request Syntax

```
DELETE /identity-sources/IdentitySourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

IdentitySourceArn

Amazon Resource Name (ARN) for identity source.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code: 409

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DeleteInactiveApprovalTeamVersion

Deletes an inactive approval team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

You can also use this operation to delete a team draft. For more information, see [Interacting with drafts](#) in the *Multi-party approval User Guide*.

Request Syntax

```
DELETE /approval-teams/Arn/VersionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

Arn

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?:mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

Required: Yes

VersionId

Version ID for the team.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code: 409

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetApprovalTeam

Returns details for an approval team.

Request Syntax

```
GET /approval-teams/Arn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

Arn

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?:mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ApprovalStrategyApproversApproverIdPrimaryIdentityIdPrimaryIdentitySourceArnPrimaryIdentityStatus
```

```
"ResponseTimeArn: "string",
"CreationTime: "string",
"Description: "string",
"LastUpdateTime: "string",
"Name: "string",
"NumberOfApprovers: number,
"PendingUpdate: {
    "ApprovalStrategy: { ... },
    "Approvers: [
        {
            "ApproverId: "string",
            "PrimaryIdentityId: "string",
            "PrimaryIdentitySourceArn: "string",
            "PrimaryIdentityStatus: "string",
            "ResponseTime: "string"
        }
    ],
    "Description: "string",
    "NumberOfApprovers: number,
    "Status: "string",
    "StatusCode: "string",
    "StatusMessage: "string",
    "UpdateInitiationTime: "string",
    "VersionId: "string"
},
"Policies: [
    {
        "PolicyArn: "string"
    }
],
"Status: "string",
"StatusCode: "string",
"StatusMessage: "string",
"UpdateSessionArn: "string",
"VersionId: "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApprovalStrategy

An ApprovalStrategyResponse object. Contains details for how the team grants approval.

Type: [ApprovalStrategyResponse](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Approvers

An array of GetApprovalTeamResponseApprover objects. Contains details for the approvers in the team.

Type: Array of [GetApprovalTeamResponseApprover](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

CreationTime

Timestamp when the team was created.

Type: Timestamp

Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

LastUpdateTime

Timestamp when the team was last updated.

Type: Timestamp

Name

Name of the approval team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

NumberOfApprovers

Total number of approvers in the team.

Type: Integer

PendingUpdate

A PendingUpdate object. Contains details for the pending updates for the team, if applicable.

Type: [PendingUpdate](#) object

Policies

An array of PolicyReference objects. Contains a list of policies that define the permissions for team resources.

Type: Array of [PolicyReference](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Status

Status for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: ACTIVE | INACTIVE | DELETING | PENDING

StatusCode

Status code for the approval team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: VALIDATING | PENDING_ACTIVATION | FAILED_VALIDATION | FAILED_ACTIVATION | UPDATE_PENDING_APPROVAL | UPDATE_PENDING_ACTIVATION

UPDATE_FAILED_APPROVAL	UPDATE_FAILED_ACTIVATION
UPDATE_FAILED_VALIDATION	DELETE_PENDING_APPROVAL
DELETE_FAILED_APPROVAL	DELETE_FAILED_VALIDATION

StatusMessage

Message describing the status for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

UpdateSessionArn

Amazon Resource Name (ARN) for the session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

VersionId

Version ID for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

InternalServerError

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetIdentitySource

Returns details for an identity source. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

Request Syntax

```
GET /identity-sources/IdentitySourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

IdentitySourceArn

Amazon Resource Name (ARN) for the identity source.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "CreationTime": "string",
    "IdentitySourceArn": "string",
    "IdentitySourceParameters": { ... },
    "IdentitySourceType": "string",
    "Status": "string",
    "StatusCode": "string",
    "StatusMessage": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[CreationTime](#)

Timestamp when the identity source was created.

Type: Timestamp

[IdentitySourceArn](#)

Amazon Resource Name (ARN) for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

[IdentitySourceParameters](#)

A `IdentitySourceParameters` object. Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

Type: [IdentitySourceParametersForGet](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

[IdentitySourceType](#)

The type of resource that provided identities to the identity source. For example, an IAM Identity Center instance.

Type: String

Valid Values: `IAM_IDENTITY_CENTER`

[Status](#)

Status for the identity source. For example, if the identity source is ACTIVE.

Type: String

Valid Values: `CREATING` | `ACTIVE` | `DELETING` | `ERROR`

StatusCode

Status code of the identity source.

Type: String

Valid Values: ACCESS_DENIED | DELETION_FAILED | IDC_INSTANCE_NOT_FOUND | IDC_INSTANCE_NOT_VALID

StatusMessage

Message describing the status for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetPolicyVersion

Returns details for the version of a policy. Policies define the permissions for team resources.

Request Syntax

```
GET /policy-versions/PolicyVersionArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

PolicyVersionArn

Amazon Resource Name (ARN) for the policy.

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}/(?:[\d]+|\\$DEFAULT)

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "PolicyVersionArnCreationTimeDocumentIsDefaultLastUpdatedTimeName
```

```
"PolicyArn": "string",
"PolicyType": "string",
>Status": "string",
"VersionId": number
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[PolicyVersion](#)

A PolicyVersion object. Contains details for the version of the policy. Policies define the permissions for team resources.

Type: [PolicyVersion](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetResourcePolicy

Returns details about a policy for a resource.

Request Syntax

```
POST /GetResourcePolicy HTTP/1.1
Content-type: application/json

{
  "PolicyName": "string",
  "PolicyType": "string",
  "ResourceArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

PolicyName

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

PolicyType

The type of policy.

Type: String

Valid Values: AWS_MANAGED | AWS_RAM

Required: Yes

ResourceArn

Amazon Resource Name (ARN) for the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "PolicyDocument": "string",
    "PolicyName": "string",
    "PolicyType": "string",
    "PolicyVersionArn": "string",
    "ResourceArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

PolicyDocument

Document that contains the contents for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 400000.

PolicyName

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

PolicyType

The type of policy

Type: String

Valid Values: AWS_MANAGED | AWS_RAM

PolicyVersionArn

Amazon Resource Name (ARN) for the policy version.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

ResourceArn

Amazon Resource Name (ARN) for the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

InvalidParameterException

The request contains an invalid parameter value.

HTTP Status Code: 400

ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSession

Returns details for an approval session. For more information, see [Session](#) in the *Multi-party approval User Guide*.

Request Syntax

```
GET /sessions/SessionArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

SessionArn

Amazon Resource Name (ARN) for the session.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?:mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "ActionCompletionStrategy": "string",
    "ActionName": "string",
    "ApprovalStrategy": { ... },
    "ApprovalTeamArn": "string",
    "ApprovalTeamName": "string",
    "ApproverResponses": [
```

```
{  
    "ApproverId": "string",  
    "IdentityId": "string",  
    "IdentitySourceArn": "string",  
    "Response": "string",  
    "ResponseTime": "string"  
}  
,  
"CompletionTime": "string",  
"Description": "string",  
"ExecutionStatus": "string",  
"ExpirationTime": "string",  
"InitiationTime": "string",  
"Metadata": {  
    "string" : "string"  
},  
"NumberOfApprovers": number,  
"ProtectedResourceArn": "string",  
"RequesterAccountId": "string",  
"RequesterComment": "string",  
"RequesterPrincipalArn": "string",  
"RequesterRegion": "string",  
"RequesterServicePrincipal": "string",  
"SessionArn": "string",  
"Status": "string",  
"StatusCode": "string",  
"StatusMessage": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ActionCompletionStrategy

Strategy for executing the protected operation. AUTO_COMPLETION_UPON_APPROVAL means the operation is automatically executed using the requester's permissions, if approved.

Type: String

Valid Values: AUTO_COMPLETION_UPON_APPROVAL

ActionName

Name of the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

ApprovalStrategy

An ApprovalStrategyResponse object. Contains details for how the team grants approval

Type: [ApprovalStrategyResponse](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

ApprovalTeamArn

Amazon Resource Name (ARN) for the approval team.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?::mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

ApprovalTeamName

Name of the approval team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9._-]+

ApproverResponses

An array of GetSessionResponseApproverResponse objects. Contains details for approver responses in the session.

Type: Array of [GetSessionResponseApproverResponse](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

CompletionTime

Timestamp when the session completed.

Type: Timestamp

Description

Description for the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

ExecutionStatus

Status for the protected operation. For example, if the operation is PENDING.

Type: String

Valid Values: EXECUTED | FAILED | PENDING

ExpirationTime

Timestamp when the session will expire.

Type: Timestamp

InitiationTime

Timestamp when the session was initiated.

Type: Timestamp

Metadata

Metadata for the session.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9\p{P}]*

Value Length Constraints: Minimum length of 1. Maximum length of 200.

Value Pattern: [a-zA-Z0-9\p{P}]*

NumberOfApprovers

Total number of approvers in the session.

Type: Integer

ProtectedResourceArn

Amazon Resource Name (ARN) for the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

RequesterAccountId

ID for the account that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 12.

Pattern: \d{12}

RequesterComment

Message from the account that made the operation request

Type: String

Length Constraints: Minimum length of 0. Maximum length of 200.

RequesterPrincipalArn

IAM principal that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

RequesterRegion

AWS Region where the operation request originated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 100.

RequesterServicePrincipal

Service principal for the service associated with the protected operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

SessionArn

Amazon Resource Name (ARN) for the session.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^:]*)?:mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+`

Status

Status for the session. For example, if the team has approved the requested operation.

Type: String

Valid Values: PENDING | CANCELLED | APPROVED | FAILED | CREATING

StatusCode

Status code of the session.

Type: String

Valid Values: REJECTED | EXPIRED | CONFIGURATION_CHANGED

StatusMessage

Message describing the status for session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApprovalTeams

Returns a list of approval teams.

Request Syntax

```
POST /approval-teams/?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of items to return in the response. If more results exist than the specified MaxResults value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Length Constraints: Minimum length of 0. Maximum length of 4096.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ApprovalTeams": [
    {
      "ApprovalTeam": {
        "Arn": "arn:aws:apprv:::team/test-team",
        "Name": "test-team"
      }
    }
  ]
}
```

```
        "ApprovalStrategy": { ... },
        "Arn": "string",
        "CreationTime": "string",
        "Description": "string",
        "Name": "string",
        "NumberOfApprovers": number,
        "Status": "string",
        "StatusCode": "string",
        "StatusMessage": "string"
    }
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ApprovalTeams](#)

An array of `ListApprovalTeamsResponseApprovalTeam` objects. Contains details for approval teams.

Type: Array of [ListApprovalTeamsResponseApprovalTeam](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

[NextToken](#)

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListIdentitySources

Returns a list of identity sources. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

Request Syntax

```
POST /identity-sources/?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of items to return in the response. If more results exist than the specified MaxResults value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Length Constraints: Minimum length of 0. Maximum length of 4096.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "IdentitySources": [
    {
      "
```

```
"CreationTime": "string",
"IdentitySourceArn": "string",
"IdentitySourceParameters": { ... },
"IdentitySourceType": "string",
"StatusStatusCode": "string",
"StatusMessage": "string"
}
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

IdentitySources

A IdentitySources. Contains details for identity sources.

Type: Array of [IdentitySourceForList](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPolicies

Returns a list of policies. Policies define the permissions for team resources.

Request Syntax

```
POST /policies/?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of items to return in the response. If more results exist than the specified MaxResults value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Length Constraints: Minimum length of 0. Maximum length of 4096.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
```

```
"Policies": [  
    {  
        "Arn        "DefaultVersion        "Name        "PolicyType    }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Policies

An array of Policy objects. Contains a list of policies that define the permissions for team resources.

Type: Array of [Policy](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPolicyVersions

Returns a list of the versions for policies. Policies define the permissions for team resources.

Request Syntax

```
POST /policies/PolicyArn?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of items to return in the response. If more results exist than the specified MaxResults value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Length Constraints: Minimum length of 0. Maximum length of 4096.

PolicyArn

Amazon Resource Name (ARN) for the policy.

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "PolicyVersions": [
    {
      "Arn": "string",
      "CreationTime": "string",
      "IsDefaultLastUpdatedTime": "string",
      "Name": "string",
      "PolicyArn": "string",
      "PolicyType": "string",
      "Status": "string",
      "VersionId": number
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[NextToken](#)

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

[PolicyVersions](#)

An array of PolicyVersionSummary objects. Contains details for the version of the policies that define the permissions for team resources.

Type: Array of [PolicyVersionSummary](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListResourcePolicies

Returns a list of policies for a resource.

Request Syntax

```
POST /resource-policies/ResourceArn?List&MaxResults=MaxResults&NextToken=NextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of items to return in the response. If more results exist than the specified MaxResults value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Length Constraints: Minimum length of 0. Maximum length of 4096.

ResourceArn

Amazon Resource Name (ARN) for the resource.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "NextTokenResourcePoliciesPolicyArnPolicyNamePolicyType
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[NextToken](#)

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

[ResourcePolicies](#)

An array of [ListResourcePoliciesResponseResourcePolicy](#) objects. Contains details about the policy for the resource.

Type: Array of [ListResourcePoliciesResponseResourcePolicy](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSessions

Returns a list of approval sessions. For more information, see [Session](#) in the *Multi-party approval User Guide*.

Request Syntax

```
POST /approval-teams/ApprovalTeamArn/sessions/?List HTTP/1.1
Content-type: application/json

{
  "FiltersFieldNameOperatorValueMaxResultsNextToken
```

URI Request Parameters

The request uses the following URI parameters.

ApprovalTeamArn

Amazon Resource Name (ARN) for the approval team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?:mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

Filters

An array of `Filter` objects. Contains the filter to apply when listing sessions.

Type: Array of [Filter](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

MaxResults

The maximum number of items to return in the response. If more results exist than the specified `MaxResults` value, a token is included in the response so that you can retrieve the remaining results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 20.

Required: No

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "Sessions": [
    {
      "
```

```
        "ActionCompletionStrategy": "string",
        "ActionName": "string",
        "ApprovalTeamArn": "string",
        "ApprovalTeamName": "string",
        "CompletionTime": "string",
        "Description": "string",
        "ExpirationTime": "string",
        "InitiationTime": "string",
        "ProtectedResourceArn": "string",
        "RequesterAccountId": "string",
        "RequesterPrincipalArn": "string",
        "RequesterRegion": "string",
        "RequesterServicePrincipal": "string",
        "SessionArn": "string",
        "Status": "string",
        "StatusCode": "string",
        "StatusMessage": "string"
    }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Sessions

An array of ListSessionsResponseSession objects. Contains details for the sessions.

Type: Array of [ListSessionsResponseSession](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Returns a list of the tags for a resource.

Request Syntax

```
GET /tags/ResourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

Amazon Resource Name (ARN) for the resource.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Tags" : {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

Tags attached to the resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

InternalServerError

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartActiveApprovalTeamDeletion

Starts the deletion process for an active approval team.

Note

Deletions require team approval

Requests to delete an active team must be approved by the team.

Request Syntax

```
POST /approval-teams/{Arn}?Delete HTTP/1.1
Content-type: application/json

{
    "PendingWindowDays": number
}
```

URI Request Parameters

The request uses the following URI parameters.

Arn

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^:]*)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

PendingWindowDays

Number of days between when the team approves the delete request and when the team is deleted.

Type: Integer

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DeletionCompletionTimeDeletionStartTime
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DeletionCompletionTime

Timestamp when the deletion process is scheduled to complete.

Type: Timestamp

DeletionStartTime

Timestamp when the deletion process was initiated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code: 409

[InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Creates or updates a resource tag. Each tag is a label consisting of a user-defined key and value. Tags can help you manage, identify, organize, search for, and filter resources.

Request Syntax

```
PUT /tags/ResourceArn HTTP/1.1
Content-type: application/json

{
  "Tags": {
    "string": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

Amazon Resource Name (ARN) for the resource you want to tag.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Request Body

The request accepts the following data in JSON format.

Tags

Tags that you have added to the specified resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[TooManyTagsException](#)

The request exceeds the maximum number of tags allowed for this resource. Remove some tags, and try again.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes a resource tag. Each tag is a label consisting of a user-defined key and value. Tags can help you manage, identify, organize, search for, and filter resources.

Request Syntax

```
POST /tags/ResourceArn HTTP/1.1
Content-type: application/json

{
  "TagKeysstring" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

Amazon Resource Name (ARN) for the resource you want to untag.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

Request Body

The request accepts the following data in JSON format.

TagKeys

Array of tag key-value pairs that you want to untag.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

[AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

[InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

[ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateApprovalTeam

Updates an approval team. You can request to update the team description, approval threshold, and approvers in the team.

Note

Updates require team approval

Updates to an active team must be approved by the team.

Request Syntax

```
PATCH /approval-teams/Arn HTTP/1.1
Content-type: application/json

{
  "ApprovalStrategyApproversPrimaryIdentityIdstring",
      "PrimaryIdentitySourceArnstring"
    }
  ],
  "Descriptionstring"
}
```

URI Request Parameters

The request uses the following URI parameters.

Arn

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?::mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

ApprovalStrategy

An ApprovalStrategy object. Contains details for how the team grants approval.

Type: [ApprovalStrategy](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Approvers

An array of ApprovalTeamRequestApprover objects. Contains details for the approvers in the team.

Type: Array of [ApprovalTeamRequestApprover](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "VersionId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

VersionId

Version ID for the team that was created. When an approval team is updated, the version ID changes.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code: 403

ConflictException

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code: 409

InternalServerError

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code: 404

[ServiceQuotaExceededException](#)

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

HTTP Status Code: 402

[ThrottlingException](#)

The request was denied due to request throttling.

HTTP Status Code: 429

[ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Multi-party Approval API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ApprovalStrategy](#)
- [ApprovalStrategyResponse](#)
- [ApprovalTeamRequestApprover](#)
- [Filter](#)
- [GetApprovalTeamResponseApprover](#)
- [GetSessionResponseApproverResponse](#)
- [IdentityCenter](#)
- [IdentityCenterForGet](#)
- [IdentityCenterForList](#)
- [IdentitySourceForList](#)
- [IdentitySourceParameters](#)
- [IdentitySourceParametersForGet](#)
- [IdentitySourceParametersForList](#)
- [ListApprovalTeamsResponseApprovalTeam](#)
- [ListResourcePoliciesResponseResourcePolicy](#)
- [ListSessionsResponseSession](#)
- [MofNApprovalStrategy](#)
- [PendingUpdate](#)
- [Policy](#)
- [PolicyReference](#)

- [PolicyVersion](#)
- [PolicyVersionSummary](#)

ApprovalStrategy

Strategy for how an approval team grants approval.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

MofN

Minimum number of approvals (M) required for a total number of approvers (N).

Type: [MofNApprovalStrategy](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApprovalStrategyResponse

Contains details for how an approval team grants approval.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

MofN

Minimum number of approvals (M) required for a total number of approvers (N).

Type: [MofNApprovalStrategy](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApprovalTeamRequestApprover

Contains details for an approver.

Contents

PrimaryIdentityId

ID for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

PrimaryIdentitySourceArn

Amazon Resource Name (ARN) for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Filter

Contains the filter to apply to requests. You can specify up to 10 filters for a request.

Contents

FieldName

Name of the filter to use.

 **Note**

Supported filters

The supported filters for [ListSessions](#) are: ActionName, SessionStatus, and InitiationTime.

Type: String

Valid Values: ActionName | ApprovalTeamName | VotingTime | Vote | SessionStatus | InitiationTime

Required: No

Operator

Operator to use for filtering.

- EQ: Equal to the specified value
- NE: Not equal to the specified value
- GT: Greater than the specified value
- LT: Less than the specified value
- GTE: Greater than or equal to the specified value
- LTE: Less than or equal to the specified value
- CONTAINS: Contains the specified value
- NOT_CONTAINS: Does not contain the specified value
- BETWEEN: Between two values, inclusive of the specified values.

Note**Supported operators for each filter:**

- ActionName: EQ | NE | CONTAINS | NOT_CONTAINS
- SessionStatus: EQ | NE
- InitiationTime: GT | LT | GTE | LTE | BETWEEN

Type: String

Valid Values: EQ | NE | GT | LT | GTE | LTE | CONTAINS | NOT_CONTAINS | BETWEEN

Required: No

Value

Value to use for filtering. For the BETWEEN operator, specify values in the format a AND b (AND is case-insensitive).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetApprovalTeamResponseApprover

Contains details for an approver.

Contents

ApproverId

ID for the approver.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

PrimaryIdentityId

ID for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

PrimaryIdentitySourceArn

Amazon Resource Name (ARN) for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

PrimaryIdentityStatus

Status for the identity source. For example, if an approver has accepted a team invitation with a user authentication method managed by the identity source.

Type: String

Valid Values: PENDING | ACCEPTED | REJECTED | INVALID

Required: No

ResponseTime

Timestamp when the approver responded to an approval team invitation.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSessionResponseApproverResponse

Contains details for an approver response in an approval session.

Contents

ApproverId

ID for the approver.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

IdentityId

ID for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

IdentitySourceArn

Amazon Resource Name (ARN) for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

Response

Response to the operation request.

Type: String

Valid Values: APPROVED | REJECTED | NO_RESPONSE

Required: No

ResponseTime

Timestamp when a approver responded to the operation request.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IamIdentityCenter

AWS IAM Identity Center credentials. For more information see, [AWS IAM Identity Center](#).

Contents

InstanceArn

Amazon Resource Name (ARN) for the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:.+:sso:::instance/(?:sso)?ins-[a-zA-Z0-9-.]{16}`

Required: Yes

Region

AWS Region where the IAM Identity Center instance is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IamIdentityCenterForGet

AWS IAM Identity Center credentials. For more information see, [AWS IAM Identity Center](#).

Contents

ApprovalPortalUrl

URL for the approval portal associated with the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

InstanceArn

Amazon Resource Name (ARN) for the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

Region

AWS Region where the IAM Identity Center instance is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

IamIdentityCenterForList

AWS IAM Identity Center credentials. For more information see, [AWS IAM Identity Center](#).

Contents

ApprovalPortalUrl

URL for the approval portal associated with the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

InstanceArn

Amazon Resource Name (ARN) for the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

Region

AWS Region where the IAM Identity Center instance is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

IdentitySourceForList

Contains details for an identity source. For more information, see [Identity source](#) in the *Multi-party approval User Guide*.

Contents

CreationTime

Timestamp when the identity source was created.

Type: Timestamp

Required: No

IdentitySourceArn

Amazon Resource Name (ARN) for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

IdentitySourceParameters

A IdentitySourceParametersForList object. Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

Type: [IdentitySourceParametersForList](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

IdentitySourceType

The type of resource that provided identities to the identity source. For example, an IAM Identity Center instance.

Type: String

Valid Values: IAM_IDENTITY_CENTER

Required: No

Status

Status for the identity source. For example, if the identity source is ACTIVE.

Type: String

Valid Values: CREATING | ACTIVE | DELETING | ERROR

Required: No

StatusCode

Status code of the identity source.

Type: String

Valid Values: ACCESS_DENIED | DELETION_FAILED | IDC_INSTANCE_NOT_FOUND | IDC_INSTANCE_NOT_VALID

Required: No

StatusMessage

Message describing the status for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IdentitySourceParameters

Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

Contents

IamIdentityCenter

AWS IAM Identity Center credentials.

Type: [IamIdentityCenter](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IdentitySourceParametersForGet

Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance. For more information, see [Identity source](#) in the *Multi-party approval User Guide*.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

IamIdentityCenter

AWS IAM Identity Center credentials.

Type: [IamIdentityCenterForGet](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IdentitySourceParametersForList

Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance. For more information, see [Identity source](#) in the *Multi-party approval User Guide*.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

IamIdentityCenter

AWS IAM Identity Center credentials.

Type: [IamIdentityCenterForList](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListApprovalTeamsResponseApprovalTeam

Contains details for an approval team

Contents

ApprovalStrategy

An ApprovalStrategyResponse object. Contains details for how an approval team grants approval.

Type: [ApprovalStrategyResponse](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?::mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

Required: No

CreationTime

Timestamp when the team was created.

Type: Timestamp

Required: No

Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Name

Name of the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9._-]+

Required: No

NumberOfApprovers

Total number of approvers in the team.

Type: Integer

Required: No

Status

Status for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: ACTIVE | INACTIVE | DELETING | PENDING

Required: No

StatusCode

Status code for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: VALIDATING | PENDING_ACTIVATION | FAILED_VALIDATION | FAILED_ACTIVATION | UPDATE_PENDING_APPROVAL | UPDATE_PENDING_ACTIVATION | UPDATE_FAILED_APPROVAL | UPDATE_FAILED_ACTIVATION | UPDATE_FAILED_VALIDATION | DELETE_PENDING_APPROVAL | DELETE_FAILED_APPROVAL | DELETE_FAILED_VALIDATION

Required: No

StatusMessage

Message describing the status for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListResourcePoliciesResponseResourcePolicy

Contains details about a policy for a resource.

Contents

PolicyArn

Amazon Resource Name (ARN) for policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

PolicyName

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

PolicyType

The type of policy.

Type: String

Valid Values: AWS_MANAGED | AWS_RAM

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ListSessionsResponseSession

Contains details for an approval session. For more information, see [Session](#) in the *Multi-party approval User Guide*

Contents

ActionCompletionStrategy

Strategy for executing the protected operation. AUTO_COMPLETION_UPON_APPROVAL means the operation is executed automatically using the requester's permissions, if approved.

Type: String

Valid Values: AUTO_COMPLETION_UPON_APPROVAL

Required: No

ActionName

Name of the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

ApprovalTeamArn

Amazon Resource Name (ARN) for the approval team.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?::mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+

Required: No

ApprovalTeamName

Name of the approval team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9._-]+

Required: No

CompletionTime

Timestamp when the session was completed.

Type: Timestamp

Required: No

Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

ExpirationTime

Timestamp when the session was expire.

Type: Timestamp

Required: No

InitiationTime

Timestamp when the session was initiated.

Type: Timestamp

Required: No

ProtectedResourceArn

Amazon Resource Name (ARN) for the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

RequesterAccountId

ID for the account that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 12.

Pattern: \d{12}

Required: No

RequesterPrincipalArn

IAM principal that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

RequesterRegion

AWS Region where the operation request originated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 100.

Required: No

RequesterServicePrincipal

Service principal for the service associated with the protected operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

SessionArn

Amazon Resource Name (ARN) for the session.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws(-[^:]*)?::mpa:[a-zA-Z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+

Required: No

Status

Status for the protected operation. For example, if the operation is PENDING.

Type: String

Valid Values: PENDING | CANCELLED | APPROVED | FAILED | CREATING

Required: No

StatusCode

Status code of the session.

Type: String

Valid Values: REJECTED | EXPIRED | CONFIGURATION_CHANGED

Required: No

StatusMessage

Message describing the status for session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MofNApprovalStrategy

Strategy for how an approval team grants approval.

Contents

MinApprovalsRequired

Minimum number of approvals (M) required for a total number of approvers (N).

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PendingUpdate

Contains details for the pending updates for an approval team, if applicable.

Contents

ApprovalStrategy

An ApprovalStrategyResponse object. Contains details for how the team grants approval.

Type: [ApprovalStrategyResponse](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Approvers

An array of GetApprovalTeamResponseApprover objects. Contains details for the approvers in the team.

Type: Array of [GetApprovalTeamResponseApprover](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Required: No

Description

Description for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

NumberOfApprovers

Total number of approvers in the team.

Type: Integer

Required: No

Status

Status for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: ACTIVE | INACTIVE | DELETING | PENDING

Required: No

StatusCode

Status code for the update. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: VALIDATING | PENDING_ACTIVATION | FAILED_VALIDATION | FAILED_ACTIVATION | UPDATE_PENDING_APPROVAL | UPDATE_PENDING_ACTIVATION | UPDATE_FAILED_APPROVAL | UPDATE_FAILED_ACTIVATION | UPDATE_FAILED_VALIDATION | DELETE_PENDING_APPROVAL | DELETE_FAILED_APPROVAL | DELETE_FAILED_VALIDATION

Required: No

StatusMessage

Message describing the status for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

UpdateInitiationTime

Timestamp when the update request was initiated.

Type: Timestamp

Required: No

VersionId

Version ID for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Policy

Contains details for a policy. Policies define what operations a team that define the permissions for team resources.

Contents

Arn

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: arn:{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}

Required: Yes

DefaultVersion

Determines if the specified policy is the default for the team.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

Name

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

PolicyType

The type of policy.

Type: String

Valid Values: AWS_MANAGED | AWS_RAM

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PolicyReference

Contains the Amazon Resource Name (ARN) for a policy. Policies define what operations a team that define the permissions for team resources.

Contents

PolicyArn

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9\.-]{1,1023}/[a-zA-Z0-9\.-]{1,1023}/(?:[\d]+|\\$DEFAULT)

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PolicyVersion

Contains details for the version of a policy. Policies define what operations a team that define the permissions for team resources.

Contents

Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}/(?:[\d]+|\\$DEFAULT)

Required: Yes

CreationTime

Timestamp when the policy was created.

Type: Timestamp

Required: Yes

Document

Document that contains the policy contents.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 400000.

Required: Yes

IsDefault

Determines if the specified policy is the default for the team.

Type: Boolean

Required: Yes

LastUpdatedTime

Timestamp when the policy was last updated.

Type: Timestamp

Required: Yes

Name

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

PolicyArn

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}`

Required: Yes

PolicyType

The type of policy.

Type: String

Valid Values: AWS_MANAGED | AWS_RAM

Required: Yes

Status

Status for the policy. For example, if the policy is [attachable](#) or [deprecated](#).

Type: String

Valid Values: ATTACHABLE | DEPRECATED

Required: Yes

VersionId

Verison ID

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PolicyVersionSummary

Contains details for the version of a policy. Policies define what operations a team that define the permissions for team resources.

Contents

Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}/(?:[\d]+|\$DEFAULT)`

Required: Yes

CreationTime

Timestamp when the policy was created.

Type: Timestamp

Required: Yes

IsDefault

Determines if the specified policy is the default for the team.

Type: Boolean

Required: Yes

LastUpdatedTime

Timestamp when the policy was last updated.

Type: Timestamp

Required: Yes

Name

Name of the policy

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

PolicyArn

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}

Required: Yes

PolicyType

The type of policy.

Type: String

Valid Values: AWS_MANAGED | AWS_RAM

Required: Yes

Status

Status for the policy. For example, if the policy is [attachable](#) or [deprecated](#).

Type: String

Valid Values: ATTACHABLE | DEPRECATED

Required: Yes

VersionId

Version ID for the policy.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Service-specific Errors

The AWS Multi-party Approval API contains service-specific exceptions that various actions return. This section describes each exception in detail.

The following service-specific exceptions are returned:

- [AccessDeniedException](#)
- [ConflictException](#)
- [InternalServerException](#)
- [InvalidParameterException](#)
- [ResourceNotFoundException](#)
- [ServiceQuotaExceededException](#)
- [ThrottlingException](#)
- [TooManyTagsException](#)
- [ValidationException](#)

AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code returned: 403

Contents

Message

Message for the AccessDeniedException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

ConflictException

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code returned: 409

Contents

Message

Message for the ConflictException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

InternalServerException

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code returned: 500

Contents

Message

Message for the InternalServerException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

InvalidParameterException

The request contains an invalid parameter value.

HTTP Status Code returned: 400

Contents

Message

Message for the InvalidParameterException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code returned: 404

Contents

Message

Message for the ResourceNotFoundException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

ServiceQuotaExceededException

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

HTTP Status Code returned: 402

Contents

Message

Message for the ServiceQuotaExceededException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code returned: 429

Contents

Message

Message for the ThrottlingException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

TooManyTagsException

The request exceeds the maximum number of tags allowed for this resource. Remove some tags, and try again.

HTTP Status Code returned: 400

Contents

Message

Message for the TooManyTagsException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

ResourceName

Name of the resource for the TooManyTagsException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code returned: 400

Contents

Message

Message for the ValidationException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400