



Welcome

# Multi-party approval



**API Version 2022-07-26**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

## **Multi-party approval: Welcome**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome</b> .....	<b>1</b>
<b>Actions</b> .....	<b>2</b>
CancelSession .....	3
Request Syntax .....	3
URI Request Parameters .....	3
Request Body .....	3
Response Syntax .....	3
Response Elements .....	3
Errors .....	3
See Also .....	5
CreateApprovalTeam .....	6
Request Syntax .....	6
URI Request Parameters .....	6
Request Body .....	6
Response Syntax .....	9
Response Elements .....	9
Errors .....	10
See Also .....	11
CreateldentitySource .....	13
Request Syntax .....	13
URI Request Parameters .....	13
Request Body .....	13
Response Syntax .....	14
Response Elements .....	15
Errors .....	15
See Also .....	17
DeleteldentitySource .....	18
Request Syntax .....	18
URI Request Parameters .....	18
Request Body .....	18
Response Syntax .....	18
Response Elements .....	18
Errors .....	18
See Also .....	20

DeletelnativeApprovalTeamVersion .....	21
Request Syntax .....	21
URI Request Parameters .....	21
Request Body .....	21
Response Syntax .....	21
Response Elements .....	22
Errors .....	22
See Also .....	23
GetApprovalTeam .....	24
Request Syntax .....	24
URI Request Parameters .....	24
Request Body .....	24
Response Syntax .....	24
Response Elements .....	26
Errors .....	29
See Also .....	30
GetIdentitySource .....	31
Request Syntax .....	31
URI Request Parameters .....	31
Request Body .....	31
Response Syntax .....	31
Response Elements .....	32
Errors .....	33
See Also .....	34
GetPolicyVersion .....	36
Request Syntax .....	36
URI Request Parameters .....	36
Request Body .....	36
Response Syntax .....	36
Response Elements .....	37
Errors .....	37
See Also .....	38
GetResourcePolicy .....	40
Request Syntax .....	40
URI Request Parameters .....	40
Request Body .....	40

Response Syntax .....	41
Response Elements .....	41
Errors .....	42
See Also .....	43
GetSession .....	45
Request Syntax .....	45
URI Request Parameters .....	45
Request Body .....	45
Response Syntax .....	45
Response Elements .....	46
Errors .....	51
See Also .....	52
ListApprovalTeams .....	53
Request Syntax .....	53
URI Request Parameters .....	53
Request Body .....	53
Response Syntax .....	53
Response Elements .....	54
Errors .....	54
See Also .....	55
ListIdentitySources .....	57
Request Syntax .....	57
URI Request Parameters .....	57
Request Body .....	57
Response Syntax .....	57
Response Elements .....	58
Errors .....	58
See Also .....	59
ListPolicies .....	61
Request Syntax .....	61
URI Request Parameters .....	61
Request Body .....	61
Response Syntax .....	61
Response Elements .....	62
Errors .....	62
See Also .....	63

---

ListPolicyVersions .....	65
Request Syntax .....	65
URI Request Parameters .....	65
Request Body .....	65
Response Syntax .....	66
Response Elements .....	66
Errors .....	67
See Also .....	68
ListResourcePolicies .....	69
Request Syntax .....	69
URI Request Parameters .....	69
Request Body .....	69
Response Syntax .....	70
Response Elements .....	70
Errors .....	71
See Also .....	72
ListSessions .....	73
Request Syntax .....	73
URI Request Parameters .....	73
Request Body .....	73
Response Syntax .....	74
Response Elements .....	75
Errors .....	76
See Also .....	77
ListTagsForResource .....	78
Request Syntax .....	78
URI Request Parameters .....	78
Request Body .....	78
Response Syntax .....	78
Response Elements .....	78
Errors .....	79
See Also .....	80
StartActiveApprovalTeamDeletion .....	81
Request Syntax .....	81
URI Request Parameters .....	81
Request Body .....	81

Response Syntax .....	82
Response Elements .....	82
Errors .....	82
See Also .....	84
StartApprovalTeamBaseline .....	85
Request Syntax .....	85
URI Request Parameters .....	85
Request Body .....	85
Response Syntax .....	86
Response Elements .....	86
Errors .....	86
See Also .....	87
TagResource .....	89
Request Syntax .....	89
URI Request Parameters .....	89
Request Body .....	89
Response Syntax .....	90
Response Elements .....	90
Errors .....	90
See Also .....	91
UntagResource .....	93
Request Syntax .....	93
URI Request Parameters .....	93
Request Body .....	93
Response Syntax .....	94
Response Elements .....	94
Errors .....	94
See Also .....	95
UpdateApprovalTeam .....	96
Request Syntax .....	96
URI Request Parameters .....	96
Request Body .....	97
Response Syntax .....	98
Response Elements .....	98
Errors .....	98
See Also .....	100

<b>Data Types</b> .....	<b>101</b>
ApprovalStrategy .....	103
Contents .....	103
See Also .....	103
ApprovalStrategyResponse .....	104
Contents .....	104
See Also .....	104
ApprovalTeamRequestApprover .....	105
Contents .....	105
See Also .....	105
Filter .....	106
Contents .....	106
See Also .....	107
GetApprovalTeamResponseApprover .....	108
Contents .....	108
See Also .....	110
GetSessionResponseApproverResponse .....	111
Contents .....	111
See Also .....	112
IamIdentityCenter .....	113
Contents .....	113
See Also .....	113
IamIdentityCenterForGet .....	114
Contents .....	114
See Also .....	114
IamIdentityCenterForList .....	116
Contents .....	116
See Also .....	116
IdentitySourceForList .....	118
Contents .....	118
See Also .....	119
IdentitySourceParameters .....	120
Contents .....	120
See Also .....	120
IdentitySourceParametersForGet .....	121
Contents .....	121

---

See Also .....	121
IdentitySourceParametersForList .....	122
Contents .....	122
See Also .....	122
ListApprovalTeamsResponseApprovalTeam .....	123
Contents .....	123
See Also .....	125
ListResourcePoliciesResponseResourcePolicy .....	126
Contents .....	126
See Also .....	126
ListSessionsResponseSession .....	128
Contents .....	128
See Also .....	132
MfaMethod .....	133
Contents .....	133
See Also .....	133
MofNApprovalStrategy .....	134
Contents .....	134
See Also .....	134
PendingUpdate .....	135
Contents .....	135
See Also .....	137
Policy .....	138
Contents .....	138
See Also .....	139
PolicyReference .....	140
Contents .....	140
See Also .....	140
PolicyVersion .....	141
Contents .....	141
See Also .....	143
PolicyVersionSummary .....	144
Contents .....	144
See Also .....	146
<b>Service-specific Errors .....</b>	<b>147</b>
AccessDeniedException .....	148

---

Contents .....	148
See Also .....	148
ConflictException .....	149
Contents .....	149
See Also .....	149
InternalServerError .....	150
Contents .....	150
See Also .....	150
InvalidParameterException .....	151
Contents .....	151
See Also .....	151
ResourceNotFoundException .....	152
Contents .....	152
See Also .....	152
ServiceQuotaExceededException .....	153
Contents .....	153
See Also .....	153
ThrottlingException .....	154
Contents .....	154
See Also .....	154
TooManyTagsException .....	155
Contents .....	155
See Also .....	155
ValidationException .....	156
Contents .....	156
See Also .....	156
<b>Common Parameters .....</b>	<b>157</b>
<b>Common Errors .....</b>	<b>160</b>

# Welcome

Multi-party approval is a capability of [AWS Organizations](#) that allows you to protect a predefined list of operations through a distributed approval process. Use Multi-party approval to establish approval workflows and transform security processes into team-based decisions.

## When to use Multi-party approval:

- You need to align with the Zero Trust principle of "never trust, always verify"
- You need to make sure that the right humans have access to the right things in the right way
- You need distributed decision-making for sensitive or critical operations
- You need to protect against unintended operations on sensitive or critical resources
- You need formal reviews and approvals for auditing or compliance reasons

For more information, see [What is Multi-party approval](#) in the *Multi-party approval User Guide*.

This document was last published on March 6, 2026.

# Actions

The following actions are supported:

- [CancelSession](#)
- [CreateApprovalTeam](#)
- [CreateIdentitySource](#)
- [DeleteIdentitySource](#)
- [DeleteInactiveApprovalTeamVersion](#)
- [GetApprovalTeam](#)
- [GetIdentitySource](#)
- [GetPolicyVersion](#)
- [GetResourcePolicy](#)
- [GetSession](#)
- [ListApprovalTeams](#)
- [ListIdentitySources](#)
- [ListPolicies](#)
- [ListPolicyVersions](#)
- [ListResourcePolicies](#)
- [ListSessions](#)
- [ListTagsForResource](#)
- [StartActiveApprovalTeamDeletion](#)
- [StartApprovalTeamBaseline](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateApprovalTeam](#)

# CancelSession

Cancels an approval session. For more information, see [Session](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
PUT /sessions/SessionArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### SessionArn

Amazon Resource Name (ARN) for the session.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

#### **Message**

Message for the `ConflictException` error.

HTTP Status Code: 409

### [InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerError` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

### [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

#### **Message**

Message for the ValidationException error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateApprovalTeam

Creates a new approval team. For more information, see [Approval team](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
POST /approval-teams HTTP/1.1
Content-type: application/json

{
  "ApprovalStrategy": { ... },
  "Approvers": [
    {
      "PrimaryIdentityId": "string",
      "PrimaryIdentitySourceArn": "string"
    }
  ],
  "ClientToken": "string",
  "Description": "string",
  "Name": "string",
  "Policies": [
    {
      "PolicyArn": "string"
    }
  ],
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [ApprovalStrategy](#)

An ApprovalStrategy object. Contains details for how the team grants approval.

Type: [ApprovalStrategy](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

### [Approvers](#)

An array of `ApprovalTeamRequesterApprovers` objects. Contains details for the approvers in the team.

Type: Array of [ApprovalTeamRequestApprover](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

### [ClientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS populates this field.

#### **Note**

##### **What is idempotency?**

When you make a mutating API request, the request typically returns a result before the operation's asynchronous workflows have completed. Operations might also time out or encounter other server issues before they complete, even though the request has already returned a result. This could make it difficult to determine whether the request succeeded or not, and could lead to multiple retries to ensure that the operation completes successfully. However, if the original request and the subsequent retries are successful, the operation is completed multiple times. This means that you might create more resources than you intended.

*Idempotency* ensures that an API request completes no more than one time. With an idempotent request, if the original request completes successfully, any subsequent retries complete successfully without performing any further actions.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

### Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

### Name

Name of the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9.\_- ]+

Required: Yes

### Policies

An array of `PolicyReference` objects. Contains a list of policies that define the permissions for team resources.

Type: Array of [PolicyReference](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

### Tags

Tags you want to attach to the team.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "CreationTime": "string",
  "Name": "string",
  "VersionId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [Arn](#)

Amazon Resource Name (ARN) for the team that was created.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

### [CreationTime](#)

Timestamp when the team was created.

Type: Timestamp

### [Name](#)

Name of the team that was created.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

## VersionId

Version ID for the team that was created. When a team is updated, the version ID changes.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the AccessDeniedException error.

HTTP Status Code: 403

### ConflictException

The request cannot be completed because it conflicts with the current state of a resource.

#### **Message**

Message for the ConflictException error.

HTTP Status Code: 409

### InternalServerError

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the InternalServerError error.

HTTP Status Code: 500

### ServiceQuotaExceededException

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

**Message**

Message for the ServiceQuotaExceededException error.

HTTP Status Code: 402

**ThrottlingException**

The request was denied due to request throttling.

**Message**

Message for the ThrottlingException error.

HTTP Status Code: 429

**ValidationException**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the ValidationException error.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# CreateIdentitySource

Creates a new identity source. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
POST /identity-sources HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "IdentitySourceParameters": {
    "IamIdentityCenter": {
      "InstanceArn": "string",
      "Region": "string"
    }
  },
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### ClientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If not provided, the AWS populates this field.

#### Note

##### What is idempotency?

When you make a mutating API request, the request typically returns a result before the operation's asynchronous workflows have completed. Operations might also time

out or encounter other server issues before they complete, even though the request has already returned a result. This could make it difficult to determine whether the request succeeded or not, and could lead to multiple retries to ensure that the operation completes successfully. However, if the original request and the subsequent retries are successful, the operation is completed multiple times. This means that you might create more resources than you intended.

*Idempotency* ensures that an API request completes no more than one time. With an idempotent request, if the original request completes successfully, any subsequent retries complete successfully without performing any further actions.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

### IdentitySourceParameters

A `IdentitySourceParameters` object. Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

Type: [IdentitySourceParameters](#) object

Required: Yes

### Tags

Tag you want to attach to the identity source.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "CreationTime": "string",  
  "IdentitySourceArn": "string",  
  "IdentitySourceType": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [CreationTime](#)

Timestamp when the identity source was created.

Type: Timestamp

### [IdentitySourceArn](#)

Amazon Resource Name (ARN) for the identity source that was created.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

### [IdentitySourceType](#)

The type of resource that provided identities to the identity source. For example, an IAM Identity Center instance.

Type: String

Valid Values: IAM\_IDENTITY\_CENTER

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

**Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

**[InternalServerException](#)**

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

**Message**

Message for the `InternalServerException` error.

HTTP Status Code: 500

**[ServiceQuotaExceededException](#)**

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

**Message**

Message for the `ServiceQuotaExceededException` error.

HTTP Status Code: 402

**[ThrottlingException](#)**

The request was denied due to request throttling.

**Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

**[ValidationException](#)**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteIdentitySource

Deletes an identity source. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
DELETE /identity-sources/IdentitySourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [IdentitySourceArn](#)

Amazon Resource Name (ARN) for identity source.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

**Message**

Message for the AccessDeniedException error.

HTTP Status Code: 403

**ConflictException**

The request cannot be completed because it conflicts with the current state of a resource.

**Message**

Message for the ConflictException error.

HTTP Status Code: 409

**InternalServerErrorException**

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

**Message**

Message for the InternalServerErrorException error.

HTTP Status Code: 500

**ThrottlingException**

The request was denied due to request throttling.

**Message**

Message for the ThrottlingException error.

HTTP Status Code: 429

**ValidationException**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the ValidationException error.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteInactiveApprovalTeamVersion

Deletes an inactive approval team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

You can also use this operation to delete a team draft. For more information, see [Interacting with drafts](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
DELETE /approval-teams/Arn/VersionId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [Arn](#)

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: Yes

### [VersionId](#)

Version ID for the team.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

#### **Message**

Message for the `ConflictException` error.

HTTP Status Code: 409

### [InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerError` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

### [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

#### **Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetApprovalTeam

Returns details for an approval team.

## Request Syntax

```
GET /approval-teams/Arn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [Arn](#)

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ApprovalStrategy": { ... },
  "Approvers": [
    {
      "ApproverId": "string",
      "LastActivity": "string",
      "LastActivityTime": "string",
      "MfaMethods": [
        {
```

```
        "SyncStatus": "string",
        "Type": "string"
    }
],
"PendingBaselineSessionArn": "string",
"PrimaryIdentityId": "string",
"PrimaryIdentitySourceArn": "string",
"PrimaryIdentityStatus": "string",
"ResponseTime": "string"
}
],
"Arn": "string",
"CreationTime": "string",
"Description": "string",
"LastUpdateTime": "string",
"Name": "string",
"NumberOfApprovers": number,
"PendingUpdate": {
    "ApprovalStrategy": { ... },
    "Approvers": [
        {
            "ApproverId": "string",
            "LastActivity": "string",
            "LastActivityTime": "string",
            "MfaMethods": [
                {
                    "SyncStatus": "string",
                    "Type": "string"
                }
            ],
            "PendingBaselineSessionArn": "string",
            "PrimaryIdentityId": "string",
            "PrimaryIdentitySourceArn": "string",
            "PrimaryIdentityStatus": "string",
            "ResponseTime": "string"
        }
    ],
    "Description": "string",
    "NumberOfApprovers": number,
    "Status": "string",
    "StatusCode": "string",
    "StatusMessage": "string",
    "UpdateInitiationTime": "string",
    "VersionId": "string"
}
```

```
  },
  "Policies": [
    {
      "PolicyArn": "string"
    }
  ],
  "Status": "string",
  "StatusCode": "string",
  "StatusMessage": "string",
  "UpdateSessionArn": "string",
  "VersionId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ApprovalStrategy

An ApprovalStrategyResponse object. Contains details for how the team grants approval.

Type: [ApprovalStrategyResponse](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

### Approvers

An array of GetApprovalTeamResponseApprover objects. Contains details for the approvers in the team.

Type: Array of [GetApprovalTeamResponseApprover](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

### Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

### CreationTime

Timestamp when the team was created.

Type: Timestamp

### Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

### LastUpdateTime

Timestamp when the team was last updated.

Type: Timestamp

### Name

Name of the approval team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

### NumberOfApprovers

Total number of approvers in the team.

Type: Integer

### PendingUpdate

A PendingUpdate object. Contains details for the pending updates for the team, if applicable.

Type: [PendingUpdate](#) object

### Policies

An array of PolicyReference objects. Contains a list of policies that define the permissions for team resources.

Type: Array of [PolicyReference](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

## Status

Status for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: ACTIVE | INACTIVE | DELETING | PENDING

## StatusCode

Status code for the approval team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: VALIDATING | PENDING\_ACTIVATION | FAILED\_VALIDATION | FAILED\_ACTIVATION | UPDATE\_PENDING\_APPROVAL | UPDATE\_PENDING\_ACTIVATION | UPDATE\_FAILED\_APPROVAL | UPDATE\_FAILED\_ACTIVATION | UPDATE\_FAILED\_VALIDATION | DELETE\_PENDING\_APPROVAL | DELETE\_FAILED\_APPROVAL | DELETE\_FAILED\_VALIDATION

## StatusMessage

Message describing the status for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

## UpdateSessionArn

Amazon Resource Name (ARN) for the session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

## VersionId

Version ID for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerException` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

### [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

## Message

Message for the `ValidationException` error.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetIdentitySource

Returns details for an identity source. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
GET /identity-sources/IdentitySourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [IdentitySourceArn](#)

Amazon Resource Name (ARN) for the identity source.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreationTime": "string",
  "IdentitySourceArn": "string",
  "IdentitySourceParameters": { ... },
  "IdentitySourceType": "string",
  "Status": "string",
  "StatusCode": "string",
  "StatusMessage": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### CreationTime

Timestamp when the identity source was created.

Type: Timestamp

### IdentitySourceArn

Amazon Resource Name (ARN) for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

### IdentitySourceParameters

A `IdentitySourceParameters` object. Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

Type: [IdentitySourceParametersForGet](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

### IdentitySourceType

The type of resource that provided identities to the identity source. For example, an IAM Identity Center instance.

Type: String

Valid Values: IAM\_IDENTITY\_CENTER

### Status

Status for the identity source. For example, if the identity source is ACTIVE.

Type: String

Valid Values: CREATING | ACTIVE | DELETING | ERROR

## StatusCode

Status code of the identity source.

Type: String

Valid Values: ACCESS\_DENIED | DELETION\_FAILED | IDC\_INSTANCE\_NOT\_FOUND | IDC\_INSTANCE\_NOT\_VALID

## StatusMessage

Message describing the status for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the AccessDeniedException error.

HTTP Status Code: 403

### InternalServerErrorException

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the InternalServerErrorException error.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

**Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

**[ThrottlingException](#)**

The request was denied due to request throttling.

**Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

**[ValidationException](#)**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetPolicyVersion

Returns details for the version of a policy. Policies define the permissions for team resources.

## Request Syntax

```
GET /policy-versions/PolicyVersionArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### PolicyVersionArn

Amazon Resource Name (ARN) for the policy.

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}/(?:[\d]+|\$DEFAULT)`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "PolicyVersion": {
    "Arn": "string",
    "CreationTime": "string",
    "Document": "string",
    "IsDefault": boolean,
    "LastUpdatedTime": "string",
    "Name": "string",
```

```
"PolicyArn": "string",  
"PolicyType": "string",  
"Status": "string",  
"VersionId": number  
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### PolicyVersion

A `PolicyVersion` object. Contains details for the version of the policy. Policies define the permissions for team resources.

Type: [PolicyVersion](#) object

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### InternalServerError

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerError` error.

HTTP Status Code: 500

## [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

### **Message**

Message for the ResourceNotFoundException error.

HTTP Status Code: 404

## [ThrottlingException](#)

The request was denied due to request throttling.

### **Message**

Message for the ThrottlingException error.

HTTP Status Code: 429

## [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the ValidationException error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetResourcePolicy

Returns details about a policy for a resource.

## Request Syntax

```
POST /GetResourcePolicy HTTP/1.1
Content-type: application/json
```

```
{
  "PolicyName": "string",
  "PolicyType": "string",
  "ResourceArn": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### PolicyName

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

### PolicyType

The type of policy.

Type: String

Valid Values: AWS\_MANAGED | AWS\_RAM

Required: Yes

## ResourceArn

Amazon Resource Name (ARN) for the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "PolicyDocument": "string",
  "PolicyName": "string",
  "PolicyType": "string",
  "PolicyVersionArn": "string",
  "ResourceArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### PolicyDocument

Document that contains the contents for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 400000.

### PolicyName

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

### PolicyType

The type of policy

Type: String

Valid Values: AWS\_MANAGED | AWS\_RAM

### PolicyVersionArn

Amazon Resource Name (ARN) for the policy version.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

### ResourceArn

Amazon Resource Name (ARN) for the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the AccessDeniedException error.

HTTP Status Code: 403

### InvalidParameterException

The request contains an invalid parameter value.

#### **Message**

Message for the InvalidParameterException error.

HTTP Status Code: 400

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the ResourceNotFoundException error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the ThrottlingException error.

HTTP Status Code: 429

### [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

#### **Message**

Message for the ValidationException error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSession

Returns details for an approval session. For more information, see [Session](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
GET /sessions/SessionArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### SessionArn

Amazon Resource Name (ARN) for the session.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ActionCompletionStrategy": "string",
  "ActionName": "string",
  "AdditionalSecurityRequirements": [ "string ],
  "ApprovalStrategy": { ... },
  "ApprovalTeamArn": "string",
```

```
"ApprovalTeamName": "string",
"ApproverResponses": [
  {
    "ApproverId": "string",
    "IdentityId": "string",
    "IdentitySourceArn": "string",
    "Response": "string",
    "ResponseTime": "string"
  }
],
"CompletionTime": "string",
"Description": "string",
"ExecutionStatus": "string",
"ExpirationTime": "string",
"InitiationTime": "string",
"Metadata": {
  "string" : "string"
},
"NumberOfApprovers": number,
"ProtectedResourceArn": "string",
"RequesterAccountId": "string",
"RequesterComment": "string",
"RequesterPrincipalArn": "string",
"RequesterRegion": "string",
"RequesterServicePrincipal": "string",
"SessionArn": "string",
"Status": "string",
"StatusCode": "string",
"StatusMessage": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ActionCompletionStrategy

Strategy for executing the protected operation. `AUTO_COMPLETION_UPON_APPROVAL` means the operation is automatically executed using the requester's permissions, if approved.

Type: String

Valid Values: AUTO\_COMPLETION\_UPON\_APPROVAL

### ActionName

Name of the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

### AdditionalSecurityRequirements

A list of `AdditionalSecurityRequirement` applied to the session.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Valid Values: APPROVER\_VERIFICATION\_REQUIRED

### ApprovalStrategy

An `ApprovalStrategyResponse` object. Contains details for how the team grants approval

Type: [ApprovalStrategyResponse](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

### ApprovalTeamArn

Amazon Resource Name (ARN) for the approval team.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

### ApprovalTeamName

Name of the approval team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9.\_- ]+

### ApproverResponses

An array of `GetSessionResponseApproverResponse` objects. Contains details for approver responses in the session.

Type: Array of [GetSessionResponseApproverResponse](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

### CompletionTime

Timestamp when the session completed.

Type: Timestamp

### Description

Description for the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

### ExecutionStatus

Status for the protected operation. For example, if the operation is PENDING.

Type: String

Valid Values: EXECUTED | FAILED | PENDING

### ExpirationTime

Timestamp when the session will expire.

Type: Timestamp

### InitiationTime

Timestamp when the session was initiated.

Type: Timestamp

### Metadata

Metadata for the session.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: `[a-zA-Z0-9\p{P}]*`

Value Length Constraints: Minimum length of 1. Maximum length of 200.

Value Pattern: `[a-zA-Z0-9\p{P}]*`

### NumberOfApprovers

Total number of approvers in the session.

Type: Integer

### ProtectedResourceArn

Amazon Resource Name (ARN) for the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

### RequesterAccountId

ID for the account that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 12.

Pattern: `\d{12}`

### RequesterComment

Message from the account that made the operation request

Type: String

Length Constraints: Minimum length of 0. Maximum length of 200.

### RequesterPrincipalArn

[IAM principal](#) that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

### RequesterRegion

AWS Region where the operation request originated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 100.

### RequesterServicePrincipal

[Service principal](#) for the service associated with the protected operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

### SessionArn

Amazon Resource Name (ARN) for the session.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[\0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+`

### Status

Status for the session. For example, if the team has approved the requested operation.

Type: String

Valid Values: PENDING | CANCELLED | APPROVED | FAILED | CREATING

### StatusCode

Status code of the session.

Type: String

Valid Values: REJECTED | EXPIRED | CONFIGURATION\_CHANGED | ALL\_APPROVERS\_IN\_SESSION

## StatusMessage

Message describing the status for session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### InternalServerErrorException

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerErrorException` error.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### ThrottlingException

The request was denied due to request throttling.

**Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

**[ValidationException](#)**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListApprovalTeams

Returns a list of approval teams.

## Request Syntax

```
POST /approval-teams/?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of items to return in the response. If more results exist than the specified `MaxResults` value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ApprovalTeams": [
    {
```

```
"ApprovalStrategy": { ... },
"Arn": "string",
"CreationTime": "string",
"Description": "string",
"Name": "string",
"NumberOfApprovers": number,
"Status": "string",
"StatusCode": "string",
"StatusMessage": "string"
}
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ApprovalTeams

An array of `ListApprovalTeamsResponseApprovalTeam` objects. Contains details for approval teams.

Type: Array of [ListApprovalTeamsResponseApprovalTeam](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

## [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

## [InternalServerErrorException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

### **Message**

Message for the `InternalServerErrorException` error.

HTTP Status Code: 500

## [ThrottlingException](#)

The request was denied due to request throttling.

### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

## [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListIdentitySources

Returns a list of identity sources. For more information, see [Identity Source](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
POST /identity-sources/?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [MaxResults](#)

The maximum number of items to return in the response. If more results exist than the specified `MaxResults` value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

### [NextToken](#)

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "IdentitySources": [
    {
```

```
    "CreationTime": "string",
    "IdentitySourceArn": "string",
    "IdentitySourceParameters": { ... },
    "IdentitySourceType": "string",
    "Status": "string",
    "StatusCode": "string",
    "StatusMessage": "string"
  }
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### IdentitySources

A IdentitySources. Contains details for identity sources.

Type: Array of [IdentitySourceForList](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

**Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

**[InternalServerException](#)**

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

**Message**

Message for the `InternalServerException` error.

HTTP Status Code: 500

**[ThrottlingException](#)**

The request was denied due to request throttling.

**Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

**[ValidationException](#)**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListPolicies

Returns a list of policies. Policies define the permissions for team resources.

## Request Syntax

```
POST /policies/?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of items to return in the response. If more results exist than the specified `MaxResults` value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Length Constraints: Minimum length of 0. Maximum length of 4096.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
```

```
"Policies": [  
  {  
    "Arn": "string",  
    "DefaultVersion": number,  
    "Name": "string",  
    "PolicyType": "string"  
  }  
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

### Policies

An array of Policy objects. Contains a list of policies that define the permissions for team resources.

Type: Array of [Policy](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

**Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

**[InternalServerException](#)**

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

**Message**

Message for the `InternalServerException` error.

HTTP Status Code: 500

**[ThrottlingException](#)**

The request was denied due to request throttling.

**Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

**[ValidationException](#)**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListPolicyVersions

Returns a list of the versions for policies. Policies define the permissions for team resources.

## Request Syntax

```
POST /policies/PolicyArn?List&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of items to return in the response. If more results exist than the specified `MaxResults` value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Length Constraints: Minimum length of 0. Maximum length of 4096.

### PolicyArn

Amazon Resource Name (ARN) for the policy.

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "PolicyVersions": [
    {
      "Arn": "string",
      "CreationTime": "string",
      "IsDefault": boolean,
      "LastUpdatedTime": "string",
      "Name": "string",
      "PolicyArn": "string",
      "PolicyType": "string",
      "Status": "string",
      "VersionId": number
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

### PolicyVersions

An array of PolicyVersionSummary objects. Contains details for the version of the policies that define the permissions for team resources.

Type: Array of [PolicyVersionSummary](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [InternalServerErrorException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerErrorException` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

### [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

#### **Message**

Message for the ValidationException error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListResourcePolicies

Returns a list of policies for a resource.

## Request Syntax

```
POST /resource-policies/ResourceArn?List&MaxResults=MaxResults&NextToken=NextToken
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### MaxResults

The maximum number of items to return in the response. If more results exist than the specified `MaxResults` value, a token is included in the response so that you can retrieve the remaining results.

Valid Range: Minimum value of 1. Maximum value of 20.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Length Constraints: Minimum length of 0. Maximum length of 4096.

### ResourceArn

Amazon Resource Name (ARN) for the resource.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "ResourcePolicies": [
    {
      "PolicyArn": "string",
      "PolicyName": "string",
      "PolicyType": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

### ResourcePolicies

An array of `ListResourcePoliciesResponseResourcePolicy` objects. Contains details about the policy for the resource.

Type: Array of [ListResourcePoliciesResponseResourcePolicy](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerException` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

### [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

## Message

Message for the ValidationException error.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSessions

Returns a list of approval sessions. For more information, see [Session](#) in the *Multi-party approval User Guide*.

## Request Syntax

```
POST /approval-teams/ApprovalTeamArn/sessions/?List HTTP/1.1
Content-type: application/json
```

```
{
  "Filters": [
    {
      "FieldName": "string",
      "Operator": "string",
      "Value": "string"
    }
  ],
  "MaxResults": number,
  "NextToken": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### [ApprovalTeamArn](#)

Amazon Resource Name (ARN) for the approval team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## Filters

An array of `Filter` objects. Contains the filter to apply when listing sessions.

Type: Array of [Filter](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

## MaxResults

The maximum number of items to return in the response. If more results exist than the specified `MaxResults` value, a token is included in the response so that you can retrieve the remaining results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 20.

Required: No

## NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a next call to the operation to get more output. You can repeat this until the `NextToken` response element returns `null`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "Sessions": [
    {
```

```
"ActionCompletionStrategy": "string",
"ActionName": "string",
"AdditionalSecurityRequirements": [ "string" ],
"ApprovalTeamArn": "string",
"ApprovalTeamName": "string",
"CompletionTime": "string",
"Description": "string",
"ExpirationTime": "string",
"InitiationTime": "string",
"ProtectedResourceArn": "string",
"RequesterAccountId": "string",
"RequesterPrincipalArn": "string",
"RequesterRegion": "string",
"RequesterServicePrincipal": "string",
"SessionArn": "string",
"Status": "string",
"StatusCode": "string",
"StatusMessage": "string"
}
]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

If present, indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a next call to the operation to get more output. You can repeat this until the NextToken response element returns null.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

### Sessions

An array of ListSessionsResponseSession objects. Contains details for the sessions.

Type: Array of [ListSessionsResponseSession](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerError` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

## [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the ValidationException error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTagsForResource

Returns a list of the tags for a resource.

## Request Syntax

```
GET /tags/ResourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [ResourceArn](#)

Amazon Resource Name (ARN) for the resource.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## Tags

Tags attached to the resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### InternalServerErrorException

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerErrorException` error.

HTTP Status Code: 500

### ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

## [ThrottlingException](#)

The request was denied due to request throttling.

### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

## [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartActiveApprovalTeamDeletion

Starts the deletion process for an active approval team.

## Note

### Deletions require team approval

Requests to delete an active team must be approved by the team.

## Request Syntax

```
POST /approval-teams/{Arn}?Delete HTTP/1.1
Content-type: application/json
```

```
{
  "PendingWindowDays": number
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Arn

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## PendingWindowDays

Number of days between when the team approves the delete request and when the team is deleted.

Type: Integer

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DeletionCompletionTime": "string",
  "DeletionStartTime": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### DeletionCompletionTime

Timestamp when the deletion process is scheduled to complete.

Type: Timestamp

### DeletionStartTime

Timestamp when the deletion process was initiated.

Type: Timestamp

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### **Message**

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

#### **Message**

Message for the `ConflictException` error.

HTTP Status Code: 409

### [InternalServerError](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### **Message**

Message for the `InternalServerError` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

#### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

## [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the ValidationException error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartApprovalTeamBaseline

Starts a baseline session for specified approvers on an ACTIVE approval team.

## Request Syntax

```
POST /approval-teams/Arn/baseline HTTP/1.1
Content-type: application/json
```

```
{
  "ApproverIds": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Arn

Amazon Resource Name (ARN) for the approval team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### ApproverIds

Array of approver IDs.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "BaselineSessionArn": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [BaselineSessionArn](#)

Amazon Resource Name (ARN) for the session.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+`

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### Message

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

## [InternalServerErrorException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

### **Message**

Message for the `InternalServerErrorException` error.

HTTP Status Code: 500

## [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

### **Message**

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

## [ThrottlingException](#)

The request was denied due to request throttling.

### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

## [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Creates or updates a resource tag. Each tag is a label consisting of a user-defined key and value. Tags can help you manage, identify, organize, search for, and filter resources.

## Request Syntax

```
PUT /tags/ResourceArn HTTP/1.1
Content-type: application/json

{
  "Tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ResourceArn

Amazon Resource Name (ARN) for the resource you want to tag.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### Tags

Tags that you have added to the specified resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### Message

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### Message

Message for the `InternalServerException` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### Message

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

## ThrottlingException

The request was denied due to request throttling.

### **Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

## TooManyTagsException

The request exceeds the maximum number of tags allowed for this resource. Remove some tags, and try again.

### **Message**

Message for the `TooManyTagsException` error.

### **ResourceName**

Name of the resource for the `TooManyTagsException` error.

HTTP Status Code: 400

## ValidationException

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Removes a resource tag. Each tag is a label consisting of a user-defined key and value. Tags can help you manage, identify, organize, search for, and filter resources.

## Request Syntax

```
POST /tags/ResourceArn HTTP/1.1
Content-type: application/json

{
  "TagKeys": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### ResourceArn

Amazon Resource Name (ARN) for the resource you want to untag.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### TagKeys

Array of tag key-value pairs that you want to untag.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### [AccessDeniedException](#)

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### Message

Message for the `AccessDeniedException` error.

HTTP Status Code: 403

### [InternalServerException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

#### Message

Message for the `InternalServerException` error.

HTTP Status Code: 500

### [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

#### Message

Message for the `ResourceNotFoundException` error.

HTTP Status Code: 404

### [ThrottlingException](#)

The request was denied due to request throttling.

**Message**

Message for the `ThrottlingException` error.

HTTP Status Code: 429

**[ValidationException](#)**

The input fails to satisfy the constraints specified by an AWS service.

**Message**

Message for the `ValidationException` error.

HTTP Status Code: 400

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateApprovalTeam

Updates an approval team. You can request to update the team description, approval threshold, and approvers in the team.

## Note

### Updates require team approval

Updates to an active team must be approved by the team.

## Request Syntax

```
PATCH /approval-teams/Arn HTTP/1.1
Content-type: application/json

{
  "ApprovalStrategy": { ... },
  "Approvers": [
    {
      "PrimaryIdentityId": "string",
      "PrimaryIdentitySourceArn": "string"
    }
  ],
  "Description": "string",
  "UpdateActions": [ "string" ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### Arn

Amazon Resource Name (ARN) for the team.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### ApprovalStrategy

An ApprovalStrategy object. Contains details for how the team grants approval.

Type: [ApprovalStrategy](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### Approvers

An array of ApprovalTeamRequestApprover objects. Contains details for the approvers in the team.

Type: Array of [ApprovalTeamRequestApprover](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

### Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### UpdateActions

A list of UpdateAction to perform when updating the team.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Valid Values: SYNCHRONIZE\_MFA\_DEVICES

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "VersionId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### VersionId

Version ID for the team that was created. When an approval team is updated, the version ID changes.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Errors](#).

### AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

#### Message

Message for the AccessDeniedException error.

HTTP Status Code: 403

## [ConflictException](#)

The request cannot be completed because it conflicts with the current state of a resource.

### **Message**

Message for the ConflictException error.

HTTP Status Code: 409

## [InternalServerErrorException](#)

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

### **Message**

Message for the InternalServerErrorException error.

HTTP Status Code: 500

## [ResourceNotFoundException](#)

The specified resource doesn't exist. Check the resource ID, and try again.

### **Message**

Message for the ResourceNotFoundException error.

HTTP Status Code: 404

## [ServiceQuotaExceededException](#)

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

### **Message**

Message for the ServiceQuotaExceededException error.

HTTP Status Code: 402

## [ThrottlingException](#)

The request was denied due to request throttling.

### **Message**

Message for the ThrottlingException error.

HTTP Status Code: 429

## [ValidationException](#)

The input fails to satisfy the constraints specified by an AWS service.

### **Message**

Message for the ValidationException error.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The AWS Multi-party Approval API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ApprovalStrategy](#)
- [ApprovalStrategyResponse](#)
- [ApprovalTeamRequestApprover](#)
- [Filter](#)
- [GetApprovalTeamResponseApprover](#)
- [GetSessionResponseApproverResponse](#)
- [IamIdentityCenter](#)
- [IamIdentityCenterForGet](#)
- [IamIdentityCenterForList](#)
- [IdentitySourceForList](#)
- [IdentitySourceParameters](#)
- [IdentitySourceParametersForGet](#)
- [IdentitySourceParametersForList](#)
- [ListApprovalTeamsResponseApprovalTeam](#)
- [ListResourcePoliciesResponseResourcePolicy](#)
- [ListSessionsResponseSession](#)
- [MfaMethod](#)
- [MofNApprovalStrategy](#)
- [PendingUpdate](#)
- [Policy](#)

- [PolicyReference](#)
- [PolicyVersion](#)
- [PolicyVersionSummary](#)

# ApprovalStrategy

Strategy for how an approval team grants approval.

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

## MofN

Minimum number of approvals (M) required for a total number of approvers (N).

Type: [MofNApprovalStrategy](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ApprovalStrategyResponse

Contains details for how an approval team grants approval.

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

## MofN

Minimum number of approvals (M) required for a total number of approvers (N).

Type: [MofNApprovalStrategy](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ApprovalTeamRequestApprover

Contains details for an approver.

## Contents

### PrimaryIdentityId

ID for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

### PrimaryIdentitySourceArn

Amazon Resource Name (ARN) for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Filter

Contains the filter to apply to requests. You can specify up to 10 filters for a request.

## Contents

### FieldName

Name of the filter to use.

#### Note

##### Supported filters

The supported filters for [ListSessions](#) are: ActionName, SessionStatus, and InitiationTime.

Type: String

Valid Values: ActionName | ApprovalTeamName | VotingTime | Vote | SessionStatus | InitiationTime

Required: No

### Operator

Operator to use for filtering.

- EQ: Equal to the specified value
- NE: Not equal to the specified value
- GT: Greater than the specified value
- LT: Less than the specified value
- GTE: Greater than or equal to the specified value
- LTE: Less than or equal to the specified value
- CONTAINS: Contains the specified value
- NOT\_CONTAINS: Does not contain the specified value
- BETWEEN: Between two values, inclusive of the specified values.

**Note****Supported operators for each filter:**

- ActionName: EQ | NE | CONTAINS | NOT\_CONTAINS
- SessionStatus: EQ | NE
- InitiationTime: GT | LT | GTE | LTE | BETWEEN

Type: String

Valid Values: EQ | NE | GT | LT | GTE | LTE | CONTAINS | NOT\_CONTAINS | BETWEEN

Required: No

**Value**

Value to use for filtering. For the BETWEEN operator, specify values in the format a AND b (AND is case-insensitive).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetApprovalTeamResponseApprover

Contains details for an approver.

## Contents

### ApproverId

ID for the approver.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

### LastActivity

Last Activity performed by the approver.

Type: String

Valid Values: VOTED | BASELINED | RESPONDED\_TO\_INVITATION

Required: No

### LastActivityTime

Timestamp when the approver last responded to an operation or invitation request.

Type: Timestamp

Required: No

### MfaMethods

Multi-factor authentication configuration for the approver

Type: Array of [MfaMethod](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Required: No

### PendingBaselineSessionArn

Amazon Resource Name (ARN) for the pending baseline session.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+`

Required: No

### **PrimaryIdentityId**

ID for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

### **PrimaryIdentitySourceArn**

Amazon Resource Name (ARN) for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### **PrimaryIdentityStatus**

Status for the identity source. For example, if an approver has accepted a team invitation with a user authentication method managed by the identity source.

Type: String

Valid Values: PENDING | ACCEPTED | REJECTED | INVALID

Required: No

### **ResponseTime**

Timestamp when the approver responded to an approval team invitation.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# GetSessionResponseApproverResponse

Contains details for an approver response in an approval session.

## Contents

### ApproverId

ID for the approver.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

### IdentityId

ID for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

### IdentitySourceArn

Amazon Resource Name (ARN) for the identity source. The identity source manages the user authentication for approvers.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### Response

Response to the operation request.

Type: String

Valid Values: APPROVED | REJECTED | NO\_RESPONSE

Required: No

## ResponseTime

Timestamp when a approver responded to the operation request.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IamIdentityCenter

AWS IAM Identity Center credentials. For more information see, [AWS IAM Identity Center](#) .

## Contents

### InstanceArn

Amazon Resource Name (ARN) for the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:.*:sso:::instance/(?:sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

### Region

AWS Region where the IAM Identity Center instance is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IamIdentityCenterForGet

AWS IAM Identity Center credentials. For more information see, [AWS IAM Identity Center](#) .

## Contents

### ApprovalPortalUrl

URL for the approval portal associated with the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### InstanceArn

Amazon Resource Name (ARN) for the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### Region

AWS Region where the IAM Identity Center instance is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# IamIdentityCenterForList

AWS IAM Identity Center credentials. For more information see, [AWS IAM Identity Center](#) .

## Contents

### ApprovalPortalUrl

URL for the approval portal associated with the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### InstanceArn

Amazon Resource Name (ARN) for the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### Region

AWS Region where the IAM Identity Center instance is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# IdentitySourceForList

Contains details for an identity source. For more information, see [Identity source](#) in the *Multi-party approval User Guide*.

## Contents

### CreationTime

Timestamp when the identity source was created.

Type: Timestamp

Required: No

### IdentitySourceArn

Amazon Resource Name (ARN) for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### IdentitySourceParameters

A `IdentitySourceParametersForList` object. Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

Type: [IdentitySourceParametersForList](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### IdentitySourceType

The type of resource that provided identities to the identity source. For example, an IAM Identity Center instance.

Type: String

Valid Values: IAM\_IDENTITY\_CENTER

Required: No

### Status

Status for the identity source. For example, if the identity source is ACTIVE.

Type: String

Valid Values: CREATING | ACTIVE | DELETING | ERROR

Required: No

### StatusCode

Status code of the identity source.

Type: String

Valid Values: ACCESS\_DENIED | DELETION\_FAILED | IDC\_INSTANCE\_NOT\_FOUND | IDC\_INSTANCE\_NOT\_VALID

Required: No

### StatusMessage

Message describing the status for the identity source.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IdentitySourceParameters

Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance.

## Contents

### iamIdentityCenter

AWS IAM Identity Center credentials.

Type: [iamIdentityCenter](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IdentitySourceParametersForGet

Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance. For more information, see [Identity source](#) in the *Multi-party approval User Guide*.

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

## iamIdentityCenter

AWS IAM Identity Center credentials.

Type: [iamIdentityCenterForGet](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IdentitySourceParametersForList

Contains details for the resource that provides identities to the identity source. For example, an IAM Identity Center instance. For more information, see [Identity source](#) in the *Multi-party approval User Guide*.

## Contents

### Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

## iamIdentityCenter

AWS IAM Identity Center credentials.

Type: [iamIdentityCenterForList](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListApprovalTeamsResponseApprovalTeam

Contains details for an approval team

## Contents

### ApprovalStrategy

An ApprovalStrategyResponse object. Contains details for how an approval team grants approval.

Type: [ApprovalStrategyResponse](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: No

### CreationTime

Timestamp when the team was created.

Type: Timestamp

Required: No

### Description

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

## Name

Name of the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: [a-zA-Z0-9.\_-]+

Required: No

## NumberOfApprovers

Total number of approvers in the team.

Type: Integer

Required: No

## Status

Status for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: ACTIVE | INACTIVE | DELETING | PENDING

Required: No

## StatusCode

Status code for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: VALIDATING | PENDING\_ACTIVATION | FAILED\_VALIDATION |  
FAILED\_ACTIVATION | UPDATE\_PENDING\_APPROVAL | UPDATE\_PENDING\_ACTIVATION  
| UPDATE\_FAILED\_APPROVAL | UPDATE\_FAILED\_ACTIVATION |  
UPDATE\_FAILED\_VALIDATION | DELETE\_PENDING\_APPROVAL |  
DELETE\_FAILED\_APPROVAL | DELETE\_FAILED\_VALIDATION

Required: No

## StatusMessage

Message describing the status for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ListResourcePoliciesResponseResourcePolicy

Contains details about a policy for a resource.

## Contents

### PolicyArn

Amazon Resource Name (ARN) for policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### PolicyName

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### PolicyType

The type of policy.

Type: String

Valid Values: AWS\_MANAGED | AWS\_RAM

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# ListSessionsResponseSession

Contains details for an approval session. For more information, see [Session](#) in the *Multi-party approval User Guide*

## Contents

### ActionCompletionStrategy

Strategy for executing the protected operation. `AUTO_COMPLETION_UPON_APPROVAL` means the operation is executed automatically using the requester's permissions, if approved.

Type: String

Valid Values: `AUTO_COMPLETION_UPON_APPROVAL`

Required: No

### ActionName

Name of the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

### AdditionalSecurityRequirements

A list of `AdditionalSecurityRequirement` applied to the session.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Valid Values: `APPROVER_VERIFICATION_REQUIRED`

Required: No

### ApprovalTeamArn

Amazon Resource Name (ARN) for the approval team.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:approval-team/[a-zA-Z0-9._-]+`

Required: No

### **ApprovalTeamName**

Name of the approval team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: `[a-zA-Z0-9._-]+`

Required: No

### **CompletionTime**

Timestamp when the session was completed.

Type: Timestamp

Required: No

### **Description**

Description for the team.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

### **ExpirationTime**

Timestamp when the session was expire.

Type: Timestamp

Required: No

**InitiationTime**

Timestamp when the session was initiated.

Type: Timestamp

Required: No

**ProtectedResourceArn**

Amazon Resource Name (ARN) for the protected operation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

**RequesterAccountId**

ID for the account that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 12.

Pattern: \d{12}

Required: No

**RequesterPrincipalArn**

[IAM principal](#) that made the operation request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

**RequesterRegion**

AWS Region where the operation request originated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 100.

Required: No

### **RequesterServicePrincipal**

[Service principal](#) for the service associated with the protected operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

### **SessionArn**

Amazon Resource Name (ARN) for the session.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:mpa:[a-z0-9-]{1,20}:[0-9]{12}:session/[a-zA-Z0-9._-]+/[a-zA-Z0-9_-]+`

Required: No

### **Status**

Status for the protected operation. For example, if the operation is PENDING.

Type: String

Valid Values: PENDING | CANCELLED | APPROVED | FAILED | CREATING

Required: No

### **StatusCode**

Status code of the session.

Type: String

Valid Values: REJECTED | EXPIRED | CONFIGURATION\_CHANGED | ALL\_APPROVERS\_IN\_SESSION

Required: No

## StatusMessage

Message describing the status for session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MfaMethod

MFA configuration and synchronization status for an approver

## Contents

### SyncStatus

Indicates if the approver's MFA device is in-sync with the Identity Source

Type: String

Valid Values: IN\_SYNC | OUT\_OF\_SYNC

Required: Yes

### Type

The type of MFA configuration used by the approver

Type: String

Valid Values: EMAIL\_OTP

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MofNApprovalStrategy

Strategy for how an approval team grants approval.

## Contents

### MinApprovalsRequired

Minimum number of approvals (M) required for a total number of approvers (N).

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PendingUpdate

Contains details for the pending updates for an approval team, if applicable.

## Contents

### ApprovalStrategy

An ApprovalStrategyResponse object. Contains details for how the team grants approval.

Type: [ApprovalStrategyResponse](#) object

**Note:** This object is a Union. Only one member of this object can be specified or returned.

Required: No

### Approvers

An array of GetApprovalTeamResponseApprover objects. Contains details for the approvers in the team.

Type: Array of [GetApprovalTeamResponseApprover](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Required: No

### Description

Description for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

### NumberOfApprovers

Total number of approvers in the team.

Type: Integer

Required: No

## Status

Status for the team. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: ACTIVE | INACTIVE | DELETING | PENDING

Required: No

## StatusCode

Status code for the update. For more information, see [Team health](#) in the *Multi-party approval User Guide*.

Type: String

Valid Values: VALIDATING | PENDING\_ACTIVATION | FAILED\_VALIDATION | FAILED\_ACTIVATION | UPDATE\_PENDING\_APPROVAL | UPDATE\_PENDING\_ACTIVATION | UPDATE\_FAILED\_APPROVAL | UPDATE\_FAILED\_ACTIVATION | UPDATE\_FAILED\_VALIDATION | DELETE\_PENDING\_APPROVAL | DELETE\_FAILED\_APPROVAL | DELETE\_FAILED\_VALIDATION

Required: No

## StatusMessage

Message describing the status for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

## UpdateInitiationTime

Timestamp when the update request was initiated.

Type: Timestamp

Required: No

## VersionId

Version ID for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Policy

Contains details for a policy. Policies define what operations a team that define the permissions for team resources.

## Contents

### Arn

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}`

Required: Yes

### DefaultVersion

Determines if the specified policy is the default for the team.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

### Name

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

### PolicyType

The type of policy.

Type: String

Valid Values: `AWS_MANAGED` | `AWS_RAM`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PolicyReference

Contains the Amazon Resource Name (ARN) for a policy. Policies define what operations a team that define the permissions for team resources.

## Contents

### PolicyArn

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}/(?:[\d]+|\$DEFAULT)`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PolicyVersion

Contains details for the version of a policy. Policies define what operations a team that define the permissions for team resources.

## Contents

### Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}/(?:[\d]+|\$DEFAULT)`

Required: Yes

### CreationTime

Timestamp when the policy was created.

Type: Timestamp

Required: Yes

### Document

Document that contains the policy contents.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 400000.

Required: Yes

### IsDefault

Determines if the specified policy is the default for the team.

Type: Boolean

Required: Yes

## LastUpdatedTime

Timestamp when the policy was last updated.

Type: Timestamp

Required: Yes

## Name

Name of the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

## PolicyArn

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}`

Required: Yes

## PolicyType

The type of policy.

Type: String

Valid Values: `AWS_MANAGED` | `AWS_RAM`

Required: Yes

## Status

Status for the policy. For example, if the policy is [attachable](#) or [deprecated](#).

Type: String

Valid Values: ATTACHABLE | DEPRECATED

Required: Yes

### **VersionId**

Version ID

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PolicyVersionSummary

Contains details for the version of a policy. Policies define what operations a team that define the permissions for team resources.

## Contents

### Arn

Amazon Resource Name (ARN) for the team.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}/(?:[\d]+|\$DEFAULT)`

Required: Yes

### CreationTime

Timestamp when the policy was created.

Type: Timestamp

Required: Yes

### IsDefault

Determines if the specified policy is the default for the team.

Type: Boolean

Required: Yes

### LastUpdatedTime

Timestamp when the policy was last updated.

Type: Timestamp

Required: Yes

**Name**

Name of the policy

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

**PolicyArn**

Amazon Resource Name (ARN) for the policy.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1224.

Pattern: `arn:.{1,63}:mpa:::aws:policy/[a-zA-Z0-9_\.-]{1,1023}/[a-zA-Z0-9_\.-]{1,1023}`

Required: Yes

**PolicyType**

The type of policy.

Type: String

Valid Values: `AWS_MANAGED` | `AWS_RAM`

Required: Yes

**Status**

Status for the policy. For example, if the policy is [attachable](#) or [deprecated](#).

Type: String

Valid Values: `ATTACHABLE` | `DEPRECATED`

Required: Yes

**VersionId**

Version ID for the policy.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Service-specific Errors

The AWS Multi-party Approval API contains service-specific exceptions that various actions return. This section describes each exception in detail.

The following service-specific exceptions are returned:

- [AccessDeniedException](#)
- [ConflictException](#)
- [InternalServerErrorException](#)
- [InvalidParameterException](#)
- [ResourceNotFoundException](#)
- [ServiceQuotaExceededException](#)
- [ThrottlingException](#)
- [TooManyTagsException](#)
- [ValidationException](#)

# AccessDeniedException

You do not have sufficient access to perform this action. Check your permissions, and try again.

HTTP Status Code returned: 403

## Contents

### Message

Message for the AccessDeniedException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ConflictException

The request cannot be completed because it conflicts with the current state of a resource.

HTTP Status Code returned: 409

## Contents

### Message

Message for the ConflictException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# InternalServerErrorException

The service encountered an internal error. Try your request again. If the problem persists, contact AWS Support.

HTTP Status Code returned: 500

## Contents

### Message

Message for the InternalServerErrorException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# InvalidParameterException

The request contains an invalid parameter value.

HTTP Status Code returned: 400

## Contents

### Message

Message for the InvalidParameterException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ResourceNotFoundException

The specified resource doesn't exist. Check the resource ID, and try again.

HTTP Status Code returned: 404

## Contents

### Message

Message for the `ResourceNotFoundException` error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ServiceQuotaExceededException

The request exceeds the service quota for your account. Request a quota increase or reduce your request size.

HTTP Status Code returned: 402

## Contents

### Message

Message for the ServiceQuotaExceededException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ThrottlingException

The request was denied due to request throttling.

HTTP Status Code returned: 429

## Contents

### Message

Message for the `ThrottlingException` error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# TooManyTagsException

The request exceeds the maximum number of tags allowed for this resource. Remove some tags, and try again.

HTTP Status Code returned: 400

## Contents

### Message

Message for the TooManyTagsException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

### ResourceName

Name of the resource for the TooManyTagsException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code returned: 400

## Contents

### Message

Message for the ValidationException error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## Action

The action to be performed.

Type: string

Required: Yes

## Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-Date**

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

# Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You do not have sufficient access to perform this action.

HTTP Status Code: 403

## **ExpiredTokenException**

The security token included in the request is expired

HTTP Status Code: 403

## **IncompleteSignature**

The request signature does not conform to AWS standards.

HTTP Status Code: 403

## **InternalFailure**

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

## **MalformedHttpRequestException**

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

## **NotAuthorized**

You do not have permission to perform this action.

HTTP Status Code: 401

## **OptInRequired**

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

### **RequestAbortedException**

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

### **RequestEntityTooLargeException**

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

### **RequestExpired**

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

### **RequestTimeoutException**

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

### **ServiceUnavailable**

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 400

### **UnrecognizedClientException**

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

**UnknownOperationException**

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

**ValidationError**

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400