



Amazon SES Mail Manager API Reference

Amazon SES Mail Manager API



API Version 2023-10-17

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon SES Mail Manager API: Amazon SES Mail Manager API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateAddonInstance	5
Request Syntax	5
Request Parameters	5
Response Syntax	6
Response Elements	6
Errors	6
See Also	7
CreateAddonSubscription	8
Request Syntax	8
Request Parameters	8
Response Syntax	9
Response Elements	9
Errors	9
See Also	10
CreateAddressList	11
Request Syntax	11
Request Parameters	11
Response Syntax	12
Response Elements	12
Errors	12
See Also	13
CreateAddressListImportJob	15
Request Syntax	15
Request Parameters	15
Response Syntax	16
Response Elements	16
Errors	17
See Also	17
CreateArchive	19
Request Syntax	19
Request Parameters	19
Response Syntax	20

Response Elements	20
Errors	21
See Also	22
CreateIngressPoint	23
Request Syntax	23
Request Parameters	23
Response Syntax	25
Response Elements	25
Errors	26
See Also	26
CreateRelay	28
Request Syntax	28
Request Parameters	28
Response Syntax	30
Response Elements	30
Errors	30
See Also	31
CreateRuleSet	32
Request Syntax	32
Request Parameters	32
Response Syntax	33
Response Elements	34
Errors	34
See Also	34
CreateTrafficPolicy	36
Request Syntax	36
Request Parameters	36
Response Syntax	38
Response Elements	38
Errors	38
See Also	39
DeleteAddonInstance	40
Request Syntax	40
Request Parameters	40
Response Elements	40
Errors	40

See Also	41
DeleteAddonSubscription	42
Request Syntax	42
Request Parameters	42
Response Elements	42
Errors	42
See Also	43
DeleteAddressList	44
Request Syntax	44
Request Parameters	44
Response Elements	44
Errors	44
See Also	45
DeleteArchive	46
Request Syntax	46
Request Parameters	46
Response Elements	46
Errors	46
See Also	47
DeleteIngressPoint	48
Request Syntax	48
Request Parameters	48
Response Elements	48
Errors	48
See Also	49
DeleteRelay	50
Request Syntax	50
Request Parameters	50
Response Elements	50
Errors	50
See Also	51
DeleteRuleSet	52
Request Syntax	52
Request Parameters	52
Response Elements	52
Errors	52

See Also	53
DeleteTrafficPolicy	54
Request Syntax	54
Request Parameters	54
Response Elements	54
Errors	54
See Also	55
DeregisterMemberFromAddressList	56
Request Syntax	56
Request Parameters	56
Response Elements	56
Errors	57
See Also	57
GetAddonInstance	59
Request Syntax	59
Request Parameters	59
Response Syntax	59
Response Elements	59
Errors	60
See Also	61
GetAddonSubscription	62
Request Syntax	62
Request Parameters	62
Response Syntax	62
Response Elements	62
Errors	63
See Also	63
GetAddressList	65
Request Syntax	65
Request Parameters	65
Response Syntax	65
Response Elements	65
Errors	66
See Also	67
GetAddressListImportJob	68
Request Syntax	68

Request Parameters	68
Response Syntax	68
Response Elements	69
Errors	71
See Also	71
GetArchive	73
Request Syntax	73
Request Parameters	73
Response Syntax	73
Response Elements	74
Errors	75
See Also	76
GetArchiveExport	77
Request Syntax	77
Request Parameters	77
Response Syntax	77
Response Elements	78
Errors	79
See Also	79
GetArchiveMessage	81
Request Syntax	81
Request Parameters	81
Response Syntax	81
Response Elements	82
Errors	82
See Also	83
GetArchiveMessageContent	84
Request Syntax	84
Request Parameters	84
Response Syntax	84
Response Elements	84
Errors	85
See Also	85
GetArchiveSearch	87
Request Syntax	87
Request Parameters	87

Response Syntax	87
Response Elements	88
Errors	89
See Also	89
GetArchiveSearchResults	91
Request Syntax	91
Request Parameters	91
Response Syntax	91
Response Elements	92
Errors	92
See Also	93
GetIngressPoint	94
Request Syntax	94
Request Parameters	94
Response Syntax	94
Response Elements	95
Errors	97
See Also	98
GetMemberOfAddressList	99
Request Syntax	99
Request Parameters	99
Response Syntax	99
Response Elements	100
Errors	100
See Also	101
GetRelay	102
Request Syntax	102
Request Parameters	102
Response Syntax	102
Response Elements	103
Errors	104
See Also	104
GetRuleSet	106
Request Syntax	106
Request Parameters	106
Response Syntax	106

Response Elements	107
Errors	108
See Also	108
GetTrafficPolicy	110
Request Syntax	110
Request Parameters	110
Response Syntax	110
Response Elements	111
Errors	112
See Also	112
ListAddonInstances	114
Request Syntax	114
Request Parameters	114
Response Syntax	114
Response Elements	115
Errors	115
See Also	116
ListAddonSubscriptions	117
Request Syntax	117
Request Parameters	117
Response Syntax	117
Response Elements	118
Errors	118
See Also	119
ListAddressListImportJobs	120
Request Syntax	120
Request Parameters	120
Response Syntax	121
Response Elements	121
Errors	122
See Also	122
ListAddressLists	124
Request Syntax	124
Request Parameters	124
Response Syntax	124
Response Elements	125

Errors	125
See Also	126
ListArchiveExports	127
Request Syntax	127
Request Parameters	127
Response Syntax	128
Response Elements	128
Errors	129
See Also	129
ListArchives	131
Request Syntax	131
Request Parameters	131
Response Syntax	132
Response Elements	132
Errors	132
See Also	133
ListArchiveSearches	134
Request Syntax	134
Request Parameters	134
Response Syntax	135
Response Elements	135
Errors	136
See Also	136
ListIngressPoints	138
Request Syntax	138
Request Parameters	138
Response Syntax	138
Response Elements	139
Errors	139
See Also	140
ListMembersOfAddressList	141
Request Syntax	141
Request Parameters	141
Response Syntax	142
Response Elements	142
Errors	143

See Also	143
ListRelays	145
Request Syntax	145
Request Parameters	145
Response Syntax	145
Response Elements	146
Errors	146
See Also	147
ListRuleSets	148
Request Syntax	148
Request Parameters	148
Response Syntax	148
Response Elements	149
Errors	149
See Also	150
ListTagsForResource	151
Request Syntax	151
Request Parameters	151
Response Syntax	151
Response Elements	152
Errors	152
See Also	152
ListTrafficPolicies	154
Request Syntax	154
Request Parameters	154
Response Syntax	154
Response Elements	155
Errors	155
See Also	156
RegisterMemberToAddressList	157
Request Syntax	157
Request Parameters	157
Response Elements	157
Errors	158
See Also	158
StartAddressListImportJob	160

Request Syntax	160
Request Parameters	160
Response Elements	160
Errors	160
See Also	161
StartArchiveExport	163
Request Syntax	163
Request Parameters	163
Response Syntax	165
Response Elements	165
Errors	165
See Also	166
StartArchiveSearch	167
Request Syntax	167
Request Parameters	167
Response Syntax	168
Response Elements	168
Errors	169
See Also	169
StopAddressListImportJob	171
Request Syntax	171
Request Parameters	171
Response Elements	171
Errors	171
See Also	172
StopArchiveExport	173
Request Syntax	173
Request Parameters	173
Response Elements	173
Errors	173
See Also	174
StopArchiveSearch	175
Request Syntax	175
Request Parameters	175
Response Elements	175
Errors	175

See Also	176
TagResource	177
Request Syntax	177
Request Parameters	177
Response Elements	178
Errors	178
See Also	178
UntagResource	180
Request Syntax	180
Request Parameters	180
Response Elements	181
Errors	181
See Also	181
UpdateArchive	183
Request Syntax	183
Request Parameters	183
Response Elements	184
Errors	184
See Also	185
UpdateIngressPoint	186
Request Syntax	186
Request Parameters	186
Response Elements	188
Errors	188
See Also	188
UpdateRelay	190
Request Syntax	190
Request Parameters	190
Response Elements	191
Errors	191
See Also	192
UpdateRuleSet	193
Request Syntax	193
Request Parameters	193
Response Elements	194
Errors	194

See Also	195
UpdateTrafficPolicy	196
Request Syntax	196
Request Parameters	196
Response Elements	197
Errors	197
See Also	198
Data Types	199
AddHeaderAction	203
Contents	203
See Also	203
AddonInstance	204
Contents	204
See Also	205
AddonSubscription	206
Contents	206
See Also	206
AddressFilter	208
Contents	208
See Also	208
AddressList	209
Contents	209
See Also	210
Analysis	211
Contents	211
See Also	211
Archive	212
Contents	212
See Also	213
ArchiveAction	214
Contents	214
See Also	214
ArchiveBooleanExpression	215
Contents	215
See Also	215
ArchiveBooleanToEvaluate	216

Contents	216
See Also	216
ArchiveFilterCondition	217
Contents	217
See Also	217
ArchiveFilters	218
Contents	218
See Also	218
ArchiveRetention	219
Contents	219
See Also	219
ArchiveStringExpression	220
Contents	220
See Also	220
ArchiveStringToEvaluate	222
Contents	222
See Also	222
BounceAction	223
Contents	223
See Also	225
DeliverToMailboxAction	226
Contents	226
See Also	227
DeliverToQBusinessAction	228
Contents	228
See Also	229
DropAction	230
Contents	230
See Also	230
Envelope	231
Contents	231
See Also	231
ExportDestinationConfiguration	232
Contents	232
See Also	232
ExportStatus	233

Contents	233
See Also	233
ExportSummary	235
Contents	235
See Also	235
ImportDataFormat	236
Contents	236
See Also	236
ImportJob	237
Contents	237
See Also	239
IngressAnalysis	240
Contents	240
See Also	240
IngressBooleanExpression	241
Contents	241
See Also	241
IngressBooleanToEvaluate	242
Contents	242
See Also	242
IngressIpToEvaluate	243
Contents	243
See Also	243
IngressIpv4Expression	244
Contents	244
See Also	244
IngressIpv6Expression	246
Contents	246
See Also	247
IngressIpv6ToEvaluate	248
Contents	248
See Also	248
IngressIsInAddressList	249
Contents	249
See Also	249
IngressPoint	250

Contents	250
See Also	251
IngressPointAuthConfiguration	252
Contents	252
See Also	252
IngressPointConfiguration	254
Contents	254
See Also	255
IngressPointPasswordConfiguration	256
Contents	256
See Also	256
IngressStringExpression	257
Contents	257
See Also	257
IngressStringToEvaluate	259
Contents	259
See Also	259
IngressTlsProtocolExpression	260
Contents	260
See Also	260
IngressTlsProtocolToEvaluate	262
Contents	262
See Also	262
InvokeLambdaAction	263
Contents	263
See Also	264
MessageBody	265
Contents	265
See Also	265
Metadata	266
Contents	266
See Also	268
NetworkConfiguration	269
Contents	269
See Also	269
NoAuthentication	270

Contents	270
See Also	270
PolicyCondition	271
Contents	271
See Also	272
PolicyStatement	273
Contents	273
See Also	273
PrivateNetworkConfiguration	274
Contents	274
See Also	274
PublicNetworkConfiguration	275
Contents	275
See Also	275
Relay	276
Contents	276
See Also	276
RelayAction	278
Contents	278
See Also	278
RelayAuthentication	280
Contents	280
See Also	280
ReplaceRecipientAction	282
Contents	282
See Also	282
Row	283
Contents	283
See Also	286
Rule	287
Contents	287
See Also	288
RuleAction	289
Contents	289
See Also	291
RuleBooleanExpression	292

Contents	292
See Also	292
RuleBooleanToEvaluate	293
Contents	293
See Also	293
RuleCondition	295
Contents	295
See Also	296
RuleDmarcExpression	297
Contents	297
See Also	297
RuleIpExpression	299
Contents	299
See Also	300
RuleIpToEvaluate	301
Contents	301
See Also	301
RuleIsInAddressList	302
Contents	302
See Also	302
RuleNumberExpression	303
Contents	303
See Also	303
RuleNumberToEvaluate	305
Contents	305
See Also	305
RuleSet	306
Contents	306
See Also	306
RuleStringExpression	308
Contents	308
See Also	309
RuleStringToEvaluate	310
Contents	310
See Also	311
RuleVerdictExpression	312

Contents	312
See Also	313
RuleVerdictToEvaluate	314
Contents	314
See Also	314
S3Action	315
Contents	315
See Also	316
S3ExportDestinationConfiguration	317
Contents	317
See Also	317
SavedAddress	318
Contents	318
See Also	318
SearchStatus	319
Contents	319
See Also	319
SearchSummary	321
Contents	321
See Also	321
SendAction	322
Contents	322
See Also	322
SnsAction	323
Contents	323
See Also	324
Tag	325
Contents	325
See Also	325
TlsAuthConfiguration	326
Contents	326
See Also	326
TrafficPolicy	327
Contents	327
See Also	327
TrustStore	329

Contents	329
See Also	330
Common Parameters	331
Common Error Types	334

Welcome

Welcome to the Amazon SES Mail Manager API Reference. This guide provides information about the Amazon SES Mail Manager API, including supported operations, data types, parameters, and schemas.

The Amazon SES Mail Manager API contains operations and data types that comprise the Mail Manager feature of [Amazon Simple Email Service \(SES\)](#).

Mail Manager is a set of Amazon SES email gateway features designed to help you strengthen your organization's email infrastructure, simplify email workflow management, and streamline email compliance control. To learn more, see the [Mail Manager chapter](#) in the *Amazon SES Developer Guide*.

The Amazon SES Mail Manager API is available in several AWS Regions and it provides an endpoint for each of these Regions. For more information, see [Amazon SES endpoints and quotas](#) in the *Amazon Web Services General Reference*. To learn more about AWS Regions, see [Managing AWS Regions](#) in the *Amazon Web Services General Reference*.

This document was last published on June 26, 2026.

Actions

The following actions are supported:

- [CreateAddonInstance](#)
- [CreateAddonSubscription](#)
- [CreateAddressList](#)
- [CreateAddressListImportJob](#)
- [CreateArchive](#)
- [CreateIngressPoint](#)
- [CreateRelay](#)
- [CreateRuleSet](#)
- [CreateTrafficPolicy](#)
- [DeleteAddonInstance](#)
- [DeleteAddonSubscription](#)
- [DeleteAddressList](#)
- [DeleteArchive](#)
- [DeleteIngressPoint](#)
- [DeleteRelay](#)
- [DeleteRuleSet](#)
- [DeleteTrafficPolicy](#)
- [DeregisterMemberFromAddressList](#)
- [GetAddonInstance](#)
- [GetAddonSubscription](#)
- [GetAddressList](#)
- [GetAddressListImportJob](#)
- [GetArchive](#)
- [GetArchiveExport](#)
- [GetArchiveMessage](#)
- [GetArchiveMessageContent](#)
- [GetArchiveSearch](#)

- [GetArchiveSearchResults](#)
- [GetIngressPoint](#)
- [GetMemberOfAddressList](#)
- [GetRelay](#)
- [GetRuleSet](#)
- [GetTrafficPolicy](#)
- [ListAddonInstances](#)
- [ListAddonSubscriptions](#)
- [ListAddressListImportJobs](#)
- [ListAddressLists](#)
- [ListArchiveExports](#)
- [ListArchives](#)
- [ListArchiveSearches](#)
- [ListIngressPoints](#)
- [ListMembersOfAddressList](#)
- [ListRelays](#)
- [ListRuleSets](#)
- [ListTagsForResource](#)
- [ListTrafficPolicies](#)
- [RegisterMemberToAddressList](#)
- [StartAddressListImportJob](#)
- [StartArchiveExport](#)
- [StartArchiveSearch](#)
- [StopAddressListImportJob](#)
- [StopArchiveExport](#)
- [StopArchiveSearch](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateArchive](#)
- [UpdateIngressPoint](#)

- [UpdateRelay](#)
- [UpdateRuleSet](#)
- [UpdateTrafficPolicy](#)

CreateAddonInstance

Creates an Add On instance for the subscription indicated in the request. The resulting Amazon Resource Name (ARN) can be used in a conditional statement for a rule set or traffic policy.

Request Syntax

```
{
  "AddonSubscriptionId": "string",
  "ClientToken": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[AddonSubscriptionId](#)

The unique ID of a previously created subscription that an Add On instance is created for. You can only have one instance per subscription.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: `as-[a-zA-Z0-9]{1,64}`

Required: Yes

[ClientToken](#)

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": {"key1": "value1", "key2": "value2"} }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
  "AddonInstanceId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddonInstanceId

The unique ID of the Add On instance created by this API.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: ai-[a-zA-Z0-9]{1,64}

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAddonSubscription

Creates a subscription for an Add On representing the acceptance of its terms of use and additional pricing. The subscription can then be used to create an instance for use in rule sets or traffic policies.

Request Syntax

```
{
  "AddonName": "string",
  "ClientToken": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddonName

The name of the Add On to subscribe to. You can only have one subscription for each Add On name.

Type: String

Required: Yes

ClientToken

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": {"key1": "value1", "key2": "value2"} }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{
  "AddonSubscriptionId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[AddonSubscriptionId](#)

The unique ID of the Add On subscription created by this API.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: as-[a-zA-Z0-9]{1,64}

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAddressList

Creates a new address list.

Request Syntax

```
{
  "AddressListName": "string",
  "ClientToken": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddressListName

A user-friendly name for the address list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9_.-]+

Required: Yes

ClientToken

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": {"key1": "value1", "key2": "value2"} }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
  "AddressListId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[AddressListId](#)

The identifier of the created address list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAddressListImportJob

Creates an import job for an address list.

Request Syntax

```
{
  "AddressListId": "string",
  "ClientToken": "string",
  "ImportDataFormat": {
    "ImportDataType": "string"
  },
  "Name": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddressListId

The unique identifier of the address list for importing addresses to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

ClientToken

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

ImportDataFormat

The format of the input for an import job.

Type: [ImportDataFormat](#) object

Required: Yes

Name

A user-friendly name for the import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9_.-]+

Required: Yes

Response Syntax

```
{
  "JobId": "string",
  "PreSignedUrl": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobId

The identifier of the created import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

PreSignedUrl

The pre-signed URL target for uploading the input file.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateArchive

Creates a new email archive resource for storing and retaining emails.

Request Syntax

```
{
  "ArchiveName": "string",
  "ClientToken": "string",
  "KmsKeyArn": "string",
  "Retention": { ... },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ArchiveName](#)

A unique name for the new archive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9][a-zA-Z0-9_]*[a-zA-Z0-9]

Required: Yes

[ClientToken](#)

A unique token Amazon SES uses to recognize retries of this request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

KmsKeyArn

The Amazon Resource Name (ARN) of the KMS key for encrypting emails in the archive.

Type: String

Pattern: `arn:aws(|-cn|-us-gov|-eusc):kms:[a-z0-9-]{1,20}:[0-9]{12}:(key|alias)/.+`

Required: No

Retention

The period for retaining emails in the archive before automatic deletion.

Type: [ArchiveRetention](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": { "key1": "value1", "key2": "value2" } }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{
  "ArchiveId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Archived

The unique identifier for the newly created archive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 66.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateIngressPoint

Provision a new ingress endpoint resource.

Request Syntax

```
{
  "ClientToken": "string",
  "IngressPointConfiguration": { ... },
  "IngressPointName": "string",
  "NetworkConfiguration": { ... },
  "RuleSetId": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TlsPolicy": "string",
  "TrafficPolicyId": "string",
  "Type": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientToken

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

IngressPointConfiguration

If you choose an Authenticated ingress endpoint, you must configure either an SMTP password or a secret ARN.

Type: [IngressPointConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

[IngressPointName](#)

A user friendly name for an ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

Required: Yes

[NetworkConfiguration](#)

Specifies the network configuration for the ingress point. This allows you to create an IPv4-only, Dual-Stack, or PrivateLink type of ingress point. If not specified, the default network type is IPv4-only.

Type: [NetworkConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

[RuleSetId](#)

The identifier of an existing rule set that you attach to an ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

[Tags](#)

The tags used to organize, track, or control access for the resource. For example, { "tags": { "key1": "value1", "key2": "value2" } }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

TlsPolicy

The Transport Layer Security (TLS) policy for the ingress point. The FIPS value is only valid in US and Canada regions.

Type: String

Valid Values: REQUIRED | OPTIONAL | FIPS

Required: No

TrafficPolicyId

The identifier of an existing traffic policy that you attach to an ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Type

The type of the ingress endpoint to create.

Type: String

Valid Values: OPEN | AUTH | MTLS

Required: Yes

Response Syntax

```
{
  "IngressPointId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

IngressPointId

The unique identifier for a previously created ingress endpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRelay

Creates a relay resource which can be used in rules to relay incoming emails to defined relay destinations.

Request Syntax

```
{
  "Authentication": { ... },
  "ClientToken": "string",
  "RelayName": "string",
  "ServerName": "string",
  "ServerPort": number,
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[Authentication](#)

Authentication for the relay destination server—specify the secretARN where the SMTP credentials are stored.

Type: [RelayAuthentication](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

[ClientToken](#)

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

RelayName

The unique name of the relay resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9- _]+

Required: Yes

ServerName

The destination relay server address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-\.]+

Required: Yes

ServerPort

The destination relay server port.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 65535.

Required: Yes

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": { "key1": "value1", "key2": "value2" } }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{  
  "RelayId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RelayId

A unique identifier of the created relay resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRuleSet

Provision a new rule set.

Request Syntax

```
{
  "ClientToken": "string",
  "Rules": [
    {
      "Actions": [
        { ... }
      ],
      "Conditions": [
        { ... }
      ],
      "Name": "string",
      "Unless": [
        { ... }
      ]
    }
  ],
  "RuleSetName": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientToken

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

Rules

Conditional rules that are evaluated for determining actions on email.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: Yes

RuleSetName

A user-friendly name for the rule set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9_.-]+

Required: Yes

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": { "key1": "value1", "key2": "value2" } }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{
  "RuleSetId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RuleSetId

The identifier of the created rule set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTrafficPolicy

Provision a new traffic policy resource.

Request Syntax

```
{
  "ClientToken": "string",
  "DefaultAction": "string",
  "MaxMessageSizeBytes": number,
  "PolicyStatements": [
    {
      "Action": "string",
      "Conditions": [
        { ... }
      ]
    }
  ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TrafficPolicyName": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientToken

A unique token that Amazon SES uses to recognize subsequent retries of the same request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

DefaultAction

Default action instructs the traffic policy to either Allow or Deny (block) messages that fall outside of (or not addressed by) the conditions of your policy statements

Type: String

Valid Values: ALLOW | DENY

Required: Yes

MaxMessageSizeBytes

The maximum message size in bytes of email which is allowed in by this traffic policy—anything larger will be blocked.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

PolicyStatements

Conditional statements for filtering email traffic.

Type: Array of [PolicyStatement](#) objects

Required: Yes

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": { "key1": "value1", "key2": "value2" } }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

TrafficPolicyName

A user-friendly name for the traffic policy resource.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

Required: Yes

Response Syntax

```
{  
  "TrafficPolicyId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[TrafficPolicyId](#)

The identifier of the traffic policy resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAddonInstance

Deletes an Add On instance.

Request Syntax

```
{  
  "AddonInstanceId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[AddonInstanceId](#)

The Add On instance ID to delete.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: ai-[a-zA-Z0-9]{1,64}

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAddonSubscription

Deletes an Add On subscription.

Request Syntax

```
{  
  "AddonSubscriptionId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddonSubscriptionId

The Add On subscription ID to delete.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: `as-[a-zA-Z0-9]{1,64}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAddressList

Deletes an address list.

Request Syntax

```
{  
  "AddressListId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[AddressListId](#)

The identifier of an existing address list resource to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteArchive

Initiates deletion of an email archive. This changes the archive state to pending deletion. In this state, no new emails can be added, and existing archived emails become inaccessible (search, export, download). The archive and all of its contents will be permanently deleted 30 days after entering the pending deletion state, regardless of the configured retention period.

Request Syntax

```
{  
  "ArchiveId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchiveId

The identifier of the archive to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 66.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteIngressPoint

Delete an ingress endpoint resource.

Request Syntax

```
{  
  "IngressPointId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

IngressPointId

The identifier of the ingress endpoint resource that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRelay

Deletes an existing relay resource.

Request Syntax

```
{  
  "RelayId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

RelayId

The unique relay identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRuleSet

Delete a rule set.

Request Syntax

```
{  
  "RuleSetId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

RuleSetId

The identifier of an existing rule set resource to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTrafficPolicy

Delete a traffic policy resource.

Request Syntax

```
{  
  "TrafficPolicyId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

TrafficPolicyId

The identifier of the traffic policy that you want to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeregisterMemberFromAddressList

Removes a member from an address list.

Request Syntax

```
{  
  "Address": "string",  
  "AddressListId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Address

The address to be removed from the address list.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 320.

Required: Yes

AddressListId

The unique identifier of the address list to remove the address from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAddonInstance

Gets detailed information about an Add On instance.

Request Syntax

```
{  
  "AddonInstanceId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[AddonInstanceId](#)

The Add On instance ID to retrieve information for.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: ai-[a-zA-Z0-9]{1,64}

Required: Yes

Response Syntax

```
{  
  "AddonInstanceArn": "string",  
  "AddonName": "string",  
  "AddonSubscriptionId": "string",  
  "CreatedTimestamp": number  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddonInstanceArn

The Amazon Resource Name (ARN) of the Add On instance.

Type: String

AddonName

The name of the Add On provider associated to the subscription of the instance.

Type: String

AddonSubscriptionId

The subscription ID associated to the instance.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: `as-[a-zA-Z0-9]{1,64}`

CreatedTimestamp

The timestamp of when the Add On instance was created.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAddonSubscription

Gets detailed information about an Add On subscription.

Request Syntax

```
{  
  "AddonSubscriptionId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddonSubscriptionId

The Add On subscription ID to retrieve information for.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: as-[a-zA-Z0-9]{1,64}

Required: Yes

Response Syntax

```
{  
  "AddonName": "string",  
  "AddonSubscriptionArn": "string",  
  "CreatedTimestamp": number  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddonName

The name of the Add On for the subscription.

Type: String

AddonSubscriptionArn

Amazon Resource Name (ARN) for the subscription.

Type: String

CreatedTimestamp

The timestamp of when the Add On subscription was created.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAddressList

Fetch attributes of an address list.

Request Syntax

```
{  
  "AddressListId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddressListId

The identifier of an existing address list resource to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
{  
  "AddressListArn": "string",  
  "AddressListId": "string",  
  "AddressListName": "string",  
  "CreatedTimestamp": number,  
  "LastUpdatedTimestamp": number  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddressListArn

The Amazon Resource Name (ARN) of the address list resource.

Type: String

AddressListId

The identifier of the address list resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

AddressListName

A user-friendly name for the address list resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9_.-]+

CreatedTimestamp

The date of when then address list was created.

Type: Timestamp

LastUpdatedTimestamp

The date of when the address list was last updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAddressListImportJob

Fetch attributes of an import job.

Request Syntax

```
{  
  "JobId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

JobId

The identifier of the import job that needs to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
{  
  "AddressListId": "string",  
  "CompletedTimestamp": number,  
  "CreatedTimestamp": number,  
  "Error": "string",  
  "FailedItemsCount": number,  
  "ImportDataFormat": {  
    "ImportDataType": "string"  
  },  
  "ImportedItemsCount": number,  
  "JobId": "string",
```

```
"Name": "string",  
"PreSignedUrl": "string",  
"StartTimestamp": number,  
"Status": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddressListId

The unique identifier of the address list the import job was created for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

CompletedTimestamp

The timestamp of when the import job was completed.

Type: Timestamp

CreatedTimestamp

The timestamp of when the import job was created.

Type: Timestamp

Error

The reason for failure of an import job.

Type: String

FailedItemsCount

The number of input addresses that failed to be imported into the address list.

Type: Integer

ImportDataFormat

The format of the input for an import job.

Type: [ImportDataFormat](#) object

ImportedItemsCount

The number of input addresses successfully imported into the address list.

Type: Integer

JobId

The identifier of the import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Name

A user-friendly name for the import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9_.-]+

PreSignedUrl

The pre-signed URL target for uploading the input file.

Type: String

StartTimestamp

The timestamp of when the import job was started.

Type: Timestamp

Status

The status of the import job.

Type: String

Valid Values: CREATED | PROCESSING | COMPLETED | FAILED | STOPPED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetArchive

Retrieves the full details and current state of a specified email archive.

Request Syntax

```
{  
  "ArchiveId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchiveId

The identifier of the archive to retrieve.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 66.

Required: Yes

Response Syntax

```
{  
  "ArchiveArn": "string",  
  "ArchiveId": "string",  
  "ArchiveName": "string",  
  "ArchiveState": "string",  
  "CreatedTimestamp": number,  
  "KmsKeyArn": "string",  
  "LastUpdatedTimestamp": number,  
  "Retention": { ... }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ArchiveArn

The Amazon Resource Name (ARN) of the archive.

Type: String

ArchiveId

The unique identifier of the archive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 66.

ArchiveName

The unique name assigned to the archive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_-]*[a-zA-Z0-9]`

ArchiveState

The current state of the archive:

- ACTIVE – The archive is ready and available for use.
- PENDING_DELETION – The archive has been marked for deletion and will be permanently deleted in 30 days. No further modifications can be made in this state.

Type: String

Valid Values: ACTIVE | PENDING_DELETION

CreatedTimestamp

The timestamp of when the archive was created.

Type: Timestamp

KmsKeyArn

The Amazon Resource Name (ARN) of the KMS key used to encrypt the archive.

Type: String

Pattern: `arn:aws(|-cn|-us-gov|-eusc):kms:[a-z0-9-]{1,20}:[0-9]{12}:(key|alias)/.+`

LastUpdatedTimestamp

The timestamp of when the archive was modified.

Type: Timestamp

Retention

The retention period for emails in this archive.

Type: [ArchiveRetention](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetArchiveExport

Retrieves the details and current status of a specific email archive export job.

Request Syntax

```
{  
  "ExportId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ExportId

The identifier of the export job to get details for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

Response Syntax

```
{  
  "ArchiveId": "string",  
  "ExportDestinationConfiguration": { ... },  
  "Filters": {  
    "Include": [  
      { ... }  
    ],  
    "Unless": [  
      { ... }  
    ]  
  },  
  "FromTimestamp": number,
```

```
"MaxResults": number,
"Status": {
  "CompletionTimestamp": number,
  "ErrorMessage": "string",
  "State": "string",
  "SubmissionTimestamp": number
},
"ToTimestamp": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Archived

The identifier of the archive the email export was performed from.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 66.

Pattern: a-[\w]{1,64}

ExportDestinationConfiguration

Where the exported emails are being delivered.

Type: [ExportDestinationConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Filters

The criteria used to filter emails included in the export.

Type: [ArchiveFilters](#) object

FromTimestamp

The start of the timestamp range the exported emails cover.

Type: Timestamp

MaxResults

The maximum number of email items included in the export.

Type: Integer

Status

The current status of the export job.

Type: [ExportStatus](#) object

ToTimestamp

The end of the date range the exported emails cover.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetArchiveMessage

Returns a pre-signed URL that provides temporary download access to the specific email message stored in the archive.

Request Syntax

```
{  
  "ArchivedMessageId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchivedMessageId

The unique identifier of the archived email message.

Type: String

Required: Yes

Response Syntax

```
{  
  "Envelope": {  
    "From": "string",  
    "Helo": "string",  
    "To": [ "string" ]  
  },  
  "MessageDownloadLink": "string",  
  "Metadata": {  
    "ConfigurationSet": "string",  
    "IngressPointId": "string",  
    "RuleSetId": "string",  
    "SenderHostname": "string",  
    "SenderIpAddress": "string",  
  }  
}
```

```
"SendingMethod": "string",
"SendingPool": "string",
"SourceArn": "string",
"SourceIdentity": "string",
"Timestamp": number,
"TlsCipherSuite": "string",
"TlsProtocol": "string",
"TrafficPolicyId": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Envelope](#)

The SMTP envelope information of the email.

Type: [Envelope](#) object

[MessageDownloadLink](#)

A pre-signed URL to temporarily download the full message content.

Type: String

[Metadata](#)

The metadata about the email.

Type: [Metadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetArchiveMessageContent

Returns the textual content of a specific email message stored in the archive. Attachments are not included.

Request Syntax

```
{  
  "ArchivedMessageId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchivedMessageId

The unique identifier of the archived email message.

Type: String

Required: Yes

Response Syntax

```
{  
  "Body": {  
    "Html": "string",  
    "MessageMalformed": boolean,  
    "Text": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Body

The textual body content of the email message.

Type: [MessageBody](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetArchiveSearch

Retrieves the details and current status of a specific email archive search job.

Request Syntax

```
{  
  "SearchId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

SearchId

The identifier of the search job to get details for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

Response Syntax

```
{  
  "ArchiveId": "string",  
  "Filters": {  
    "Include": [  
      { ... }  
    ],  
    "Unless": [  
      { ... }  
    ]  
  },  
  "FromTimestamp": number,  
  "MaxResults": number,
```

```
"Status": {
  "CompletionTimestamp": number,
  "ErrorMessage": "string",
  "State": "string",
  "SubmissionTimestamp": number
},
"ToTimestamp": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Archived

The identifier of the archive the email search was performed in.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 66.

Pattern: a-[\w]{1,64}

Filters

The criteria used to filter emails included in the search.

Type: [ArchiveFilters](#) object

FromTimestamp

The start timestamp of the range the searched emails cover.

Type: Timestamp

MaxResults

The maximum number of search results to return.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1000.

Status

The current status of the search job.

Type: [SearchStatus](#) object

ToTimestamp

The end timestamp of the range the searched emails cover.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetArchiveSearchResults

Returns the results of a completed email archive search job.

Request Syntax

```
{  
  "SearchId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

SearchId

The identifier of the completed search job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

Response Syntax

```
{  
  "Rows": [  
    {  
      "ArchivedMessageId": "string",  
      "Cc": "string",  
      "Date": "string",  
      "Envelope": {  
        "From": "string",  
        "Helo": "string",  
        "To": [ "string" ]  
      },  
      "From": "string",
```

```
"HasAttachments": boolean,
"IngressPointId": "string",
"InReplyTo": "string",
"MessageId": "string",
"ReceivedHeaders": [ "string" ],
"ReceivedTimestamp": number,
"SenderHostname": "string",
"SenderIdAddress": "string",
"SourceArn": "string",
"Subject": "string",
"To": "string",
"XMailer": "string",
"XOriginalMailer": "string",
"XPriority": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Rows

The list of email result objects matching the search criteria.

Type: Array of [Row](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetIngressPoint

Fetch ingress endpoint resource attributes.

Request Syntax

```
{  
  "IncludeTrustStoreContents": "string",  
  "IngressPointId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

IncludeTrustStoreContents

Whether to include the trust store contents in the response. Use INCLUDE to retrieve trust store certificate and CRL contents.

Type: String

Valid Values: EXCLUDE | INCLUDE

Required: No

IngressPointId

The identifier of an ingress endpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "ARecord": "string",  
}
```

```
"CreatedTimestamp": number,
"IngressPointArn": "string",
"IngressPointAuthConfiguration": {
  "IngressPointPasswordConfiguration": {
    "PreviousSmtppasswordExpiryTimestamp": number,
    "PreviousSmtppasswordVersion": "string",
    "SmtppasswordVersion": "string"
  },
  "SecretArn": "string",
  "TlsAuthConfiguration": {
    "TrustStore": {
      "CAContent": "string",
      "CrlContent": "string",
      "KmsKeyArn": "string"
    }
  }
},
"IngressPointId": "string",
"IngressPointName": "string",
"LastUpdatedTimestamp": number,
"NetworkConfiguration": { ... },
"RuleSetId": "string",
"Status": "string",
"TlsPolicy": "string",
"TrafficPolicyId": "string",
"Type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ARecord](#)

The DNS A Record that identifies your ingress endpoint. Configure your DNS Mail Exchange (MX) record with this value to route emails to Mail Manager.

Type: String

[CreatedTimestamp](#)

The timestamp of when the ingress endpoint was created.

Type: Timestamp

IngressPointArn

The Amazon Resource Name (ARN) of the ingress endpoint resource.

Type: String

IngressPointAuthConfiguration

The authentication configuration of the ingress endpoint resource.

Type: [IngressPointAuthConfiguration](#) object

IngressPointId

The identifier of an ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

IngressPointName

A user friendly name for the ingress endpoint.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

LastUpdatedTimestamp

The timestamp of when the ingress endpoint was last updated.

Type: Timestamp

NetworkConfiguration

The network configuration for the ingress point.

Type: [NetworkConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

RuleSetId

The identifier of a rule set resource associated with the ingress endpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Status

The status of the ingress endpoint resource.

Type: String

Valid Values: PROVISIONING | DEPROVISIONING | UPDATING | ACTIVE | CLOSED | FAILED | ASSOCIATED_VPC_ENDPOINT_DOES_NOT_EXIST

TlsPolicy

The selected Transport Layer Security (TLS) policy of the ingress point.

Type: String

Valid Values: REQUIRED | OPTIONAL | FIPS

TrafficPolicyId

The identifier of the traffic policy resource associated with the ingress endpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Type

The type of ingress endpoint.

Type: String

Valid Values: OPEN | AUTH | MTLS

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetMemberOfAddressList

Fetch attributes of a member in an address list.

Request Syntax

```
{  
  "Address": "string",  
  "AddressListId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Address

The address to be retrieved from the address list.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 320.

Required: Yes

AddressListId

The unique identifier of the address list to retrieve the address from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
{
```

```
"Address": "string",  
"CreatedTimestamp": number  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Address

The address retrieved from the address list.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 320.

CreatedTimestamp

The timestamp of when the address was created.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetRelay

Fetch the relay resource and its attributes.

Request Syntax

```
{  
  "RelayId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

RelayId

A unique relay identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
{  
  "Authentication": { ... },  
  "CreatedTimestamp": number,  
  "LastModifiedTimestamp": number,  
  "RelayArn": "string",  
  "RelayId": "string",  
  "RelayName": "string",  
  "ServerName": "string",  
  "ServerPort": number  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Authentication

The authentication attribute—contains the secret ARN where the customer relay server credentials are stored.

Type: [RelayAuthentication](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

CreatedTimestamp

The timestamp of when the relay was created.

Type: Timestamp

LastModifiedTimestamp

The timestamp of when relay was last updated.

Type: Timestamp

RelayArn

The Amazon Resource Name (ARN) of the relay.

Type: String

RelayId

The unique relay identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

RelayName

The unique name of the relay.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9- _]+

ServerName

The destination relay server address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-\ .]+

ServerPort

The destination relay server port.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 65535.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetRuleSet

Fetch attributes of a rule set.

Request Syntax

```
{  
  "RuleSetId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[RuleSetId](#)

The identifier of an existing rule set to be retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "CreatedDate": number,  
  "LastModificationDate": number,  
  "Rules": [  
    {  
      "Actions": [  
        { ... }  
      ],  
      "Conditions": [  
        { ... }  
      ],  
      "Name": "string",  
      "Unless": [  

```

```
        { ... }
      ]
    }
  ],
  "RuleSetArn": "string",
  "RuleSetId": "string",
  "RuleSetName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CreatedDate

The date of when the rule set was created.

Type: Timestamp

LastModificationDate

The date of when the rule set was last modified.

Type: Timestamp

Rules

The rules contained in the rule set.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

RuleSetArn

The Amazon Resource Name (ARN) of the rule set resource.

Type: String

RuleSetId

The identifier of the rule set resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

RuleSetName

A user-friendly name for the rule set resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9_.-]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTrafficPolicy

Fetch attributes of a traffic policy resource.

Request Syntax

```
{  
  "TrafficPolicyId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[TrafficPolicyId](#)

The identifier of the traffic policy resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "CreatedTimestamp": number,  
  "DefaultAction": "string",  
  "LastUpdatedTimestamp": number,  
  "MaxMessageSizeBytes": number,  
  "PolicyStatements": [  
    {  
      "Action": "string",  
      "Conditions": [  
        { ... }  
      ]  
    }  
  ],  
}
```

```
"TrafficPolicyArn": "string",  
"TrafficPolicyId": "string",  
"TrafficPolicyName": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CreatedTimestamp

The timestamp of when the traffic policy was created.

Type: Timestamp

DefaultAction

The default action of the traffic policy.

Type: String

Valid Values: ALLOW | DENY

LastUpdatedTimestamp

The timestamp of when the traffic policy was last updated.

Type: Timestamp

MaxMessageSizeBytes

The maximum message size in bytes of email which is allowed in by this traffic policy—anything larger will be blocked.

Type: Integer

Valid Range: Minimum value of 1.

PolicyStatements

The list of conditions which are in the traffic policy resource.

Type: Array of [PolicyStatement](#) objects

TrafficPolicyArn

The Amazon Resource Name (ARN) of the traffic policy resource.

Type: String

TrafficPolicyId

The identifier of the traffic policy resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

TrafficPolicyName

A user-friendly name for the traffic policy resource.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAddonInstances

Lists all Add On instances in your account.

Request Syntax

```
{
  "NextToken": "string",
  "PageSize": number
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of ingress endpoint resources that are returned per call. You can use NextToken to obtain further ingress endpoints.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
```

```
"AddonInstances": [  
  {  
    "AddonInstanceArn": "string",  
    "AddonInstanceId": "string",  
    "AddonName": "string",  
    "AddonSubscriptionId": "string",  
    "CreatedTimestamp": number  
  }  
],  
"NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddonInstances

The list of ingress endpoints.

Type: Array of [AddonInstance](#) objects

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAddonSubscriptions

Lists all Add On subscriptions in your account.

Request Syntax

```
{  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of ingress endpoint resources that are returned per call. You can use NextToken to obtain further ingress endpoints.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
```

```
"AddonSubscriptions": [  
  {  
    "AddonName": "string",  
    "AddonSubscriptionArn": "string",  
    "AddonSubscriptionId": "string",  
    "CreatedTimestamp": number  
  }  
],  
"NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddonSubscriptions

The list of ingress endpoints.

Type: Array of [AddonSubscription](#) objects

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAddressListImportJobs

Lists jobs for an address list.

Request Syntax

```
{  
  "AddressListId": "string",  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddressListId

The unique identifier of the address list for listing import jobs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of import jobs that are returned per call. You can use NextToken to retrieve the next page of jobs.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
  "ImportJobs": [
    {
      "AddressListId": "string",
      "CompletedTimestamp": number,
      "CreatedTimestamp": number,
      "Error": "string",
      "FailedItemsCount": number,
      "ImportDataFormat": {
        "ImportDataType": "string"
      },
      "ImportedItemsCount": number,
      "JobId": "string",
      "Name": "string",
      "PreSignedUrl": "string",
      "StartTimestamp": number,
      "Status": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ImportJobs

The list of import jobs.

Type: Array of [ImportJob](#) objects

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAddressLists

Lists address lists for this account.

Request Syntax

```
{  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of address list resources that are returned per call. You can use NextToken to retrieve the next page of address lists.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
```

```
"AddressLists": [  
  {  
    "AddressListArn": "string",  
    "AddressListId": "string",  
    "AddressListName": "string",  
    "CreatedTimestamp": number,  
    "LastUpdatedTimestamp": number  
  }  
],  
"NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[AddressLists](#)

The list of address lists.

Type: Array of [AddressList](#) objects

[NextToken](#)

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListArchiveExports

Returns a list of email archive export jobs.

Request Syntax

```
{  
  "ArchiveId": "string",  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchiveId

The identifier of the archive.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 66.

Pattern: a- [\w]{1, 64}

Required: Yes

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of archive export jobs that are returned per call. You can use `NextToken` to obtain further pages of archives.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
  "Exports": [
    {
      "ExportId": "string",
      "Status": {
        "CompletionTimestamp": number,
        "ErrorMessage": "string",
        "State": "string",
        "SubmissionTimestamp": number
      }
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Exports

The list of export job identifiers and statuses.

Type: Array of [ExportSummary](#) objects

NextToken

If present, use to retrieve the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListArchives

Returns a list of all email archives in your account.

Request Syntax

```
{  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[NextToken](#)

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

[PageSize](#)

The maximum number of archives that are returned per call. You can use NextToken to obtain further pages of archives.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
  "Archives": [
    {
      "ArchiveId": "string",
      "ArchiveName": "string",
      "ArchiveState": "string",
      "LastUpdatedTimestamp": number
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Archives

The list of archive details.

Type: Array of [Archive](#) objects

NextToken

If present, use to retrieve the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListArchiveSearches

Returns a list of email archive search jobs.

Request Syntax

```
{  
  "ArchiveId": "string",  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchiveId

The identifier of the archive.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 66.

Pattern: a- [\w]{1, 64}

Required: Yes

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of archive search jobs that are returned per call. You can use `NextToken` to obtain further pages of archives.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "Searches": [
    {
      "SearchId": "string",
      "Status": {
        "CompletionTimestamp": number,
        "ErrorMessage": "string",
        "State": "string",
        "SubmissionTimestamp": number
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If present, use to retrieve the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

[Searches](#)

The list of search job identifiers and statuses.

Type: Array of [SearchSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListIngressPoints

List all ingress endpoint resources.

Request Syntax

```
{  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of ingress endpoint resources that are returned per call. You can use NextToken to obtain further ingress endpoints.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
```

```
"IngressPoints": [  
  {  
    "ARecord": "string",  
    "IngressPointId": "string",  
    "IngressPointName": "string",  
    "Status": "string",  
    "Type": "string"  
  }  
],  
"NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

IngressPoints

The list of ingress endpoints.

Type: Array of [IngressPoint](#) objects

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListMembersOfAddressList

Lists members of an address list.

Request Syntax

```
{
  "AddressListId": "string",
  "Filter": {
    "AddressPrefix": "string"
  },
  "NextToken": "string",
  "PageSize": number
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AddressListId

The unique identifier of the address list to list the addresses from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Filter

Filter to be used to limit the results.

Type: [AddressFilter](#) object

Required: No

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

[PageSize](#)

The maximum number of address list members that are returned per call. You can use `NextToken` to retrieve the next page of members.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 1000.

Required: No

Response Syntax

```
{
  "Addresses": [
    {
      "Address": "string",
      "CreatedTimestamp": number
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Addresses](#)

The list of addresses.

Type: Array of [SavedAddress](#) objects

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRelays

Lists all the existing relay resources.

Request Syntax

```
{  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The number of relays to be returned in one request.

Type: Integer

Required: No

Response Syntax

```
{
```

```
"NextToken": "string",
"Relays": [
  {
    "LastModifiedTimestamp": number,
    "RelayId": "string",
    "RelayName": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[NextToken](#)

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

[Relays](#)

The list of returned relays.

Type: Array of [Relay](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRuleSets

List rule sets for this account.

Request Syntax

```
{  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of rule set resources that are returned per call. You can use NextToken to obtain further rule sets.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
```

```
"NextToken": "string",
"RuleSets": [
  {
    "LastModificationDate": number,
    "RuleSetId": "string",
    "RuleSetName": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

RuleSets

The list of rule sets.

Type: Array of [RuleSet](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Retrieves the list of tags (keys and values) assigned to the resource.

Request Syntax

```
{  
  "ResourceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceArn

The Amazon Resource Name (ARN) of the resource to retrieve tags from.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1011.

Pattern: `arn:aws(|-cn|-us-gov|-eusc):ses:[a-z0-9-]{1,20}:[0-9]{12}:(mailmanager-|addon-).+`

Required: Yes

Response Syntax

```
{  
  "Tags": [  
    {  
      "Key": "string",  
      "Value": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": {"key1":"value1", "key2":"value2"} }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTrafficPolicies

List traffic policy resources.

Request Syntax

```
{  
  "NextToken": "string",  
  "PageSize": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NextToken

If you received a pagination token from a previous call to this API, you can provide it here to continue paginating through the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

PageSize

The maximum number of traffic policy resources that are returned per call. You can use NextToken to obtain further traffic policies.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

Response Syntax

```
{
```

```
"NextToken": "string",
"TrafficPolicies": [
  {
    "DefaultAction": "string",
    "TrafficPolicyId": "string",
    "TrafficPolicyName": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If NextToken is returned, there are more results available. The value of NextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

TrafficPolicies

The list of traffic policies.

Type: Array of [TrafficPolicy](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RegisterMemberToAddressList

Adds a member to an address list.

Request Syntax

```
{  
  "Address": "string",  
  "AddressListId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Address

The address to be added to the address list.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 320.

Required: Yes

AddressListId

The unique identifier of the address list where the address should be added.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartAddressListImportJob

Starts an import job for an address list.

Request Syntax

```
{  
  "JobId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

JobId

The identifier of the import job that needs to be started.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartArchiveExport

Initiates an export of emails from the specified archive.

Request Syntax

```
{
  "ArchiveId": string,
  "ExportDestinationConfiguration": { ... },
  "Filters": {
    "Include": [
      { ... }
    ],
    "Unless": [
      { ... }
    ]
  },
  "FromTimestamp": number,
  "IncludeMetadata": boolean,
  "MaxResults": number,
  "ToTimestamp": number
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchiveId

The identifier of the archive to export emails from.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 66.

Pattern: a-[\w]{1,64}

Required: Yes

ExportDestinationConfiguration

Details on where to deliver the exported email data.

Type: [ExportDestinationConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

[Filters](#)

Criteria to filter which emails are included in the export.

Type: [ArchiveFilters](#) object

Required: No

[FromTimestamp](#)

The start of the timestamp range to include emails from.

Type: Timestamp

Required: Yes

[IncludeMetadata](#)

Whether to include message metadata as JSON files in the export.

Type: Boolean

Required: No

[MaxResults](#)

The maximum number of email items to include in the export.

Type: Integer

Required: No

[ToTimestamp](#)

The end of the timestamp range to include emails from.

Type: Timestamp

Required: Yes

Response Syntax

```
{  
  "ExportId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ExportId

The unique identifier for the initiated export job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartArchiveSearch

Initiates a search across emails in the specified archive.

Request Syntax

```
{
  "ArchiveId": "string",
  "Filters": {
    "Include": [
      { ... }
    ],
    "Unless": [
      { ... }
    ]
  },
  "FromTimestamp": number,
  "MaxResults": number,
  "ToTimestamp": number
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ArchiveId

The identifier of the archive to search emails in.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 66.

Pattern: a-[\w]{1,64}

Required: Yes

Filters

Criteria to filter which emails are included in the search results.

Type: [ArchiveFilters](#) object

Required: No

FromTimestamp

The start timestamp of the range to search emails from.

Type: Timestamp

Required: Yes

MaxResults

The maximum number of search results to return.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1000.

Required: Yes

ToTimestamp

The end timestamp of the range to search emails from.

Type: Timestamp

Required: Yes

Response Syntax

```
{  
  "SearchId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

SearchId

The unique identifier for the initiated search job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopAddressListImportJob

Stops an ongoing import job for an address list.

Request Syntax

```
{  
  "JobId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

JobId

The identifier of the import job that needs to be stopped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopArchiveExport

Stops an in-progress export of emails from an archive.

Request Syntax

```
{  
  "ExportId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ExportId

The identifier of the export job to stop.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopArchiveSearch

Stops an in-progress archive search job.

Request Syntax

```
{  
  "SearchId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

SearchId

The identifier of the search job to stop.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds one or more tags (keys and values) to a specified resource.

Request Syntax

```
{
  "ResourceArn": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceArn

The Amazon Resource Name (ARN) of the resource that you want to tag.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1011.

Pattern: `arn:aws(|-cn|-us-gov|-eusc):ses:[a-z0-9-]{1,20}:[0-9]{12}:(mailmanager-|addon-).+`

Required: Yes

Tags

The tags used to organize, track, or control access for the resource. For example, { "tags": { "key1": "value1", "key2": "value2" } }.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Remove one or more tags (keys and values) from a specified resource.

Request Syntax

```
{  
  "ResourceArn": "string",  
  "TagKeys": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceArn

The Amazon Resource Name (ARN) of the resource that you want to untag.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 1011.

Pattern: `arn:aws(|-cn|-us-gov|-eusc):ses:[a-z0-9-]{1,20}:[0-9]{12}:(mailmanager-|addon-).+`

Required: Yes

TagKeys

The keys of the key-value pairs for the tag or tags you want to remove from the specified resource.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9/_\+=\.\:@\-\-]+`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateArchive

Updates the attributes of an existing email archive.

Request Syntax

```
{  
  "ArchiveId": "string",  
  "ArchiveName": "string",  
  "Retention": { ... }  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ArchiveId](#)

The identifier of the archive to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 66.

Required: Yes

[ArchiveName](#)

A new, unique name for the archive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_-]*[a-zA-Z0-9]`

Required: No

[Retention](#)

A new retention period for emails in the archive.

Type: [ArchiveRetention](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Occurs when a user is denied access to a specific resource or action.

HTTP Status Code: 400

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ServiceQuotaExceededException

Occurs when an operation exceeds a predefined service quota or limit.

HTTP Status Code: 400

ThrottlingException

Occurs when a service's request rate limit is exceeded, resulting in throttling of further requests.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateIngressPoint

Update attributes of a provisioned ingress endpoint resource.

Request Syntax

```
{  
  "IngressPointConfiguration": { ... },  
  "IngressPointId": "string",  
  "IngressPointName": "string",  
  "RuleSetId": "string",  
  "StatusToUpdate": "string",  
  "TlsPolicy": "string",  
  "TrafficPolicyId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[IngressPointConfiguration](#)

If you choose an Authenticated ingress endpoint, you must configure either an SMTP password or a secret ARN.

Type: [IngressPointConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

[IngressPointId](#)

The identifier for the ingress endpoint you want to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

IngressPointName

A user friendly name for the ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

Required: No

RuleSetId

The identifier of an existing rule set that you attach to an ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

StatusToUpdate

The update status of an ingress endpoint.

Type: String

Valid Values: ACTIVE | CLOSED

Required: No

TlsPolicy

The Transport Layer Security (TLS) policy for the ingress point. Valid values are REQUIRED, OPTIONAL. Only ingress endpoints using REQUIRED or OPTIONAL as TlsPolicy can be updated.

Type: String

Valid Values: REQUIRED | OPTIONAL | FIPS

Required: No

TrafficPolicyId

The identifier of an existing traffic policy that you attach to an ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateRelay

Updates the attributes of an existing relay resource.

Request Syntax

```
{  
  "Authentication": { ... },  
  "RelayId": "string",  
  "RelayName": "string",  
  "ServerName": "string",  
  "ServerPort": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[Authentication](#)

Authentication for the relay destination server—specify the secretARN where the SMTP credentials are stored.

Type: [RelayAuthentication](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

[RelayId](#)

The unique relay identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

RelayName

The name of the relay resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9- _]+

Required: No

ServerName

The destination relay server address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-\ .]+

Required: No

ServerPort

The destination relay server port.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 65535.

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateRuleSet

Update attributes of an already provisioned rule set.

Request Syntax

```
{
  "Rules": [
    {
      "Actions": [
        { ... }
      ],
      "Conditions": [
        { ... }
      ],
      "Name": "string",
      "Unless": [
        { ... }
      ]
    }
  ],
  "RuleSetId": "string",
  "RuleSetName": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Rules

A new set of rules to replace the current rules of the rule set—these rules will override all the rules of the rule set.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 0 items. Maximum number of 40 items.

Required: No

RuleSetId

The identifier of a rule set you want to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

RuleSetName

A user-friendly name for the rule set resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9_.-]+

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTrafficPolicy

Update attributes of an already provisioned traffic policy resource.

Request Syntax

```
{
  "DefaultAction": "string",
  "MaxMessageSizeBytes": number,
  "PolicyStatements": [
    {
      "Action": "string",
      "Conditions": [
        { ... }
      ]
    }
  ],
  "TrafficPolicyId": "string",
  "TrafficPolicyName": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

DefaultAction

Default action instructs the traffic policy to either Allow or Deny (block) messages that fall outside of (or not addressed by) the conditions of your policy statements

Type: String

Valid Values: ALLOW | DENY

Required: No

MaxMessageSizeBytes

The maximum message size in bytes of email which is allowed in by this traffic policy—anything larger will be blocked.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

PolicyStatements

The list of conditions to be updated for filtering email traffic.

Type: Array of [PolicyStatement](#) objects

Required: No

TrafficPolicyId

The identifier of the traffic policy that you want to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

TrafficPolicyName

A user-friendly name for the traffic policy resource.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request configuration has conflicts. For details, see the accompanying error message.

HTTP Status Code: 400

ResourceNotFoundException

Occurs when a requested resource is not found.

HTTP Status Code: 400

ValidationException

The request validation has failed. For details, see the accompanying error message.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The MailManager API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AddHeaderAction](#)
- [AddonInstance](#)
- [AddonSubscription](#)
- [AddressFilter](#)
- [AddressList](#)
- [Analysis](#)
- [Archive](#)
- [ArchiveAction](#)
- [ArchiveBooleanExpression](#)
- [ArchiveBooleanToEvaluate](#)
- [ArchiveFilterCondition](#)
- [ArchiveFilters](#)
- [ArchiveRetention](#)
- [ArchiveStringExpression](#)
- [ArchiveStringToEvaluate](#)
- [BounceAction](#)
- [DeliverToMailboxAction](#)
- [DeliverToQBusinessAction](#)
- [DropAction](#)
- [Envelope](#)

- [ExportDestinationConfiguration](#)
- [ExportStatus](#)
- [ExportSummary](#)
- [ImportDataFormat](#)
- [ImportJob](#)
- [IngressAnalysis](#)
- [IngressBooleanExpression](#)
- [IngressBooleanToEvaluate](#)
- [IngressIpToEvaluate](#)
- [IngressIpv4Expression](#)
- [IngressIpv6Expression](#)
- [IngressIpv6ToEvaluate](#)
- [IngressIsInAddressList](#)
- [IngressPoint](#)
- [IngressPointAuthConfiguration](#)
- [IngressPointConfiguration](#)
- [IngressPointPasswordConfiguration](#)
- [IngressStringExpression](#)
- [IngressStringToEvaluate](#)
- [IngressTlsProtocolExpression](#)
- [IngressTlsProtocolToEvaluate](#)
- [InvokeLambdaAction](#)
- [MessageBody](#)
- [Metadata](#)
- [NetworkConfiguration](#)
- [NoAuthentication](#)
- [PolicyCondition](#)
- [PolicyStatement](#)
- [PrivateNetworkConfiguration](#)
- [PublicNetworkConfiguration](#)

- [Relay](#)
- [RelayAction](#)
- [RelayAuthentication](#)
- [ReplaceRecipientAction](#)
- [Row](#)
- [Rule](#)
- [RuleAction](#)
- [RuleBooleanExpression](#)
- [RuleBooleanToEvaluate](#)
- [RuleCondition](#)
- [RuleDmarcExpression](#)
- [RuleIpExpression](#)
- [RuleIpToEvaluate](#)
- [RuleIsInAddressList](#)
- [RuleNumberExpression](#)
- [RuleNumberToEvaluate](#)
- [RuleSet](#)
- [RuleStringExpression](#)
- [RuleStringToEvaluate](#)
- [RuleVerdictExpression](#)
- [RuleVerdictToEvaluate](#)
- [S3Action](#)
- [S3ExportDestinationConfiguration](#)
- [SavedAddress](#)
- [SearchStatus](#)
- [SearchSummary](#)
- [SendAction](#)
- [SnsAction](#)
- [Tag](#)
- [TlsAuthConfiguration](#)

- [TrafficPolicy](#)
- [TrustStore](#)

AddHeaderAction

The action to add a header to a message. When executed, this action will add the given header to the message.

Contents

HeaderName

The name of the header to add to an email. The header must be prefixed with "X-". Headers are added regardless of whether the header name pre-existed in the email.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[xX]\-[a-zA-Z0-9\-\-]+`

Required: Yes

HeaderValue

The value of the header to add to the email.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddonInstance

An Add On instance represents a specific configuration of an Add On.

Contents

AddonInstanceArn

The Amazon Resource Name (ARN) of the Add On instance.

Type: String

Required: No

AddonInstanceId

The unique ID of the Add On instance.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: `ai-[a-zA-Z0-9]{1,64}`

Required: No

AddonName

The name of the Add On for the instance.

Type: String

Required: No

AddonSubscriptionId

The subscription ID for the instance.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: `as-[a-zA-Z0-9]{1,64}`

Required: No

CreatedTimestamp

The timestamp of when the Add On instance was created.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddonSubscription

A subscription for an Add On representing the acceptance of its terms of use and additional pricing.

Contents

AddonName

The name of the Add On.

Type: String

Required: No

AddonSubscriptionArn

The Amazon Resource Name (ARN) of the Add On subscription.

Type: String

Required: No

AddonSubscriptionId

The unique ID of the Add On subscription.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 67.

Pattern: `as-[a-zA-Z0-9]{1,64}`

Required: No

CreatedTimestamp

The timestamp of when the Add On subscription was created.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddressFilter

Filtering options for ListMembersOfAddressList operation.

Contents

AddressPrefix

Filter to limit the results to addresses having the provided prefix.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 320.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AddressList

An address list contains a list of emails and domains that are used in MailManager Ingress endpoints and Rules for email management.

Contents

AddressListArn

The Amazon Resource Name (ARN) of the address list.

Type: String

Required: Yes

AddressListId

The identifier of the address list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

AddressListName

The user-friendly name of the address list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9_.-]+

Required: Yes

CreatedTimestamp

The timestamp of when the address list was created.

Type: Timestamp

Required: Yes

LastUpdatedTimestamp

The timestamp of when the address list was last updated.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Analysis

The result of an analysis can be used in conditions to trigger actions. Analyses can inspect the email content and report a certain aspect of the email.

Contents

Analyzer

The Amazon Resource Name (ARN) of an Add On.

Type: String

Pattern: `[a-zA-Z0-9: _/+=, @. #-]+`

Required: Yes

ResultField

The returned value from an Add On.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `(addon\.)?[\sa-zA-Z0-9_]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Archive

An archive resource for storing and retaining emails.

Contents

ArchiveId

The unique identifier of the archive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 66.

Required: Yes

ArchiveName

The unique name assigned to the archive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9][a-zA-Z0-9_-]*[a-zA-Z0-9]`

Required: No

ArchiveState

The current state of the archive:

- **ACTIVE** – The archive is ready and available for use.
- **PENDING_DELETION** – The archive has been marked for deletion and will be permanently deleted in 30 days. No further modifications can be made in this state.

Type: String

Valid Values: **ACTIVE** | **PENDING_DELETION**

Required: No

LastUpdatedTimestamp

The timestamp of when the archive was last updated.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveAction

The action to archive the email by delivering the email to an Amazon SES archive.

Contents

TargetArchive

The identifier of the archive to send the email to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[a-zA-Z0-9: _/+=, @. #-]+`

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the specified archive has been deleted.

Type: String

Valid Values: CONTINUE | DROP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveBooleanExpression

A boolean expression to evaluate email attribute values.

Contents

Evaluate

The email attribute value to evaluate.

Type: [ArchiveBooleanToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The boolean operator to use for evaluation.

Type: String

Valid Values: IS_TRUE | IS_FALSE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveBooleanToEvaluate

The attribute to evaluate in a boolean expression.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Attribute

The name of the email attribute to evaluate.

Type: String

Valid Values: HAS_ATTACHMENTS

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveFilterCondition

A filter condition used to include or exclude emails when exporting from or searching an archive.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

BooleanExpression

A boolean expression to evaluate against email attributes.

Type: [ArchiveBooleanExpression](#) object

Required: No

StringExpression

A string expression to evaluate against email attributes.

Type: [ArchiveStringExpression](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveFilters

A set of filter conditions to include and/or exclude emails.

Contents

Include

The filter conditions for emails to include.

Type: Array of [ArchiveFilterCondition](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

Unless

The filter conditions for emails to exclude.

Type: Array of [ArchiveFilterCondition](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveRetention

The retention policy for an email archive that specifies how long emails are kept before being automatically deleted.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

RetentionPeriod

The enum value sets the period for retaining emails in an archive.

Type: String

Valid Values: THREE_MONTHS | SIX_MONTHS | NINE_MONTHS | ONE_YEAR | EIGHTEEN_MONTHS | TWO_YEARS | THIRTY_MONTHS | THREE_YEARS | FOUR_YEARS | FIVE_YEARS | SIX_YEARS | SEVEN_YEARS | EIGHT_YEARS | NINE_YEARS | TEN_YEARS | PERMANENT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveStringExpression

A string expression to evaluate an email attribute value against one or more string values.

Contents

Evaluate

The attribute of the email to evaluate.

Type: [ArchiveStringToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The operator to use when evaluating the string values.

Type: String

Valid Values: CONTAINS

Required: Yes

Values

The list of string values to evaluate the email attribute against.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ArchiveStringToEvaluate

Specifies the email attribute to evaluate in a string expression.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Attribute

The name of the email attribute to evaluate.

Type: String

Valid Values: TO | FROM | CC | SUBJECT | ENVELOPE_TO | ENVELOPE_FROM

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BounceAction

The action to send a bounce response for the email. When executed, this action generates a non-delivery report (bounce) back to the sender.

Contents

DiagnosticMessage

The diagnostic message included in the Diagnostic-Code header of the bounce.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\x20-\x7e]+`

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the IAM role to use to send the bounce message.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[a-zA-Z0-9: _/+=, @. # -]+`

Required: Yes

Sender

The sender email address of the bounce message.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 254.

Pattern: `[a-zA-Z0-9._+-]+@[a-zA-Z0-9.-]+`

Required: Yes

SmtpReplyCode

The SMTP reply code for the bounce, as defined by RFC 5321.

Type: String

Length Constraints: Fixed length of 3.

Pattern: [45][0-9][0-9]

Required: Yes

StatusCode

The enhanced status code for the bounce, in the format of x.y.z (e.g. 5.1.1).

Type: String

Length Constraints: Minimum length of 5. Maximum length of 9.

Pattern: [45]\.[0-9]{1,3}\.[0-9]{1,3}

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the caller does not have the permissions to call the SendBounce API.

Type: String

Valid Values: CONTINUE | DROP

Required: No

Message

The human-readable text to include in the bounce message.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500.

Pattern: [\r\n\x20-\x7e]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeliverToMailboxAction

This action to delivers an email to a mailbox.

Contents

MailboxArn

The Amazon Resource Name (ARN) of a WorkMail organization to deliver the email to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: [a-zA-Z0-9: _/+=, @. #-]+

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of an IAM role to use to execute this action. The role must have access to the workmail:DeliverToMailbox API.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: [a-zA-Z0-9: _/+=, @. #-]+

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the mailbox ARN is no longer valid.

Type: String

Valid Values: CONTINUE | DROP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeliverToQBusinessAction

The action to deliver incoming emails to an Amazon Q Business application for indexing.

Contents

ApplicationId

The unique identifier of the Amazon Q Business application instance where the email content will be delivered.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-z0-9-]+

Required: Yes

IndexId

The identifier of the knowledge base index within the Amazon Q Business application where the email content will be stored and indexed.

Type: String

Length Constraints: Fixed length of 36.

Pattern: [a-z0-9-]+

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the IAM Role to use while delivering to Amazon Q Business. This role must have access to the `qbusiness:BatchPutDocument` API for the given application and index.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: [a-zA-Z0-9: _/+=, @. #-]+

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the specified application has been deleted or the role lacks necessary permissions to call the `qbusiness:BatchPutDocument` API.

Type: String

Valid Values: CONTINUE | DROP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DropAction

This action causes processing to stop and the email to be dropped. If the action applies only to certain recipients, only those recipients are dropped, and processing continues for other recipients.

Contents

The members of this exception structure are context-dependent.

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Envelope

The SMTP envelope information of the email.

Contents

From

The RCPT FROM given by the host from which the email was received.

Type: String

Required: No

Helo

The HELO used by the host from which the email was received.

Type: String

Required: No

To

All SMTP TO entries given by the host from which the email was received.

Type: Array of strings

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportDestinationConfiguration

The destination configuration for delivering exported email data.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

S3

Configuration for delivering to an Amazon S3 bucket.

Type: [S3ExportDestinationConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportStatus

The current status of an archive export job.

Contents

CompletionTimestamp

The timestamp of when the export job completed (if finished).

Type: Timestamp

Required: No

ErrorMessage

An error message if the export job failed.

Type: String

Required: No

State

The current state of the export job.

Type: String

Valid Values: QUEUED | PREPROCESSING | PROCESSING | COMPLETED | FAILED | CANCELLED

Required: No

SubmissionTimestamp

The timestamp of when the export job was submitted.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportSummary

Summary statuses of an archive export job.

Contents

ExportId

The unique identifier of the export job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

Status

The current status of the export job.

Type: [ExportStatus](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportDataFormat

The import data format contains the specifications of the input file that would be passed to the address list import job.

Contents

ImportDataType

The type of file that would be passed as an input for the address list import job.

Type: String

Valid Values: CSV | JSON

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportJob

Details about an import job.

Contents

AddressListId

The unique identifier of the address list the import job was created for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

CreatedTimestamp

The timestamp of when the import job was created.

Type: Timestamp

Required: Yes

ImportDataFormat

The format of the input for the import job.

Type: [ImportDataFormat](#) object

Required: Yes

JobId

The identifier of the import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Name

A user-friendly name for the import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9_.-]+

Required: Yes

PreSignedUrl

The pre-signed URL target for uploading the input file.

Type: String

Required: Yes

Status

The status of the import job.

Type: String

Valid Values: CREATED | PROCESSING | COMPLETED | FAILED | STOPPED

Required: Yes

CompletedTimestamp

The timestamp of when the import job was completed.

Type: Timestamp

Required: No

Error

The reason for failure of an import job.

Type: String

Required: No

FailedItemsCount

The number of addresses in the input that failed to get imported into address list.

Type: Integer

Required: No

ImportedItemsCount

The number of addresses in the input that were successfully imported into the address list.

Type: Integer

Required: No

StartTimestamp

The timestamp of when the import job was started.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressAnalysis

The Add On ARN and its returned value that is evaluated in a policy statement's conditional expression to either deny or block the incoming email.

Contents

Analyzer

The Amazon Resource Name (ARN) of an Add On.

Type: String

Pattern: [a-zA-Z0-9: _/+=, @. # -]+

Required: Yes

ResultField

The returned value from an Add On.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: (addon\.)?[\sa-zA-Z0-9_]+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressBooleanExpression

The structure for a boolean condition matching on the incoming mail.

Contents

Evaluate

The operand on which to perform a boolean condition operation.

Type: [IngressBooleanToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for a boolean condition expression.

Type: String

Valid Values: IS_TRUE | IS_FALSE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressBooleanToEvaluate

The union type representing the allowed types of operands for a boolean condition.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Analysis

The structure type for a boolean condition stating the Add On ARN and its returned value.

Type: [IngressAnalysis](#) object

Required: No

IsInAddressList

The structure type for a boolean condition that provides the address lists to evaluate incoming traffic on.

Type: [IngressIsInAddressList](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressIpToEvaluate

The structure for an IP based condition matching on the incoming mail.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Attribute

An enum type representing the allowed attribute types for an IP condition.

Type: String

Valid Values: SENDER_IP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressIpv4Expression

The union type representing the allowed types for the left hand side of an IP condition.

Contents

Evaluate

The left hand side argument of an IP condition expression.

Type: [IngressIpToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for an IP condition expression.

Type: String

Valid Values: CIDR_MATCHES | NOT_CIDR_MATCHES

Required: Yes

Values

The right hand side argument of an IP condition expression.

Type: Array of strings

Pattern: ((25[0-5]|2[0-4][0-9]|[01]?[0-9][0-9]?)\.)^{3}(25[0-5]|2[0-4][0-9]|
[01]?[0-9][0-9]?)/([0-9]|[12][0-9]|3[0-2])

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressIpv6Expression

The union type representing the allowed types for the left hand side of an IPv6 condition.

Contents

Evaluate

The left hand side argument of an IPv6 condition expression.

Type: [IngressIpv6ToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for an IPv6 condition expression.

Type: String

Valid Values: CIDR_MATCHES | NOT_CIDR_MATCHES

Required: Yes

Values

The right hand side argument of an IPv6 condition expression.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 49.

Pattern: `(([0-9a-fA-F]{1,4}:){7}[0-9a-fA-F]{1,4}|([0-9a-fA-F]{1,4}:){1,7}:|([0-9a-fA-F]{1,4}:){1,6}:[0-9a-fA-F]{1,4}|([0-9a-fA-F]{1,4}:){1,5}(:[0-9a-fA-F]{1,4}){1,2}|([0-9a-fA-F]{1,4}:){1,4}(:[0-9a-fA-F]{1,4}){1,3}|([0-9a-fA-F]{1,4}:){1,3}(:[0-9a-fA-F]{1,4}){1,4}|([0-9a-fA-F]{1,4}:){1,2}(:[0-9a-fA-F]{1,4}){1,5}|[0-9a-fA-F]{1,4}:((:[0-9a-fA-F]{1,4}){1,6})|((:[0-9a-fA-F]{1,4}){1,7}|:))\/(12[0-8]|1[0-1][0-9]|[1-9][0-9]|[0-9])`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressIpv6ToEvaluate

The structure for an IPv6 based condition matching on the incoming mail.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Attribute

An enum type representing the allowed attribute types for an IPv6 condition.

Type: String

Valid Values: SENDER_IPV6

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressIsInAddressList

The address lists and the address list attribute value that is evaluated in a policy statement's conditional expression to either deny or block the incoming email.

Contents

AddressLists

The address lists that will be used for evaluation.

Type: Array of strings

Array Members: Fixed number of 1 item.

Required: Yes

Attribute

The email attribute that needs to be evaluated against the address list.

Type: String

Valid Values: RECIPIENT

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressPoint

The structure of an ingress endpoint resource.

Contents

IngressPointId

The identifier of the ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

IngressPointName

A user friendly name for the ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

Required: Yes

Status

The status of the ingress endpoint resource.

Type: String

Valid Values: PROVISIONING | DEPROVISIONING | UPDATING | ACTIVE | CLOSED | FAILED | ASSOCIATED_VPC_ENDPOINT_DOES_NOT_EXIST

Required: Yes

Type

The type of ingress endpoint resource.

Type: String

Valid Values: OPEN | AUTH | MTLT

Required: Yes

ARecord

The DNS A Record that identifies your ingress endpoint. Configure your DNS Mail Exchange (MX) record with this value to route emails to Mail Manager.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressPointAuthConfiguration

The authentication configuration for the ingress endpoint resource.

Contents

IngressPointPasswordConfiguration

The ingress endpoint password configuration for the ingress endpoint resource.

Type: [IngressPointPasswordConfiguration](#) object

Required: No

SecretArn

The ingress endpoint SecretsManager::Secret ARN configuration for the ingress endpoint resource.

Type: String

Pattern: `arn:(aws|aws-cn|aws-us-gov|aws-eusc):secretsmanager:[a-z0-9-]+:\d{12}:secret:[a-zA-Z0-9/_+=, .@-]+`

Required: No

TlsAuthConfiguration

The mutual TLS authentication configuration for the ingress endpoint resource.

Type: [TlsAuthConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressPointConfiguration

The configuration of the ingress endpoint resource.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

SecretArn

The SecretsManager::Secret ARN of the ingress endpoint resource.

Type: String

Pattern: `arn:(aws|aws-cn|aws-us-gov|aws-eusc):secretsmanager:[a-z0-9-]+\d{12}:secret:[a-zA-Z0-9/_+=, .@-]+`

Required: No

Smtppassword

The password of the ingress endpoint resource.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 64.

Pattern: `[A-Za-z0-9!@#$%^&*()_+\-=\[\]\{\}|\.,?]+`

Required: No

TlsAuthConfiguration

The mutual TLS authentication configuration of the ingress endpoint resource.

Type: [TlsAuthConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressPointPasswordConfiguration

The password configuration of the ingress endpoint resource.

Contents

PreviousSmtppasswordExpiryTimestamp

The previous password expiry timestamp of the ingress endpoint resource.

Type: Timestamp

Required: No

PreviousSmtppasswordVersion

The previous password version of the ingress endpoint resource.

Type: String

Required: No

SmtppasswordVersion

The current password expiry timestamp of the ingress endpoint resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressStringExpression

The structure for a string based condition matching on the incoming mail.

Contents

Evaluate

The left hand side argument of a string condition expression.

Type: [IngressStringToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for a string condition expression.

Type: String

Valid Values: EQUALS | NOT_EQUALS | STARTS_WITH | ENDS_WITH | CONTAINS

Required: Yes

Values

The right hand side argument of a string condition expression.

Type: Array of strings

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressStringToEvaluate

The union type representing the allowed types for the left hand side of a string condition.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Analysis

The structure type for a string condition stating the Add On ARN and its returned value.

Type: [IngressAnalysis](#) object

Required: No

Attribute

The enum type representing the allowed attribute types for a string condition.

Type: String

Valid Values: RECIPIENT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngressTlsProtocolExpression

The structure for a TLS related condition matching on the incoming mail.

Contents

Evaluate

The left hand side argument of a TLS condition expression.

Type: [IngressTlsProtocolToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for a TLS condition expression.

Type: String

Valid Values: MINIMUM_TLS_VERSION | IS

Required: Yes

Value

The right hand side argument of a TLS condition expression.

Type: String

Valid Values: TLS1_2 | TLS1_3

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

IngressTlsProtocolToEvaluate

The union type representing the allowed types for the left hand side of a TLS condition.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Attribute

The enum type representing the allowed attribute types for the TLS condition.

Type: String

Valid Values: TLS_PROTOCOL

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InvokeLambdaAction

The action to invoke an AWS Lambda function for processing the email.

Contents

FunctionArn

The Amazon Resource Name (ARN) of the Lambda function to invoke.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: [a-zA-Z0-9: _/+=, @. #-]+

Required: Yes

InvocationType

The invocation type of the Lambda function. Use EVENT for asynchronous invocation or REQUEST_RESPONSE for synchronous invocation.

Type: String

Valid Values: EVENT | REQUEST_RESPONSE

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the IAM role to use to invoke the Lambda function.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: [a-zA-Z0-9: _/+=, @. #-]+

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the AWS Lambda function no longer exists.

Type: String

Valid Values: CONTINUE | DROP

Required: No

RetryTimeMinutes

The maximum time in minutes that the email processing can be retried if the Lambda invocation fails. The maximum value is 2160 minutes (36 hours).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 2160.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MessageBody

The textual body content of an email message.

Contents

Html

The HTML body content of the message.

Type: String

Required: No

MessageMalformed

A flag indicating if the email was malformed.

Type: Boolean

Required: No

Text

The plain text body content of the message.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Metadata

The metadata about the email.

Contents

ConfigurationSet

The name of the configuration set used when sent through a configuration set with archiving enabled.

Type: String

Required: No

IngressPointId

The ID of the ingress endpoint through which the email was received.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

RuleSetId

The ID of the rule set that processed the email.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

SenderHostname

The name of the host from which the email was received.

Type: String

Required: No

SenderIpAddress

The IP address of the host from which the email was received.

Type: String

Required: No

SendingMethod

The name of the API call used when sent through a configuration set with archiving enabled.

Type: String

Required: No

SendingPool

The name of the dedicated IP pool used when sent through a configuration set with archiving enabled.

Type: String

Required: No

SourceArn

Specifies the archived email source, identified by either a Rule Set's ARN with an Archive action, or a Configuration Set's Archive ARN.

Type: String

Required: No

SourceIdentity

The identity name used to authorize the sending action when sent through a configuration set with archiving enabled.

Type: String

Required: No

Timestamp

The timestamp of when the email was received.

Type: Timestamp

Required: No

TlsCipherSuite

The TLS cipher suite used to communicate with the host from which the email was received.

Type: String

Required: No

TlsProtocol

The TLS protocol used to communicate with the host from which the email was received.

Type: String

Required: No

TrafficPolicyId

The ID of the traffic policy that was in effect when the email was received.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NetworkConfiguration

The network type (IPv4-only, Dual-Stack, PrivateLink) of the ingress endpoint resource.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

PrivateNetworkConfiguration

Specifies the network configuration for the private ingress point.

Type: [PrivateNetworkConfiguration](#) object

Required: No

PublicNetworkConfiguration

Specifies the network configuration for the public ingress point.

Type: [PublicNetworkConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NoAuthentication

Explicitly indicate that the relay destination server does not require SMTP credential authentication.

Contents

The members of this exception structure are context-dependent.

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PolicyCondition

The email traffic filtering conditions which are contained in a traffic policy resource.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

BooleanExpression

This represents a boolean type condition matching on the incoming mail. It performs the boolean operation configured in 'Operator' and evaluates the 'Protocol' object against the 'Value'.

Type: [IngressBooleanExpression](#) object

Required: No

IpExpression

This represents an IP based condition matching on the incoming mail. It performs the operation configured in 'Operator' and evaluates the 'Protocol' object against the 'Value'.

Type: [IngressIpv4Expression](#) object

Required: No

Ipv6Expression

This represents an IPv6 based condition matching on the incoming mail. It performs the operation configured in 'Operator' and evaluates the 'Protocol' object against the 'Value'.

Type: [IngressIpv6Expression](#) object

Required: No

StringExpression

This represents a string based condition matching on the incoming mail. It performs the string operation configured in 'Operator' and evaluates the 'Protocol' object against the 'Value'.

Type: [IngressStringExpression](#) object

Required: No

TlsExpression

This represents a TLS based condition matching on the incoming mail. It performs the operation configured in 'Operator' and evaluates the 'Protocol' object against the 'Value'.

Type: [IngressTlsProtocolExpression](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PolicyStatement

The structure containing traffic policy conditions and actions.

Contents

Action

The action that informs a traffic policy resource to either allow or block the email if it matches a condition in the policy statement.

Type: String

Valid Values: ALLOW | DENY

Required: Yes

Conditions

The list of conditions to apply to incoming messages for filtering email traffic.

Type: Array of [PolicyCondition](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PrivateNetworkConfiguration

Specifies the network configuration for the private ingress point.

Contents

VpcEndpointId

The identifier of the VPC endpoint to associate with this private ingress point.

Type: String

Pattern: vpce-[a-zA-Z0-9]{17}

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PublicNetworkConfiguration

Specifies the network configuration for the public ingress point.

Contents

IpType

The IP address type for the public ingress point. Valid values are IPV4 and DUAL_STACK.

Type: String

Valid Values: IPV4 | DUAL_STACK

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Relay

The relay resource that can be used as a rule to relay receiving emails to the destination relay server.

Contents

LastModifiedTimestamp

The timestamp of when the relay was last modified.

Type: Timestamp

Required: No

RelayId

The unique relay identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: No

RelayName

The unique relay name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-_]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RelayAction

The action relays the email via SMTP to another specific SMTP server.

Contents

Relay

The identifier of the relay resource to be used when relaying an email.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[a-zA-Z0-9: _/+=, @. #-]+`

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the specified relay has been deleted.

Type: String

Valid Values: CONTINUE | DROP

Required: No

MailFrom

This action specifies whether to preserve or replace original mail from address while relaying received emails to a destination server.

Type: String

Valid Values: REPLACE | PRESERVE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RelayAuthentication

Authentication for the relay destination server—specify the `secretARN` where the SMTP credentials are stored, or specify an empty `NoAuthentication` structure if the relay destination server does not require SMTP credential authentication.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

NoAuthentication

Keep an empty structure if the relay destination server does not require SMTP credential authentication.

Type: [NoAuthentication](#) object

Required: No

SecretArn

The ARN of the secret created in secrets manager where the relay server's SMTP credentials are stored.

Type: String

Pattern: `arn:(aws|aws-cn|aws-us-gov|aws-eusc):secretsmanager:[a-z0-9-]+:\d{12}:secret:[a-zA-Z0-9/_+=, .@-]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReplaceRecipientAction

This action replaces the email envelope recipients with the given list of recipients. If the condition of this action applies only to a subset of recipients, only those recipients are replaced with the recipients specified in the action. The message contents and headers are unaffected by this action, only the envelope recipients are updated.

Contents

ReplaceWith

This action specifies the replacement recipient email addresses to insert.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Length Constraints: Minimum length of 0. Maximum length of 254.

Pattern: `[a-zA-Z0-9._+-]+@[a-zA-Z0-9.-]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Row

A result row containing metadata for an archived email message.

Contents

ArchivedMessageId

The unique identifier of the archived message.

Type: String

Required: No

Cc

The email addresses in the CC header.

Type: String

Required: No

Date

The date the email was sent.

Type: String

Required: No

Envelope

The SMTP envelope information of the email.

Type: [Envelope](#) object

Required: No

From

The email address of the sender.

Type: String

Required: No

HasAttachments

A flag indicating if the email has attachments.

Type: Boolean

Required: No

IngressPointId

The ID of the ingress endpoint through which the email was received.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

InReplyTo

The email message ID this is a reply to.

Type: String

Required: No

MessageId

The unique message ID of the email.

Type: String

Required: No

ReceivedHeaders

The received headers from the email delivery path.

Type: Array of strings

Required: No

ReceivedTimestamp

The timestamp of when the email was received.

Type: Timestamp

Required: No

SenderHostname

The name of the host from which the email was received.

Type: String

Required: No

SenderIpAddress

- Mail archived with Mail Manager: The IP address of the client that connects to the ingress endpoint.
- Mail sent through a configuration set with the archiving option enabled: The IP address of the client that makes the SendEmail API call.

Type: String

Required: No

SourceArn

Specifies the archived email source, identified by either a Rule Set's ARN with an Archive action, or a Configuration Set's Archive ARN.

Type: String

Required: No

Subject

The subject header value of the email.

Type: String

Required: No

To

The email addresses in the To header.

Type: String

Required: No

XMailer

The user agent that sent the email.

Type: String

Required: No

XOriginalMailer

The original user agent that sent the email.

Type: String

Required: No

XPriority

The priority level of the email.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Rule

A rule contains conditions, "unless conditions" and actions. For each envelope recipient of an email, if all conditions match and none of the "unless conditions" match, then all of the actions are executed sequentially. If no conditions are provided, the rule always applies and the actions are implicitly executed. If only "unless conditions" are provided, the rule applies if the email does not match the evaluation of the "unless conditions".

Contents

Actions

The list of actions to execute when the conditions match the incoming email, and none of the "unless conditions" match.

Type: Array of [RuleAction](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

Conditions

The conditions of this rule. All conditions must match the email for the actions to be executed. An empty list of conditions means that all emails match, but are still subject to any "unless conditions"

Type: Array of [RuleCondition](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

Name

The user-friendly name of the rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[a-zA-Z0-9_.-]+`

Required: No

Unless

The "unless conditions" of this rule. None of the conditions can match the email for the actions to be executed. If any of these conditions do match the email, then the actions are not executed.

Type: Array of [RuleCondition](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleAction

The action for a rule to take. Only one of the contained actions can be set.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

AddHeader

This action adds a header. This can be used to add arbitrary email headers.

Type: [AddHeaderAction](#) object

Required: No

Archive

This action archives the email. This can be used to deliver an email to an archive.

Type: [ArchiveAction](#) object

Required: No

Bounce

This action sends a bounce response for the email.

Type: [BounceAction](#) object

Required: No

DeliverToMailbox

This action delivers an email to a WorkMail mailbox.

Type: [DeliverToMailboxAction](#) object

Required: No

DeliverToQBusiness

This action delivers an email to an Amazon Q Business application for ingestion into its knowledge base.

Type: [DeliverToQBusinessAction](#) object

Required: No

Drop

This action terminates the evaluation of rules in the rule set.

Type: [DropAction](#) object

Required: No

InvokeLambda

This action invokes an AWS Lambda function to process the email.

Type: [InvokeLambdaAction](#) object

Required: No

PublishToSns

This action publishes the email content to an Amazon SNS topic.

Type: [SnsAction](#) object

Required: No

Relay

This action relays the email to another SMTP server.

Type: [RelayAction](#) object

Required: No

ReplaceRecipient

The action replaces certain or all recipients with a different set of recipients.

Type: [ReplaceRecipientAction](#) object

Required: No

Send

This action sends the email to the internet.

Type: [SendAction](#) object

Required: No

WriteToS3

This action writes the MIME content of the email to an S3 bucket.

Type: [S3Action](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleBooleanExpression

A boolean expression to be used in a rule condition.

Contents

Evaluate

The operand on which to perform a boolean condition operation.

Type: [RuleBooleanToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for a boolean condition expression.

Type: String

Valid Values: IS_TRUE | IS_FALSE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleBooleanToEvaluate

The union type representing the allowed types of operands for a boolean condition.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Analysis

The Add On ARN and its returned value to evaluate in a boolean condition expression.

Type: [Analysis](#) object

Required: No

Attribute

The boolean type representing the allowed attribute types for an email.

Type: String

Valid Values: READ_RECEIPT_REQUESTED | TLS | TLS_WRAPPED

Required: No

IsInAddressList

The structure representing the address lists and address list attribute that will be used in evaluation of boolean expression.

Type: [RuleIsInAddressList](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleCondition

The conditional expression used to evaluate an email for determining if a rule action should be taken.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

BooleanExpression

The condition applies to a boolean expression passed in this field.

Type: [RuleBooleanExpression](#) object

Required: No

DmarcExpression

The condition applies to a DMARC policy expression passed in this field.

Type: [RuleDmarcExpression](#) object

Required: No

IpExpression

The condition applies to an IP address expression passed in this field.

Type: [RuleIpExpression](#) object

Required: No

NumberExpression

The condition applies to a number expression passed in this field.

Type: [RuleNumberExpression](#) object

Required: No

StringExpression

The condition applies to a string expression passed in this field.

Type: [RuleStringExpression](#) object

Required: No

VerdictExpression

The condition applies to a verdict expression passed in this field.

Type: [RuleVerdictExpression](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleDmarcExpression

A DMARC policy expression. The condition matches if the given DMARC policy matches that of the incoming email.

Contents

Operator

The operator to apply to the DMARC policy of the incoming email.

Type: String

Valid Values: EQUALS | NOT_EQUALS

Required: Yes

Values

The values to use for the given DMARC policy operator. For the operator EQUALS, if multiple values are given, they are evaluated as an OR. That is, if any of the given values match, the condition is deemed to match. For the operator NOT_EQUALS, if multiple values are given, they are evaluated as an AND. That is, only if the email's DMARC policy is not equal to any of the given values, then the condition is deemed to match.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Valid Values: NONE | QUARANTINE | REJECT

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleIpExpression

An IP address expression matching certain IP addresses within a given range of IP addresses.

Contents

Evaluate

The IP address to evaluate in this condition.

Type: [RuleIpToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The operator to evaluate the IP address.

Type: String

Valid Values: CIDR_MATCHES | NOT_CIDR_MATCHES

Required: Yes

Values

The IP CIDR blocks in format "x.y.z.w/n" (eg 10.0.0.0/8) to match with the email's IP address. For the operator CIDR_MATCHES, if multiple values are given, they are evaluated as an OR. That is, if the IP address is contained within any of the given CIDR ranges, the condition is deemed to match. For NOT_CIDR_MATCHES, if multiple CIDR ranges are given, the condition is deemed to match if the IP address is not contained in any of the given CIDR ranges.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 43.

Pattern: (`([0-9] | . | : | /)*`)

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleIpToEvaluate

The IP address to evaluate for this condition.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Attribute

The attribute of the email to evaluate.

Type: String

Valid Values: SOURCE_IP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RulesInAddressList

The structure type for a boolean condition that provides the address lists and address list attribute to evaluate.

Contents

AddressLists

The address lists that will be used for evaluation.

Type: Array of strings

Array Members: Fixed number of 1 item.

Required: Yes

Attribute

The email attribute that needs to be evaluated against the address list.

Type: String

Valid Values: RECIPIENT | MAIL_FROM | SENDER | FROM | TO | CC

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleNumberExpression

A number expression to match numeric conditions with integers from the incoming email.

Contents

Evaluate

The number to evaluate in a numeric condition expression.

Type: [RuleNumberToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The operator for a numeric condition expression.

Type: String

Valid Values: EQUALS | NOT_EQUALS | LESS_THAN | GREATER_THAN | LESS_THAN_OR_EQUAL | GREATER_THAN_OR_EQUAL

Required: Yes

Value

The value to evaluate in a numeric condition expression.

Type: Double

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

RuleNumberToEvaluate

The number to evaluate in a numeric condition expression.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Attribute

An email attribute that is used as the number to evaluate.

Type: String

Valid Values: MESSAGE_SIZE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleSet

A rule set contains a list of rules that are evaluated in order. Each rule is evaluated sequentially for each email.

Contents

LastModificationDate

The last modification date of the rule set.

Type: Timestamp

Required: No

RuleSetId

The identifier of the rule set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

RuleSetName

A user-friendly name for the rule set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9_.-]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleStringExpression

A string expression is evaluated against strings or substrings of the email.

Contents

Evaluate

The string to evaluate in a string condition expression.

Type: [RuleStringToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for a string condition expression.

Type: String

Valid Values: EQUALS | NOT_EQUALS | STARTS_WITH | ENDS_WITH | CONTAINS

Required: Yes

Values

The string(s) to be evaluated in a string condition expression. For all operators, except for NOT_EQUALS, if multiple values are given, the values are processed as an OR. That is, if any of the values match the email's string using the given operator, the condition is deemed to match. However, for NOT_EQUALS, the condition is only deemed to match if none of the given strings match the email's string.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleStringToEvaluate

The string to evaluate in a string condition expression.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Analysis

The Add On ARN and its returned value to evaluate in a string condition expression.

Type: [Analysis](#) object

Required: No

Attribute

The email attribute to evaluate in a string condition expression.

Type: String

Valid Values: MAIL_FROM | HELO | RECIPIENT | SENDER | FROM | SUBJECT | TO | CC

Required: No

ClientCertificateAttribute

The client certificate attribute to evaluate in a string condition expression.

Type: String

Valid Values: CN | SAN_RFC822_NAME | SAN_DNS_NAME | SAN_DIRECTORY_NAME | SAN_UNIFORM_RESOURCE_IDENTIFIER | SAN_IP_ADDRESS | SAN_REGISTERED_ID | SERIAL_NUMBER

Required: No

MimeHeaderAttribute

The email MIME X-Header attribute to evaluate in a string condition expression.

Type: String

Pattern: X-[a-zA-Z0-9-]{1,256}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleVerdictExpression

A verdict expression is evaluated against verdicts of the email.

Contents

Evaluate

The verdict to evaluate in a verdict condition expression.

Type: [RuleVerdictToEvaluate](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Operator

The matching operator for a verdict condition expression.

Type: String

Valid Values: EQUALS | NOT_EQUALS

Required: Yes

Values

The values to match with the email's verdict using the given operator. For the EQUALS operator, if multiple values are given, the condition is deemed to match if any of the given verdicts match that of the email. For the NOT_EQUALS operator, if multiple values are given, the condition is deemed to match if none of the given verdicts match the verdict of the email.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Valid Values: PASS | FAIL | GRAY | PROCESSING_FAILED

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleVerdictToEvaluate

The verdict to evaluate in a verdict condition expression.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

Analysis

The Add On ARN and its returned value to evaluate in a verdict condition expression.

Type: [Analysis](#) object

Required: No

Attribute

The email verdict attribute to evaluate in a string verdict expression.

Type: String

Valid Values: SPF | DKIM

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Action

Writes the MIME content of the email to an S3 bucket.

Contents

RoleArn

The Amazon Resource Name (ARN) of the IAM Role to use while writing to S3. This role must have access to the `s3:PutObject`, `kms:Encrypt`, and `kms:GenerateDataKey` APIs for the given bucket.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[a-zA-Z0-9: _/+=, @. #-]+`

Required: Yes

S3Bucket

The bucket name of the S3 bucket to write to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 62.

Pattern: `[a-zA-Z0-9. -]+`

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the specified the bucket has been deleted.

Type: String

Valid Values: `CONTINUE` | `DROP`

Required: No

S3Prefix

The S3 prefix to use for the write to the s3 bucket.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 62.

Pattern: [a-zA-Z0-9!_.*'()/-]+

Required: No

S3SseKmsKeyId

The KMS Key ID to use to encrypt the message in S3.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: [a-zA-Z0-9-:/]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3ExportDestinationConfiguration

The configuration for exporting email data to an Amazon S3 bucket.

Contents

S3Location

The S3 location to deliver the exported email data.

Type: String

Pattern: `s3://[a-zA-Z0-9.-]{3,63}(/[a-zA-Z0-9!_.*'()/-]*)*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SavedAddress

An address that is a member of an address list.

Contents

Address

The email or domain that constitutes the address.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 320.

Required: Yes

CreatedTimestamp

The timestamp of when the address was added to the address list.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SearchStatus

The current status of an archive search job.

Contents

CompletionTimestamp

The timestamp of when the search completed (if finished).

Type: Timestamp

Required: No

ErrorMessage

An error message if the search failed.

Type: String

Required: No

State

The current state of the search job.

Type: String

Valid Values: QUEUED | RUNNING | COMPLETED | FAILED | CANCELLED

Required: No

SubmissionTimestamp

The timestamp of when the search was submitted.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SearchSummary

Summary details of an archive search job.

Contents

SearchId

The unique identifier of the search job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

Status

The current status of the search job.

Type: [SearchStatus](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SendAction

Sends the email to the internet using the ses:SendRawEmail API.

Contents

RoleArn

The Amazon Resource Name (ARN) of the role to use for this action. This role must have access to the ses:SendRawEmail API.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: [a-zA-Z0-9: _/+=, @. #-]+

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, the caller does not have the permissions to call the sendRawEmail API.

Type: String

Valid Values: CONTINUE | DROP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SnsAction

The action to publish the email content to an Amazon SNS topic. When executed, this action will send the email as a notification to the specified SNS topic.

Contents

RoleArn

The Amazon Resource Name (ARN) of the IAM Role to use while writing to Amazon SNS. This role must have access to the `sns:Publish` API for the given topic.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[a-zA-Z0-9: _/+=, @. #-]+`

Required: Yes

TopicArn

The Amazon Resource Name (ARN) of the Amazon SNS Topic to which notification for the email received will be published.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:(aws|aws-cn|aws-us-gov|aws-eusc):sns:[a-z0-9-]+:\d{12}:[\w\-\]{1,256}`

Required: Yes

ActionFailurePolicy

A policy that states what to do in the case of failure. The action will fail if there are configuration errors. For example, specified SNS topic has been deleted or the role lacks necessary permissions to call the `sns:Publish` API.

Type: String

Valid Values: CONTINUE | DROP

Required: No

Encoding

The encoding to use for the email within the Amazon SNS notification. The default value is UTF-8. Use BASE64 if you need to preserve all special characters, especially when the original message uses a different encoding format.

Type: String

Valid Values: UTF-8 | BASE64

Required: No

PayloadType

The expected payload type within the Amazon SNS notification. CONTENT attempts to publish the full email content with 20KB of headers content. HEADERS extracts up to 100KB of header content to include in the notification, email content will not be included to the notification. The default value is CONTENT.

Type: String

Valid Values: HEADERS | CONTENT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

A key-value pair (the value is optional), that you can define and assign to AWS resources.

Contents

Key

The key of the key-value tag.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9/_\+=\.\:@\-\]+`

Required: Yes

Value

The value of the key-value tag.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[a-zA-Z0-9/_\+=\.\:@\-\]*`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TlsAuthConfiguration

The mutual TLS authentication configuration for an ingress endpoint.

Contents

TrustStore

The trust store configuration for mutual TLS authentication.

Type: [TrustStore](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrafficPolicy

The structure of a traffic policy resource which is a container for policy statements.

Contents

DefaultAction

Default action instructs the traffic policy to either Allow or Deny (block) messages that fall outside of (or not addressed by) the conditions of your policy statements

Type: String

Valid Values: ALLOW | DENY

Required: Yes

TrafficPolicyId

The identifier of the traffic policy resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

TrafficPolicyName

A user-friendly name of the traffic policy resource.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [A-Za-z0-9_\-]+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrustStore

The trust store used for mutual TLS authentication. It contains the certificate authority (CA) certificates and optional certificate revocation list (CRL).

Contents

CAContent

The PEM-encoded certificate authority (CA) certificates bundle for the trust store.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500000.

Pattern: `[\P{C}\s]*`

Required: Yes

CrlContent

The PEM-encoded certificate revocation lists (CRLs) for the trust store. There can be one CRL per certificate authority (CA) in the trust store.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 500000.

Pattern: `[\P{C}\s]*`

Required: No

KmsKeyArn

The Amazon Resource Name (ARN) of the KMS key used to encrypt the trust store contents.

Type: String

Pattern: `arn:aws(|-cn|-us-gov|-eusc):kms:[a-z0-9-]{1,20}:[0-9]{12}:(key|alias)/.+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400