



IAM Identity Center API Reference

IAM Identity Center



API Version 2020-07-20

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

IAM Identity Center: IAM Identity Center API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AddRegion	5
Request Syntax	5
Request Parameters	5
Response Syntax	6
Response Elements	6
Errors	6
See Also	8
AttachCustomerManagedPolicyReferenceToPermissionSet	9
Request Syntax	9
Request Parameters	9
Response Elements	10
Errors	10
See Also	11
AttachManagedPolicyToPermissionSet	13
Request Syntax	13
Request Parameters	13
Response Elements	14
Errors	14
See Also	16
CreateAccountAssignment	17
Request Syntax	17
Request Parameters	17
Response Syntax	19
Response Elements	20
Errors	20
See Also	21
CreateApplication	23
Request Syntax	23
Request Parameters	24
Response Syntax	26
Response Elements	26
Errors	27

See Also	28
CreateApplicationAssignment	30
Request Syntax	30
Request Parameters	30
Response Elements	31
Errors	31
See Also	32
CreateInstance	34
Request Syntax	34
Request Parameters	34
Response Syntax	35
Response Elements	35
Errors	36
See Also	37
CreateInstanceAccessControlAttributeConfiguration	39
Request Syntax	39
Request Parameters	39
Response Elements	40
Errors	40
See Also	41
CreatePermissionSet	43
Request Syntax	43
Request Parameters	43
Response Syntax	45
Response Elements	45
Errors	46
See Also	47
CreateTrustedTokenIssuer	48
Request Syntax	48
Request Parameters	48
Response Syntax	50
Response Elements	50
Errors	51
See Also	52
DeleteAccountAssignment	53
Request Syntax	53

Request Parameters	53
Response Syntax	55
Response Elements	55
Errors	56
See Also	57
DeleteApplication	58
Request Syntax	58
Request Parameters	58
Response Elements	58
Errors	58
See Also	60
DeleteApplicationAccessScope	61
Request Syntax	61
Request Parameters	61
Response Elements	62
Errors	62
See Also	63
DeleteApplicationAssignment	64
Request Syntax	64
Request Parameters	64
Response Elements	65
Errors	65
See Also	66
DeleteApplicationAuthenticationMethod	68
Request Syntax	68
Request Parameters	68
Response Elements	68
Errors	69
See Also	70
DeleteApplicationGrant	71
Request Syntax	71
Request Parameters	71
Response Elements	72
Errors	72
See Also	73
DeleteInlinePolicyFromPermissionSet	74

Request Syntax	74
Request Parameters	74
Response Elements	75
Errors	75
See Also	76
DeleteInstance	77
Request Syntax	77
Request Parameters	77
Response Elements	77
Errors	77
See Also	78
DeleteInstanceAccessControlAttributeConfiguration	80
Request Syntax	80
Request Parameters	80
Response Elements	80
Errors	80
See Also	82
DeletePermissionsBoundaryFromPermissionSet	83
Request Syntax	83
Request Parameters	83
Response Elements	84
Errors	84
See Also	85
DeletePermissionSet	86
Request Syntax	86
Request Parameters	86
Response Elements	87
Errors	87
See Also	88
DeleteTrustedTokenIssuer	89
Request Syntax	89
Request Parameters	89
Response Elements	89
Errors	90
See Also	91
DescribeAccountAssignmentCreationStatus	92

Request Syntax	92
Request Parameters	92
Response Syntax	93
Response Elements	93
Errors	93
See Also	94
DescribeAccountAssignmentDeletionStatus	96
Request Syntax	96
Request Parameters	96
Response Syntax	97
Response Elements	97
Errors	97
See Also	98
DescribeApplication	100
Request Syntax	100
Request Parameters	100
Response Syntax	100
Response Elements	101
Errors	103
See Also	104
DescribeApplicationAssignment	106
Request Syntax	106
Request Parameters	106
Response Syntax	107
Response Elements	107
Errors	108
See Also	109
DescribeApplicationProvider	111
Request Syntax	111
Request Parameters	111
Response Syntax	111
Response Elements	112
Errors	113
See Also	114
DescribeInstance	115
Request Syntax	115

Request Parameters	115
Response Syntax	115
Response Elements	116
Errors	118
See Also	119
DescribeInstanceAccessControlAttributeConfiguration	120
Request Syntax	120
Request Parameters	120
Response Syntax	120
Response Elements	121
Errors	121
See Also	122
DescribePermissionSet	124
Request Syntax	124
Request Parameters	124
Response Syntax	125
Response Elements	125
Errors	125
See Also	126
DescribePermissionSetProvisioningStatus	128
Request Syntax	128
Request Parameters	128
Response Syntax	129
Response Elements	129
Errors	129
See Also	130
DescribeRegion	132
Request Syntax	132
Request Parameters	132
Response Syntax	133
Response Elements	133
Errors	134
See Also	135
DescribeTrustedTokenIssuer	137
Request Syntax	137
Request Parameters	137

Response Syntax	137
Response Elements	138
Errors	139
See Also	140
DetachCustomerManagedPolicyReferenceFromPermissionSet	141
Request Syntax	141
Request Parameters	141
Response Elements	142
Errors	142
See Also	143
DetachManagedPolicyFromPermissionSet	145
Request Syntax	145
Request Parameters	145
Response Elements	146
Errors	146
See Also	147
GetApplicationAccessScope	149
Request Syntax	149
Request Parameters	149
Response Syntax	150
Response Elements	150
Errors	150
See Also	151
GetApplicationAssignmentConfiguration	153
Request Syntax	153
Request Parameters	153
Response Syntax	153
Response Elements	153
Errors	154
See Also	155
GetApplicationAuthenticationMethod	156
Request Syntax	156
Request Parameters	156
Response Syntax	156
Response Elements	157
Errors	157

See Also	158
GetApplicationGrant	159
Request Syntax	159
Request Parameters	159
Response Syntax	160
Response Elements	160
Errors	160
See Also	161
GetApplicationSessionConfiguration	163
Request Syntax	163
Request Parameters	163
Response Syntax	163
Response Elements	164
Errors	164
See Also	165
GetInlinePolicyForPermissionSet	166
Request Syntax	166
Request Parameters	166
Response Syntax	167
Response Elements	167
Errors	167
See Also	168
GetPermissionsBoundaryForPermissionSet	170
Request Syntax	170
Request Parameters	170
Response Syntax	171
Response Elements	171
Errors	171
See Also	172
ListAccountAssignmentCreationStatus	174
Request Syntax	174
Request Parameters	174
Response Syntax	175
Response Elements	175
Errors	176
See Also	177

ListAccountAssignmentDeletionStatus	178
Request Syntax	178
Request Parameters	178
Response Syntax	179
Response Elements	179
Errors	180
See Also	181
ListAccountAssignments	182
Request Syntax	182
Request Parameters	182
Response Syntax	183
Response Elements	184
Errors	184
See Also	185
ListAccountAssignmentsForPrincipal	187
Request Syntax	187
Request Parameters	187
Response Syntax	189
Response Elements	189
Errors	190
See Also	191
ListAccountsForProvisionedPermissionSet	192
Request Syntax	192
Request Parameters	192
Response Syntax	193
Response Elements	194
Errors	194
See Also	195
ListApplicationAccessScopes	197
Request Syntax	197
Request Parameters	197
Response Syntax	198
Response Elements	198
Errors	199
See Also	200
ListApplicationAssignments	201

Request Syntax	201
Request Parameters	201
Response Syntax	202
Response Elements	202
Errors	203
See Also	204
ListApplicationAssignmentsForPrincipal	205
Request Syntax	205
Request Parameters	205
Response Syntax	207
Response Elements	207
Errors	208
See Also	209
ListApplicationAuthenticationMethods	210
Request Syntax	210
Request Parameters	210
Response Syntax	211
Response Elements	211
Errors	211
See Also	213
ListApplicationGrants	214
Request Syntax	214
Request Parameters	214
Response Syntax	215
Response Elements	215
Errors	215
See Also	217
ListApplicationProviders	218
Request Syntax	218
Request Parameters	218
Response Syntax	219
Response Elements	219
Errors	220
See Also	221
ListApplications	222
Request Syntax	222

Request Parameters	222
Response Syntax	223
Response Elements	224
Errors	225
See Also	226
ListCustomerManagedPolicyReferencesInPermissionSet	227
Request Syntax	227
Request Parameters	227
Response Syntax	228
Response Elements	228
Errors	229
See Also	230
ListInstances	232
Request Syntax	232
Request Parameters	232
Response Syntax	233
Response Elements	233
Errors	234
See Also	234
ListManagedPoliciesInPermissionSet	236
Request Syntax	236
Request Parameters	236
Response Syntax	237
Response Elements	237
Errors	238
See Also	239
ListPermissionSetProvisioningStatus	240
Request Syntax	240
Request Parameters	240
Response Syntax	241
Response Elements	241
Errors	242
See Also	243
ListPermissionSets	244
Request Syntax	244
Request Parameters	244

Response Syntax	245
Response Elements	245
Errors	246
See Also	247
ListPermissionSetsProvisionedToAccount	248
Request Syntax	248
Request Parameters	248
Response Syntax	249
Response Elements	250
Errors	250
See Also	251
ListRegions	253
Request Syntax	253
Request Parameters	253
Response Syntax	254
Response Elements	254
Errors	255
See Also	256
ListTagsForResource	257
Request Syntax	257
Request Parameters	257
Response Syntax	258
Response Elements	258
Errors	259
See Also	260
ListTrustedTokenIssuers	261
Request Syntax	261
Request Parameters	261
Response Syntax	262
Response Elements	262
Errors	263
See Also	264
ProvisionPermissionSet	265
Request Syntax	265
Request Parameters	265
Response Syntax	266

Response Elements	266
Errors	267
See Also	268
PutApplicationAccessScope	269
Request Syntax	269
Request Parameters	269
Response Elements	270
Errors	270
See Also	271
PutApplicationAssignmentConfiguration	273
Request Syntax	273
Request Parameters	273
Response Elements	274
Errors	274
See Also	275
PutApplicationAuthenticationMethod	276
Request Syntax	276
Request Parameters	276
Response Elements	277
Errors	277
See Also	278
PutApplicationGrant	280
Request Syntax	281
Request Parameters	281
Response Elements	282
Errors	282
See Also	283
PutApplicationSessionConfiguration	285
Request Syntax	285
Request Parameters	285
Response Elements	286
Errors	286
See Also	287
PutInlinePolicyToPermissionSet	288
Request Syntax	288
Request Parameters	288

Response Elements	289
Errors	289
See Also	290
PutPermissionsBoundaryToPermissionSet	292
Request Syntax	292
Request Parameters	292
Response Elements	293
Errors	293
See Also	294
RemoveRegion	296
Request Syntax	296
Request Parameters	296
Response Syntax	297
Response Elements	297
Errors	297
See Also	299
TagResource	300
Request Syntax	300
Request Parameters	300
Response Elements	301
Errors	301
See Also	302
UntagResource	304
Request Syntax	304
Request Parameters	304
Response Elements	305
Errors	305
See Also	306
UpdateApplication	308
Request Syntax	308
Request Parameters	308
Response Elements	309
Errors	309
See Also	311
UpdateInstance	312
Request Syntax	312

Request Parameters	312
Response Elements	313
Errors	313
See Also	314
UpdateInstanceAccessControlAttributeConfiguration	316
Request Syntax	316
Request Parameters	316
Response Elements	317
Errors	317
See Also	318
UpdatePermissionSet	320
Request Syntax	320
Request Parameters	320
Response Elements	321
Errors	322
See Also	323
UpdateTrustedTokenIssuer	324
Request Syntax	324
Request Parameters	324
Response Elements	325
Errors	325
See Also	326
Data Types	328
AccessControlAttribute	330
Contents	330
See Also	330
AccessControlAttributeValue	331
Contents	331
See Also	331
AccountAssignment	332
Contents	332
See Also	333
AccountAssignmentForPrincipal	334
Contents	334
See Also	335
AccountAssignmentOperationStatus	336

Contents	336
See Also	338
AccountAssignmentOperationStatusMetadata	339
Contents	339
See Also	339
Application	341
Contents	341
See Also	343
ApplicationAssignment	345
Contents	345
See Also	346
ApplicationAssignmentForPrincipal	347
Contents	347
See Also	348
ApplicationProvider	349
Contents	349
See Also	350
AttachedManagedPolicy	351
Contents	351
See Also	351
AuthenticationMethod	352
Contents	352
See Also	352
AuthenticationMethodItem	353
Contents	353
See Also	353
AuthorizationCodeGrant	354
Contents	354
See Also	354
AuthorizedTokenIssuer	355
Contents	355
See Also	355
CustomerManagedPolicyReference	357
Contents	357
See Also	357
DisplayData	359

Contents	359
See Also	359
EncryptionConfiguration	361
Contents	361
See Also	361
EncryptionConfigurationDetails	363
Contents	363
See Also	364
Grant	365
Contents	365
See Also	366
GrantItem	367
Contents	367
See Also	367
IamAuthenticationMethod	368
Contents	368
See Also	368
InstanceAccessControlAttributeConfiguration	369
Contents	369
See Also	369
InstanceMetadata	370
Contents	370
See Also	372
JwtBearerGrant	373
Contents	373
See Also	373
ListAccountAssignmentsFilter	374
Contents	374
See Also	374
ListApplicationAssignmentsFilter	375
Contents	375
See Also	375
ListApplicationsFilter	376
Contents	376
See Also	376
OidcJwtConfiguration	377

Contents	377
See Also	378
OidcJwtUpdateConfiguration	379
Contents	379
See Also	380
OperationStatusFilter	381
Contents	381
See Also	381
PermissionsBoundary	382
Contents	382
See Also	383
PermissionSet	384
Contents	384
See Also	385
PermissionSetProvisioningStatus	386
Contents	386
See Also	387
PermissionSetProvisioningStatusMetadata	388
Contents	388
See Also	388
PortalOptions	390
Contents	390
See Also	390
RefreshTokenGrant	391
Contents	391
See Also	391
RegionMetadata	392
Contents	392
See Also	393
ResourceServerConfig	394
Contents	394
See Also	394
ResourceServerScopeDetails	395
Contents	395
See Also	395
ScopeDetails	396

Contents	396
See Also	396
SignInOptions	398
Contents	398
See Also	398
Tag	400
Contents	400
See Also	400
TokenExchangeGrant	401
Contents	401
See Also	401
TrustedTokenIssuerConfiguration	402
Contents	402
See Also	402
TrustedTokenIssuerMetadata	403
Contents	403
See Also	404
TrustedTokenIssuerUpdateConfiguration	405
Contents	405
See Also	405
UpdateApplicationPortalOptions	406
Contents	406
See Also	406
Common Parameters	407
Common Error Types	410

Welcome

AWS IAM Identity Center is the AWS solution for connecting your workforce users to AWS managed applications and other AWS resources. You can connect your existing identity provider and synchronize users and groups from your directory, or create and manage your users directly in IAM Identity Center. You can then use IAM Identity Center for either or both of the following:

- User access to applications
- User access to AWS accounts

This guide provides information about single sign-on operations that you can use for access to applications and AWS accounts. For information about IAM Identity Center features, see the [IAM Identity Center User Guide](#).

Note

IAM Identity Center uses the `sso` and `identitystore` API namespaces.

Many API operations for IAM Identity Center rely on identifiers for users and groups, known as principals. For more information about how to work with principals and principal IDs in IAM Identity Center, see the [Identity Store API Reference](#).

Note

AWS provides SDKs that consist of libraries and sample code for various programming languages and platforms (Java, Ruby, .Net, iOS, Android, and more). The SDKs provide a convenient way to create programmatic access to IAM Identity Center and other AWS services. For more information about the AWS SDKs, including how to download and install them, see [Tools for Amazon Web Services](#).

This document was last published on June 19, 2026.

Actions

The following actions are supported:

- [AddRegion](#)
- [AttachCustomerManagedPolicyReferenceToPermissionSet](#)
- [AttachManagedPolicyToPermissionSet](#)
- [CreateAccountAssignment](#)
- [CreateApplication](#)
- [CreateApplicationAssignment](#)
- [CreateInstance](#)
- [CreateInstanceAccessControlAttributeConfiguration](#)
- [CreatePermissionSet](#)
- [CreateTrustedTokenIssuer](#)
- [DeleteAccountAssignment](#)
- [DeleteApplication](#)
- [DeleteApplicationAccessScope](#)
- [DeleteApplicationAssignment](#)
- [DeleteApplicationAuthenticationMethod](#)
- [DeleteApplicationGrant](#)
- [DeleteInlinePolicyFromPermissionSet](#)
- [DeleteInstance](#)
- [DeleteInstanceAccessControlAttributeConfiguration](#)
- [DeletePermissionsBoundaryFromPermissionSet](#)
- [DeletePermissionSet](#)
- [DeleteTrustedTokenIssuer](#)
- [DescribeAccountAssignmentCreationStatus](#)
- [DescribeAccountAssignmentDeletionStatus](#)
- [DescribeApplication](#)
- [DescribeApplicationAssignment](#)
- [DescribeApplicationProvider](#)

- [DescribeInstance](#)
- [DescribeInstanceAccessControlAttributeConfiguration](#)
- [DescribePermissionSet](#)
- [DescribePermissionSetProvisioningStatus](#)
- [DescribeRegion](#)
- [DescribeTrustedTokenIssuer](#)
- [DetachCustomerManagedPolicyReferenceFromPermissionSet](#)
- [DetachManagedPolicyFromPermissionSet](#)
- [GetApplicationAccessScope](#)
- [GetApplicationAssignmentConfiguration](#)
- [GetApplicationAuthenticationMethod](#)
- [GetApplicationGrant](#)
- [GetApplicationSessionConfiguration](#)
- [GetInlinePolicyForPermissionSet](#)
- [GetPermissionsBoundaryForPermissionSet](#)
- [ListAccountAssignmentCreationStatus](#)
- [ListAccountAssignmentDeletionStatus](#)
- [ListAccountAssignments](#)
- [ListAccountAssignmentsForPrincipal](#)
- [ListAccountsForProvisionedPermissionSet](#)
- [ListApplicationAccessScopes](#)
- [ListApplicationAssignments](#)
- [ListApplicationAssignmentsForPrincipal](#)
- [ListApplicationAuthenticationMethods](#)
- [ListApplicationGrants](#)
- [ListApplicationProviders](#)
- [ListApplications](#)
- [ListCustomerManagedPolicyReferencesInPermissionSet](#)
- [ListInstances](#)
- [ListManagedPoliciesInPermissionSet](#)

- [ListPermissionSetProvisioningStatus](#)
- [ListPermissionSets](#)
- [ListPermissionSetsProvisionedToAccount](#)
- [ListRegions](#)
- [ListTagsForResource](#)
- [ListTrustedTokenIssuers](#)
- [ProvisionPermissionSet](#)
- [PutApplicationAccessScope](#)
- [PutApplicationAssignmentConfiguration](#)
- [PutApplicationAuthenticationMethod](#)
- [PutApplicationGrant](#)
- [PutApplicationSessionConfiguration](#)
- [PutInlinePolicyToPermissionSet](#)
- [PutPermissionsBoundaryToPermissionSet](#)
- [RemoveRegion](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateApplication](#)
- [UpdateInstance](#)
- [UpdateInstanceAccessControlAttributeConfiguration](#)
- [UpdatePermissionSet](#)
- [UpdateTrustedTokenIssuer](#)

AddRegion

Adds a Region to an IAM Identity Center instance. This operation initiates an asynchronous workflow to replicate the IAM Identity Center instance to the target Region. The Region status is set to `ADDING` at first and changes to `ACTIVE` when the workflow completes.

To use this operation, your IAM Identity Center instance and the target Region must meet the requirements described in the [IAM Identity Center User Guide](#).

The following actions are related to `AddRegion`:

- [RemoveRegion](#)
- [DescribeRegion](#)
- [ListRegions](#)

Request Syntax

```
{
  "InstanceArn": "string",
  "RegionName": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The Amazon Resource Name (ARN) of the IAM Identity Center instance to replicate to the target Region.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

RegionName

The name of the AWS Region to add to the IAM Identity Center instance. The Region name must be 1-32 characters long and follow the pattern of AWS Region names (for example, us-east-1).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: (`[a-z]+-`){2,3}\d

Required: Yes

Response Syntax

```
{
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Status

The status of the Region after the Add operation. The status is `ADDING` when the asynchronous workflow is in progress and changes to `ACTIVE` when complete.

Type: String

Valid Values: `ACTIVE` | `ADDING` | `REMOVING`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AttachCustomerManagedPolicyReferenceToPermissionSet

Attaches the specified customer managed policy to the specified [PermissionSet](#).

Request Syntax

```
{
  "CustomerManagedPolicyReference": {
    "Name": "string",
    "Path": "string"
  },
  "InstanceArn": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[CustomerManagedPolicyReference](#)

Specifies the name and path of a customer managed policy. You must have an IAM policy that matches the name and path in each AWS account where you want to deploy your permission set.

Type: [CustomerManagedPolicyReference](#) object

Required: Yes

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

PermissionSetArn

The ARN of the PermissionSet.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AttachManagedPolicyToPermissionSet

Attaches an AWS managed policy ARN to a permission set.

Note

If the permission set is already referenced by one or more account assignments, you will need to call [ProvisionPermissionSet](#) after this operation. Calling `ProvisionPermissionSet` applies the corresponding IAM policy updates to all assigned accounts.

Request Syntax

```
{
  "InstanceArn": "string",
  "ManagedPolicyArn": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

ManagedPolicyArn

The AWS managed policy ARN to be attached to a permission set.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:iam::aws:policy((/[A-Za-z0-9\.\,\\+@=_-]+)*)/([A-Za-z0-9\.\,\\+@=_-]+)`

Required: Yes

PermissionSetArn

The ARN of the [PermissionSet](#) that the managed policy should be attached to.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-./]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAccountAssignment

Assigns access to a principal for a specified AWS account using a specified permission set.

Note

The term *principal* here refers to a user or group that is defined in IAM Identity Center.

Note

As part of a successful `CreateAccountAssignment` call, the specified permission set will automatically be provisioned to the account in the form of an IAM policy. That policy is attached to the IAM role created in IAM Identity Center. If the permission set is subsequently updated, the corresponding IAM policies attached to roles in your accounts will not be updated automatically. In this case, you must call [ProvisionPermissionSet](#) to make these updates.

Note

After a successful response, call `DescribeAccountAssignmentCreationStatus` to describe the status of an assignment creation request.

Request Syntax

```
{
  "InstanceArn": "string",
  "PermissionSetArn": "string",
  "PrincipalId": "string",
  "PrincipalType": "string",
  "TargetId": "string",
  "TargetType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set that the admin wants to grant the principal access to.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

PrincipalId

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}`

Required: Yes

PrincipalType

The entity type for which the assignment will be created.

Type: String

Valid Values: USER | GROUP

Required: Yes

TargetId

TargetID is an AWS account identifier, (For example, 123456789012).

Type: String

Length Constraints: Fixed length of 12.

Pattern: \d{12}

Required: Yes

TargetType

The entity type for which the assignment will be created.

Type: String

Valid Values: AWS_ACCOUNT

Required: Yes

Response Syntax

```
{
  "AccountAssignmentCreationStatus": {
    "CreatedDate": number,
    "FailureReason": "string",
    "PermissionSetArn": "string",
    "PrincipalId": "string",
    "PrincipalType": "string",
    "RequestId": "string",
    "Status": "string",
```

```
"TargetId": "string",  
"TargetType": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignmentCreationStatus

The status object for the account assignment creation operation.

Type: [AccountAssignmentOperationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateApplication

Creates an OAuth 2.0 customer managed application in IAM Identity Center for the given application provider.

Note

This API does not support creating SAML 2.0 customer managed applications or AWS managed applications. To learn how to create an AWS managed application, see the application user guide. You can create a SAML 2.0 customer managed application in the AWS Management Console only. See [Setting up customer managed SAML 2.0 applications](#). For more information on these application types, see [AWS managed applications](#).

Request Syntax

```
{
  "ApplicationProviderArn": "string",
  "ClientToken": "string",
  "Description": "string",
  "InstanceArn": "string",
  "Name": "string",
  "PortalOptions": {
    "SignInOptions": {
      "ApplicationUrl": "string",
      "Origin": "string"
    },
    "Visibility": "string"
  },
  "Status": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationProviderArn](#)

The ARN of the application provider under which the operation will run.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::aws:applicationProvider/[a-zA-Z0-9-/+]`

Required: Yes

[ClientToken](#)

Specifies a unique, case-sensitive ID that you provide to ensure the idempotency of the request. This lets you safely retry the request without accidentally performing the same operation a second time. Passing the same value to a later call to an operation requires that you also pass the same value for all other parameters. We recommend that you use a [UUID type of value](#).

If you don't provide this value, then AWS generates a random one for you.

If you retry the operation with the same `ClientToken`, but with different parameters, the retry fails with an `IdempotentParameterMismatch` error.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

[Description](#)

The description of the [Application](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

InstanceArn

The ARN of the instance of IAM Identity Center under which the operation will run. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

Name

The name of the [Application](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[\S\s]*`

Required: Yes

PortalOptions

A structure that describes the options for the portal associated with an application.

Type: [PortalOptions](#) object

Required: No

Status

Specifies whether the application is enabled or disabled.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

Tags

Specifies tags to be attached to the application.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 75 items.

Required: No

Response Syntax

```
{
  "ApplicationArn": "string",
  "IdentityStoreArn": "string",
  "InstanceArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationArn

Specifies the ARN of the application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]{16}/ap1-[a-zA-Z0-9]{16}`

IdentityStoreArn

The ARN of the identity store that is connected to the instance of IAM Identity Center.

Type: String

InstanceArn

The ARN of the instance of IAM Identity Center under which the operation will run. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateApplicationAssignment

Grant application access to a user or group.

Request Syntax

```
{
  "ApplicationArn": "string",
  "PrincipalId": "string",
  "PrincipalType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

The ARN of the application for which the assignment is created.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

PrincipalId

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}`

Required: Yes

PrincipalType

The entity type for which the assignment will be created.

Type: String

Valid Values: USER | GROUP

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateInstance

Creates an instance of IAM Identity Center for a standalone AWS account that is not managed by AWS Organizations or a member AWS account in an organization. You can create only one instance per account and across all AWS Regions.

The CreateInstance request is rejected if the following apply:

- The instance is created within the organization management account.
- An instance already exists in the same account.

Request Syntax

```
{
  "ClientToken": "string",
  "Name": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientToken

Specifies a unique, case-sensitive ID that you provide to ensure the idempotency of the request. This lets you safely retry the request without accidentally performing the same operation a second time. Passing the same value to a later call to an operation requires that you also pass the same value for all other parameters. We recommend that you use a [UUID type of value](#).

If you don't provide this value, then AWS generates a random one for you.

If you retry the operation with the same `ClientToken`, but with different parameters, the retry fails with an `IdempotentParameterMismatch` error.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

Name

The name of the instance of IAM Identity Center.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

Required: No

Tags

Specifies tags to be attached to the instance of IAM Identity Center.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 75 items.

Required: No

Response Syntax

```
{
  "InstanceArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

InstanceArn

The ARN of the instance of IAM Identity Center under which the operation will run.

For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateInstanceAccessControlAttributeConfiguration

Enables the attributes-based access control (ABAC) feature for the specified IAM Identity Center instance. You can also specify new attributes to add to your ABAC configuration during the enabling process. For more information about ABAC, see [Attribute-Based Access Control](#) in the *IAM Identity Center User Guide*.

Note

After a successful response, call `DescribeInstanceAccessControlAttributeConfiguration` to validate that `InstanceAccessControlAttributeConfiguration` was created.

Request Syntax

```
{
  "InstanceAccessControlAttributeConfiguration": {
    "AccessControlAttributes": [
      {
        "Key": "string",
        "Value": {
          "Source": [ "string" ]
        }
      }
    ]
  },
  "InstanceArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceAccessControlAttributeConfiguration](#)

Specifies the IAM Identity Center identity store attributes to add to your ABAC configuration. When using an external identity provider as an identity source, you can pass attributes through

the SAML assertion. Doing so provides an alternative to configuring attributes from the IAM Identity Center identity store. If a SAML assertion passes any of these attributes, IAM Identity Center will replace the attribute value with the value from the IAM Identity Center identity store.

Type: [InstanceAccessControlAttributeConfiguration](#) object

Required: Yes

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreatePermissionSet

Creates a permission set within a specified IAM Identity Center instance.

Note

To grant users and groups access to AWS account resources, use [CreateAccountAssignment](#) .

Request Syntax

```
{
  "Description": "string",
  "InstanceArn": "string",
  "Name": "string",
  "RelayState": "string",
  "SessionDuration": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

The description of the [PermissionSet](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 700.

Pattern: `[\u0009\u000A\u000D\u0020-\u007E\u00A1-\u00FF]*`

Required: No

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Name

The name of the [PermissionSet](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[\w+=, .@-]+`

Required: Yes

RelayState

Used to redirect users within the application during the federation authentication process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Pattern: `[a-zA-Z0-9&$@#\ \\/%?=\~\-' " | ! : , . ; * + \ [\] \ (\) \ { \ }] +`

Required: No

SessionDuration

The length of time that the application user sessions are valid in the ISO-8601 standard.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `(-?)P(=?\d|T\d)(?:\d+Y)?(?:\d+M)?(?:\d+([DW]))?(?:T(?:\d+H)?(?:\d+M)?(?:\d+(?:\.\d+)?)S)?)?`

Required: No

Tags

The tags to attach to the new [PermissionSet](#).

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 75 items.

Required: No

Response Syntax

```
{
  "PermissionSet": {
    "CreateDate": number,
    "Description": "string",
    "Name": "string",
    "PermissionSetArn": "string",
    "RelayState": "string",
    "SessionDuration": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[PermissionSet](#)

Defines the level of access on an AWS account.

Type: [PermissionSet](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTrustedTokenIssuer

Creates a connection to a trusted token issuer in an instance of IAM Identity Center. A trusted token issuer enables trusted identity propagation to be used with applications that authenticate outside of AWS.

This trusted token issuer describes an external identity provider (IdP) that can generate claims or assertions in the form of access tokens for a user. Applications enabled for IAM Identity Center can use these tokens for authentication.

Request Syntax

```
{
  "ClientToken": "string",
  "InstanceArn": "string",
  "Name": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TrustedTokenIssuerConfiguration": { ... },
  "TrustedTokenIssuerType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientToken

Specifies a unique, case-sensitive ID that you provide to ensure the idempotency of the request. This lets you safely retry the request without accidentally performing the same operation a second time. Passing the same value to a later call to an operation requires that you also pass the same value for all other parameters. We recommend that you use a [UUID type of value](#).

If you don't provide this value, then AWS generates a random one for you.

If you retry the operation with the same `ClientToken`, but with different parameters, the retry fails with an `IdempotentParameterMismatch` error.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

InstanceArn

Specifies the ARN of the instance of IAM Identity Center to contain the new trusted token issuer configuration.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Name

Specifies the name of the new trusted token issuer configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

Required: Yes

Tags

Specifies tags to be attached to the new trusted token issuer configuration.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 75 items.

Required: No

TrustedTokenIssuerConfiguration

Specifies settings that apply to the new trusted token issuer configuration. The settings that are available depend on what `TrustedTokenType` you specify.

Type: [TrustedTokenIssuerConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

TrustedTokenType

Specifies the type of the new trusted token issuer.

Type: String

Valid Values: `OIDC_JWT`

Required: Yes

Response Syntax

```
{
  "TrustedTokenIssuerArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

TrustedTokenIssuerArn

The ARN of the new trusted token issuer configuration.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

```
Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso:\d{12}:trustedTokenIssuer/(sso)?
ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]
{4}-[a-f0-9]{12}
```

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAccountAssignment

Deletes a principal's access from a specified AWS account using a specified permission set.

Note

After a successful response, call `DescribeAccountAssignmentDeletionStatus` to describe the status of an assignment deletion request.

Request Syntax

```
{
  "InstanceArn": "string",
  "PermissionSetArn": "string",
  "PrincipalId": "string",
  "PrincipalType": "string",
  "TargetId": "string",
  "TargetType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set that will be used to remove access.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

PrincipalId

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}`

Required: Yes

PrincipalType

The entity type for which the assignment will be deleted.

Type: String

Valid Values: USER | GROUP

Required: Yes

TargetId

TargetID is an AWS account identifier, (For example, 123456789012).

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: Yes

TargetType

The entity type for which the assignment will be deleted.

Type: String

Valid Values: AWS_ACCOUNT

Required: Yes

Response Syntax

```
{
  "AccountAssignmentDeletionStatus": {
    "CreatedDate": number,
    "FailureReason": "string",
    "PermissionSetArn": "string",
    "PrincipalId": "string",
    "PrincipalType": "string",
    "RequestId": "string",
    "Status": "string",
    "TargetId": "string",
    "TargetType": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignmentDeletionStatus

The status object for the account assignment deletion operation.

Type: AccountAssignmentOperationStatus object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteApplication

Deletes the association with the application. The connected service resource still exists.

Request Syntax

```
{
  "ApplicationArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteApplicationAccessScope

Deletes an IAM Identity Center access scope from an application.

Request Syntax

```
{
  "ApplicationArn": "string",
  "Scope": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application with the access scope to delete.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

Scope

Specifies the name of the access scope to remove from the application.

Type: String

Pattern: `([A-Za-z0-9_]{1,50})(:[A-Za-z0-9_]{1,50}){0,1}(:[A-Za-z0-9_]{1,50}){0,1}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteApplicationAssignment

Revoke application access to an application by deleting application assignments for a user or group.

Request Syntax

```
{
  "ApplicationArn": "string",
  "PrincipalId": "string",
  "PrincipalType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-\.]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

PrincipalId

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: ([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}

Required: Yes

PrincipalType

The entity type for which the assignment will be deleted.

Type: String

Valid Values: USER | GROUP

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteApplicationAuthenticationMethod

Deletes an authentication method from an application.

Request Syntax

```
{
  "ApplicationArn": "string",
  "AuthenticationMethodType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application with the authentication method to delete.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

AuthenticationMethodType

Specifies the authentication method type to delete from the application.

Type: String

Valid Values: IAM

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteApplicationGrant

Deletes a grant from an application.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "GrantType": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application with the grant to delete.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

[GrantType](#)

Specifies the type of grant to delete from the application.

Type: String

Valid Values: `authorization_code` | `refresh_token` | `urn:ietf:params:oauth:grant-type:jwt-bearer` | `urn:ietf:params:oauth:grant-type:token-exchange`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteInlinePolicyFromPermissionSet

Deletes the inline policy from a specified permission set.

Request Syntax

```
{  
  "InstanceArn": "string",  
  "PermissionSetArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set that will be used to remove access.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-`
`Z0-9-.]``{16}``/ps-[a-zA-Z0-9-./]``{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteInstance

Deletes the instance of IAM Identity Center. Only the account that owns the instance can call this API. Neither the delegated administrator nor member account can delete the organization instance, but those roles can delete their own instance.

Request Syntax

```
{
  "InstanceArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the instance of IAM Identity Center under which the operation will run.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteInstanceAccessControlAttributeConfiguration

Disables the attributes-based access control (ABAC) feature for the specified IAM Identity Center instance and deletes all of the attribute mappings that have been configured. Once deleted, any attributes that are received from an identity source and any custom attributes you have previously configured will not be passed. For more information about ABAC, see [Attribute-Based Access Control](#) in the *IAM Identity Center User Guide*.

Request Syntax

```
{
  "InstanceArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeletePermissionsBoundaryFromPermissionSet

Deletes the permissions boundary from a specified [PermissionSet](#).

Request Syntax

```
{
  "InstanceArn": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

[PermissionSetArn](#)

The ARN of the PermissionSet.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeletePermissionSet

Deletes the specified permission set.

Request Syntax

```
{  
  "InstanceArn": "string",  
  "PermissionSetArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set that should be deleted.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-.]`
`{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTrustedTokenIssuer

Deletes a trusted token issuer configuration from an instance of IAM Identity Center.

Note

Deleting this trusted token issuer configuration will cause users to lose access to any applications that are configured to use the trusted token issuer.

Request Syntax

```
{  
  "TrustedTokenIssuerArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

TrustedTokenIssuerArn

Specifies the ARN of the trusted token issuer configuration to delete.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:trustedTokenIssuer/(sso)?
ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]
{4}-[a-f0-9]{12}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAccountAssignmentCreationStatus

Describes the status of the assignment creation request.

Request Syntax

```
{  
  "AccountAssignmentCreationRequestId": "string",  
  "InstanceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountAssignmentCreationRequestId

The identifier that is used to track the request operation progress.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `\b[0-9a-f]{8}\b-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-\b[0-9a-f]{12}\b`

Required: Yes

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed.

For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Syntax

```
{
  "AccountAssignmentCreationStatus": {
    "CreatedDate": number,
    "FailureReason": "string",
    "PermissionSetArn": "string",
    "PrincipalId": "string",
    "PrincipalType": "string",
    "RequestId": "string",
    "Status": "string",
    "TargetId": "string",
    "TargetType": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignmentCreationStatus

The status object for the account assignment creation operation.

Type: [AccountAssignmentOperationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAccountAssignmentDeletionStatus

Describes the status of the assignment deletion request.

Request Syntax

```
{  
  "AccountAssignmentDeletionRequestId": "string",  
  "InstanceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountAssignmentDeletionRequestId

The identifier that is used to track the request operation progress.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `\b[0-9a-f]{8}\b-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-\b[0-9a-f]{12}\b`

Required: Yes

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed.

For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Syntax

```
{
  "AccountAssignmentDeletionStatus": {
    "CreatedDate": number,
    "FailureReason": "string",
    "PermissionSetArn": "string",
    "PrincipalId": "string",
    "PrincipalType": "string",
    "RequestId": "string",
    "Status": "string",
    "TargetId": "string",
    "TargetType": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignmentDeletionStatus

The status object for the account assignment deletion operation.

Type: [AccountAssignmentOperationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeApplication

Retrieves the details of an application associated with an instance of IAM Identity Center.

Request Syntax

```
{  
  "ApplicationArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-\.]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

Response Syntax

```
{  
  "ApplicationAccount": "string",  
  "ApplicationArn": "string",  
  "ApplicationProviderArn": "string",  
  "CreatedDate": number,  
  "CreatedFrom": "string",  
  "Description": "string",  
  "IdentityStoreArn": "string",  
}
```

```
"InstanceArn": "string",
"Name": "string",
"PortalOptions": {
  "SignInOptions": {
    "ApplicationUrl": "string",
    "Origin": "string"
  },
  "Visibility": "string"
},
"Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationAccount

The account ID.

Type: String

Length Constraints: Fixed length of 12.

Pattern: \d{12}

ApplicationArn

Specifies the ARN of the application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}

ApplicationProviderArn

The ARN of the application provider under which the operation will run.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::aws:applicationProvider/[a-zA-Z0-9-/+]`

CreatedDate

The date the application was created.

Type: Timestamp

CreatedFrom

The AWS Region where the application was created in IAM Identity Center.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `([a-z]{2,3})\d`

Description

The description of the [Application](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

IdentityStoreArn

The ARN of the identity store that is connected to the instance of IAM Identity Center.

Type: String

InstanceArn

The ARN of the IAM Identity Center application under which the operation will run. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Name

The application name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[\S\s]*`

PortalOptions

A structure that describes the options for the portal associated with an application.

Type: [PortalOptions](#) object

Status

Specifies whether the application is enabled or disabled.

Type: String

Valid Values: ENABLED | DISABLED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeApplicationAssignment

Retrieves a direct assignment of a user or group to an application. If the user doesn't have a direct assignment to the application, the user may still have access to the application through a group. Therefore, don't use this API to test access to an application for a user. Instead use [ListApplicationAssignmentsForPrincipal](#).

Request Syntax

```
{
  "ApplicationArn": "string",
  "PrincipalId": "string",
  "PrincipalType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

[PrincipalId](#)

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: (`[0-9a-f]{10}-` | `)``[A-Fa-f0-9]{8}`-`[A-Fa-f0-9]{4}`-`[A-Fa-f0-9]{4}`-`[A-Fa-f0-9]{4}`-`[A-Fa-f0-9]{4}`-`[A-Fa-f0-9]{12}`

Required: Yes

PrincipalType

The entity type for which the assignment will be created.

Type: String

Valid Values: USER | GROUP

Required: Yes

Response Syntax

```
{
  "ApplicationArn": "string",
  "PrincipalId": "string",
  "PrincipalType": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationArn

Specifies the ARN of the application. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

PrincipalId

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: ([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}

PrincipalType

The entity type for which the assignment will be created.

Type: String

Valid Values: USER | GROUP

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeApplicationProvider

Retrieves details about a provider that can be used to connect an AWS managed application or customer managed application to IAM Identity Center.

Request Syntax

```
{
  "ApplicationProviderArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationProviderArn

Specifies the ARN of the application provider for which you want details.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::aws:applicationProvider/[a-zA-Z0-9-/+]`

Required: Yes

Response Syntax

```
{
  "ApplicationProviderArn": "string",
  "DisplayData": {
    "Description": "string",
    "DisplayName": "string",
    "IconUrl": "string"
  },
  "FederationProtocol": "string",
}
```

```
"ResourceServerConfig": {
  "Scopes": {
    "string" : {
      "DetailedTitle": "string",
      "LongDescription": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationProviderArn

The ARN of the application provider.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::aws:applicationProvider/[a-zA-Z0-9-/+]`

DisplayData

A structure with details about the display data for the application provider.

Type: [DisplayData](#) object

FederationProtocol

The protocol used to federate to the application provider.

Type: String

Valid Values: SAML | OAUTH

ResourceServerConfig

A structure with details about the receiving application.

Type: [ResourceServerConfig](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeInstance

Returns the details of an instance of IAM Identity Center. The status can be one of the following:

- `CREATE_IN_PROGRESS` - The instance is in the process of being created. When the instance is ready for use, `DescribeInstance` returns the status of `ACTIVE`. While the instance is in the `CREATE_IN_PROGRESS` state, you can call only `DescribeInstance` and `DeleteInstance` operations.
- `DELETE_IN_PROGRESS` - The instance is being deleted. Returns `AccessDeniedException` after the delete operation completes.
- `ACTIVE` - The instance is active.

Request Syntax

```
{  
  "InstanceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the instance of IAM Identity Center under which the operation will run.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Syntax

```
{
```

```
"CreatedDate": number,
"EncryptionConfigurationDetails": {
  "EncryptionStatus": "string",
  "EncryptionStatusReason": "string",
  "KeyType": "string",
  "KmsKeyArn": "string"
},
"IdentityStoreId": "string",
"InstanceArn": "string",
"Name": "string",
"OwnerAccountId": "string",
"Status": "string",
"StatusReason": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CreatedDate

The date the instance was created.

Type: Timestamp

EncryptionConfigurationDetails

Contains the encryption configuration for your IAM Identity Center instance, including the encryption status, KMS key type, and KMS key ARN.

Type: [EncryptionConfigurationDetails](#) object

IdentityStoreId

The identifier of the identity store that is connected to the instance of IAM Identity Center.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

InstanceArn

The ARN of the instance of IAM Identity Center under which the operation will run. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Name

Specifies the instance name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

OwnerAccountId

The identifier of the AWS account for which the instance was created.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Status

The status of the instance.

Type: String

Valid Values: CREATE_IN_PROGRESS | CREATE_FAILED | DELETE_IN_PROGRESS | ACTIVE

StatusReason

Provides additional context about the current status of the IAM Identity Center instance. This field is particularly useful when an instance is in a non-ACTIVE state, such as CREATE_FAILED.

When an instance fails to create or update, this field contains information about the cause, which may include issues with KMS key configuration, permission problems with the specified KMS key, or service-related errors.

Type: String

Pattern: `[\p{L}\p{M}\p{Z}\p{S}\p{N}\p{P}]*`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeInstanceAccessControlAttributeConfiguration

Returns the list of IAM Identity Center identity store attributes that have been configured to work with attributes-based access control (ABAC) for the specified IAM Identity Center instance. This will not return attributes configured and sent by an external identity provider. For more information about ABAC, see [Attribute-Based Access Control](#) in the *IAM Identity Center User Guide*.

Request Syntax

```
{
  "InstanceArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Syntax

```
{
  "InstanceAccessControlAttributeConfiguration": {
    "AccessControlAttributes": [
      {
        "Key": "string",
        "Value": {
```

```
        "Source": [ "string" ]
      }
    }
  ],
  "Status": "string",
  "StatusReason": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

InstanceAccessControlAttributeConfiguration

Gets the list of IAM Identity Center identity store attributes that have been added to your ABAC configuration.

Type: [InstanceAccessControlAttributeConfiguration](#) object

Status

The status of the attribute configuration process.

Type: String

Valid Values: ENABLED | CREATION_IN_PROGRESS | CREATION_FAILED

StatusReason

Provides more details about the current status of the specified attribute.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribePermissionSet

Gets the details of the permission set.

Request Syntax

```
{  
  "InstanceArn": "string",  
  "PermissionSetArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-`
`Z0-9-.]``{16}``/ps-[a-zA-Z0-9-./]``{16}`

Required: Yes

Response Syntax

```
{
  "PermissionSet": {
    "CreateDate": number,
    "Description": "string",
    "Name": "string",
    "PermissionSetArn": "string",
    "RelayState": "string",
    "SessionDuration": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

PermissionSet

Describes the level of access on an AWS account.

Type: [PermissionSet](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribePermissionSetProvisioningStatus

Describes the status for the given permission set provisioning request.

Request Syntax

```
{
  "InstanceArn": "string",
  "ProvisionPermissionSetRequestId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

ProvisionPermissionSetRequestId

The identifier that is provided by the [ProvisionPermissionSet](#) call to retrieve the current status of the provisioning workflow.

Type: String

Length Constraints: Fixed length of 36.

Pattern: \b[0-9a-f]{8}\b-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-\b[0-9a-f]{12}\b

Required: Yes

Response Syntax

```
{
  "PermissionSetProvisioningStatus": {
    "AccountId": "string",
    "CreateDate": number,
    "FailureReason": "string",
    "PermissionSetArn": "string",
    "RequestId": "string",
    "Status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

PermissionSetProvisioningStatus

The status object for the permission set provisioning operation.

Type: [PermissionSetProvisioningStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeRegion

Retrieves details about a specific Region enabled in an IAM Identity Center instance. Details include the Region name, current status (ACTIVE, ADDING, or REMOVING), the date when the Region was added, and whether it is the primary Region. The request must be made from one of the enabled Regions of the IAM Identity Center instance.

The following actions are related to DescribeRegion:

- [AddRegion](#)
- [RemoveRegion](#)
- [ListRegions](#)

Request Syntax

```
{
  "InstanceArn": "string",
  "RegionName": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The Amazon Resource Name (ARN) of the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

RegionName

The name of the AWS Region to retrieve information about. The Region name must be 1-32 characters long and follow the pattern of AWS Region names (for example, us-east-1).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: (`[a-z]{2,3}`)\d

Required: Yes

Response Syntax

```
{
  "AddedDate": number,
  "IsPrimaryRegion": boolean,
  "RegionName": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AddedDate

The timestamp when the Region was added to the IAM Identity Center instance. For the primary Region, this is the IAM Identity Center instance creation time.

Type: Timestamp

IsPrimaryRegion

Indicates whether this is the primary Region where the IAM Identity Center instance was originally enabled. For more information on the difference between the primary Region and additional Regions, see [IAM Identity Center User Guide](#)

Type: Boolean

RegionName

The AWS Region name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: (`[a-z]{2,3}`)\d

Status

The current status of the Region. Valid values are ACTIVE (Region is operational), ADDING (Region replication workflow is in progress), or REMOVING (Region removal workflow is in progress).

Type: String

Valid Values: ACTIVE | ADDING | REMOVING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeTrustedTokenIssuer

Retrieves details about a trusted token issuer configuration stored in an instance of IAM Identity Center. Details include the name of the trusted token issuer, the issuer URL, and the path of the source attribute and the destination attribute for a trusted token issuer configuration.

Request Syntax

```
{  
  "TrustedTokenIssuerArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

TrustedTokenIssuerArn

Specifies the ARN of the trusted token issuer configuration that you want details about.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Response Syntax

```
{  
  "Name": "string",  
  "TrustedTokenIssuerArn": "string",  
  "TrustedTokenIssuerConfiguration": { ... },  
  "TrustedTokenIssuerType": "string"  
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the trusted token issuer configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

TrustedTokenIssuerArn

The ARN of the trusted token issuer configuration.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

TrustedTokenIssuerConfiguration

A structure that describes the settings that apply to this trusted token issuer.

Type: [TrustedTokenIssuerConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

TrustedTokenIssuerType

The type of the trusted token issuer.

Type: String

Valid Values: OIDC_JWT

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DetachCustomerManagedPolicyReferenceFromPermissionSet

Detaches the specified customer managed policy from the specified [PermissionSet](#).

Request Syntax

```
{
  "CustomerManagedPolicyReference": {
    "Name": "string",
    "Path": "string"
  },
  "InstanceArn": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[CustomerManagedPolicyReference](#)

Specifies the name and path of a customer managed policy. You must have an IAM policy that matches the name and path in each AWS account where you want to deploy your permission set.

Type: [CustomerManagedPolicyReference](#) object

Required: Yes

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

PermissionSetArn

The ARN of the PermissionSet.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DetachManagedPolicyFromPermissionSet

Detaches the attached AWS managed policy ARN from the specified permission set.

Request Syntax

```
{
  "InstanceArn": "string",
  "ManagedPolicyArn": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

ManagedPolicyArn

The AWS managed policy ARN to be detached from a permission set.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:iam::aws:policy((/[A-Za-z0-9\.\, \+@=_-]+)*)/([A-Za-z0-9\.\, \+@=_-]+)`

Required: Yes

PermissionSetArn

The ARN of the [PermissionSet](#) from which the policy should be detached.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetApplicationAccessScope

Retrieves the authorized targets for an IAM Identity Center access scope for an application.

Request Syntax

```
{
  "ApplicationArn": "string",
  "Scope": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application with the access scope that you want to retrieve.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

Scope

Specifies the name of the access scope for which you want the authorized targets.

Type: String

Pattern: `([A-Za-z0-9_]{1,50})(:[A-Za-z0-9_]{1,50}){0,1}(:[A-Za-z0-9_]{1,50}){0,1}`

Required: Yes

Response Syntax

```
{
  "AuthorizedTargets": [ "string" ],
  "Scope": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AuthorizedTargets

An array of authorized targets associated with this access scope.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::(\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}|:instance/(sso)?ins-[a-zA-Z0-9-]{16})`

Scope

The name of the access scope that can be used with the authorized targets.

Type: String

Pattern: `([A-Za-z0-9_]{1,50})(:[A-Za-z0-9_]{1,50}){0,1}(:[A-Za-z0-9_]{1,50}){0,1}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetApplicationAssignmentConfiguration

Retrieves the configuration of [PutApplicationAssignmentConfiguration](#).

Request Syntax

```
{  
  "ApplicationArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

Response Syntax

```
{  
  "AssignmentRequired": boolean  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AssignmentRequired

If `AssignmentsRequired` is `true` (default value), users don't have access to the application unless an assignment is created using the [CreateApplicationAssignment API](#). If `false`, all users have access to the application.

Type: Boolean

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetApplicationAuthenticationMethod

Retrieves details about an authentication method used by an application.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "AuthenticationMethodType": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-\.]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

AuthenticationMethodType

Specifies the type of authentication method for which you want details.

Type: String

Valid Values: IAM

Required: Yes

Response Syntax

```
{
```

```
"AuthenticationMethod": { ... }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AuthenticationMethod

A structure that contains details about the requested authentication method.

Type: [AuthenticationMethod](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetApplicationGrant

Retrieves details about an application grant.

Request Syntax

```
{
  "ApplicationArn": "string",
  "GrantType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application that contains the grant.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

[GrantType](#)

Specifies the type of grant.

Type: String

Valid Values: `authorization_code` | `refresh_token` | `urn:ietf:params:oauth:grant-type:jwt-bearer` | `urn:ietf:params:oauth:grant-type:token-exchange`

Required: Yes

Response Syntax

```
{  
  "Grant": { ... }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Grant](#)

A structure that describes the requested grant.

Type: [Grant](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetApplicationSessionConfiguration

Retrieves the session configuration for an application in IAM Identity Center.

The session configuration determines how users can access an application. This includes whether user background sessions are enabled. User background sessions allow users to start a job on a supported AWS managed application without having to remain signed in to an active session while the job runs.

Request Syntax

```
{  
  "ApplicationArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

The Amazon Resource Name (ARN) of the application for which to retrieve the session configuration.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

Response Syntax

```
{  
  "UserBackgroundSessionApplicationStatus": "string"  
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

UserBackgroundSessionApplicationStatus

The status of user background sessions for the application.

Type: String

Valid Values: ENABLED | DISABLED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetInlinePolicyForPermissionSet

Obtains the inline policy assigned to the permission set.

Request Syntax

```
{  
  "InstanceArn": "string",  
  "PermissionSetArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-`
`Z0-9-.]``{16}``/ps-[a-zA-Z0-9-./]``{16}`

Required: Yes

Response Syntax

```
{  
  "InlinePolicy": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

InlinePolicy

The inline policy that is attached to the permission set.

Note

For Length Constraints, if a valid ARN is provided for a permission set, it is possible for an empty inline policy to be returned.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32768.

Pattern: `[\u0009\u000A\u000D\u0020-\u00FF]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetPermissionsBoundaryForPermissionSet

Obtains the permissions boundary for a specified [PermissionSet](#).

Request Syntax

```
{  
  "InstanceArn": "string",  
  "PermissionSetArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

[PermissionSetArn](#)

The ARN of the PermissionSet.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-.]`
`{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Syntax

```
{
  "PermissionsBoundary": {
    "CustomerManagedPolicyReference": {
      "Name": "string",
      "Path": "string"
    },
    "ManagedPolicyArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

PermissionsBoundary

The permissions boundary attached to the specified permission set.

Type: [PermissionsBoundary](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAccountAssignmentCreationStatus

Lists the status of the AWS account assignment creation requests for a specified IAM Identity Center instance.

Request Syntax

```
{
  "Filter": {
    "Status": "string"
  },
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filter

Filters results based on the passed attribute value.

Type: [OperationStatusFilter](#) object

Required: No

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

The maximum number of results to display for the assignment.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "AccountAssignmentsCreationStatus": [
    {
      "CreatedDate": number,
      "RequestId": "string",
      "Status": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignmentsCreationStatus

The status object for the account assignment creation operation.

Type: Array of [AccountAssignmentOperationStatusMetadata](#) objects

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAccountAssignmentDeletionStatus

Lists the status of the AWS account assignment deletion requests for a specified IAM Identity Center instance.

Request Syntax

```
{
  "Filter": {
    "Status": "string"
  },
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filter

Filters results based on the passed attribute value.

Type: [OperationStatusFilter](#) object

Required: No

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

The maximum number of results to display for the assignment.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "AccountAssignmentsDeletionStatus": [
    {
      "CreatedDate": number,
      "RequestId": "string",
      "Status": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignmentsDeletionStatus

The status object for the account assignment deletion operation.

Type: Array of [AccountAssignmentOperationStatusMetadata](#) objects

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAccountAssignments

Lists the assignee of the specified AWS account with the specified permission set.

Request Syntax

```
{
  "AccountId": "string",
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The identifier of the AWS account from which to list the assignments.

Type: String

Length Constraints: Fixed length of 12.

Pattern: \d{12}

Required: Yes

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

MaxResults

The maximum number of results to display for the assignment.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Required: No

PermissionSetArn

The ARN of the permission set from which to list assignments.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-.]`
`{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Syntax

```
{  
  "AccountAssignments": [  
    ...  
  ]  
}
```

```
{
  "AccountId": "string",
  "PermissionSetArn": "string",
  "PrincipalId": "string",
  "PrincipalType": "string"
},
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignments

The list of assignments that match the input AWS account and permission set.

Type: Array of [AccountAssignment](#) objects

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAccountAssignmentsForPrincipal

Retrieves a list of the IAM Identity Center associated AWS accounts that the principal has access to. This action must be called from the management account containing your organization instance of IAM Identity Center. This action is not valid for account instances of IAM Identity Center.

Request Syntax

```
{
  "Filter": {
    "AccountId": "string"
  },
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string",
  "PrincipalId": "string",
  "PrincipalType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filter

Specifies an AWS account ID number. Results are filtered to only those that match this ID number.

Type: [ListAccountAssignmentsFilter](#) object

Required: No

InstanceArn

Specifies the ARN of the instance of IAM Identity Center that contains the principal.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

MaxResults

Specifies the total number of results that you want included in each response. If additional items exist beyond the number you specify, the `NextToken` response element is returned with a value (not null). Include the specified value as the `NextToken` request parameter in the next call to the operation to get the next set of results. Note that the service might return fewer results than the maximum even when there are more results available. You should check `NextToken` after every operation to ensure that you receive all of the results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a `NextToken` response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's `NextToken` response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Required: No

PrincipalId

Specifies the principal for which you want to retrieve the list of account assignments.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}`

Required: Yes

PrincipalType

Specifies the type of the principal.

Type: String

Valid Values: USER | GROUP

Required: Yes

Response Syntax

```
{
  "AccountAssignments": [
    {
      "AccountId": "string",
      "PermissionSetArn": "string",
      "PrincipalId": "string",
      "PrincipalType": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountAssignments

An array list of the account assignments for the principal.

Type: Array of [AccountAssignmentForPrincipal](#) objects

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a subsequent call to the

operation to get the next part of the output. You should repeat this until the `NextToken` response element comes back as `null`. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAccountsForProvisionedPermissionSet

Lists all the AWS accounts where the specified permission set is provisioned.

Request Syntax

```
{
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string",
  "PermissionSetArn": "string",
  "ProvisioningStatus": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

The maximum number of results to display for the [PermissionSet](#).

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+/_]*

Required: No

PermissionSetArn

The ARN of the [PermissionSet](#) from which the associated AWS accounts will be listed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}

Required: Yes

ProvisioningStatus

The permission set provisioning status for an AWS account.

Type: String

Valid Values: LATEST_PERMISSION_SET_PROVISIONED | LATEST_PERMISSION_SET_NOT_PROVISIONED

Required: No

Response Syntax

```
{  
  "AccountIds": [ "string" ],
```

```
"NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AccountIds

The list of AWS AccountIds.

Type: Array of strings

Length Constraints: Fixed length of 12.

Pattern: \d{12}

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationAccessScopes

Lists the access scopes and authorized targets associated with an application.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

[MaxResults](#)

Specifies the total number of results that you want included in each response. If additional items exist beyond the number you specify, the `NextToken` response element is returned with a value (not null). Include the specified value as the `NextToken` request parameter in the next call to the operation to get the next set of results. Note that the service might return fewer results than the maximum even when there are more results available. You should check `NextToken` after every operation to ensure that you receive all of the results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 10.

Required: No

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a NextToken response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's NextToken response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "Scopes": [
    {
      "AuthorizedTargets": [ "string" ],
      "Scope": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a subsequent call to the

operation to get the next part of the output. You should repeat this until the `NextToken` response element comes back as `null`. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Scopes

An array list of access scopes and their authorized targets that are associated with the application.

Type: Array of [ScopeDetails](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationAssignments

Lists AWS account users that are assigned to an application.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

[MaxResults](#)

Specifies the total number of results that you want included in each response. If additional items exist beyond the number you specify, the `NextToken` response element is returned with a value (not null). Include the specified value as the `NextToken` request parameter in the next call to the operation to get the next set of results. Note that the service might return fewer results than the maximum even when there are more results available. You should check `NextToken` after every operation to ensure that you receive all of the results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a NextToken response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's NextToken response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "ApplicationAssignments": [
    {
      "ApplicationArn": "string",
      "PrincipalId": "string",
      "PrincipalType": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationAssignments

The list of users assigned to an application.

Type: Array of [ApplicationAssignment](#) objects

[NextToken](#)

If present, this value indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the `NextToken` response element comes back as `null`. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+="/_]*`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationAssignmentsForPrincipal

Lists the applications to which a specified principal is assigned. You must provide a filter when calling this action from a member account against your organization instance of IAM Identity Center. A filter is not required when called from the management account against an organization instance of IAM Identity Center, or from a member account against an account instance of IAM Identity Center in the same account.

Request Syntax

```
{
  "Filter": {
    "ApplicationArn": "string"
  },
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string",
  "PrincipalId": "string",
  "PrincipalType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filter

Filters the output to include only assignments associated with the application that has the specified ARN.

Type: [ListApplicationAssignmentsFilter](#) object

Required: No

InstanceArn

Specifies the instance of IAM Identity Center that contains principal and applications.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

Specifies the total number of results that you want included in each response. If additional items exist beyond the number you specify, the `NextToken` response element is returned with a value (not null). Include the specified value as the `NextToken` request parameter in the next call to the operation to get the next set of results. Note that the service might return fewer results than the maximum even when there are more results available. You should check `NextToken` after every operation to ensure that you receive all of the results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a `NextToken` response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's `NextToken` response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Required: No

PrincipalId

Specifies the unique identifier of the principal for which you want to retrieve its assignments.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: ([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}

Required: Yes

PrincipalType

Specifies the type of the principal for which you want to retrieve its assignments.

Type: String

Valid Values: USER | GROUP

Required: Yes

Response Syntax

```
{
  "ApplicationAssignments": [
    {
      "ApplicationArn": "string",
      "PrincipalId": "string",
      "PrincipalType": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationAssignments

An array list of the application assignments for the specified principal.

Type: Array of [ApplicationAssignmentForPrincipal](#) objects

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the `NextToken` response element comes back as `null`. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+="/_]*`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationAuthenticationMethods

Lists all of the authentication methods supported by the specified application.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application with the authentication methods you want to list.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a NextToken response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's NextToken response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Required: No

Response Syntax

```
{
  "AuthenticationMethods": [
    {
      "AuthenticationMethod": { ... },
      "AuthenticationMethodType": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AuthenticationMethods

An array list of authentication methods for the specified application.

Type: Array of [AuthenticationMethodItem](#) objects

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the NextToken response element comes back as null. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationGrants

List the grants associated with an application.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application whose grants you want to list.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a NextToken response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's NextToken response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Required: No

Response Syntax

```
{
  "Grants": [
    {
      "Grant": { ... },
      "GrantType": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Grants

An array list of structures that describe the requested grants.

Type: Array of [GrantItem](#) objects

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the NextToken response element comes back as null. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationProviders

Lists the application providers configured in the IAM Identity Center identity store.

Request Syntax

```
{  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MaxResults

Specifies the total number of results that you want included in each response. If additional items exist beyond the number you specify, the NextToken response element is returned with a value (not null). Include the specified value as the NextToken request parameter in the next call to the operation to get the next set of results. Note that the service might return fewer results than the maximum even when there are more results available. You should check NextToken after every operation to ensure that you receive all of the results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a NextToken response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's NextToken response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "ApplicationProviders": [
    {
      "ApplicationProviderArn": "string",
      "DisplayData": {
        "Description": "string",
        "DisplayName": "string",
        "IconUrl": "string"
      },
      "FederationProtocol": "string",
      "ResourceServerConfig": {
        "Scopes": {
          "string": {
            "DetailedTitle": "string",
            "LongDescription": "string"
          }
        }
      }
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationProviders

An array list of structures that describe application providers.

Type: Array of [ApplicationProvider](#) objects

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the `NextToken` response element comes back as `null`. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+="/_]*`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplications

Lists all applications associated with the instance of IAM Identity Center. When listing applications for an organization instance in the management account, member accounts must use the `applicationAccount` parameter to filter the list to only applications created from that account. When listing applications for an account instance in the same member account, a filter is not required.

Request Syntax

```
{
  "Filter": {
    "ApplicationAccount": "string",
    "ApplicationProvider": "string"
  },
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filter

Filters response results.

Type: [ListApplicationsFilter](#) object

Required: No

InstanceArn

The ARN of the IAM Identity Center application under which the operation will run. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

Specifies the total number of results that you want included in each response. If additional items exist beyond the number you specify, the `NextToken` response element is returned with a value (not null). Include the specified value as the `NextToken` request parameter in the next call to the operation to get the next set of results. Note that the service might return fewer results than the maximum even when there are more results available. You should check `NextToken` after every operation to ensure that you receive all of the results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a `NextToken` response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's `NextToken` response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

Required: No

Response Syntax

```
{
  "Applications": [
```

```
{
  "ApplicationAccount": "string",
  "ApplicationArn": "string",
  "ApplicationProviderArn": "string",
  "CreatedDate": number,
  "CreatedFrom": "string",
  "Description": "string",
  "IdentityStoreArn": "string",
  "InstanceArn": "string",
  "Name": "string",
  "PortalOptions": {
    "SignInOptions": {
      "ApplicationUrl": "string",
      "Origin": "string"
    },
    "Visibility": "string"
  },
  "Status": "string"
}
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Applications

Retrieves all applications associated with the instance.

Type: Array of [Application](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the `NextToken` request parameter in a subsequent call to the operation to get the next part of the output. You should repeat this until the `NextToken` response element comes back as `null`. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCustomerManagedPolicyReferencesInPermissionSet

Lists all customer managed policies attached to a specified [PermissionSet](#).

Request Syntax

```
{
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

[MaxResults](#)

The maximum number of results to display for the list call.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

PermissionSetArn

The ARN of the PermissionSet.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}

Required: Yes

Response Syntax

```
{
  "CustomerManagedPolicyReferences": [
    {
      "Name": "string",
      "Path": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CustomerManagedPolicyReferences

Specifies the names and paths of the customer managed policies that you have attached to your permission set.

Type: Array of [CustomerManagedPolicyReference](#) objects

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListInstances

Lists the details of the organization and account instances of IAM Identity Center that were created in or visible to the account calling this API.

Request Syntax

```
{  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to display for the instance.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+="/_]*`

Required: No

Response Syntax

```
{
  "Instances": [
    {
      "CreateDate": number,
      "IdentityStoreId": "string",
      "InstanceArn": "string",
      "Name": "string",
      "OwnerAccountId": "string",
      "Status": "string",
      "StatusReason": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Instances

Lists the IAM Identity Center instances that the caller has access to.

Type: Array of [InstanceMetadata](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListManagedPoliciesInPermissionSet

Lists the AWS managed policy that is attached to a specified permission set.

Request Syntax

```
{
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

The maximum number of results to display for the [PermissionSet](#).

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

PermissionSetArn

The ARN of the [PermissionSet](#) whose managed policies will be listed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-./]{16}/ps-[a-zA-Z0-9-./]{16}

Required: Yes

Response Syntax

```
{
  "AttachedManagedPolicies": [
    {
      "Arn": "string",
      "Name": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AttachedManagedPolicies

An array of the [AttachedManagedPolicy](#) data type object.

Type: Array of [AttachedManagedPolicy](#) objects

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPermissionSetProvisioningStatus

Lists the status of the permission set provisioning requests for a specified IAM Identity Center instance.

Request Syntax

```
{
  "Filter": {
    "Status": "string"
  },
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filter

Filters results based on the passed attribute value.

Type: [OperationStatusFilter](#) object

Required: No

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

The maximum number of results to display for the assignment.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "PermissionSetsProvisioningStatus": [
    {
      "CreateDate": number,
      "RequestId": "string",
      "Status": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

PermissionSetsProvisioningStatus

The status object for the permission set provisioning operation.

Type: Array of [PermissionSetProvisioningStatusMetadata](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPermissionSets

Lists the [PermissionSets](#) in an IAM Identity Center instance.

Request Syntax

```
{
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

[MaxResults](#)

The maximum number of results to display for the assignment.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "PermissionSets": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

PermissionSets

Defines the level of access on an AWS account.

Type: Array of strings

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPermissionSetsProvisionedToAccount

Lists all the permission sets that are provisioned to a specified AWS account.

Request Syntax

```
{
  "AccountId": "string",
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string",
  "ProvisioningStatus": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccountId

The identifier of the AWS account from which to list the assignments.

Type: String

Length Constraints: Fixed length of 12.

Pattern: \d{12}

Required: Yes

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: Yes

MaxResults

The maximum number of results to display for the assignment.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+="/_]*`

Required: No

ProvisioningStatus

The status object for the permission set provisioning operation.

Type: String

Valid Values: LATEST_PERMISSION_SET_PROVISIONED |
LATEST_PERMISSION_SET_NOT_PROVISIONED

Required: No

Response Syntax

```
{  
  "NextToken": "string",  
  "PermissionSets": [ "string" ]
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+="/_]*`

PermissionSets

Defines the level of access that an AWS account has.

Type: Array of strings

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-./]{16}/ps-[a-zA-Z0-9-./]{16}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRegions

Lists all enabled Regions of an IAM Identity Center instance, including those that are being added or removed. This operation returns Regions with ACTIVE, ADDING, or REMOVING status.

The following actions are related to ListRegions:

- [AddRegion](#)
- [RemoveRegion](#)
- [DescribeRegion](#)

Request Syntax

```
{
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The Amazon Resource Name (ARN) of the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

[MaxResults](#)

The maximum number of results to return in a single call. Default is 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "Regions": [
    {
      "AddedDate": number,
      "IsPrimaryRegion": boolean,
      "RegionName": "string",
      "Status": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to be used in subsequent calls. If the value is null, then there are no more entries.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Regions

The list of Regions enabled in the IAM Identity Center instance, including Regions with ACTIVE, ADDING, or REMOVING status.

Type: Array of [RegionMetadata](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists the tags that are attached to a specified resource.

Request Syntax

```
{  
  "InstanceArn": "string",  
  "NextToken": "string",  
  "ResourceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-.]`
`{16}`

Required: No

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+/_]*

Required: No

ResourceArn

The ARN of the resource with the tags to be listed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 2048.

Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso::((:instance/(sso)?ins-[a-zA-Z0-9-.]
{16})|(:permissionSet/(sso)?ins-[a-zA-Z0-9-.]
{16}/ps-[a-zA-Z0-9-.]
{16})|(\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]
{16}/apl-[a-zA-Z0-9-
{16})|(\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-.]
{16}/tti-[a-
f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}))

Required: Yes

Response Syntax

```
{
  "NextToken": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token for the list API. Initially the value is null. Use the output of previous API calls to make subsequent calls.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+/_]*

Tags

A set of key-value pairs that are used to manage the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 75 items.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTrustedTokenIssuers

Lists all the trusted token issuers configured in an instance of IAM Identity Center.

Request Syntax

```
{
  "InstanceArn": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

Specifies the ARN of the instance of IAM Identity Center with the trusted token issuer configurations that you want to list.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

MaxResults

Specifies the total number of results that you want included in each response. If additional items exist beyond the number you specify, the `NextToken` response element is returned with a value (not null). Include the specified value as the `NextToken` request parameter in the next call to the operation to get the next set of results. Note that the service might return fewer results than the maximum even when there are more results available. You should check `NextToken` after every operation to ensure that you receive all of the results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

Specifies that you want to receive the next page of results. Valid only if you received a NextToken response in the previous request. If you did, it indicates that more output is available. Set this parameter to the value provided by the previous call's NextToken response to request the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: [-a-zA-Z0-9+="/_]*

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "TrustedTokenIssuers": [
    {
      "Name": "string",
      "TrustedTokenIssuerArn": "string",
      "TrustedTokenIssuerType": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If present, this value indicates that more output is available than is included in the current response. Use this value in the NextToken request parameter in a subsequent call to the

operation to get the next part of the output. You should repeat this until the `NextToken` response element comes back as `null`. This indicates that this is the last page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `[-a-zA-Z0-9+/_]*`

TrustedTokenIssuers

An array list of the trusted token issuer configurations.

Type: Array of [TrustedTokenIssuerMetadata](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ProvisionPermissionSet

The process by which a specified permission set is provisioned to the specified target.

Request Syntax

```
{
  "InstanceArn": "string",
  "PermissionSetArn": "string",
  "TargetId": "string",
  "TargetType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-./]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

TargetId

TargetID is an AWS account identifier, (For example, 123456789012).

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

TargetType

The entity type for which the assignment will be created.

Type: String

Valid Values: `AWS_ACCOUNT` | `ALL_PROVISIONED_ACCOUNTS`

Required: Yes

Response Syntax

```
{
  "PermissionSetProvisioningStatus": {
    "AccountId": "string",
    "CreateDate": number,
    "FailureReason": "string",
    "PermissionSetArn": "string",
    "RequestId": "string",
    "Status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

PermissionSetProvisioningStatus

The status object for the permission set provisioning operation.

Type: [PermissionSetProvisioningStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutApplicationAccessScope

Adds or updates the list of authorized targets for an IAM Identity Center access scope for an application.

Request Syntax

```
{
  "ApplicationArn": "string",
  "AuthorizedTargets": [ "string" ],
  "Scope": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application with the access scope with the targets to add or update.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

[AuthorizedTargets](#)

Specifies an array list of ARNs that represent the authorized targets for this access scope.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::(\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}|:instance/(sso)?ins-[a-zA-Z0-9-]{16})`

Required: No

Scope

Specifies the name of the access scope to be associated with the specified targets.

Type: String

Pattern: `([A-Za-z0-9_]{1,50})(:[A-Za-z0-9_]{1,50}){0,1}(:[A-Za-z0-9_]{1,50}){0,1}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutApplicationAssignmentConfiguration

Configure how users gain access to an application. If `AssignmentsRequired` is `true` (default value), users don't have access to the application unless an assignment is created using the [CreateApplicationAssignment API](#). If `false`, all users have access to the application. If an assignment is created using [CreateApplicationAssignment](#)., the user retains access if `AssignmentsRequired` is set to `true`.

Request Syntax

```
{
  "ApplicationArn": "string",
  "AssignmentRequired": boolean
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

AssignmentRequired

If `AssignmentsRequired` is `true` (default value), users don't have access to the application unless an assignment is created using the [CreateApplicationAssignment API](#). If `false`, all users have access to the application.

Type: Boolean

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutApplicationAuthenticationMethod

Adds or updates an authentication method for an application.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "AuthenticationMethod": { ... },  
  "AuthenticationMethodType": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ApplicationArn](#)

Specifies the ARN of the application with the authentication method to add or update.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

[AuthenticationMethod](#)

Specifies a structure that describes the authentication method to add or update. The structure type you provide is determined by the `AuthenticationMethodType` parameter.

Type: [AuthenticationMethod](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

AuthenticationMethodType

Specifies the type of the authentication method that you want to add or update.

Type: String

Valid Values: IAM

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutApplicationGrant

Creates a configuration for an application to use grants. Conceptually grants are authorization to request actions related to tokens. This configuration will be used when parties are requesting and receiving tokens during the trusted identity propagation process. For more information on the IAM Identity Center supported grant workflows, see [SAML 2.0 and OAuth 2.0](#).

A grant is created between your applications and Identity Center instance which enables an application to use specified mechanisms to obtain tokens. These tokens are used by your applications to gain access to AWS resources on behalf of users. The following elements are within these exchanges:

- **Requester** - The application requesting access to AWS resources.
- **Subject** - Typically the user that is requesting access to AWS resources.
- **Grant** - Conceptually, a grant is authorization to access AWS resources. These grants authorize token generation for authenticating access to the requester and for the request to make requests on behalf of the subjects. There are four types of grants:
 - **AuthorizationCode** - Allows an application to request authorization through a series of user-agent redirects.
 - **JWT bearer** - Authorizes an application to exchange a JSON Web Token that came from an external identity provider. To learn more, see [RFC 6479](#).
 - **Refresh token** - Enables application to request new access tokens to replace expiring or expired access tokens.
 - **Exchange token** - A grant that requests tokens from the authorization server by providing a 'subject' token with access scope authorizing trusted identity propagation to this application. To learn more, see [RFC 8693](#).
- **Authorization server** - IAM Identity Center requests tokens.

User credentials are never shared directly within these exchanges. Instead, applications use grants to request access tokens from IAM Identity Center. For more information, see [RFC 6479](#).

Use cases

- Connecting to custom applications.
- Configuring an AWS service to make calls to another AWS services using JWT tokens.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "Grant": { ... },  
  "GrantType": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application to update.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-\.]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

Grant

Specifies a structure that describes the grant to update.

Type: [Grant](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

GrantType

Specifies the type of grant to update.

Type: String

Valid Values: authorization_code | refresh_token |
urn:ietf:params:oauth:grant-type:jwt-bearer |
urn:ietf:params:oauth:grant-type:token-exchange

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutApplicationSessionConfiguration

Updates the session configuration for an application in IAM Identity Center.

The session configuration determines how users can access an application. This includes whether user background sessions are enabled. User background sessions allow users to start a job on a supported AWS managed application without having to remain signed in to an active session while the job runs.

Request Syntax

```
{  
  "ApplicationArn": "string",  
  "UserBackgroundSessionApplicationStatus": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

The Amazon Resource Name (ARN) of the application for which to update the session configuration.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: Yes

UserBackgroundSessionApplicationStatus

The status of user background sessions for the application.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutInlinePolicyToPermissionSet

Attaches an inline policy to a permission set.

Note

If the permission set is already referenced by one or more account assignments, you will need to call [ProvisionPermissionSet](#) after this action to apply the corresponding IAM policy updates to all assigned accounts.

Request Syntax

```
{
  "InlinePolicy": "string",
  "InstanceArn": "string",
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InlinePolicy

The inline policy to attach to a [PermissionSet](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32768.

Pattern: `[\u0009\u000A\u000D\u0020-\u00FF]+`

Required: Yes

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutPermissionsBoundaryToPermissionSet

Attaches an AWS managed or customer managed policy to the specified [PermissionSet](#) as a permissions boundary.

Request Syntax

```
{
  "InstanceArn": "string",
  "PermissionsBoundary": {
    "CustomerManagedPolicyReference": {
      "Name": "string",
      "Path": "string"
    },
    "ManagedPolicyArn": "string"
  },
  "PermissionSetArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

[PermissionsBoundary](#)

The permissions boundary that you want to attach to a PermissionSet.

Type: [PermissionsBoundary](#) object

Required: Yes

PermissionSetArn

The ARN of the PermissionSet.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveRegion

Removes an additional Region from an IAM Identity Center instance. This operation initiates an asynchronous workflow to clean up IAM Identity Center resources in the specified additional Region. The Region status is set to REMOVING and the Region record is deleted when the workflow completes. The request must be made from the primary Region. The target Region cannot be the primary Region, and no other add or remove Region workflows can be in progress.

The following actions are related to RemoveRegion:

- [AddRegion](#)
- [DescribeRegion](#)
- [ListRegions](#)

Request Syntax

```
{
  "InstanceArn": "string",
  "RegionName": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The Amazon Resource Name (ARN) of the IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

RegionName

The name of the AWS Region to remove from the IAM Identity Center instance. The Region name must be 1-32 characters long and follow the pattern of AWS Region names (for example, us-east-1). The primary Region cannot be removed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: (`[a-z]+-`){2,3}\d

Required: Yes

Response Syntax

```
{
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Status

The status of the Region after the remove operation. The status is REMOVING when the asynchronous workflow is in progress. The Region record is deleted when the workflow completes.

Type: String

Valid Values: ACTIVE | ADDING | REMOVING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Associates a set of tags with a specified resource.

Request Syntax

```
{
  "InstanceArn": "string",
  "ResourceArn": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: No

ResourceArn

The ARN of the resource with the tags to be listed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 2048.

```
Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso::((:instance/(sso)?ins-[a-zA-Z0-9-.]{16})|(:permissionSet/(sso)?ins-[a-zA-Z0-9-.]{16}/ps-[a-zA-Z0-9-.]{16})|(\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]{16}/apl-[a-zA-Z0-9]{16})|(\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-.]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}))
```

Required: Yes

[Tags](#)

A set of key-value pairs that are used to manage the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 75 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ServiceQuotaExceededException

Indicates that the principal has crossed the permitted number of resources that can be created.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Disassociates a set of tags from a specified resource.

Request Syntax

```
{
  "InstanceArn": "string",
  "ResourceArn": "string",
  "TagKeys": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceArn](#)

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: No

[ResourceArn](#)

The ARN of the resource with the tags to be listed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 2048.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::((:instance/(sso)?ins-[a-zA-Z0-9-]{16})|(:permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-]{16})`

```
{16})|(\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16})|(\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}))
```

Required: Yes

TagKeys

The keys of tags that are attached to the resource.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 75 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: (`[\p{L}\p{Z}\p{N}_ . :/=+\-@]*`)

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateApplication

Updates application properties.

Request Syntax

```
{
  "ApplicationArn": "string",
  "Description": "string",
  "Name": "string",
  "PortalOptions": {
    "SignInOptions": {
      "ApplicationUrl": "string",
      "Origin": "string"
    }
  },
  "Status": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ApplicationArn

Specifies the ARN of the application. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

Description

The description of the [Application](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

Name

Specifies the updated name for the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[\S\s]*`

Required: No

PortalOptions

A structure that describes the options for the portal associated with an application.

Type: [UpdateApplicationPortalOptions](#) object

Required: No

Status

Specifies whether the application is enabled or disabled.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateInstance

Update the details for the instance of IAM Identity Center that is owned by the AWS account.

Request Syntax

```
{
  "EncryptionConfiguration": {
    "KeyType": "string",
    "KmsKeyArn": "string"
  },
  "InstanceArn": "string",
  "Name": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

EncryptionConfiguration

Specifies the encryption configuration for your IAM Identity Center instance. You can use this to configure customer managed KMS keys or AWS owned KMS keys for encrypting your instance data.

Type: [EncryptionConfiguration](#) object

Required: No

InstanceArn

The ARN of the instance of IAM Identity Center under which the operation will run. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Name

Updates the instance name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateInstanceAccessControlAttributeConfiguration

Updates the IAM Identity Center identity store attributes that you can use with the IAM Identity Center instance for attributes-based access control (ABAC). When using an external identity provider as an identity source, you can pass attributes through the SAML assertion as an alternative to configuring attributes from the IAM Identity Center identity store. If a SAML assertion passes any of these attributes, IAM Identity Center replaces the attribute value with the value from the IAM Identity Center identity store. For more information about ABAC, see [Attribute-Based Access Control](#) in the *IAM Identity Center User Guide*.

Request Syntax

```
{
  "InstanceAccessControlAttributeConfiguration": {
    "AccessControlAttributes": [
      {
        "Key": "string",
        "Value": {
          "Source": [ "string" ]
        }
      }
    ]
  },
  "InstanceArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[InstanceAccessControlAttributeConfiguration](#)

Updates the attributes for your ABAC configuration.

Type: [InstanceAccessControlAttributeConfiguration](#) object

Required: Yes

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdatePermissionSet

Updates an existing permission set.

Request Syntax

```
{
  "Description": "string",
  "InstanceArn": "string",
  "PermissionSetArn": "string",
  "RelayState": "string",
  "SessionDuration": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

The description of the [PermissionSet](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 700.

Pattern: `[\u0009\u000A\u000D\u0020-\u007E\u00A1-\u00FF]*`

Required: No

InstanceArn

The ARN of the IAM Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: Yes

PermissionSetArn

The ARN of the permission set.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: Yes

RelayState

Used to redirect users within the application during the federation authentication process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Pattern: `[a-zA-Z0-9&$@#\%?~\-'!"|!:,.;*+\[\]\ \(\)\{\}\}+]`

Required: No

SessionDuration

The length of time that the application user sessions are valid for in the ISO-8601 standard.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `(-?)P(?:=\d|T\d)(?:\d+)Y(?:\d+)M(?:\d+)([DW]))(?:T(?:\d+)H(?:\d+)M(?:\d+(?:\.\d+)?)S)?)?`

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTrustedTokenIssuer

Updates the name of the trusted token issuer, or the path of a source attribute or destination attribute for a trusted token issuer configuration.

Note

Updating this trusted token issuer configuration might cause users to lose access to any applications that are configured to use the trusted token issuer.

Request Syntax

```
{
  "Name": "string",
  "TrustedTokenIssuerArn": "string",
  "TrustedTokenIssuerConfiguration": { ... }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Name

Specifies the updated name to be applied to the trusted token issuer configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

Required: No

TrustedTokenIssuerArn

Specifies the ARN of the trusted token issuer configuration that you want to update.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

TrustedTokenIssuerConfiguration

Specifies a structure with settings to apply to the specified trusted token issuer. The settings that you can provide are determined by the type of the trusted token issuer that you are updating.

Type: [TrustedTokenIssuerUpdateConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

Reason

The reason for the access denied exception.

HTTP Status Code: 400

ConflictException

Occurs when a conflict with a previous successful write is detected. This generally occurs when the previous write did not have time to propagate to the host serving the current request. A retry (with appropriate backoff logic) is the recommended response to this exception.

HTTP Status Code: 400

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

Indicates that a requested resource is not found.

Reason

The reason for the resource not found exception.

HTTP Status Code: 400

ThrottlingException

Indicates that the principal has crossed the throttling limits of the API operations.

Reason

The reason for the throttling exception.

HTTP Status Code: 400

ValidationException

The request failed because it contains a syntax error.

Reason

The reason for the validation exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The IAM Identity Center API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AccessControlAttribute](#)
- [AccessControlAttributeValue](#)
- [AccountAssignment](#)
- [AccountAssignmentForPrincipal](#)
- [AccountAssignmentOperationStatus](#)
- [AccountAssignmentOperationStatusMetadata](#)
- [Application](#)
- [ApplicationAssignment](#)
- [ApplicationAssignmentForPrincipal](#)
- [ApplicationProvider](#)
- [AttachedManagedPolicy](#)
- [AuthenticationMethod](#)
- [AuthenticationMethodItem](#)
- [AuthorizationCodeGrant](#)
- [AuthorizedTokenIssuer](#)
- [CustomerManagedPolicyReference](#)
- [DisplayData](#)
- [EncryptionConfiguration](#)
- [EncryptionConfigurationDetails](#)
- [Grant](#)

- [GrantItem](#)
- [IamAuthenticationMethod](#)
- [InstanceAccessControlAttributeConfiguration](#)
- [InstanceMetadata](#)
- [JwtBearerGrant](#)
- [ListAccountAssignmentsFilter](#)
- [ListApplicationAssignmentsFilter](#)
- [ListApplicationsFilter](#)
- [OidcJwtConfiguration](#)
- [OidcJwtUpdateConfiguration](#)
- [OperationStatusFilter](#)
- [PermissionsBoundary](#)
- [PermissionSet](#)
- [PermissionSetProvisioningStatus](#)
- [PermissionSetProvisioningStatusMetadata](#)
- [PortalOptions](#)
- [RefreshTokenGrant](#)
- [RegionMetadata](#)
- [ResourceServerConfig](#)
- [ResourceServerScopeDetails](#)
- [ScopeDetails](#)
- [SignInOptions](#)
- [Tag](#)
- [TokenExchangeGrant](#)
- [TrustedTokenIssuerConfiguration](#)
- [TrustedTokenIssuerMetadata](#)
- [TrustedTokenIssuerUpdateConfiguration](#)
- [UpdateApplicationPortalOptions](#)

AccessControlAttribute

These are IAM Identity Center identity store attributes that you can configure for use in attributes-based access control (ABAC). You can create permissions policies that determine who can access your AWS resources based upon the configured attribute values. When you enable ABAC and specify `AccessControlAttributes`, IAM Identity Center passes the attribute values of the authenticated user into IAM for use in policy evaluation.

Contents

Key

The name of the attribute associated with your identities in your identity source. This is used to map a specified attribute in your identity source with an attribute in IAM Identity Center.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\p{L}\p{Z}\p{N}_.\:/=+\-@]+`

Required: Yes

Value

The value used for mapping a specified attribute to an identity source.

Type: [AccessControlAttributeValue](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AccessControlAttributeValue

The value used for mapping a specified attribute to an identity source. For more information, see [Attribute mappings](#) in the *IAM Identity Center User Guide*.

Contents

Source

The identity source to use when mapping a specified attribute to IAM Identity Center.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[\p{L}\p{Z}\p{N}_.:\/=+\-@\[\]\{\}\$\\""]*`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AccountAssignment

The assignment that indicates a principal's limited access to a specified AWS account with a specified permission set.

Note

The term *principal* here refers to a user or group that is defined in IAM Identity Center.

Contents

AccountId

The identifier of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

PermissionSetArn

The ARN of the permission set. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: No

PrincipalId

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: ([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}

Required: No

PrincipalType

The entity type for which the assignment will be created.

Type: String

Valid Values: USER | GROUP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AccountAssignmentForPrincipal

A structure that describes an assignment of an AWS account to a principal and the permissions that principal has in the account.

Contents

AccountId

The account ID number of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

PermissionSetArn

The ARN of the IAM Identity Center permission set assigned to this principal for this AWS account.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: No

PrincipalId

The ID of the principal.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}`

Required: No

PrincipalType

The type of the principal.

Type: String

Valid Values: USER | GROUP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AccountAssignmentOperationStatus

The status of the creation or deletion operation of an assignment that a principal needs to access an account.

Contents

CreatedDate

The date that the permission set was created.

Type: Timestamp

Required: No

FailureReason

The message that contains an error or exception in case of an operation failure.

Type: String

Pattern: `[\p{L}\p{M}\p{Z}\p{S}\p{N}\p{P}]*`

Required: No

PermissionSetArn

The ARN of the permission set. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: No

PrincipalId

An identifier for an object in IAM Identity Center, such as a user or group. PrincipalIds are GUIDs (For example, f81d4fae-7dec-11d0-a765-00a0c91e6bf6). For more information about PrincipalIds in IAM Identity Center, see the [IAM Identity Center Identity Store API Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: ([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}

Required: No

PrincipalType

The entity type for which the assignment will be created.

Type: String

Valid Values: USER | GROUP

Required: No

RequestId

The identifier for tracking the request operation that is generated by the universally unique identifier (UUID) workflow.

Type: String

Length Constraints: Fixed length of 36.

Pattern: \b[0-9a-f]{8}\b-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-\b[0-9a-f]{12}\b

Required: No

Status

The status of the permission set provisioning process.

Type: String

Valid Values: IN_PROGRESS | FAILED | SUCCEEDED

Required: No

TargetId

TargetID is an AWS account identifier, (For example, 123456789012).

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

TargetType

The entity type for which the assignment will be created.

Type: String

Valid Values: `AWS_ACCOUNT`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AccountAssignmentOperationStatusMetadata

Provides information about the [AccountAssignment](#) creation request.

Contents

CreatedDate

The date that the permission set was created.

Type: Timestamp

Required: No

RequestId

The identifier for tracking the request operation that is generated by the universally unique identifier (UUID) workflow.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `\b[0-9a-f]{8}\b-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-\b[0-9a-f]{12}\b`

Required: No

Status

The status of the permission set provisioning process.

Type: String

Valid Values: IN_PROGRESS | FAILED | SUCCEEDED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Application

A structure that describes an application that uses IAM Identity Center for access management.

Contents

ApplicationAccount

The AWS account ID number of the application.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

ApplicationArn

The ARN of the application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: No

ApplicationProviderArn

The ARN of the application provider for this application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::aws:applicationProvider/[a-zA-Z0-9-/+]`

Required: No

CreatedDate

The date and time when the application was originally created.

Type: Timestamp

Required: No

CreatedFrom

The AWS Region where the application was created in IAM Identity Center.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: (`[a-z]+`){2,3}\d

Required: No

Description

The description of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

IdentityStoreArn

The ARN of the identity store that is connected to the instance of IAM Identity Center.

Type: String

Required: No

InstanceArn

The ARN of the instance of IAM Identity Center that is configured with this application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}`

Required: No

Name

The name of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[\S\s]*`

Required: No

PortalOptions

A structure that describes the options for the access portal associated with this application.

Type: [PortalOptions](#) object

Required: No

Status

The current status of the application in this instance of IAM Identity Center.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApplicationAssignment

A structure that describes an assignment of a principal to an application.

Contents

ApplicationArn

The ARN of the application that has principals assigned.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: Yes

PrincipalId

The unique identifier of the principal assigned to the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}`

Required: Yes

PrincipalType

The type of the principal assigned to the application.

Type: String

Valid Values: USER | GROUP

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApplicationAssignmentForPrincipal

A structure that describes an application to which a principal is assigned.

Contents

ApplicationArn

The ARN of the application to which the specified principal is assigned.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/ap1-[a-zA-Z0-9]{16}`

Required: No

PrincipalId

The unique identifier of the principal assigned to the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 47.

Pattern: `([0-9a-f]{10}-|)[A-Fa-f0-9]{8}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{4}-[A-Fa-f0-9]{12}`

Required: No

PrincipalType

The type of the principal assigned to the application.

Type: String

Valid Values: USER | GROUP

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApplicationProvider

A structure that describes a provider that can be used to connect an AWS managed application or customer managed application to IAM Identity Center.

Contents

ApplicationProviderArn

The ARN of the application provider.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::aws:applicationProvider/[a-zA-Z0-9-/+]`

Required: Yes

DisplayData

A structure that describes how IAM Identity Center represents the application provider in the portal.

Type: [DisplayData](#) object

Required: No

FederationProtocol

The protocol that the application provider uses to perform federation.

Type: String

Valid Values: SAML | OAUTH

Required: No

ResourceServerConfig

A structure that describes the application provider's resource server.

Type: [ResourceServerConfig](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AttachedManagedPolicy

A structure that stores a list of managed policy ARNs that describe the associated AWS managed policy.

Contents

Arn

The ARN of the AWS managed policy. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:iam::aws:policy((/[A-Za-z0-9\.\,\\+@=_-]+)*)/([A-Za-z0-9\.\,\\+@=_-]+)`

Required: No

Name

The name of the AWS managed policy.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuthenticationMethod

A structure that describes an authentication method that can be used by an application.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

iam

A structure that describes details for IAM authentication.

Type: [iamAuthenticationMethod](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuthenticationMethodItem

A structure that describes an authentication method and its type.

Contents

AuthenticationMethod

A structure that describes an authentication method. The contents of this structure is determined by the `AuthenticationMethodType`.

Type: [AuthenticationMethod](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

AuthenticationMethodType

The type of authentication that is used by this method.

Type: String

Valid Values: IAM

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuthorizationCodeGrant

A structure that defines configuration settings for an application that supports the OAuth 2.0 Authorization Code Grant.

Contents

RedirectUri

A list of URIs that are valid locations to redirect a user's browser after the user is authorized.

Note

RedirectUri is required when the grant type is `authorization_code`.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuthorizedTokenIssuer

A structure that describes a trusted token issuer and associates it with a set of authorized audiences.

Contents

AuthorizedAudiences

An array list of authorized audiences, or applications, that can consume the tokens generated by the associated trusted token issuer.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

TrustedTokenIssuerArn

The ARN of the trusted token issuer.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

CustomerManagedPolicyReference

Specifies the name and path of a customer managed policy. You must have an IAM policy that matches the name and path in each AWS account where you want to deploy your permission set.

Contents

Name

The name of the IAM policy that you have configured in each account where you want to deploy your permission set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+=, .@-]+`

Required: Yes

Path

The path to the IAM policy that you have configured in each account where you want to deploy your permission set. The default is `/`. For more information, see [Friendly names and paths](#) in the *IAM User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `((/[A-Za-z0-9\.,\+@=_-]+)*)/`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

DisplayData

A structure that describes how the portal represents an application provider.

Contents

Description

The description of the application provider that appears in the portal.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

DisplayName

The name of the application provider that appears in the portal.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

IconUrl

A URL that points to an icon that represents the application provider.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 768.

Pattern: (http|https):\\/.*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EncryptionConfiguration

A structure that specifies the KMS key type and KMS key ARN used to encrypt data in your IAM Identity Center instance.

Contents

KeyType

The type of KMS key used for encryption.

Type: String

Valid Values: `AWS_OWNED_KMS_KEY` | `CUSTOMER_MANAGED_KEY`

Required: Yes

KmsKeyArn

The ARN of the KMS key used to encrypt data. Required when KeyType is `CUSTOMER_MANAGED_KEY`. Cannot be specified when KeyType is `AWS_OWNED_KMS_KEY`.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:kms:([a-z]{2,}(-[a-z0-9]+){1}:[0-9]{12}:key/(mrk-[a-f0-9]{32}|[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}))`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EncryptionConfigurationDetails

The encryption configuration of your IAM Identity Center instance, including the key type, KMS key ARN, and current encryption status.

Contents

EncryptionStatus

The current status of encryption configuration.

Type: String

Valid Values: UPDATING | ENABLED | UPDATE_FAILED

Required: No

EncryptionStatusReason

Provides additional context about the current encryption status. This field is particularly useful when the encryption status is UPDATE_FAILED. When encryption configuration update fails, this field contains information about the cause, which may include KMS key access issues, key not found errors, invalid key configuration, key in an invalid state, or a disabled key.

Type: String

Pattern: `[\p{L}\p{M}\p{Z}\p{S}\p{N}\p{P}]*`

Required: No

KeyType

The type of KMS key used for encryption.

Type: String

Valid Values: AWS_OWNED_KMS_KEY | CUSTOMER_MANAGED_KEY

Required: No

KmsKeyArn

The ARN of the KMS key currently used to encrypt data in your IAM Identity Center instance.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:kms:([a-z]{2,}(-[a-z0-9]+){1}):[0-9]{12}:key/(mk-[a-f0-9]{32}|[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12})`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Grant

The Grant union represents the set of possible configuration options for the selected grant type. Exactly one member of the union must be specified, and must match the grant type selected.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

AuthorizationCode

Configuration options for the `authorization_code` grant type.

Type: [AuthorizationCodeGrant](#) object

Required: No

JwtBearer

Configuration options for the `urn:ietf:params:oauth:grant-type:jwt-bearer` grant type.

Type: [JwtBearerGrant](#) object

Required: No

RefreshToken

Configuration options for the `refresh_token` grant type.

Type: [RefreshTokenGrant](#) object

Required: No

TokenExchange

Configuration options for the `urn:ietf:params:oauth:grant-type:token-exchange` grant type.

Type: [TokenExchangeGrant](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GrantItem

A structure that defines a single grant and its configuration.

Contents

Grant

The configuration structure for the selected grant.

Type: [Grant](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

GrantType

The type of the selected grant.

Type: String

Valid Values: `authorization_code` | `refresh_token` | `urn:ietf:params:oauth:grant-type:jwt-bearer` | `urn:ietf:params:oauth:grant-type:token-exchange`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IamAuthenticationMethod

A structure that describes details for authentication that uses IAM.

Contents

ActorPolicy

An IAM policy document in JSON.

Type: JSON value

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InstanceAccessControlAttributeConfiguration

Specifies the attributes to add to your attribute-based access control (ABAC) configuration.

Contents

AccessControlAttributes

Lists the attributes that are configured for ABAC in the specified IAM Identity Center instance.

Type: Array of [AccessControlAttribute](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InstanceMetadata

Provides information about the IAM Identity Center instance.

Contents

CreatedDate

The date and time that the Identity Center instance was created.

Type: Timestamp

Required: No

IdentityStoreId

The identifier of the identity store that is connected to the Identity Center instance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9-]*

Required: No

InstanceArn

The ARN of the Identity Center instance under which the operation will be executed. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: arn:aws(-[a-z]{1,5}){0,3}:sso:::instance/(sso)?ins-[a-zA-Z0-9-]{16}

Required: No

Name

The name of the Identity Center instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

Required: No

OwnerAccountId

The AWS account ID number of the owner of the Identity Center instance.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

Status

The current status of this Identity Center instance.

Type: String

Valid Values: `CREATE_IN_PROGRESS` | `CREATE_FAILED` | `DELETE_IN_PROGRESS` | `ACTIVE`

Required: No

StatusReason

Provides additional context about the current status of the IAM Identity Center instance. This field is particularly useful when an instance is in a non-ACTIVE state, such as `CREATE_FAILED`. When an instance creation fails, this field contains information about the cause, which may include issues with KMS key configuration or insufficient permissions.

Type: String

Pattern: `[\p{L}\p{M}\p{Z}\p{S}\p{N}\p{P}]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)


JwtBearerGrant

A structure that defines configuration settings for an application that supports the JWT Bearer Token Authorization Grant. The `AuthorizedAudience` field is the `aud` claim. For more information, see [RFC 7523](#).

Contents

AuthorizedTokenIssuers

A list of allowed token issuers trusted by the Identity Center instances for this application.

 **Note**

`AuthorizedTokenIssuers` is required when the grant type is `JwtBearerGrant`.

Type: Array of [AuthorizedTokenIssuer](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListAccountAssignmentsFilter

A structure that describes a filter for account assignments.

Contents

AccountId

The ID number of an AWS account that filters the results in the response.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListApplicationAssignmentsFilter

A structure that describes a filter for application assignments.

Contents

ApplicationArn

The ARN of an application.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:application/(sso)?ins-[a-zA-Z0-9-]{16}/apl-[a-zA-Z0-9]{16}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListApplicationsFilter

A structure that describes a filter for applications.

Contents

ApplicationAccount

An AWS account ID number that filters the results in the response.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

ApplicationProvider

The ARN of an application provider that can filter the results in the response.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::aws:applicationProvider/[a-zA-Z0-9-/+]`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OidcJwtConfiguration

A structure that describes configuration settings for a trusted token issuer that supports OpenID Connect (OIDC) and JSON Web Tokens (JWTs).

Contents

ClaimAttributePath

The path of the source attribute in the JWT from the trusted token issuer. The attribute mapped by this JMESPath expression is compared against the attribute mapped by `IdentityStoreAttributePath` when a trusted token issuer token is exchanged for an IAM Identity Center token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `\p{L}+(?: (\. |_) \p{L}+){0, 2}`

Required: Yes

IdentityStoreAttributePath

The path of the destination attribute in a JWT from IAM Identity Center. The attribute mapped by this JMESPath expression is compared against the attribute mapped by `ClaimAttributePath` when a trusted token issuer token is exchanged for an IAM Identity Center token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `\p{L}+(?: \. \p{L}+){0, 2}`

Required: Yes

IssuerUrl

The URL that IAM Identity Center uses for OpenID Discovery. OpenID Discovery is used to obtain the information required to verify the tokens that the trusted token issuer generates.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `https?:\:\/\/[-a-zA-Z0-9+&\%=\~_|!:\.,;]*[-a-zA-Z0-9+&\%=\~_|]`

Required: Yes

JwksRetrievalOption

The method that the trusted token issuer can use to retrieve the JSON Web Key Set used to verify a JWT.

Type: String

Valid Values: OPEN_ID_DISCOVERY

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OidcJwtUpdateConfiguration

A structure that describes updated configuration settings for a trusted token issuer that supports OpenID Connect (OIDC) and JSON Web Tokens (JWTs).

Contents

ClaimAttributePath

The path of the source attribute in the JWT from the trusted token issuer. The attribute mapped by this JMESPath expression is compared against the attribute mapped by `IdentityStoreAttributePath` when a trusted token issuer token is exchanged for an IAM Identity Center token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `\p{L}+(?: (\. |_) \p{L}+){0, 2}`

Required: No

IdentityStoreAttributePath

The path of the destination attribute in a JWT from IAM Identity Center. The attribute mapped by this JMESPath expression is compared against the attribute mapped by `ClaimAttributePath` when a trusted token issuer token is exchanged for an IAM Identity Center token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `\p{L}+(?: \. \p{L}+){0, 2}`

Required: No

JwksRetrievalOption

The method that the trusted token issuer can use to retrieve the JSON Web Key Set used to verify a JWT.

Type: String

Valid Values: OPEN_ID_DISCOVERY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OperationStatusFilter

Filters the operation status list based on the passed attribute value.

Contents

Status

Filters the list operations result based on the status attribute.

Type: String

Valid Values: IN_PROGRESS | FAILED | SUCCEEDED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PermissionsBoundary

Specifies the configuration of the AWS managed or customer managed policy that you want to set as a permissions boundary. Specify either `CustomerManagedPolicyReference` to use the name and path of a customer managed policy, or `ManagedPolicyArn` to use the ARN of an AWS managed policy. A permissions boundary represents the maximum permissions that any policy can grant your role. For more information, see [Permissions boundaries for IAM entities](#) in the *IAM User Guide*.

Important

Policies used as permissions boundaries don't provide permissions. You must also attach an IAM policy to the role. To learn how the effective permissions for a role are evaluated, see [IAM JSON policy evaluation logic](#) in the *IAM User Guide*.

Contents

CustomerManagedPolicyReference

Specifies the name and path of a customer managed policy. You must have an IAM policy that matches the name and path in each AWS account where you want to deploy your permission set.

Type: [CustomerManagedPolicyReference](#) object

Required: No

ManagedPolicyArn

The AWS managed policy ARN that you want to attach to a permission set as a permissions boundary.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:iam::aws:policy((/[A-Za-z0-9\.\, \+@=_-]+)*)/([A-Za-z0-9\.\, \+@=_-]+)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PermissionSet

An entity that contains IAM policies.

Contents

CreatedDate

The date that the permission set was created.

Type: Timestamp

Required: No

Description

The description of the [PermissionSet](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 700.

Pattern: `[\u0009\u000A\u000D\u0020-\u007E\u00A1-\u00FF]*`

Required: No

Name

The name of the permission set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[\w+=, .@-]+`

Required: No

PermissionSetArn

The ARN of the permission set. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: No

RelayState

Used to redirect users within the application during the federation authentication process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Pattern: `[a-zA-Z0-9&$@#\|/ %? = ~ \ - _ ' " | ! : , . ; * + \ [\] \ (\) \ { \ }] +`

Required: No

SessionDuration

The length of time that the application user sessions are valid for in the ISO-8601 standard.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `(-?)P(?:=\d|T\d)(?:\d+)Y)?(?:\d+)M)?(?:\d+)([DW]))?(?:T(?:\d+)H)?(?:\d+)M)?(?:\d+(?:\.\d+)?)S)?)?`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PermissionSetProvisioningStatus

A structure that is used to provide the status of the provisioning operation for a specified permission set.

Contents

AccountId

The identifier of the AWS account from which to list the assignments.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `\d{12}`

Required: No

CreatedDate

The date that the permission set was created.

Type: Timestamp

Required: No

FailureReason

The message that contains an error or exception in case of an operation failure.

Type: String

Pattern: `[\p{L}\p{M}\p{Z}\p{S}\p{N}\p{P}]*`

Required: No

PermissionSetArn

The ARN of the permission set that is being provisioned. For more information about ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#) in the *AWS General Reference*.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:::permissionSet/(sso)?ins-[a-zA-Z0-9-./]{16}/ps-[a-zA-Z0-9-./]{16}`

Required: No

RequestId

The identifier for tracking the request operation that is generated by the universally unique identifier (UUID) workflow.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `\b[0-9a-f]{8}\b-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-\b[0-9a-f]{12}\b`

Required: No

Status

The status of the permission set provisioning process.

Type: String

Valid Values: IN_PROGRESS | FAILED | SUCCEEDED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PermissionSetProvisioningStatusMetadata

Provides information about the permission set provisioning status.

Contents

CreatedDate

The date that the permission set was created.

Type: Timestamp

Required: No

RequestId

The identifier for tracking the request operation that is generated by the universally unique identifier (UUID) workflow.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `\b[0-9a-f]{8}\b-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-\b[0-9a-f]{12}\b`

Required: No

Status

The status of the permission set provisioning process.

Type: String

Valid Values: IN_PROGRESS | FAILED | SUCCEEDED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PortalOptions

A structure that describes the options for the access portal associated with an application.

Contents

SignInOptions

A structure that describes the sign-in options for the access portal.

Type: [SignInOptions](#) object

Required: No

Visibility

Indicates whether this application is visible in the access portal.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RefreshTokenGrant

A structure that defines configuration settings for an application that supports the OAuth 2.0 Refresh Token Grant. For more, see [RFC 6749](#).

Contents

The members of this exception structure are context-dependent.

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RegionMetadata

Contains information about an enabled Region of an IAM Identity Center instance, including the Region name, status, date added, and whether it is the primary Region.

Contents

AddedDate

The timestamp when the Region was added to the IAM Identity Center instance. For the primary Region, this is the instance creation time.

Type: Timestamp

Required: No

IsPrimaryRegion

Indicates whether this is the primary Region where the IAM Identity Center instance was originally enabled. The primary Region cannot be removed.

Type: Boolean

Required: No

RegionName

The AWS Region name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: (`[a-z]{2,3}`)\d

Required: No

Status

The current status of the Region. Valid values are ACTIVE (Region is operational), ADDING (Region extension workflow is in progress), or REMOVING (Region removal workflow is in progress).

Type: String

Valid Values: ACTIVE | ADDING | REMOVING

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceServerConfig

A structure that describes the configuration of a resource server.

Contents

Scopes

A list of the IAM Identity Center access scopes that are associated with this resource server.

Type: String to [ResourceServerScopeDetails](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 80.

Key Pattern: `[^:=\-\.\s][0-9a-zA-Z_:\-\.\.]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceServerScopeDetails

A structure that describes details for an IAM Identity Center access scope that is associated with a resource server.

Contents

DetailedTitle

The title of an access scope for a resource server.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

LongDescription

The description of an access scope for a resource server.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScopeDetails

A structure that describes an IAM Identity Center access scope and its authorized targets.

Contents

Scope

The name of the access scope.

Type: String

Pattern: (`[A-Za-z0-9_]{1,50}`)(`:[A-Za-z0-9_]{1,50}`){0,1}(`:[A-Za-z0-9_]{1,50}`){0,1}

Required: Yes

AuthorizedTargets

An array list of ARNs of applications.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso:(\d{12}:application/(sso)?ins-[a-zA-Z0-9-.]{16}/ap1-[a-zA-Z0-9]{16}|:instance/(sso)?ins-[a-zA-Z0-9-.]{16})`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SignInOptions

A structure that describes the sign-in options for an application portal.

Contents

Origin

This determines how IAM Identity Center navigates the user to the target application. It can be one of the following values:

- **APPLICATION**: IAM Identity Center redirects the customer to the configured `ApplicationUrl`.
- **IDENTITY_CENTER**: IAM Identity Center uses SAML identity-provider initiated authentication to sign the customer directly into a SAML-based application.

Type: String

Valid Values: IDENTITY_CENTER | APPLICATION

Required: Yes

ApplicationUrl

The URL that accepts authentication requests for an application. This is a required parameter if the `Origin` parameter is **APPLICATION**.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `http(s)?://[-a-zA-Z0-9+&@#\\/%?~_!|:,.;]*[-a-zA-Z0-9+&bb@#\\/%?~_!|]`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

A set of key-value pairs that are used to manage the resource. Tags can only be applied to permission sets and cannot be applied to corresponding roles that IAM Identity Center creates in AWS accounts.

Contents

Key

The key for the tag.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *)`)

Required: Yes

Value

The value of the tag.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *)`)

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TokenExchangeGrant

A structure that defines configuration settings for an application that supports the OAuth 2.0 Token Exchange Grant. For more information, see [RFC 8693](#).

Contents

The members of this exception structure are context-dependent.

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrustedTokenIssuerConfiguration

A structure that describes the configuration of a trusted token issuer. The structure and available settings are determined by the type of the trusted token issuer.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

OidcJwtConfiguration

A structure that describes the settings for a trusted token issuer that works with OpenID Connect (OIDC) by using JSON Web Tokens (JWT).

Type: [OidcJwtConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrustedTokenIssuerMetadata

A structure that describes a trusted token issuer.

Contents

Name

The name of the trusted token issuer configuration in the instance of IAM Identity Center.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\w+=, .@-]+`

Required: No

TrustedTokenIssuerArn

The ARN of the trusted token issuer configuration in the instance of IAM Identity Center.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 1224.

Pattern: `arn:aws(-[a-z]{1,5}){0,3}:sso::\d{12}:trustedTokenIssuer/(sso)?ins-[a-zA-Z0-9-]{16}/tti-[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

TrustedTokenIssuerType

The type of trusted token issuer.

Type: String

Valid Values: OIDC_JWT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TrustedTokenIssuerUpdateConfiguration

A structure that contains details to be updated for a trusted token issuer configuration. The structure and settings that you can include depend on the type of the trusted token issuer being updated.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

OidcJwtConfiguration

A structure that describes an updated configuration for a trusted token issuer that uses OpenID Connect (OIDC) with JSON web tokens (JWT).

Type: [OidcJwtUpdateConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateApplicationPortalOptions

A structure that describes the options for the access portal associated with an application that can be updated.

Contents

SignInOptions

A structure that describes the sign-in options for an application portal.

Type: [SignInOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400