



API Reference

AWS Telco Network Builder



API Version 2008-10-21

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Telco Network Builder: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CancelSolNetworkOperation	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	4
Response Elements	4
Errors	4
See Also	5
CreateSolFunctionPackage	7
Request Syntax	7
URI Request Parameters	7
Request Body	7
Response Syntax	8
Response Elements	8
Errors	9
See Also	10
CreateSolNetworkInstance	12
Request Syntax	12
URI Request Parameters	12
Request Body	12
Response Syntax	13
Response Elements	14
Errors	15
See Also	16
CreateSolNetworkPackage	17
Request Syntax	17
URI Request Parameters	17
Request Body	17
Response Syntax	18
Response Elements	18
Errors	19
See Also	20

DeleteSolFunctionPackage	22
Request Syntax	22
URI Request Parameters	22
Request Body	22
Response Syntax	22
Response Elements	22
Errors	23
See Also	23
DeleteSolNetworkInstance	25
Request Syntax	25
URI Request Parameters	25
Request Body	25
Response Syntax	25
Response Elements	25
Errors	26
See Also	26
DeleteSolNetworkPackage	28
Request Syntax	28
URI Request Parameters	28
Request Body	28
Response Syntax	28
Response Elements	28
Errors	29
See Also	29
GetSolFunctionInstance	31
Request Syntax	31
URI Request Parameters	31
Request Body	31
Response Syntax	31
Response Elements	32
Errors	34
See Also	35
GetSolFunctionPackage	36
Request Syntax	36
URI Request Parameters	36
Request Body	36

Response Syntax	36
Response Elements	37
Errors	39
See Also	40
GetSolFunctionPackageContent	41
Request Syntax	41
URI Request Parameters	41
Request Body	41
Response Syntax	41
Response Elements	42
Errors	42
See Also	43
GetSolFunctionPackageDescriptor	44
Request Syntax	44
URI Request Parameters	44
Request Body	44
Response Syntax	45
Response Elements	45
Errors	45
See Also	46
GetSolNetworkInstance	47
Request Syntax	47
URI Request Parameters	47
Request Body	47
Response Syntax	47
Response Elements	48
Errors	50
See Also	51
GetSolNetworkOperation	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	52
Response Elements	53
Errors	55
See Also	56

GetSolNetworkPackage	58
Request Syntax	58
URI Request Parameters	58
Request Body	58
Response Syntax	58
Response Elements	59
Errors	61
See Also	62
GetSolNetworkPackageContent	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	63
Response Elements	64
Errors	64
See Also	65
GetSolNetworkPackageDescriptor	66
Request Syntax	66
URI Request Parameters	66
Request Body	66
Response Syntax	66
Response Elements	66
Errors	67
See Also	68
InstantiateSolNetworkInstance	69
Request Syntax	69
URI Request Parameters	69
Request Body	70
Response Syntax	70
Response Elements	71
Errors	71
See Also	72
ListSolFunctionInstances	74
Request Syntax	74
URI Request Parameters	74
Request Body	74

Response Syntax	74
Response Elements	75
Errors	75
See Also	76
ListSolFunctionPackages	77
Request Syntax	77
URI Request Parameters	77
Request Body	77
Response Syntax	77
Response Elements	78
Errors	78
See Also	79
ListSolNetworkInstances	81
Request Syntax	81
URI Request Parameters	81
Request Body	81
Response Syntax	81
Response Elements	82
Errors	82
See Also	83
ListSolNetworkOperations	84
Request Syntax	84
URI Request Parameters	84
Request Body	84
Response Syntax	84
Response Elements	85
Errors	86
See Also	86
ListSolNetworkPackages	88
Request Syntax	88
URI Request Parameters	88
Request Body	88
Response Syntax	88
Response Elements	89
Errors	89
See Also	90

ListTagsForResource	92
Request Syntax	92
URI Request Parameters	92
Request Body	92
Response Syntax	92
Response Elements	92
Errors	93
See Also	94
PutSolFunctionPackageContent	95
Request Syntax	95
URI Request Parameters	95
Request Body	95
Response Syntax	96
Response Elements	96
Errors	97
See Also	98
PutSolNetworkPackageContent	99
Request Syntax	99
URI Request Parameters	99
Request Body	99
Response Syntax	100
Response Elements	100
Errors	101
See Also	102
TagResource	104
Request Syntax	104
URI Request Parameters	104
Request Body	104
Response Syntax	105
Response Elements	105
Errors	105
See Also	106
TerminateSolNetworkInstance	107
Request Syntax	107
URI Request Parameters	107
Request Body	107

Response Syntax	108
Response Elements	108
Errors	109
See Also	110
UntagResource	111
Request Syntax	111
URI Request Parameters	111
Request Body	111
Response Syntax	111
Response Elements	112
Errors	112
See Also	112
UpdateSolFunctionPackage	114
Request Syntax	114
URI Request Parameters	114
Request Body	114
Response Syntax	115
Response Elements	115
Errors	115
See Also	116
UpdateSolNetworkInstance	117
Request Syntax	117
URI Request Parameters	117
Request Body	118
Response Syntax	119
Response Elements	119
Errors	120
See Also	121
UpdateSolNetworkPackage	122
Request Syntax	122
URI Request Parameters	122
Request Body	122
Response Syntax	123
Response Elements	123
Errors	123
See Also	124

ValidateSolFunctionPackageContent	125
Request Syntax	125
URI Request Parameters	125
Request Body	125
Response Syntax	126
Response Elements	126
Errors	127
See Also	128
ValidateSolNetworkPackageContent	129
Request Syntax	129
URI Request Parameters	129
Request Body	129
Response Syntax	130
Response Elements	130
Errors	131
See Also	132
Data Types	134
ErrorInfo	136
Contents	136
See Also	136
FunctionArtifactMeta	137
Contents	137
See Also	137
GetSolFunctionInstanceMetadata	138
Contents	138
See Also	138
GetSolFunctionPackageMetadata	139
Contents	139
See Also	139
GetSolInstantiatedVnflInfo	141
Contents	141
See Also	141
GetSolNetworkInstanceMetadata	142
Contents	142
See Also	142
GetSolNetworkOperationMetadata	143

Contents	143
See Also	144
GetSolNetworkOperationTaskDetails	145
Contents	145
See Also	146
GetSolNetworkPackageMetadata	147
Contents	147
See Also	147
GetSolVnfcResourceInfo	149
Contents	149
See Also	149
GetSolVnfcResourceInfoMetadata	150
Contents	150
See Also	150
GetSolVnflInfo	152
Contents	152
See Also	152
InstantiateMetadata	153
Contents	153
See Also	153
LcmOperationInfo	154
Contents	154
See Also	154
ListSolFunctionInstanceInfo	155
Contents	155
See Also	156
ListSolFunctionInstanceMetadata	158
Contents	158
See Also	158
ListSolFunctionPackageInfo	159
Contents	159
See Also	161
ListSolFunctionPackageMetadata	162
Contents	162
See Also	162
ListSolNetworkInstanceInfo	163

Contents	163
See Also	164
ListSolNetworkInstanceMetadata	166
Contents	166
See Also	166
ListSolNetworkOperationsInfo	167
Contents	167
See Also	168
ListSolNetworkOperationsMetadata	170
Contents	170
See Also	171
ListSolNetworkPackageInfo	172
Contents	172
See Also	174
ListSolNetworkPackageMetadata	175
Contents	175
See Also	175
ModifyVnflInfoMetadata	176
Contents	176
See Also	176
NetworkArtifactMeta	177
Contents	177
See Also	177
ProblemDetails	178
Contents	178
See Also	178
PutSolFunctionPackageContentMetadata	179
Contents	179
See Also	179
PutSolNetworkPackageContentMetadata	180
Contents	180
See Also	180
ToscaOverride	181
Contents	181
See Also	181
UpdateNsMetadata	182

Contents	182
See Also	182
UpdateSolNetworkModify	183
Contents	183
See Also	183
UpdateSolNetworkServiceData	184
Contents	184
See Also	184
ValidateSolFunctionPackageContentMetadata	185
Contents	185
See Also	185
ValidateSolNetworkPackageContentMetadata	186
Contents	186
See Also	186
Common Parameters	187
Common Error Types	190

Welcome

AWS Telco Network Builder (TNB) is a network automation service that helps you deploy and manage telecom networks. AWS TNB helps you with the lifecycle management of your telecommunication network functions throughout planning, deployment, and post-deployment activities.

This document was last published on June 19, 2026.

Actions

The following actions are supported:

- [CancelSolNetworkOperation](#)
- [CreateSolFunctionPackage](#)
- [CreateSolNetworkInstance](#)
- [CreateSolNetworkPackage](#)
- [DeleteSolFunctionPackage](#)
- [DeleteSolNetworkInstance](#)
- [DeleteSolNetworkPackage](#)
- [GetSolFunctionInstance](#)
- [GetSolFunctionPackage](#)
- [GetSolFunctionPackageContent](#)
- [GetSolFunctionPackageDescriptor](#)
- [GetSolNetworkInstance](#)
- [GetSolNetworkOperation](#)
- [GetSolNetworkPackage](#)
- [GetSolNetworkPackageContent](#)
- [GetSolNetworkPackageDescriptor](#)
- [InstantiateSolNetworkInstance](#)
- [ListSolFunctionInstances](#)
- [ListSolFunctionPackages](#)
- [ListSolNetworkInstances](#)
- [ListSolNetworkOperations](#)
- [ListSolNetworkPackages](#)
- [ListTagsForResource](#)
- [PutSolFunctionPackageContent](#)
- [PutSolNetworkPackageContent](#)
- [TagResource](#)
- [TerminateSolNetworkInstance](#)

- [UntagResource](#)
- [UpdateSolFunctionPackage](#)
- [UpdateSolNetworkInstance](#)
- [UpdateSolNetworkPackage](#)
- [ValidateSolFunctionPackageContent](#)
- [ValidateSolNetworkPackageContent](#)

CancelSolNetworkOperation

Cancels a network operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

Request Syntax

```
POST /sol/ns1cm/v1/ns_lcm_op_occs/nsLcmOpOccId/cancel HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

nsLcmOpOccId

The identifier of the network operation.

Pattern: no-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateSolFunctionPackage

Creates a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network. For more information, see [Function packages](#) in the *AWS Telco Network Builder User Guide*.

Creating a function package is the first step for creating a network in AWS TNB. This request creates an empty container with an ID. The next step is to upload the actual CSAR zip file into that empty container. To upload function package content, see [PutSolFunctionPackageContent](#).

Request Syntax

```
POST /sol/vnfpkgm/v1/vnf_packages HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[tags](#)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "onboardingState": "string",
  "operationalState": "string",
  "tags": {
    "string" : "string"
  },
  "usageState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

arn

Function package ARN.

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?- (east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-package/fp-[a-f0-9]{17})

id

ID of the function package.

Type: String

Pattern: `fp-[a-f0-9]{17}`

onboardingState

Onboarding state of the function package.

Type: String

Valid Values: `CREATED` | `ONBOARDED` | `ERROR`

operationalState

Operational state of the function package.

Type: String

Valid Values: `ENABLED` | `DISABLED`

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

usageState

Usage state of the function package.

Type: String

Valid Values: `IN_USE` | `NOT_IN_USE`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateSolNetworkInstance

Creates a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed. Creating a network instance is the third step after creating a network package. For more information about network instances, [Network instances](#) in the *AWS Telco Network Builder User Guide*.

Once you create a network instance, you can instantiate it. To instantiate a network, see [InstantiateSolNetworkInstance](#).

Request Syntax

```
POST /sol/ns1cm/v1/ns_instances HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "nsDescription": "string",
  "nsdInfoId": "string",
  "nsName": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[nsDescription](#)

Network instance description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Required: No

nsdInfold

ID for network service descriptor.

Type: String

Pattern: np-[a-f0-9]{17}

Required: Yes

nsName

Network instance name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "arn": "string",
```

```
"id": "string",  
"nsdInfoId": "string",  
"nsInstanceName": "string",  
"tags": {  
  "string" : "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

arn

Network instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-instance/ni-[a-f0-9]{17})`

id

Network instance ID.

Type: String

Pattern: `ni-[a-f0-9]{17}`

nsdInfoId

Network service descriptor ID.

Type: String

Pattern: `np-[a-f0-9]{17}`

nsInstanceName

Network instance name.

Type: String

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateSolNetworkPackage

Creates a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on. For more information, see [Network instances](#) in the *AWS Telco Network Builder User Guide*.

A network package consists of a network service descriptor (NSD) file (required) and any additional files (optional), such as scripts specific to your needs. For example, if you have multiple function packages in your network package, you can use the NSD to define which network functions should run in certain VPCs, subnets, or EKS clusters.

This request creates an empty network package container with an ID. Once you create a network package, you can upload the network package content using [PutSolNetworkPackageContent](#).

Request Syntax

```
POST /sol/nsd/v1/ns_descriptors HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[tags](#)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "nsdOnboardingState": "string",
  "nsdOperationalState": "string",
  "nsdUsageState": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

arn

Network package ARN.

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})

id

ID of the network package.

Type: String

Pattern: `np-[a-f0-9]{17}`

nsdOnboardingState

Onboarding state of the network service descriptor in the network package.

Type: String

Valid Values: CREATED | ONBOARDED | ERROR

nsdOperationalState

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: ENABLED | DISABLED

nsdUsageState

Usage state of the network service descriptor in the network package.

Type: String

Valid Values: IN_USE | NOT_IN_USE

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteSolFunctionPackage

Deletes a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

To delete a function package, the package must be in a disabled state. To disable a function package, see [UpdateSolFunctionPackage](#).

Request Syntax

```
DELETE /sol/vnfpkgm/v1/vnf_packages/vnfPkgId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[vnfPkgId](#)

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteSolNetworkInstance

Deletes a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

To delete a network instance, the instance must be in a stopped or terminated state. To terminate a network instance, see [TerminateSolNetworkInstance](#).

Request Syntax

```
DELETE /sol/ns1cm/v1/ns_instances/nsInstanceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[nsInstanceId](#)

Network instance ID.

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteSolNetworkPackage

Deletes network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

To delete a network package, the package must be in a disable state. To disable a network package, see [UpdateSolNetworkPackage](#).

Request Syntax

```
DELETE /sol/nsd/v1/ns_descriptors/nsdInfoId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[nsdInfoId](#)

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolFunctionInstance

Gets the details of a network function instance, including the instantiation state and metadata from the function package descriptor in the network function package.

A network function instance is a function in a function package .

Request Syntax

```
GET /sol/vnflcm/v1/vnf_instances/vnfInstanceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

vnfInstanceId

ID of the network function.

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "instantiatedVnfInfo": {
    "vnfcResourceInfo": [
      {
        "metadata": {
          "cluster": "string",
```

```

        "helmChart": "string",
        "nodeGroup": "string"
    }
  ],
  "vnfState": "string"
},
"instantiationState": "string",
"metadata": {
  "createdAt": "string",
  "lastModified": "string"
},
"nsInstanceId": "string",
"tags": {
  "string" : "string"
},
"vnfdId": "string",
"vnfdVersion": "string",
"vnfPkgId": "string",
"vnfProductName": "string",
"vnfProvider": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

Network function instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-instance/fi-[a-f0-9]{17})`

id

Network function instance ID.

Type: String

Pattern: `fi-[a-f0-9]{17}`

instantiatedVnflInfo

Information about the network function.

A network function instance is a function in a function package .

Type: [GetSolVnflInfo](#) object

instantiationState

Network function instantiation state.

Type: String

Valid Values: INSTANTIATED | NOT_INSTANTIATED

metadata

The metadata of a network function instance.

A network function instance is a function in a function package .

Type: [GetSolFunctionInstanceMetadata](#) object

nsInstanceId

Network instance ID.

Type: String

Pattern: `ni-[a-f0-9]{17}`

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

vnfdId

Function package descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

vnfdVersion

Function package descriptor version.

Type: String

vnfPkgId

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

vnfProductName

Network function product name.

Type: String

vnfProvider

Network function provider.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolFunctionPackage

Gets the details of an individual function package, such as the operational state and whether the package is in use.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network..

Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages/vnfPkgId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "createdAt": "string",
    "lastModified": "string",
```

```
    "vnfd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    },
    "onboardingState": "string",
    "operationalState": "string",
    "tags": {
      "string" : "string"
    },
    "usageState": "string",
    "vnfdId": "string",
    "vnfdVersion": "string",
    "vnfProductName": "string",
    "vnfProvider": "string"
  }
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

Function package ARN.

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?- (east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-package/fp-[a-f0-9]{17})

id

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

metadata

Metadata related to the function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Type: [GetSolFunctionPackageMetadata](#) object

onboardingState

Function package onboarding state.

Type: String

Valid Values: CREATED | ONBOARDED | ERROR

operationalState

Function package operational state.

Type: String

Valid Values: ENABLED | DISABLED

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

usageState

Function package usage state.

Type: String

Valid Values: IN_USE | NOT_IN_USE

vnfdId

Function package descriptor ID.

Type: String

vnfdVersion

Function package descriptor version.

Type: String

vnfProductName

Network function product name.

Type: String

vnfProvider

Network function provider.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolFunctionPackageContent

Gets the contents of a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/package_content HTTP/1.1  
Accept: accept
```

URI Request Parameters

The request uses the following URI parameters.

accept

The format of the package that you want to download from the function packages.

Valid Values: application/zip

Required: Yes

vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-Type: *contentType*

packageContent

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

contentType

Indicates the media type of the resource.

Valid Values: application/zip

The response returns the following as the HTTP body.

packageContent

Contents of the function package.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolFunctionPackageDescriptor

Gets a function package descriptor in a function package.

A function package descriptor is a .yaml file in a function package that uses the TOSCA standard to describe how the network function in the function package should run on your network.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/vnfd HTTP/1.1
Accept: accept
```

URI Request Parameters

The request uses the following URI parameters.

accept

Indicates which content types, expressed as MIME types, the client is able to understand.

Valid Values: text/plain

Required: Yes

vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-Type: contentType

vnf
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

contentType

Indicates the media type of the resource.

Valid Values: text/plain

The response returns the following as the HTTP body.

vnfd

Contents of the function package descriptor.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkInstance

Gets the details of the network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Request Syntax

```
GET /sol/ns1cm/v1/ns_instances/nsInstanceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

nsInstanceId

ID of the network instance.

Pattern: ni-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "lcmOpInfo": {
    "nsLcmOpOccId": "string"
  },
  "metadata": {
    "createdAt": "string",
```

```
    "lastModified": "string"
  },
  "nsdId": "string",
  "nsdInfoId": "string",
  "nsInstanceDescription": "string",
  "nsInstanceName": "string",
  "nsState": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

Network instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2})(-(gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]):\d{12}:(network-instance/ni-[a-f0-9]{17})`

id

Network instance ID.

Type: String

Pattern: `ni-[a-f0-9]{17}`

lcmOpInfo

Lifecycle management operation details on the network instance.

Lifecycle management operations are deploy, update, or delete operations.

Type: [LcmOperationInfo](#) object

metadata

The metadata of a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Type: [GetSolNetworkInstanceMetadata](#) object

nsdId

Network service descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

nsdInfoId

Network service descriptor info ID.

Type: String

Pattern: np-[a-f0-9]{17}

nsInstanceDescription

Network instance description.

Type: String

nsInstanceName

Network instance name.

Type: String

nsState

Network instance state.

Type: String

Valid Values: INSTANTIATED | NOT_INSTANTIATED | UPDATED | IMPAIRED
| UPDATE_FAILED | STOPPED | DELETED | INSTANTIATE_IN_PROGRESS
| INTENT_TO_UPDATE_IN_PROGRESS | UPDATE_IN_PROGRESS |
TERMINATE_IN_PROGRESS

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkOperation

Gets the details of a network operation, including the tasks involved in the network operation and the status of the tasks.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

Request Syntax

```
GET /sol/ns1cm/v1/ns_1cm_op_occs/nsLcmOpOcccId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

nsLcmOpOcccId

The identifier of the network operation.

Pattern: no-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "arn": "string",  
  "error": {  
    "detail": "string",  
    "title": "string"  
  },  
  "id": "string",
```

```

"lcmOperationType": "string",
"metadata": {
  "createdAt": "string",
  "instantiateMetadata": {
    "additionalParamsForNs": JSON value,
    "nsdInfoId": "string"
  },
  "lastModified": "string",
  "modifyVnfInfoMetadata": {
    "vnfConfigurableProperties": JSON value,
    "vnfInstanceId": "string"
  },
  "updateNsMetadata": {
    "additionalParamsForNs": JSON value,
    "nsdInfoId": "string"
  }
},
"nsInstanceId": "string",
"operationState": "string",
"tags": {
  "string" : "string"
},
"tasks": [
  {
    "taskContext": {
      "string" : "string"
    },
    "taskEndTime": "string",
    "taskErrorDetails": {
      "cause": "string",
      "details": "string"
    },
    "taskName": "string",
    "taskStartTime": "string",
    "taskStatus": "string"
  }
],
"updateType": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

Network operation ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-operation/no-[a-f0-9]{17})`

error

Error related to this specific network operation occurrence.

Type: [ProblemDetails](#) object

id

ID of this network operation occurrence.

Type: String

Pattern: `no-[a-f0-9]{17}`

lcmOperationType

Type of the operation represented by this occurrence.

Type: String

Valid Values: INSTANTIATE | UPDATE | TERMINATE

metadata

Metadata of this network operation occurrence.

Type: [GetSolNetworkOperationMetadata](#) object

nsInstanceId

ID of the network operation instance.

Type: String

Pattern: `ni-[a-f0-9]{17}`

operationState

The state of the network operation.

Type: String

Valid Values: PROCESSING | COMPLETED | FAILED | CANCELLING | CANCELLED

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

tasks

All tasks associated with this operation occurrence.

Type: Array of [GetSolNetworkOperationTaskDetails](#) objects

updateType

Type of the update. Only present if the network operation lcmOperationType is UPDATE.

Type: String

Valid Values: MODIFY_VNF_INFORMATION | UPDATE_NS

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkPackage

Gets the details of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Request Syntax

```
GET /sol/nsd/v1/ns_descriptors/nsdInfoId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

nsdInfoId

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "createdAt": "string",
    "lastModified": "string",
    "nsd": {
```

```
    "overrides": [
      {
        "defaultValue": "string",
        "name": "string"
      }
    ]
  }
},
"nsdId": "string",
"nsdName": "string",
"nsdOnboardingState": "string",
"nsdOperationalState": "string",
"nsdUsageState": "string",
"nsdVersion": "string",
"tags": {
  "string" : "string"
},
"vnfPkgIds": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2})(-(gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})`

id

Network package ID.

Type: String

Pattern: `np-[a-f0-9]{17}`

metadata

Metadata associated with a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Type: [GetSolNetworkPackageMetadata](#) object

nsdId

Network service descriptor ID.

Type: String

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

nsdName

Network service descriptor name.

Type: String

nsdOnboardingState

Network service descriptor onboarding state.

Type: String

Valid Values: CREATED | ONBOARDED | ERROR

nsdOperationalState

Network service descriptor operational state.

Type: String

Valid Values: ENABLED | DISABLED

nsdUsageState

Network service descriptor usage state.

Type: String

Valid Values: IN_USE | NOT_IN_USE

nsdVersion

Network service descriptor version.

Type: String

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

vnfPkgIds

Identifies the function package for the function package descriptor referenced by the onboarded network package.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkPackageContent

Gets the contents of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Request Syntax

```
GET /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd_content HTTP/1.1
Accept: accept
```

URI Request Parameters

The request uses the following URI parameters.

[accept](#)

The format of the package you want to download from the network package.

Valid Values: application/zip

Required: Yes

[nsdInfoId](#)

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-Type: contentType
```

nsdContent

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

contentType

Indicates the media type of the resource.

Valid Values: application/zip

The response returns the following as the HTTP body.

nsdContent

Content of the network service descriptor in the network package.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkPackageDescriptor

Gets the content of the network service descriptor.

A network service descriptor is a .yaml file in a network package that uses the TOSCA standard to describe the network functions you want to deploy and the AWS infrastructure you want to deploy the network functions on.

Request Syntax

```
GET /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[nsdInfoId](#)

ID of the network service descriptor in the network package.

Pattern: `np-[a-f0-9]{17}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-Type: contentType  
  
nsd
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following HTTP headers.

contentType

Indicates the media type of the resource.

Valid Values: text/plain

The response returns the following as the HTTP body.

nsd

Contents of the network service descriptor in the network package.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

InstantiateSolNetworkInstance

Instantiates a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Before you can instantiate a network instance, you have to create a network instance. For more information, see [CreateSolNetworkInstance](#).

Request Syntax

```
POST /sol/ns1cm/v1/ns_instances/nsInstanceId/instantiate?dry_run=dryRun HTTP/1.1
Content-type: application/json
```

```
{
  "additionalParamsForNs": JSON value,
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[dryRun](#)

A check for whether you have the required permissions for the action without actually making the request and provides an error response. If you have the required permissions, the error response is `DryRunOperation`. Otherwise, it is `UnauthorizedOperation`.

[nsInstanceId](#)

ID of the network instance.

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

additionalParamsForNs

Provides values for the configurable properties.

Type: JSON value

Required: No

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created. These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "nsLcmOp0ccId": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

nsLcmOpOcclId

The identifier of the network operation.

Type: String

Pattern: no-[a-f0-9]{17}

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created. These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSolFunctionInstances

Lists network function instances.

A network function instance is a function in a function package .

Request Syntax

```
GET /sol/vnflcm/v1/vnf_instances?  
max_results=maxResults&nextpage_opaque_marker=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next page of results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "functionInstances": [  
    {  
      "arn": "string",  
      "id": "string",  
      "instantiatedVnfInfo": {  
        "vnfState": "string"  
      }  
    }  
  ]  
}
```

```
    },
    "instantiationState": "string",
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "nsInstanceId": "string",
    "vnfPkgId": "string",
    "vnfPkgName": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

functionInstances

Network function instances.

Type: Array of [ListSolFunctionInstanceInfo](#) objects

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSolFunctionPackages

Lists information about function packages.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Request Syntax

```
GET /sol/vnfpkgm/v1/vnf_packages?  
max_results=maxResults&nextpage_opaque_marker=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next page of results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "functionPackages": [  
    {  
      "arn": "string",
```

```
    "id": "string",
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "onboardingState": "string",
    "operationalState": "string",
    "usageState": "string",
    "vnfdId": "string",
    "vnfdVersion": "string",
    "vnfProductName": "string",
    "vnfProvider": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

functionPackages

Function packages. A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Type: Array of [ListSolFunctionPackageInfo](#) objects

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkInstances

Lists your network instances.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Request Syntax

```
GET /sol/ns1cm/v1/ns_instances?max_results=maxResults&nextpage_opaque_marker=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next page of results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "networkInstances": [
    {
      "arn": "string",
      "id": "string",
```

```
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "nsdId": "string",
    "nsdInfoId": "string",
    "nsInstanceDescription": "string",
    "nsInstanceName": "string",
    "nsState": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

networkInstances

Lists network instances.

Type: Array of [ListSolNetworkInstanceInfo](#) objects

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkOperations

Lists details for a network operation, including when the operation started and the status of the operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

Request Syntax

```
GET /sol/ns1cm/v1/ns_1cm_op_occs?  
max_results=maxResults&nextpage_opaque_marker=nextToken&nsInstanceId=nsInstanceId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next page of results.

[nsInstanceId](#)

Network instance id filter, to retrieve network operations associated to a network instance.

Pattern: ni-[a-f0-9]{17}

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "networkOperations": [
    {
      "arn": "string",
      "error": {
        "detail": "string",
        "title": "string"
      },
      "id": "string",
      "lcmOperationType": "string",
      "metadata": {
        "createdAt": "string",
        "lastModified": "string",
        "nsdInfoId": "string",
        "vnfInstanceId": "string"
      },
      "nsInstanceId": "string",
      "operationState": "string",
      "updateType": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

networkOperations

Lists network operation occurrences. Lifecycle management operations are deploy, update, or delete operations.

Type: Array of [ListSolNetworkOperationsInfo](#) objects

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkPackages

Lists network packages.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Request Syntax

```
GET /sol/nsd/v1/ns_descriptors?max_results=maxResults&nextpage_opaque_marker=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to include in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next page of results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "networkPackages": [
    {
      "arn": "string",
      "id": "string",
```

```
    "metadata": {
      "createdAt": "string",
      "lastModified": "string"
    },
    "nsdDesigner": "string",
    "nsdId": "string",
    "nsdInvariantId": "string",
    "nsdName": "string",
    "nsdOnboardingState": "string",
    "nsdOperationalState": "string",
    "nsdUsageState": "string",
    "nsdVersion": "string",
    "vnfPkgIds": [ "string" ]
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

networkPackages

Network packages. A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Type: Array of [ListSolNetworkPackageInfo](#) objects

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists tags for AWS TNB resources.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

Resource ARN.

Pattern: `arn:aws:tnb:[a-z0-9-]+:[^:]*:.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutSolFunctionPackageContent

Uploads the contents of a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Request Syntax

```
PUT /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/package_content HTTP/1.1  
Content-Type: contentType
```

file

URI Request Parameters

The request uses the following URI parameters.

contentType

Function package content type.

Valid Values: application/zip

vnfPkgId

Function package ID.

Pattern: fp-[a-f0-9]{17}

Required: Yes

Request Body

The request accepts the following binary data.

file

Function package file.

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "id": "string",
  "metadata": {
    "vnfd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "vnfdId": "string",
  "vnfdVersion": "string",
  "vnfProductName": "string",
  "vnfProvider": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

id

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

metadata

Function package metadata.

Type: [PutSolFunctionPackageContentMetadata](#) object

vnfdId

Function package descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

vnfdVersion

Function package descriptor version.

Type: String

vnfProductName

Function product name.

Type: String

vnfProvider

Function provider.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutSolNetworkPackageContent

Uploads the contents of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Request Syntax

```
PUT /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd_content HTTP/1.1  
Content-Type: contentType
```

file

URI Request Parameters

The request uses the following URI parameters.

contentType

Network package content type.

Valid Values: application/zip

nsdInfoId

Network service descriptor info ID.

Pattern: np-[a-f0-9]{17}

Required: Yes

Request Body

The request accepts the following binary data.

file

Network package file.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "nsd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "nsdId": "string",
  "nsdName": "string",
  "nsdVersion": "string",
  "vnfPkgIds": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})`

id

Network package ID.

Type: String

Pattern: np-[a-f0-9]{17}

metadata

Network package metadata.

Type: [PutSolNetworkPackageContentMetadata](#) object

nsdId

Network service descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

nsdName

Network service descriptor name.

Type: String

nsdVersion

Network service descriptor version.

Type: String

vnfPkgIds

Function package IDs.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

TagResource

Tags an AWS TNB resource.

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

Resource ARN.

Pattern: `arn:aws:tnb:[a-z0-9-]+:[^:]*:.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TerminateSolNetworkInstance

Terminates a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

You must terminate a network instance before you can delete it.

Request Syntax

```
POST /sol/nslcm/v1/ns_instances/nsInstanceId/terminate HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[nsInstanceId](#)

ID of the network instance.

Pattern: ni-[a-f0-9]{17}

Required: Yes

Request Body

The request accepts the following data in JSON format.

[tags](#)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created.

These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "nsLcmOpOccId": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

nsLcmOpOccId

The identifier of the network operation.

Type: String

Pattern: no-[a-f0-9]{17}

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created.

These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Untags an AWS TNB resource.

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn](#)

Resource ARN.

Pattern: `arn:aws:tnb:[a-z0-9-]+:[^:]*:.*`

Required: Yes

[tagKeys](#)

Tag keys.

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Pattern: `(?!aws:){1,128}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSolFunctionPackage

Updates the operational state of function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Request Syntax

```
PATCH /sol/vnfpkgm/v1/vnf_packages/vnfPkgId HTTP/1.1
Content-type: application/json

{
  "operationalState": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

vnfPkgId

ID of the function package.

Pattern: fp-[a-f0-9]{17}

Required: Yes

Request Body

The request accepts the following data in JSON format.

operationalState

Operational state of the function package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "operationalState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

operationalState

Operational state of the function package.

Type: String

Valid Values: ENABLED | DISABLED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSolNetworkInstance

Update a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Choose the *updateType* parameter to target the necessary update of the network instance.

Request Syntax

```
POST /sol/ns1cm/v1/ns_instances/nsInstanceId/update HTTP/1.1
Content-type: application/json
```

```
{
  "modifyVnfInfoData": {
    "vnfConfigurableProperties": JSON value,
    "vnfInstanceId": "string"
  },
  "tags": {
    "string" : "string"
  },
  "updateNs": {
    "additionalParamsForNs": JSON value,
    "nsdInfoId": "string"
  },
  "updateType": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

nsInstanceId

ID of the network instance.

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

modifyVnfInfoData

Identifies the network function information parameters and/or the configurable properties of the network function to be modified.

Include this property only if the update type is `MODIFY_VNF_INFORMATION`.

Type: [UpdateSolNetworkModify](#) object

Required: No

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created. These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

updateNs

Identifies the network service descriptor and the configurable properties of the descriptor, to be used for the update.

Include this property only if the update type is `UPDATE_NS`.

Type: [UpdateSolNetworkServiceData](#) object

Required: No

updateType

The type of update.

- Use the `MODIFY_VNF_INFORMATION` update type, to update a specific network function configuration, in the network instance.
- Use the `UPDATE_NS` update type, to update the network instance to a new network service descriptor.

Type: String

Valid Values: `MODIFY_VNF_INFORMATION` | `UPDATE_NS`

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "nsLcmOpOccId": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

nsLcmOpOccId

The identifier of the network operation.

Type: String

Pattern: `no-[a-f0-9]{17}`

tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. When you use this API, the tags are only applied to the network operation that is created.

These tags are not applied to the network instance. Use tags to search and filter your resources or track your AWS costs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ServiceQuotaExceededException

Service quotas have been exceeded.

HTTP Status Code: 402

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSolNetworkPackage

Updates the operational state of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

A network service descriptor is a .yaml file in a network package that uses the TOSCA standard to describe the network functions you want to deploy and the AWS infrastructure you want to deploy the network functions on.

Request Syntax

```
PATCH /sol/nsd/v1/ns_descriptors/nsdInfoId HTTP/1.1
Content-type: application/json

{
  "nsdOperationalState": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

nsdInfoId

ID of the network service descriptor in the network package.

Pattern: np-[a-f0-9]{17}

Required: Yes

Request Body

The request accepts the following data in JSON format.

nsdOperationalState

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nsdOperationalState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nsdOperationalState](#)

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: ENABLED | DISABLED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerError

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ValidateSolFunctionPackageContent

Validates function package content. This can be used as a dry run before uploading function package content with [PutSolFunctionPackageContent](#).

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Request Syntax

```
PUT /sol/vnfpkgm/v1/vnf_packages/vnfPkgId/package_content/validate HTTP/1.1
Content-Type: contentType

file
```

URI Request Parameters

The request uses the following URI parameters.

[contentType](#)

Function package content type.

Valid Values: application/zip

[vnfPkgId](#)

Function package ID.

Pattern: fp-[a-f0-9]{17}

Required: Yes

Request Body

The request accepts the following binary data.

[file](#)

Function package file.

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "id": "string",
  "metadata": {
    "vnfd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "vnfdId": "string",
  "vnfdVersion": "string",
  "vnfProductName": "string",
  "vnfProvider": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

id

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

metadata

Function package metadata.

Type: [ValidateSolFunctionPackageContentMetadata](#) object

vnfdId

Function package descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

vnfdVersion

Function package descriptor version.

Type: String

vnfProductName

Network function product name.

Type: String

vnfProvider

Network function provider.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ValidateSolNetworkPackageContent

Validates network package content. This can be used as a dry run before uploading network package content with [PutSolNetworkPackageContent](#).

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Request Syntax

```
PUT /sol/nsd/v1/ns_descriptors/nsdInfoId/nsd_content/validate HTTP/1.1  
Content-Type: contentType
```

file

URI Request Parameters

The request uses the following URI parameters.

[contentType](#)

Network package content type.

Valid Values: application/zip

[nsdInfol](#)

Network service descriptor file.

Pattern: np-[a-f0-9]{17}

Required: Yes

Request Body

The request accepts the following binary data.

[file](#)

Network package file.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "id": "string",
  "metadata": {
    "nsd": {
      "overrides": [
        {
          "defaultValue": "string",
          "name": "string"
        }
      ]
    }
  },
  "nsdId": "string",
  "nsdName": "string",
  "nsdVersion": "string",
  "vnfPkgIds": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(network-package/np-[a-f0-9]{17})`

id

Network package ID.

Type: String

Pattern: np-[a-f0-9]{17}

metadata

Network package metadata.

Type: [ValidateSolNetworkPackageContentMetadata](#) object

nsdId

Network service descriptor ID.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

nsdName

Network service descriptor name.

Type: String

nsdVersion

Network service descriptor version.

Type: String

vnfPkgIds

Function package IDs.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Insufficient permissions to make request.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error occurred. Problem on the server.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource that doesn't exist.

HTTP Status Code: 404

ThrottlingException

Exception caused by throttling.

HTTP Status Code: 429

ValidationException

Unable to process the request because the client provided input failed to satisfy request constraints.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Telco Network Builder API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ErrorInfo](#)
- [FunctionArtifactMeta](#)
- [GetSolFunctionInstanceMetadata](#)
- [GetSolFunctionPackageMetadata](#)
- [GetSolInstantiatedVnfInfo](#)
- [GetSolNetworkInstanceMetadata](#)
- [GetSolNetworkOperationMetadata](#)
- [GetSolNetworkOperationTaskDetails](#)
- [GetSolNetworkPackageMetadata](#)
- [GetSolVnfcResourceInfo](#)
- [GetSolVnfcResourceInfoMetadata](#)
- [GetSolVnfInfo](#)
- [InstantiateMetadata](#)
- [LcmOperationInfo](#)
- [ListSolFunctionInstanceInfo](#)
- [ListSolFunctionInstanceMetadata](#)
- [ListSolFunctionPackageInfo](#)
- [ListSolFunctionPackageMetadata](#)
- [ListSolNetworkInstanceInfo](#)
- [ListSolNetworkInstanceMetadata](#)

- [ListSolNetworkOperationsInfo](#)
- [ListSolNetworkOperationsMetadata](#)
- [ListSolNetworkPackageInfo](#)
- [ListSolNetworkPackageMetadata](#)
- [ModifyVnfInfoMetadata](#)
- [NetworkArtifactMeta](#)
- [ProblemDetails](#)
- [PutSolFunctionPackageContentMetadata](#)
- [PutSolNetworkPackageContentMetadata](#)
- [ToscaOverride](#)
- [UpdateNsMetadata](#)
- [UpdateSolNetworkModify](#)
- [UpdateSolNetworkServiceData](#)
- [ValidateSolFunctionPackageContentMetadata](#)
- [ValidateSolNetworkPackageContentMetadata](#)

ErrorInfo

Provides error information.

Contents

cause

Error cause.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Required: No

details

Error details.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10240.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FunctionArtifactMeta

Metadata for function package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Contents

overrides

Lists of function package overrides.

Type: Array of [ToscaOverride](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolFunctionInstanceMetadata

The metadata of a network function instance.

A network function instance is a function in a function package .

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolFunctionPackageMetadata

Metadata related to the function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

vnfd

Metadata related to the function package descriptor of the function package.

Type: [FunctionArtifactMeta](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolInstantiatedVnfInfo

Information about a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Contents

vnfState

State of the network function.

Type: String

Valid Values: STARTED | STOPPED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkInstanceMetadata

The metadata of a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkOperationMetadata

Metadata related to a network operation occurrence.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

instantiateMetadata

Metadata related to the network operation occurrence for network instantiation. This is populated only if the `lcmOperationType` is `INSTANTIATE`.

Type: [InstantiateMetadata](#) object

Required: No

modifyVnfInfoMetadata

Metadata related to the network operation occurrence for network function updates in a network instance. This is populated only if the `lcmOperationType` is `UPDATE` and the `updateType` is `MODIFY_VNF_INFORMATION`.

Type: [ModifyVnfInfoMetadata](#) object

Required: No

updateNsMetadata

Metadata related to the network operation occurrence for network instance updates. This is populated only if the `lcmOperationType` is `UPDATE` and the `updateType` is `UPDATE_NS`.

Type: [UpdateNsMetadata](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkOperationTaskDetails

Gets the details of a network operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

Contents

taskContext

Context for the network operation task.

Type: String to string map

Required: No

taskEndTime

Task end time.

Type: Timestamp

Required: No

taskErrorDetails

Task error details.

Type: [ErrorInfo](#) object

Required: No

taskName

Task name.

Type: String

Required: No

taskStartTime

Task start time.

Type: Timestamp

Required: No

taskStatus

Task status.

Type: String

Valid Values: SCHEDULED | STARTED | IN_PROGRESS | COMPLETED | ERROR | SKIPPED | CANCELLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolNetworkPackageMetadata

Metadata associated with a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

nsd

Metadata related to the onboarded network service descriptor in the network package.

Type: [NetworkArtifactMeta](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolVnfcResourceInfo

Details of resource associated with a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Contents

metadata

The metadata of the network function compute.

Type: [GetSolVnfcResourceInfoMetadata](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolVnfcResourceInfoMetadata

The metadata of a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Contents

cluster

Information about the cluster.

Type: String

Required: No

helmChart

Information about the helm chart.

Type: String

Required: No

nodeGroup

Information about the node group.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GetSolVnfInfo

Information about the network function.

A network function instance is a function in a function package .

Contents

vnfcResourceInfo

Compute info used by the network function instance.

Type: Array of [GetSolVnfcResourceInfo](#) objects

Required: No

vnfState

State of the network function instance.

Type: String

Valid Values: STARTED | STOPPED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InstantiateMetadata

Metadata related to the configuration properties used during instantiation of the network instance.

Contents

nsdInfol

The network service descriptor used for instantiating the network instance.

Type: String

Pattern: `np-[a-f0-9]{17}`

Required: Yes

additionalParamsForNs

The configurable properties used during instantiation.

Type: JSON value

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LcmOperationInfo

Lifecycle management operation details on the network instance.

Lifecycle management operations are deploy, update, or delete operations.

Contents

nsLcmOpOclId

The identifier of the network operation.

Type: String

Pattern: no-[a-f0-9]{17}

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolFunctionInstanceInfo

Lists information about a network function instance.

A network function instance is a function in a function package .

Contents

arn

Network function instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}-(gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-instance/fi-[a-f0-9]{17})`

Required: Yes

id

Network function instance ID.

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

instantiationState

Network function instance instantiation state.

Type: String

Valid Values: INSTANTIATED | NOT_INSTANTIATED

Required: Yes

metadata

Network function instance metadata.

Type: [ListSolFunctionInstanceMetadata](#) object

Required: Yes

nsInstanceId

Network instance ID.

Type: String

Pattern: ni-[a-f0-9]{17}

Required: Yes

vnfPkgId

Function package ID.

Type: String

Pattern: fp-[a-f0-9]{17}

Required: Yes

instantiatedVnfInfo

Information about a network function.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Type: [GetSolInstantiatedVnfInfo](#) object

Required: No

vnfPkgName

Function package name.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolFunctionInstanceMetadata

Lists network function instance metadata.

A network function instance is a function in a function package .

Contents

createdAt

When the network function instance was created.

Type: Timestamp

Required: Yes

lastModified

When the network function instance was last modified.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolFunctionPackageInfo

Information about a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Contents

arn

Function package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]:\d{12}:(function-package/fp-[a-f0-9]{17})`

Required: Yes

id

ID of the function package.

Type: String

Pattern: `fp-[a-f0-9]{17}`

Required: Yes

onboardingState

Onboarding state of the function package.

Type: String

Valid Values: `CREATED | ONBOARDED | ERROR`

Required: Yes

operationalState

Operational state of the function package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

usageState

Usage state of the function package.

Type: String

Valid Values: IN_USE | NOT_IN_USE

Required: Yes

metadata

The metadata of the function package.

Type: [ListSolFunctionPackageMetadata](#) object

Required: No

vnfdId

Identifies the function package and the function package descriptor.

Type: String

Required: No

vnfdVersion

Identifies the version of the function package descriptor.

Type: String

Required: No

vnfProductName

The product name for the network function.

Type: String

Required: No

vnfProvider

Provider of the function package and the function package descriptor.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolFunctionPackageMetadata

Details for the function package metadata.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkInstanceInfo

Info about the specific network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Contents

arn

Network instance ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso)))?-(east|west|north|south|central){1,2}-[0-9]):\d{12}:(network-instance/ni-[a-f0-9]{17})`

Required: Yes

id

ID of the network instance.

Type: String

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

metadata

The metadata of the network instance.

Type: [ListSolNetworkInstanceMetadata](#) object

Required: Yes

nsdId

ID of the network service descriptor in the network package.

Type: String

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

nsdInfold

ID of the network service descriptor in the network package.

Type: String

Pattern: np-[a-f0-9]{17}

Required: Yes

nsInstanceDescription

Human-readable description of the network instance.

Type: String

Required: Yes

nsInstanceName

Human-readable name of the network instance.

Type: String

Required: Yes

nsState

The state of the network instance.

Type: String

Valid Values: INSTANTIATED | NOT_INSTANTIATED | UPDATED | IMPAIRED
| UPDATE_FAILED | STOPPED | DELETED | INSTANTIATE_IN_PROGRESS
| INTENT_TO_UPDATE_IN_PROGRESS | UPDATE_IN_PROGRESS |
TERMINATE_IN_PROGRESS

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkInstanceMetadata

Metadata details for a network instance.

A network instance is a single network created in AWS TNB that can be deployed and on which life-cycle operations (like terminate, update, and delete) can be performed.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkOperationsInfo

Information parameters for a network operation.

Contents

arn

Network operation ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2}(-(gov|isob|iso))?)-(east|west|north|south|central){1,2}-[0-9]):\d{12}:(network-operation/no-[a-f0-9]{17})`

Required: Yes

id

ID of this network operation.

Type: String

Pattern: `no-[a-f0-9]{17}`

Required: Yes

lcmOperationType

Type of lifecycle management network operation.

Type: String

Valid Values: `INSTANTIATE | UPDATE | TERMINATE`

Required: Yes

nsInstanceId

ID of the network instance related to this operation.

Type: String

Pattern: `ni-[a-f0-9]{17}`

Required: Yes

operationState

The state of the network operation.

Type: String

Valid Values: PROCESSING | COMPLETED | FAILED | CANCELLING | CANCELLED

Required: Yes

error

Error related to this specific network operation.

Type: [ProblemDetails](#) object

Required: No

metadata

Metadata related to this network operation.

Type: [ListSolNetworkOperationsMetadata](#) object

Required: No

updateType

Type of the update. Only present if the network operation lcmOperationType is UPDATE.

Type: String

Valid Values: MODIFY_VNF_INFORMATION | UPDATE_NS

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ListSolNetworkOperationsMetadata

Metadata related to a network operation.

A network operation is any operation that is done to your network, such as network instance instantiation or termination.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

nsdInfolId

The network service descriptor id used for the operation.

Only present if the updateType is UPDATE_NS.

Type: String

Pattern: np-[a-f0-9]{17}

Required: No

vnfInstanceId

The network function id used for the operation.

Only present if the updateType is MODIFY_VNF_INFO.

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkPackageInfo

Details of a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Contents

arn

Network package ARN.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-b|aws-us-gov):tnb:([a-z]{2})(-(gov|isob|iso))?-(east|west|north|south|central){1,2}-[0-9]):\d{12}:(network-package/np-[a-f0-9]{17})`

Required: Yes

id

ID of the individual network package.

Type: String

Pattern: `np-[a-f0-9]{17}`

Required: Yes

metadata

The metadata of the network package.

Type: [ListSolNetworkPackageMetadata](#) object

Required: Yes

nsdOnboardingState

Onboarding state of the network service descriptor in the network package.

Type: String

Valid Values: CREATED | ONBOARDED | ERROR

Required: Yes

nsdOperationalState

Operational state of the network service descriptor in the network package.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

nsdUsageState

Usage state of the network service descriptor in the network package.

Type: String

Valid Values: IN_USE | NOT_IN_USE

Required: Yes

nsdDesigner

Designer of the onboarded network service descriptor in the network package.

Type: String

Required: No

nsdId

ID of the network service descriptor on which the network package is based.

Type: String

Required: No

nsdInvariantId

Identifies a network service descriptor in a version independent manner.

Type: String

Required: No

nsdName

Name of the onboarded network service descriptor in the network package.

Type: String

Required: No

nsdVersion

Version of the onboarded network service descriptor in the network package.

Type: String

Required: No

vnfPkgIds

Identifies the function package for the function package descriptor referenced by the onboarded network package.

Type: Array of strings

Pattern: fp-[a-f0-9]{17}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListSolNetworkPackageMetadata

Metadata related to a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Contents

createdAt

The date that the resource was created.

Type: Timestamp

Required: Yes

lastModified

The date that the resource was last modified.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ModifyVnfInfoMetadata

Metadata related to the configuration properties used during update of a specific network function in a network instance.

Contents

vnfConfigurableProperties

The configurable properties used during update of the network function instance.

Type: JSON value

Required: Yes

vnfInstanceId

The network function instance that was updated in the network instance.

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NetworkArtifactMeta

Metadata for network package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Contents

overrides

Lists network package overrides.

Type: Array of [ToscaOverride](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProblemDetails

Details related to problems with AWS TNB resources.

Contents

detail

A human-readable explanation specific to this occurrence of the problem.

Type: String

Required: Yes

title

A human-readable title of the problem type.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PutSolFunctionPackageContentMetadata

Update metadata in a function package.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Contents

vnfd

Metadata for function package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [FunctionArtifactMeta](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PutSolNetworkPackageContentMetadata

Update metadata in a network package.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Contents

nsd

Metadata for network package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [NetworkArtifactMeta](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ToscaOverride

Overrides of the TOSCA node.

Contents

defaultValue

Default value for the override.

Type: String

Required: No

name

Name of the TOSCA override.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateNsMetadata

Metadata related to the configuration properties used during update of a network instance.

Contents

nsdInfol

The network service descriptor used for updating the network instance.

Type: String

Pattern: `np-[a-f0-9]{17}`

Required: Yes

additionalParamsForNs

The configurable properties used during update.

Type: JSON value

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateSolNetworkModify

Information parameters and/or the configurable properties for a network function.

A network function instance is a function in a function package .

Contents

vnfConfigurableProperties

Provides values for the configurable properties declared in the function package descriptor.

Type: JSON value

Required: Yes

vnfInstanceId

ID of the network function instance.

A network function instance is a function in a function package .

Type: String

Pattern: `fi-[a-f0-9]{17}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateSolNetworkServiceData

Information parameters and/or the configurable properties for a network descriptor used for update.

Contents

nsdInfold

ID of the network service descriptor.

Type: String

Pattern: `np-[a-f0-9]{17}`

Required: Yes

additionalParamsForNs

Values for the configurable properties declared in the network service descriptor.

Type: JSON value

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidateSolFunctionPackageContentMetadata

Validates function package content metadata.

A function package is a .zip file in CSAR (Cloud Service Archive) format that contains a network function (an ETSI standard telecommunication application) and function package descriptor that uses the TOSCA standard to describe how the network functions should run on your network.

Contents

vnfd

Metadata for function package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [FunctionArtifactMeta](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidateSolNetworkPackageContentMetadata

Validates network package content metadata.

A network package is a .zip file in CSAR (Cloud Service Archive) format defines the function packages you want to deploy and the AWS infrastructure you want to deploy them on.

Contents

nsd

Metadata for network package artifacts.

Artifacts are the contents of the package descriptor file and the state of the package.

Type: [NetworkArtifactMeta](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400