



API Reference

AWS Translate



API Version 2017-07-01

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Translate: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateParallelData	3
Request Syntax	3
Request Parameters	3
Response Syntax	5
Response Elements	5
Errors	6
See Also	7
DeleteParallelData	8
Request Syntax	8
Request Parameters	8
Response Syntax	8
Response Elements	8
Errors	9
See Also	10
DeleteTerminology	11
Request Syntax	11
Request Parameters	11
Response Elements	11
Errors	11
See Also	12
DescribeTextTranslationJob	13
Request Syntax	13
Request Parameters	13
Response Syntax	13
Response Elements	14
Errors	14
See Also	15
GetParallelData	16
Request Syntax	16
Request Parameters	16
Response Syntax	16
Response Elements	17

Errors	18
See Also	19
GetTerminology	20
Request Syntax	20
Request Parameters	20
Response Syntax	21
Response Elements	21
Errors	22
See Also	23
ImportTerminology	24
Request Syntax	24
Request Parameters	24
Response Syntax	26
Response Elements	27
Errors	27
See Also	28
ListLanguages	30
Request Syntax	30
Request Parameters	30
Response Syntax	31
Response Elements	31
Errors	32
See Also	32
ListParallelData	34
Request Syntax	34
Request Parameters	34
Response Syntax	34
Response Elements	35
Errors	36
See Also	36
ListTagsForResource	38
Request Syntax	38
Request Parameters	38
Response Syntax	38
Response Elements	38
Errors	39

See Also	39
ListTerminologies	41
Request Syntax	41
Request Parameters	41
Response Syntax	41
Response Elements	42
Errors	43
See Also	43
ListTextTranslationJobs	45
Request Syntax	45
Request Parameters	45
Response Syntax	46
Response Elements	47
Errors	47
See Also	48
StartTextTranslationJob	49
Request Syntax	49
Request Parameters	50
Response Syntax	53
Response Elements	53
Errors	54
See Also	55
StopTextTranslationJob	57
Request Syntax	57
Request Parameters	57
Response Syntax	57
Response Elements	58
Errors	58
See Also	59
TagResource	60
Request Syntax	60
Request Parameters	60
Response Elements	61
Errors	61
See Also	62
TranslateDocument	63

Request Syntax	63
Request Parameters	63
Response Syntax	65
Response Elements	66
Errors	67
See Also	68
TranslateText	69
Request Syntax	69
Request Parameters	69
Response Syntax	71
Response Elements	71
Errors	72
See Also	74
UntagResource	75
Request Syntax	75
Request Parameters	75
Response Elements	76
Errors	76
See Also	76
UpdateParallelData	78
Request Syntax	78
Request Parameters	78
Response Syntax	79
Response Elements	79
Errors	80
See Also	81
Data Types	83
AppliedTerminology	84
Contents	84
See Also	84
Document	85
Contents	85
See Also	85
EncryptionKey	87
Contents	87
See Also	87

InputDataConfig	88
Contents	88
See Also	89
JobDetails	90
Contents	90
See Also	90
Language	91
Contents	91
See Also	91
OutputDataConfig	92
Contents	92
See Also	92
ParallelDataConfig	93
Contents	93
See Also	93
ParallelDataDataLocation	94
Contents	94
See Also	95
ParallelDataProperties	96
Contents	96
See Also	99
Tag	100
Contents	100
See Also	100
Term	101
Contents	101
See Also	101
TerminologyData	102
Contents	102
See Also	103
TerminologyDataLocation	104
Contents	104
See Also	105
TerminologyProperties	106
Contents	106
See Also	109

TextTranslationJobFilter	110
Contents	110
See Also	111
TextTranslationJobProperties	112
Contents	112
See Also	115
TranslatedDocument	116
Contents	116
See Also	116
TranslationSettings	117
Contents	117
See Also	118
Common Parameters	119
Common Error Types	122

Welcome

Provides translation of the input content from the source language to the target language.

For information about the IAM access control permissions you need to use this API, see [Using IAM identity policies to manage permissions](#).

You can use [AWS SDKs](#) to access Amazon Translate APIs using your favorite programming language. The SDKs automatically perform useful tasks for you, such as:

- Cryptographically sign your service requests
- Retry requests
- Handle error responses

The following resources provide additional information about the Amazon Translate API.

- *Amazon Web Services General Reference* — [Amazon Translate Endpoints for each region](#).
- *AWS CLI* — [Amazon Translate CLI commands](#).

This document was last published on June 29, 2026.

Actions

The following actions are supported:

- [CreateParallelData](#)
- [DeleteParallelData](#)
- [DeleteTerminology](#)
- [DescribeTextTranslationJob](#)
- [GetParallelData](#)
- [GetTerminology](#)
- [ImportTerminology](#)
- [ListLanguages](#)
- [ListParallelData](#)
- [ListTagsForResource](#)
- [ListTerminologies](#)
- [ListTextTranslationJobs](#)
- [StartTextTranslationJob](#)
- [StopTextTranslationJob](#)
- [TagResource](#)
- [TranslateDocument](#)
- [TranslateText](#)
- [UntagResource](#)
- [UpdateParallelData](#)

CreateParallelData

Creates a parallel data resource in Amazon Translate by importing an input file from Amazon S3. Parallel data files contain examples that show how you want segments of text to be translated. By adding parallel data, you can influence the style, tone, and word choice in your translation output.

Request Syntax

```
{
  "ClientToken": "string",
  "Description": "string",
  "EncryptionKey": {
    "Id": "string",
    "Type": "string"
  },
  "Name": "string",
  "ParallelDataConfig": {
    "Format": "string",
    "S3Uri": "string"
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientToken

A unique identifier for the request. This token is automatically generated when you use Amazon Translate through an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

Description

A custom description for the parallel data resource in Amazon Translate.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\P{M}\p{M}]{0,256}`

Required: No

EncryptionKey

The encryption key used to encrypt this object.

Type: [EncryptionKey](#) object

Required: No

Name

A custom name for the parallel data resource in Amazon Translate. You must assign a name that is unique in the account and region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^([A-Za-z0-9-]_?)+$`

Required: Yes

ParallelDataConfig

Specifies the format and S3 location of the parallel data input file.

Type: [ParallelDataConfig](#) object

Required: Yes

Tags

Tags to be associated with this resource. A tag is a key-value pair that adds metadata to a resource. Each tag key for the resource must be unique. For more information, see [Tagging your resources](#) in the Amazon Translate Developer Guide.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

Response Syntax

```
{
  "Name": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Name](#)

The custom name that you assigned to the parallel data resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

[Status](#)

The status of the parallel data resource. When the resource is ready for you to use, the status is ACTIVE.

Type: String

Valid Values: CREATING | UPDATING | ACTIVE | DELETING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConcurrentModificationException

Another modification is being made. That modification must complete before you can make your change.

HTTP Status Code: 400

ConflictException

There was a conflict processing the request. Try your request again.

HTTP Status Code: 400

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

InvalidRequestException

The request that you made is not valid. Check your request to determine why it's not valid and then retry the request.

HTTP Status Code: 400

LimitExceededException

The specified limit has been exceeded. Review your request and retry it with a quantity below the stated limit.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

TooManyTagsException

You have added too many tags to this resource. The maximum is 50 tags.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteParallelData

Deletes a parallel data resource in Amazon Translate.

Request Syntax

```
{  
  "Name": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Name

The name of the parallel data resource that is being deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: Yes

Response Syntax

```
{  
  "Name": "string",  
  "Status": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the parallel data resource that is being deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Status

The status of the parallel data deletion.

Type: String

Valid Values: CREATING | UPDATING | ACTIVE | DELETING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConcurrentModificationException

Another modification is being made. That modification must complete before you can make your change.

HTTP Status Code: 400

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTerminology

A synchronous action that deletes a custom terminology.

Request Syntax

```
{  
  "Name": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Name

The name of the custom terminology being deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?+$`

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeTextTranslationJob

Gets the properties associated with an asynchronous batch translation job including name, ID, status, source and target languages, input/output S3 buckets, and so on.

Request Syntax

```
{
  "JobId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

JobId

The identifier that Amazon Translate generated for the job. The [StartTextTranslationJob](#) operation returns this identifier in its response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/+\\-%@]*)$`

Required: Yes

Response Syntax

```
{
  "TextTranslationJobProperties": {
    "DataAccessRoleArn": "string",
    "EndTime": number,
    "InputDataConfig": {
      "ContentType": "string",
      "S3Uri": "string"
    },
    "JobDetails": {
```

```
    "DocumentsWithErrorsCount": number,
    "InputDocumentsCount": number,
    "TranslatedDocumentsCount": number
  },
  "JobId": "string",
  "JobName": "string",
  "JobStatus": "string",
  "Message": "string",
  "OutputDataConfig": {
    "EncryptionKey": {
      "Id": "string",
      "Type": "string"
    },
    "S3Uri": "string"
  },
  "ParallelDataNames": [ "string" ],
  "Settings": {
    "Brevity": "string",
    "Formality": "string",
    "Profanity": "string"
  },
  "SourceLanguageCode": "string",
  "SubmittedTime": number,
  "TargetLanguageCodes": [ "string" ],
  "TerminologyNames": [ "string" ]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

TextTranslationJobProperties

An object that contains the properties associated with an asynchronous batch translation job.

Type: [TextTranslationJobProperties](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetParallelData

Provides information about a parallel data resource.

Request Syntax

```
{  
  "Name": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Name

The name of the parallel data resource that is being retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?+$`

Required: Yes

Response Syntax

```
{  
  "AuxiliaryDataLocation": {  
    "Location": "string",  
    "RepositoryType": "string"  
  },  
  "DataLocation": {  
    "Location": "string",  
    "RepositoryType": "string"  
  },  
  "LatestUpdateAttemptAuxiliaryDataLocation": {
```

```

    "Location": "string",
    "RepositoryType": "string"
  },
  "ParallelDataProperties": {
    "Arn": "string",
    "CreatedAt": number,
    "Description": "string",
    "EncryptionKey": {
      "Id": "string",
      "Type": "string"
    },
    "FailedRecordCount": number,
    "ImportedDataSize": number,
    "ImportedRecordCount": number,
    "LastUpdatedAt": number,
    "LatestUpdateAttemptAt": number,
    "LatestUpdateAttemptStatus": "string",
    "Message": "string",
    "Name": "string",
    "ParallelDataConfig": {
      "Format": "string",
      "S3Uri": "string"
    },
    "SkippedRecordCount": number,
    "SourceLanguageCode": "string",
    "Status": "string",
    "TargetLanguageCodes": [ "string" ]
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AuxiliaryDataLocation

The Amazon S3 location of a file that provides any errors or warnings that were produced by your input file. This file was created when Amazon Translate attempted to create a parallel data resource. The location is returned as a presigned URL to that has a 30-minute expiration.

Type: [ParallelDataDataLocation](#) object

DataLocation

The Amazon S3 location of the most recent parallel data input file that was successfully imported into Amazon Translate. The location is returned as a presigned URL that has a 30-minute expiration.

Important

Amazon Translate doesn't scan all input files for the risk of CSV injection attacks. CSV injection occurs when a .csv or .tsv file is altered so that a record contains malicious code. The record begins with a special character, such as =, +, -, or @. When the file is opened in a spreadsheet program, the program might interpret the record as a formula and run the code within it.

Before you download an input file from Amazon S3, ensure that you recognize the file and trust its creator.

Type: [ParallelDataDataLocation](#) object

LatestUpdateAttemptAuxiliaryDataLocation

The Amazon S3 location of a file that provides any errors or warnings that were produced by your input file. This file was created when Amazon Translate attempted to update a parallel data resource. The location is returned as a presigned URL to that has a 30-minute expiration.

Type: [ParallelDataDataLocation](#) object

ParallelDataProperties

The properties of the parallel data resource that is being retrieved.

Type: [ParallelDataProperties](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTerminology

Retrieves a custom terminology.

Request Syntax

```
{
  "Name": "string",
  "TerminologyDataFormat": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Name

The name of the custom terminology being retrieved.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: Yes

TerminologyDataFormat

The data format of the custom terminology being retrieved.

If you don't specify this parameter, Amazon Translate returns a file with the same format as the file that was imported to create the terminology.

If you specify this parameter when you retrieve a multi-directional terminology resource, you must specify the same format as the input file that was imported to create it. Otherwise, Amazon Translate throws an error.

Type: String

Valid Values: CSV | TMX | TSV

Required: No

Response Syntax

```
{
  "AuxiliaryDataLocation": {
    "Location": "string",
    "RepositoryType": "string"
  },
  "TerminologyDataLocation": {
    "Location": "string",
    "RepositoryType": "string"
  },
  "TerminologyProperties": {
    "Arn": "string",
    "CreatedAt": number,
    "Description": "string",
    "Directionality": "string",
    "EncryptionKey": {
      "Id": "string",
      "Type": "string"
    },
    "Format": "string",
    "LastUpdatedAt": number,
    "Message": "string",
    "Name": "string",
    "SizeBytes": number,
    "SkippedTermCount": number,
    "SourceLanguageCode": "string",
    "TargetLanguageCodes": [ "string" ],
    "TermCount": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AuxiliaryDataLocation

The Amazon S3 location of a file that provides any errors or warnings that were produced by your input file. This file was created when Amazon Translate attempted to create a terminology resource. The location is returned as a presigned URL to that has a 30-minute expiration.

Type: [TerminologyDataLocation](#) object

TerminologyDataLocation

The Amazon S3 location of the most recent custom terminology input file that was successfully imported into Amazon Translate. The location is returned as a presigned URL that has a 30-minute expiration.

Important

Amazon Translate doesn't scan all input files for the risk of CSV injection attacks. CSV injection occurs when a .csv or .tsv file is altered so that a record contains malicious code. The record begins with a special character, such as =, +, -, or @. When the file is opened in a spreadsheet program, the program might interpret the record as a formula and run the code within it.

Before you download an input file from Amazon S3, ensure that you recognize the file and trust its creator.

Type: [TerminologyDataLocation](#) object

TerminologyProperties

The properties of the custom terminology being retrieved.

Type: [TerminologyProperties](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ImportTerminology

Creates or updates a custom terminology, depending on whether one already exists for the given terminology name. Importing a terminology with the same name as an existing one will merge the terminologies based on the chosen merge strategy. The only supported merge strategy is OVERWRITE, where the imported terminology overwrites the existing terminology of the same name.

If you import a terminology that overwrites an existing one, the new terminology takes up to 10 minutes to fully propagate. After that, translations have access to the new terminology.

Request Syntax

```
{
  "Description": "string",
  "EncryptionKey": {
    "Id": "string",
    "Type": "string"
  },
  "MergeStrategy": "string",
  "Name": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TerminologyData": {
    "Directionality": "string",
    "File": blob,
    "Format": "string"
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

The description of the custom terminology being imported.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\P{M}\p{M}]{0,256}`

Required: No

EncryptionKey

The encryption key for the custom terminology being imported.

Type: [EncryptionKey](#) object

Required: No

MergeStrategy

The merge strategy of the custom terminology being imported. Currently, only the OVERWRITE merge strategy is supported. In this case, the imported terminology will overwrite an existing terminology of the same name.

Type: String

Valid Values: OVERWRITE

Required: Yes

Name

The name of the custom terminology being imported.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?+$`

Required: Yes

Tags

Tags to be associated with this resource. A tag is a key-value pair that adds metadata to a resource. Each tag key for the resource must be unique. For more information, see [Tagging your resources](#) in the Amazon Translate Developer Guide.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: No

TerminologyData

The terminology data for the custom terminology being imported.

Type: [TerminologyData](#) object

Required: Yes

Response Syntax

```
{
  "AuxiliaryDataLocation": {
    "Location": "string",
    "RepositoryType": "string"
  },
  "TerminologyProperties": {
    "Arn": "string",
    "CreatedAt": number,
    "Description": "string",
    "Directionality": "string",
    "EncryptionKey": {
      "Id": "string",
      "Type": "string"
    },
    "Format": "string",
    "LastUpdatedAt": number,
    "Message": "string",
    "Name": "string",
    "SizeBytes": number,
    "SkippedTermCount": number,
```

```
"SourceLanguageCode": "string",  
"TargetLanguageCodes": [ "string" ],  
"TermCount": number  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AuxiliaryDataLocation

The Amazon S3 location of a file that provides any errors or warnings that were produced by your input file. This file was created when Amazon Translate attempted to create a terminology resource. The location is returned as a presigned URL to that has a 30 minute expiration.

Type: [TerminologyDataLocation](#) object

TerminologyProperties

The properties of the custom terminology being imported.

Type: [TerminologyProperties](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConcurrentModificationException

Another modification is being made. That modification must complete before you can make your change.

HTTP Status Code: 400

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

LimitExceededException

The specified limit has been exceeded. Review your request and retry it with a quantity below the stated limit.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

TooManyTagsException

You have added too many tags to this resource. The maximum is 50 tags.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListLanguages

Provides a list of languages (RFC-5646 codes and names) that Amazon Translate supports.

Request Syntax

```
{
  "DisplayLanguageCode": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[DisplayLanguageCode](#)

The language code for the language to use to display the language names in the response. The language code is en by default.

Type: String

Valid Values: de | en | es | fr | it | ja | ko | pt | zh | zh-TW

Required: No

[MaxResults](#)

The maximum number of results to return in each response.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

[NextToken](#)

Include the NextToken value to fetch the next group of supported languages.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: `\p{ASCII}{0,8192}`

Required: No

Response Syntax

```
{
  "DisplayLanguageCode": "string",
  "Languages": [
    {
      "LanguageCode": "string",
      "LanguageName": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DisplayLanguageCode

The language code passed in with the request.

Type: String

Valid Values: de | en | es | fr | it | ja | ko | pt | zh | zh-TW

Languages

The list of supported languages.

Type: Array of [Language](#) objects

NextToken

If the response does not include all remaining results, use the NextToken in the next request to fetch the next group of supported languages.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: `\p{ASCII}{0,8192}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

UnsupportedDisplayLanguageCodeException

Requested display language code is not supported.

DisplayLanguageCode

Language code passed in with the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListParallelData

Provides a list of your parallel data resources in Amazon Translate.

Request Syntax

```
{
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[MaxResults](#)

The maximum number of parallel data resources returned for each request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

[NextToken](#)

A string that specifies the next page of results to return in a paginated response.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: `\p{ASCII}{0,8192}`

Required: No

Response Syntax

```
{
  "NextToken": "string",
}
```

```
"ParallelDataPropertiesList": [
  {
    "Arn": "string",
    "CreatedAt": number,
    "Description": "string",
    "EncryptionKey": {
      "Id": "string",
      "Type": "string"
    },
    "FailedRecordCount": number,
    "ImportedDataSize": number,
    "ImportedRecordCount": number,
    "LastUpdatedAt": number,
    "LatestUpdateAttemptAt": number,
    "LatestUpdateAttemptStatus": "string",
    "Message": "string",
    "Name": "string",
    "ParallelDataConfig": {
      "Format": "string",
      "S3Uri": "string"
    },
    "SkippedRecordCount": number,
    "SourceLanguageCode": "string",
    "Status": "string",
    "TargetLanguageCodes": [ "string" ]
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The string to use in a subsequent request to get the next page of results in a paginated response. This value is null if there are no additional pages.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: \p{ASCII}{0,8192}

[ParallelDataPropertiesList](#)

The properties of the parallel data resources returned by this request.

Type: Array of [ParallelDataProperties](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists all tags associated with a given Amazon Translate resource. For more information, see [Tagging your resources](#) in the Amazon Translate Developer Guide.

Request Syntax

```
{  
  "ResourceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ResourceArn](#)

The Amazon Resource Name (ARN) of the given Amazon Translate resource you are querying.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

Response Syntax

```
{  
  "Tags": [  
    {  
      "Key": "string",  
      "Value": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

Tags associated with the Amazon Translate resource being queried. A tag is a key-value pair that adds as a metadata to a resource used by Amazon Translate. For example, a tag with "Sales" as the key might be added to a resource to indicate its use by the sales department.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTerminologies

Provides a list of custom terminologies associated with your account.

Request Syntax

```
{
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[MaxResults](#)

The maximum number of custom terminologies returned per list request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

[NextToken](#)

If the result of the request to ListTerminologies was truncated, include the NextToken to fetch the next group of custom terminologies.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: `\p{ASCII}{0,8192}`

Required: No

Response Syntax

```
{
```

```
"NextToken": "string",
"TerminologyPropertiesList": [
  {
    "Arn": "string",
    "CreatedAt": number,
    "Description": "string",
    "Directionality": "string",
    "EncryptionKey": {
      "Id": "string",
      "Type": "string"
    },
    "Format": "string",
    "LastUpdatedAt": number,
    "Message": "string",
    "Name": "string",
    "SizeBytes": number,
    "SkippedTermCount": number,
    "SourceLanguageCode": "string",
    "TargetLanguageCodes": [ "string" ],
    "TermCount": number
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

If the response to the ListTerminologies was truncated, the NextToken fetches the next group of custom terminologies.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: \p{ASCII}{0,8192}

TerminologyPropertiesList

The properties list of the custom terminologies returned on the list request.

Type: Array of [TerminologyProperties](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTextTranslationJobs

Gets a list of the batch translation jobs that you have submitted.

Request Syntax

```
{
  "Filter": {
    "JobName": "string",
    "JobStatus": "string",
    "SubmittedAfterTime": number,
    "SubmittedBeforeTime": number
  },
  "MaxResults": number,
  "NextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filter

The parameters that specify which batch translation jobs to retrieve. Filters include job name, job status, and submission time. You can only set one filter at a time.

Type: [TextTranslationJobFilter](#) object

Required: No

MaxResults

The maximum number of results to return in each page. The default value is 100.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

NextToken

The token to request the next page of results.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: `\p{ASCII}{0,8192}`

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "TextTranslationJobPropertiesList": [
    {
      "DataAccessRoleArn": "string",
      "EndTime": number,
      "InputDataConfig": {
        "ContentType": "string",
        "S3Uri": "string"
      },
      "JobDetails": {
        "DocumentsWithErrorsCount": number,
        "InputDocumentsCount": number,
        "TranslatedDocumentsCount": number
      },
      "JobId": "string",
      "JobName": "string",
      "JobStatus": "string",
      "Message": "string",
      "OutputDataConfig": {
        "EncryptionKey": {
          "Id": "string",
          "Type": "string"
        },
        "S3Uri": "string"
      },
      "ParallelDataNames": [ "string" ],
      "Settings": {
        "Brevity": "string",
```

```
        "Formality": "string",
        "Profanity": "string"
    },
    "SourceLanguageCode": "string",
    "SubmittedTime": number,
    "TargetLanguageCodes": [ "string" ],
    "TerminologyNames": [ "string" ]
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Maximum length of 8192.

Pattern: \p{ASCII}{0,8192}

TextTranslationJobPropertiesList

A list containing the properties of each job that is returned.

Type: Array of [TextTranslationJobProperties](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidFilterException

The filter specified for the operation is not valid. Specify a different filter.

HTTP Status Code: 400

InvalidRequestException

The request that you made is not valid. Check your request to determine why it's not valid and then retry the request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTextTranslationJob

Starts an asynchronous batch translation job. Use batch translation jobs to translate large volumes of text across multiple documents at once. For batch translation, you can input documents with different source languages (specify `auto` as the source language). You can specify one or more target languages. Batch translation translates each input document into each of the target languages. For more information, see [Asynchronous batch processing](#) in the Amazon Translate Developer Guide.

Batch translation jobs can be described with the [DescribeTextTranslationJob](#) operation, listed with the [ListTextTranslationJobs](#) operation, and stopped with the [StopTextTranslationJob](#) operation.

Request Syntax

```
{
  "ClientToken": "string",
  "DataAccessRoleArn": "string",
  "InputDataConfig": {
    "ContentType": "string",
    "S3Uri": "string"
  },
  "JobName": "string",
  "OutputDataConfig": {
    "EncryptionKey": {
      "Id": "string",
      "Type": "string"
    },
    "S3Uri": "string"
  },
  "ParallelDataNames": [ "string" ],
  "Settings": {
    "Brevity": "string",
    "Formality": "string",
    "Profanity": "string"
  },
  "SourceLanguageCode": "string",
  "TargetLanguageCodes": [ "string" ],
  "TerminologyNames": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ClientToken](#)

A unique identifier for the request. This token is generated for you when using the Amazon Translate SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

[DataAccessRoleArn](#)

The Amazon Resource Name (ARN) of an AWS Identity Access and Management (IAM) role that grants Amazon Translate read access to your input data. For more information, see [Prerequisite permissions](#) in the Amazon Translate Developer Guide.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:iam::[0-9]{12}:role/.+`

Required: Yes

[InputDataConfig](#)

Specifies the format and location of the input documents for the translation job.

Type: [InputDataConfig](#) object

Required: Yes

[JobName](#)

The name of the batch translation job to be performed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: $^([\p{L}\p{Z}\p{N}_\cdot :/=+\-\%@] *)\$$

Required: No

OutputDataConfig

Specifies the S3 folder to which your job output will be saved.

Type: [OutputDataConfig](#) object

Required: Yes

ParallelDataNames

The name of a parallel data resource to add to the translation job. This resource consists of examples that show how you want segments of text to be translated. If you specify multiple target languages for the job, the parallel data file must include translations for all the target languages.

When you add parallel data to a translation job, you create an *Active Custom Translation* job.

This parameter accepts only one parallel data resource.

Note

Active Custom Translation jobs are priced at a higher rate than other jobs that don't use parallel data. For more information, see [Amazon Translate pricing](#).

For a list of available parallel data resources, use the [ListParallelData](#) operation.

For more information, see [Customizing your translations with parallel data](#) in the Amazon Translate Developer Guide.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: $^([A-Za-z0-9-]_?)+\$$

Required: No

Settings

Settings to configure your translation output. You can configure the following options:

- Brevity: not supported.
- Formality: sets the formality level of the output text.
- Profanity: masks profane words and phrases in your translation output.

Type: [TranslationSettings](#) object

Required: No

SourceLanguageCode

The language code of the input language. Specify the language if all input documents share the same language. If you don't know the language of the source files, or your input documents contains different source languages, select auto. Amazon Translate auto detects the source language for each input document. For a list of supported language codes, see [Supported languages](#) in the Amazon Translate Developer Guide.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: Yes

TargetLanguageCodes

The target languages of the translation job. Enter up to 10 language codes. Each input file is translated into each target language.

Each language code is 2 or 5 characters long. For a list of language codes, see [Supported languages](#) in the Amazon Translate Developer Guide.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: Yes

TerminologyNames

The name of a custom terminology resource to add to the translation job. This resource lists examples source terms and the desired translation for each term.

This parameter accepts only one custom terminology resource.

If you specify multiple target languages for the job, translate uses the designated terminology for each requested target language that has an entry for the source term in the terminology file.

For a list of available custom terminology resources, use the [ListTerminologies](#) operation.

For more information, see [Custom terminology](#) in the Amazon Translate Developer Guide.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: No

Response Syntax

```
{
  "JobId": "string",
  "JobStatus": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobId

The identifier generated for the job. To get the status of a job, use this ID with the [DescribeTextTranslationJob](#) operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_ . : / = + \ - % @] *)$`

JobStatus

The status of the job. Possible values include:

- SUBMITTED - The job has been received and is queued for processing.
- IN_PROGRESS - Amazon Translate is processing the job.
- COMPLETED - The job was successfully completed and the output is available.
- COMPLETED_WITH_ERROR - The job was completed with errors. The errors can be analyzed in the job's output.
- FAILED - The job did not complete. To get details, use the [DescribeTextTranslationJob](#) operation.
- STOP_REQUESTED - The user who started the job has requested that it be stopped.
- STOPPED - The job has been stopped.

Type: String

Valid Values: SUBMITTED | IN_PROGRESS | COMPLETED | COMPLETED_WITH_ERROR | FAILED | STOP_REQUESTED | STOPPED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

InvalidRequestException

The request that you made is not valid. Check your request to determine why it's not valid and then retry the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

UnsupportedLanguagePairException

Amazon Translate does not support translation from the language of the source text into the requested target language. For more information, see [Supported languages](#) in the Amazon Translate Developer Guide.

SourceLanguageCode

The language code for the language of the input text.

TargetLanguageCode

The language code for the language of the translated text.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopTextTranslationJob

Stops an asynchronous batch translation job that is in progress.

If the job's state is `IN_PROGRESS`, the job will be marked for termination and put into the `STOP_REQUESTED` state. If the job completes before it can be stopped, it is put into the `COMPLETED` state. Otherwise, the job is put into the `STOPPED` state.

Asynchronous batch translation jobs are started with the [StartTextTranslationJob](#) operation. You can use the [DescribeTextTranslationJob](#) or [ListTextTranslationJobs](#) operations to get a batch translation job's `JobId`.

Request Syntax

```
{
  "JobId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

JobId

The job ID of the job to be stopped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_ . : / = + \ - % @] *)$`

Required: Yes

Response Syntax

```
{
```

```
"JobId": "string",  
"JobStatus": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobId

The job ID of the stopped batch translation job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/+\\-%@]*)$`

JobStatus

The status of the designated job. Upon successful completion, the job's status will be STOPPED.

Type: String

Valid Values: SUBMITTED | IN_PROGRESS | COMPLETED | COMPLETED_WITH_ERROR | FAILED | STOP_REQUESTED | STOPPED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Associates a specific tag with a resource. A tag is a key-value pair that adds as a metadata to a resource. For more information, see [Tagging your resources](#) in the Amazon Translate Developer Guide.

Request Syntax

```
{
  "ResourceArn": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[ResourceArn](#)

The Amazon Resource Name (ARN) of the given Amazon Translate resource to which you want to associate the tags.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

[Tags](#)

Tags being associated with a specific Amazon Translate resource. There can be a maximum of 50 tags (both existing and pending) associated with a specific resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConcurrentModificationException

Another modification is being made. That modification must complete before you can make your change.

HTTP Status Code: 400

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyTagsException

You have added too many tags to this resource. The maximum is 50 tags.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TranslateDocument

Translates the input document from the source language to the target language. This synchronous operation supports text, HTML, or Word documents as the input document. TranslateDocument supports translations from English to any supported language, and from any supported language to English. Therefore, specify either the source language code or the target language code as "en" (English).

If you set the Formality parameter, the request will fail if the target language does not support formality. For a list of target languages that support formality, see [Setting formality](#) in the Amazon Translate Developer Guide.

Request Syntax

```
{
  "Document": {
    "Content": blob,
    "ContentType": "string"
  },
  "Settings": {
    "Brevity": "string",
    "Formality": "string",
    "Profanity": "string"
  },
  "SourceLanguageCode": "string",
  "TargetLanguageCode": "string",
  "TerminologyNames": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Document

The content and content type for the document to be translated. The document size must not exceed 100 KB.

Type: [Document](#) object

Required: Yes

Settings

Settings to configure your translation output. You can configure the following options:

- Brevity: not supported.
- Formality: sets the formality level of the output text.
- Profanity: masks profane words and phrases in your translation output.

Type: [TranslationSettings](#) object

Required: No

SourceLanguageCode

The language code for the language of the source text. For a list of supported language codes, see [Supported languages](#) in the Amazon Translate Developer Guide.

To have Amazon Translate determine the source language of your text, you can specify auto in the SourceLanguageCode field. If you specify auto, Amazon Translate will call [Amazon Comprehend](#) to determine the source language.

Note

If you specify auto, you must send the TranslateDocument request in a region that supports Amazon Comprehend. Otherwise, the request returns an error indicating that autodetect is not supported.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: Yes

TargetLanguageCode

The language code requested for the translated document. For a list of supported language codes, see [Supported languages](#).

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: Yes

TerminologyNames

The name of a terminology list file to add to the translation job. This file provides source terms and the desired translation for each term. A terminology list can contain a maximum of 256 terms. You can use one custom terminology resource in your translation request.

Use the [ListTerminologies](#) operation to get the available terminology lists.

For more information about custom terminology lists, see [Custom terminology](#) in the Amazon Translate Developer Guide.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^([A-Za-z0-9-]_?)+$`

Required: No

Response Syntax

```
{
  "AppliedSettings": {
    "Brevity": "string",
    "Formality": "string",
    "Profanity": "string"
  },
  "AppliedTerminologies": [
    {
      "Name": "string",
      "Terms": [
        {
          "SourceText": "string",
          "TargetText": "string"
        }
      ]
    }
  ]
},
```

```
"SourceLanguageCode": "string",
"TargetLanguageCode": "string",
"TranslatedDocument": {
  "Content": blob
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AppliedSettings

Settings to configure your translation output. You can configure the following options:

- **Brevity:** reduces the length of the translation output for most translations. Available for `TranslateText` only.
- **Formality:** sets the formality level of the translation output.
- **Profanity:** masks profane words and phrases in the translation output.

Type: [TranslationSettings](#) object

AppliedTerminologies

The names of the custom terminologies applied to the input text by Amazon Translate to produce the translated text document.

Type: Array of [AppliedTerminology](#) objects

SourceLanguageCode

The language code of the source document.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

TargetLanguageCode

The language code of the translated document.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

TranslatedDocument

The document containing the translated content. The document format matches the source document format.

Type: [TranslatedDocument](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidRequestException

The request that you made is not valid. Check your request to determine why it's not valid and then retry the request.

HTTP Status Code: 400

LimitExceededException

The specified limit has been exceeded. Review your request and retry it with a quantity below the stated limit.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

ServiceUnavailableException

The Amazon Translate service is temporarily unavailable. Wait a bit and then retry your request.

HTTP Status Code: 500

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

UnsupportedLanguagePairException

Amazon Translate does not support translation from the language of the source text into the requested target language. For more information, see [Supported languages](#) in the Amazon Translate Developer Guide.

SourceLanguageCode

The language code for the language of the input text.

TargetLanguageCode

The language code for the language of the translated text.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TranslateText

Translates input text from the source language to the target language. For a list of available languages and language codes, see [Supported languages](#) in the Amazon Translate Developer Guide.

Request Syntax

```
{
  "Settings": {
    "Brevity": "string",
    "Formality": "string",
    "Profanity": "string"
  },
  "SourceLanguageCode": "string",
  "TargetLanguageCode": "string",
  "TerminologyNames": [ "string" ],
  "Text": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Settings

Settings to configure your translation output. You can configure the following options:

- Brevity: reduces the length of the translated output for most translations.
- Formality: sets the formality level of the output text.
- Profanity: masks profane words and phrases in your translation output.

Type: [TranslationSettings](#) object

Required: No

SourceLanguageCode

The language code for the language of the source text. For a list of language codes, see [Supported languages](#) in the Amazon Translate Developer Guide.

To have Amazon Translate determine the source language of your text, you can specify `auto` in the `SourceLanguageCode` field. If you specify `auto`, Amazon Translate will call [Amazon Comprehend](#) to determine the source language.

Note

If you specify `auto`, you must send the `TranslateText` request in a region that supports Amazon Comprehend. Otherwise, the request returns an error indicating that `autodetect` is not supported.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: Yes

TargetLanguageCode

The language code requested for the language of the target text. For a list of language codes, see [Supported languages](#) in the Amazon Translate Developer Guide.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: Yes

TerminologyNames

The name of a terminology list file to add to the translation job. This file provides source terms and the desired translation for each term. A terminology list can contain a maximum of 256 terms. You can use one custom terminology resource in your translation request.

Use the [ListTerminologies](#) operation to get the available terminology lists.

For more information about custom terminology lists, see [Custom terminology](#) in the Amazon Translate Developer Guide.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: No

Text

The text to translate. The text string can be a maximum of 10,000 bytes long. Depending on your character set, this may be fewer than 10,000 characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Pattern: `[\P{M}\p{M}]{1,10000}`

Required: Yes

Response Syntax

```
{
  "AppliedSettings": {
    "Brevity": "string",
    "Formality": "string",
    "Profanity": "string"
  },
  "AppliedTerminologies": [
    {
      "Name": "string",
      "Terms": [
        {
          "SourceText": "string",
          "TargetText": "string"
        }
      ]
    }
  ],
  "SourceLanguageCode": "string",
  "TargetLanguageCode": "string",
  "TranslatedText": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AppliedSettings

Optional settings that modify the translation output.

Type: [TranslationSettings](#) object

AppliedTerminologies

The names of the custom terminologies applied to the input text by Amazon Translate for the translated text response.

Type: Array of [AppliedTerminology](#) objects

SourceLanguageCode

The language code for the language of the source text.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

TargetLanguageCode

The language code for the language of the target text.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

TranslatedText

The translated text.

Type: String

Length Constraints: Maximum length of 20000.

Pattern: `[\P{M}\p{M}]{0,20000}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

DetectedLanguageLowConfidenceException

The confidence that Amazon Comprehend accurately detected the source language is low. If a low confidence level is acceptable for your application, you can use the language in the exception to call Amazon Translate again. For more information, see the [DetectDominantLanguage](#) operation in the *Amazon Comprehend Developer Guide*.

DetectedLanguageCode

The language code of the auto-detected language from Amazon Comprehend.

HTTP Status Code: 400

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidRequestException

The request that you made is not valid. Check your request to determine why it's not valid and then retry the request.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

ServiceUnavailableException

The Amazon Translate service is temporarily unavailable. Wait a bit and then retry your request.

HTTP Status Code: 500

TextSizeLimitExceededException

The size of the text you submitted exceeds the size limit. Reduce the size of the text or use a smaller document and then retry your request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

UnsupportedLanguagePairException

Amazon Translate does not support translation from the language of the source text into the requested target language. For more information, see [Supported languages](#) in the Amazon Translate Developer Guide.

SourceLanguageCode

The language code for the language of the input text.

TargetLanguageCode

The language code for the language of the translated text.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes a specific tag associated with an Amazon Translate resource. For more information, see [Tagging your resources](#) in the Amazon Translate Developer Guide.

Request Syntax

```
{
  "ResourceArn": "string",
  "TagKeys": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceArn

The Amazon Resource Name (ARN) of the given Amazon Translate resource from which you want to remove the tags.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

TagKeys

The initial part of a key-value pair that forms a tag being removed from a given resource. Keys must be unique and cannot be duplicated for a particular resource.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConcurrentModificationException

Another modification is being made. That modification must complete before you can make your change.

HTTP Status Code: 400

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateParallelData

Updates a previously created parallel data resource by importing a new input file from Amazon S3.

Request Syntax

```
{
  "ClientToken": "string",
  "Description": "string",
  "Name": "string",
  "ParallelDataConfig": {
    "Format": "string",
    "S3Uri": "string"
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClientToken

A unique identifier for the request. This token is automatically generated when you use Amazon Translate through an AWS SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

Description

A custom description for the parallel data resource in Amazon Translate.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\P{M}\p{M}]{0,256}`

Required: No

Name

The name of the parallel data resource being updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: Yes

ParallelDataConfig

Specifies the format and S3 location of the parallel data input file.

Type: [ParallelDataConfig](#) object

Required: Yes

Response Syntax

```
{
  "LatestUpdateAttemptAt": number,
  "LatestUpdateAttemptStatus": "string",
  "Name": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

LatestUpdateAttemptAt

The time that the most recent update was attempted.

Type: Timestamp

LatestUpdateAttemptStatus

The status of the parallel data update attempt. When the updated parallel data resource is ready for you to use, the status is ACTIVE.

Type: String

Valid Values: CREATING | UPDATING | ACTIVE | DELETING | FAILED

Name

The name of the parallel data resource being updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?+$`

Status

The status of the parallel data resource that you are attempting to update. Your update request is accepted only if this status is either ACTIVE or FAILED.

Type: String

Valid Values: CREATING | UPDATING | ACTIVE | DELETING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConcurrentModificationException

Another modification is being made. That modification must complete before you can make your change.

HTTP Status Code: 400

ConflictException

There was a conflict processing the request. Try your request again.

HTTP Status Code: 400

InternalServerErrorException

An internal server error occurred. Retry your request.

HTTP Status Code: 500

InvalidParameterValueException

The value of the parameter is not valid. Review the value of the parameter you are using to correct it, and then retry your operation.

HTTP Status Code: 400

InvalidRequestException

The request that you made is not valid. Check your request to determine why it's not valid and then retry the request.

HTTP Status Code: 400

LimitExceededException

The specified limit has been exceeded. Review your request and retry it with a quantity below the stated limit.

HTTP Status Code: 400

ResourceNotFoundException

The resource you are looking for has not been found. Review the resource you're looking for and see if a different resource will accomplish your needs before retrying the revised request.

HTTP Status Code: 400

TooManyRequestsException

You have made too many requests within a short period of time. Wait for a short time and then try your request again.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon Translate API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AppliedTerminology](#)
- [Document](#)
- [EncryptionKey](#)
- [InputDataConfig](#)
- [JobDetails](#)
- [Language](#)
- [OutputDataConfig](#)
- [ParallelDataConfig](#)
- [ParallelDataDataLocation](#)
- [ParallelDataProperties](#)
- [Tag](#)
- [Term](#)
- [TerminologyData](#)
- [TerminologyDataLocation](#)
- [TerminologyProperties](#)
- [TextTranslationJobFilter](#)
- [TextTranslationJobProperties](#)
- [TranslatedDocument](#)
- [TranslationSettings](#)

AppliedTerminology

The custom terminology applied to the input text by Amazon Translate for the translated text response. This is optional in the response and will only be present if you specified terminology input in the request. Currently, only one terminology can be applied per TranslateText request.

Contents

Name

The name of the custom terminology applied to the input text by Amazon Translate for the translated text response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: No

Terms

The specific terms of the custom terminology applied to the input text by Amazon Translate for the translated text response. A maximum of 250 terms will be returned, and the specific terms applied will be the first 250 terms in the source text.

Type: Array of [Term](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Document

The content and content type of a document.

Contents

Content

The Contentfield type is Binary large object (blob). This object contains the document content converted into base64-encoded binary data. If you use one of the AWS SDKs, the SDK performs the Base64-encoding on this field before sending the request.

Type: Base64-encoded binary data object

Length Constraints: Maximum length of 102400.

Required: Yes

ContentType

Describes the format of the document. You can specify one of the following:

- `text/html` - The input data consists of HTML content. Amazon Translate translates only the text in the HTML element.
- `text/plain` - The input data consists of unformatted text. Amazon Translate translates every character in the content.
- `application/vnd.openxmlformats-officedocument.wordprocessingml.document` - The input data consists of a Word document (.docx).

Type: String

Length Constraints: Maximum length of 256.

Pattern: `^[-\w.]+ \ [-\w. +] + $`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EncryptionKey

The encryption key used to encrypt this object.

Contents

Id

The Amazon Resource Name (ARN) of the encryption key being used to encrypt this object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 400.

Pattern: `(arn:aws((-us-gov)|(-iso)|(-iso-b)|(-cn))?:kms:)?([a-z]{2}-[a-z]+(-[a-z]+)?-\d:)?(\d{12}:)?(((key/)?[a-zA-Z0-9-_.]+)|(alias/[a-zA-Z0-9:/_-.]+))`

Required: Yes

Type

The type of encryption key used by Amazon Translate to encrypt this object.

Type: String

Valid Values: KMS

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputDataConfig

The input configuration properties for requesting a batch translation job.

Contents

ContentType

Describes the format of the data that you submit to Amazon Translate as input. You can specify one of the following multipurpose internet mail extension (MIME) types:

- `text/html`: The input data consists of one or more HTML files. Amazon Translate translates only the text that resides in the `html` element in each file.
- `text/plain`: The input data consists of one or more unformatted text files. Amazon Translate translates every character in this type of input.
- `application/vnd.openxmlformats-officedocument.wordprocessingml.document`: The input data consists of one or more Word documents (.docx).
- `application/vnd.openxmlformats-officedocument.presentationml.presentation`: The input data consists of one or more PowerPoint Presentation files (.pptx).
- `application/vnd.openxmlformats-officedocument.spreadsheetml.sheet`: The input data consists of one or more Excel Workbook files (.xlsx).
- `application/x-xliff+xml`: The input data consists of one or more XML Localization Interchange File Format (XLIFF) files (.xlf). Amazon Translate supports only XLIFF version 1.2.

Important

If you structure your input data as HTML, ensure that you set this parameter to `text/html`. By doing so, you cut costs by limiting the translation to the contents of the `html` element in each file. Otherwise, if you set this parameter to `text/plain`, your costs will cover the translation of every character.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `^[-\w.]+\\[-\w. +\]+`\$

Required: Yes

S3Uri

The URI of the AWS S3 folder that contains the input files. Amazon Translate translates all the files in the folder and all its sub-folders. The folder must be in the same Region as the API endpoint you are calling.

Type: String

Length Constraints: Maximum length of 1024.

Pattern: `s3://[a-z0-9][\.\-a-z0-9]{1,61}[a-z0-9](/.*)?`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobDetails

The number of documents successfully and unsuccessfully processed during a translation job.

Contents

DocumentsWithErrorsCount

The number of documents that could not be processed during a translation job.

Type: Integer

Required: No

InputDocumentsCount

The number of documents used as input in a translation job.

Type: Integer

Required: No

TranslatedDocumentsCount

The number of documents successfully processed during a translation job.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Language

A supported language.

Contents

LanguageCode

Language code for the supported language.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: Yes

LanguageName

Language name of the supported language.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutputDataConfig

The output configuration properties for a batch translation job.

Contents

S3Uri

The URI of the S3 folder that contains a translation job's output file. The folder must be in the same Region as the API endpoint that you are calling.

Type: String

Length Constraints: Maximum length of 1024.

Pattern: `s3://[a-z0-9][\.\-a-z0-9]{1,61}[a-z0-9](/.*)?`

Required: Yes

EncryptionKey

The encryption key used to encrypt this object.

Type: [EncryptionKey](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParallelDataConfig

Specifies the format and S3 location of the parallel data input file.

Contents

Format

The format of the parallel data input file.

Type: String

Valid Values: TSV | CSV | TMX

Required: No

S3Uri

The URI of the Amazon S3 folder that contains the parallel data input file. The folder must be in the same Region as the API endpoint you are calling.

Type: String

Length Constraints: Maximum length of 1024.

Pattern: `s3://[a-z0-9][\.\-a-z0-9]{1,61}[a-z0-9](/*.*)?`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParallelDataDataLocation

The location of the most recent parallel data input file that was successfully imported into Amazon Translate.

Contents

Location

The Amazon S3 location of the parallel data input file. The location is returned as a presigned URL to that has a 30-minute expiration.

Important

Amazon Translate doesn't scan all input files for the risk of CSV injection attacks. CSV injection occurs when a .csv or .tsv file is altered so that a record contains malicious code. The record begins with a special character, such as =, +, -, or @. When the file is opened in a spreadsheet program, the program might interpret the record as a formula and run the code within it.

Before you download an input file from Amazon S3, ensure that you recognize the file and trust its creator.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: `[\P{M}\p{M}]{0,10000}`

Required: Yes

RepositoryType

Describes the repository that contains the parallel data input file.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: `[\P{M}\p{M}]{0,10000}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ParallelDataProperties

The properties of a parallel data resource.

Contents

Arn

The Amazon Resource Name (ARN) of the parallel data resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

CreatedAt

The time at which the parallel data resource was created.

Type: Timestamp

Required: No

Description

The description assigned to the parallel data resource.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\P{M}\p{M}]{0,256}`

Required: No

EncryptionKey

The encryption key used to encrypt this object.

Type: [EncryptionKey](#) object

Required: No

FailedRecordCount

The number of records unsuccessfully imported from the parallel data input file.

Type: Long

Required: No

ImportedDataSize

The number of UTF-8 characters that Amazon Translate imported from the parallel data input file. This number includes only the characters in your translation examples. It does not include characters that are used to format your file. For example, if you provided a Translation Memory Exchange (.tmx) file, this number does not include the tags.

Type: Long

Required: No

ImportedRecordCount

The number of records successfully imported from the parallel data input file.

Type: Long

Required: No

LastUpdatedAt

The time at which the parallel data resource was last updated.

Type: Timestamp

Required: No

LatestUpdateAttemptAt

The time that the most recent update was attempted.

Type: Timestamp

Required: No

LatestUpdateAttemptStatus

The status of the most recent update attempt for the parallel data resource.

Type: String

Valid Values: CREATING | UPDATING | ACTIVE | DELETING | FAILED

Required: No

Message

Additional information from Amazon Translate about the parallel data resource.

Type: String

Required: No

Name

The custom name assigned to the parallel data resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: No

ParallelDataConfig

Specifies the format and S3 location of the parallel data input file.

Type: [ParallelDataConfig](#) object

Required: No

SkippedRecordCount

The number of items in the input file that Amazon Translate skipped when you created or updated the parallel data resource. For example, Amazon Translate skips empty records, empty target texts, and empty lines.

Type: Long

Required: No

SourceLanguageCode

The source language of the translations in the parallel data file.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

Status

The status of the parallel data resource. When the parallel data is ready for you to use, the status is ACTIVE.

Type: String

Valid Values: CREATING | UPDATING | ACTIVE | DELETING | FAILED

Required: No

TargetLanguageCodes

The language codes for the target languages available in the parallel data file. All possible target languages are returned as an array.

Type: Array of strings

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

A key-value pair that adds as a metadata to a resource used by Amazon Translate.

Contents

Key

The initial part of a key-value pair that forms a tag associated with a given resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Value

The second part of a key-value pair that forms a tag associated with a given resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Term

The term being translated by the custom terminology.

Contents

SourceText

The source text of the term being translated by the custom terminology.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: `[\P{M}\p{M}]{0,10000}`

Required: No

TargetText

The target text of the term being translated by the custom terminology.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: `[\P{M}\p{M}]{0,10000}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TerminologyData

The data associated with the custom terminology. For information about the custom terminology file, see [Creating a Custom Terminology](#) in the Amazon Translate Developer Guide.

Contents

File

The file containing the custom terminology data. Your version of the AWS SDK performs a Base64-encoding on this field before sending a request to the AWS service. Users of the SDK should not perform Base64-encoding themselves.

Type: Base64-encoded binary data object

Length Constraints: Maximum length of 10485760.

Required: Yes

Format

The data format of the custom terminology.

Type: String

Valid Values: CSV | TMX | TSV

Required: Yes

Directionality

The directionality of your terminology resource indicates whether it has one source language (uni-directional) or multiple (multi-directional).

UNI

The terminology resource has one source language (for example, the first column in a CSV file), and all of its other languages are target languages.

MULTI

Any language in the terminology resource can be the source language or a target language. A single multi-directional terminology resource can be used for jobs that translate different

language pairs. For example, if the terminology contains English and Spanish terms, it can be used for jobs that translate English to Spanish and Spanish to English.

When you create a custom terminology resource without specifying the directionality, it behaves as uni-directional terminology, although this parameter will have a null value.

Type: String

Valid Values: UNI | MULTI

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TerminologyDataLocation

The location of the custom terminology data.

Contents

Location

The Amazon S3 location of the most recent custom terminology input file that was successfully imported into Amazon Translate. The location is returned as a presigned URL that has a 30-minute expiration .

Important

Amazon Translate doesn't scan all input files for the risk of CSV injection attacks. CSV injection occurs when a .csv or .tsv file is altered so that a record contains malicious code. The record begins with a special character, such as =, +, -, or @. When the file is opened in a spreadsheet program, the program might interpret the record as a formula and run the code within it.

Before you download an input file from Amazon S3, ensure that you recognize the file and trust its creator.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: `[\P{M}\p{M}]{0,10000}`

Required: Yes

RepositoryType

The repository type for the custom terminology data.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: `[\P{M}\p{M}]{0,10000}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TerminologyProperties

The properties of the custom terminology.

Contents

Arn

The Amazon Resource Name (ARN) of the custom terminology.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

CreatedAt

The time at which the custom terminology was created, based on the timestamp.

Type: Timestamp

Required: No

Description

The description of the custom terminology properties.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\P{M}\p{M}]{0,256}`

Required: No

Directionality

The directionality of your terminology resource indicates whether it has one source language (uni-directional) or multiple (multi-directional).

UNI

The terminology resource has one source language (the first column in a CSV file), and all of its other languages are target languages.

MULTI

Any language in the terminology resource can be the source language.

Type: String

Valid Values: UNI | MULTI

Required: No

EncryptionKey

The encryption key for the custom terminology.

Type: [EncryptionKey](#) object

Required: No

Format

The format of the custom terminology input file.

Type: String

Valid Values: CSV | TMX | TSV

Required: No

LastUpdatedAt

The time at which the custom terminology was last update, based on the timestamp.

Type: Timestamp

Required: No

Message

Additional information from Amazon Translate about the terminology resource.

Type: String

Required: No

Name

The name of the custom terminology.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: No

SizeBytes

The size of the file used when importing a custom terminology.

Type: Integer

Required: No

SkippedTermCount

The number of terms in the input file that Amazon Translate skipped when you created or updated the terminology resource.

Type: Integer

Required: No

SourceLanguageCode

The language code for the source text of the translation request for which the custom terminology is being used.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

TargetLanguageCodes

The language codes for the target languages available with the custom terminology resource. All possible target languages are returned in array.

Type: Array of strings

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

TermCount

The number of terms included in the custom terminology.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TextTranslationJobFilter

Provides information for filtering a list of translation jobs. For more information, see [ListTextTranslationJobs](#).

Contents

JobName

Filters the list of jobs by name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-%@]*)$`

Required: No

JobStatus

Filters the list of jobs based by job status.

Type: String

Valid Values: SUBMITTED | IN_PROGRESS | COMPLETED | COMPLETED_WITH_ERROR | FAILED | STOP_REQUESTED | STOPPED

Required: No

SubmittedAfterTime

Filters the list of jobs based on the time that the job was submitted for processing and returns only the jobs submitted after the specified time. Jobs are returned in descending order, newest to oldest.

Type: Timestamp

Required: No

SubmittedBeforeTime

Filters the list of jobs based on the time that the job was submitted for processing and returns only the jobs submitted before the specified time. Jobs are returned in ascending order, oldest to newest.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TextTranslationJobProperties

Provides information about a translation job.

Contents

DataAccessRoleArn

The Amazon Resource Name (ARN) of an AWS Identity Access and Management (IAM) role that granted Amazon Translate read access to the job's input data. For more information, see [Prerequisite permissions](#) in the Amazon Translate Developer Guide.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws(-[^\:]+)?:iam::[0-9]{12}:role/.+`

Required: No

EndTime

The time at which the translation job ended.

Type: Timestamp

Required: No

InputDataConfig

The input configuration properties that were specified when the job was requested.

Type: [InputDataConfig](#) object

Required: No

JobDetails

The number of documents successfully and unsuccessfully processed during the translation job.

Type: [JobDetails](#) object

Required: No

JobId

The ID of the translation job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-%@]*)$`

Required: No

JobName

The user-defined name of the translation job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-%@]*)$`

Required: No

JobStatus

The status of the translation job.

Type: String

Valid Values: SUBMITTED | IN_PROGRESS | COMPLETED | COMPLETED_WITH_ERROR | FAILED | STOP_REQUESTED | STOPPED

Required: No

Message

An explanation of any errors that may have occurred during the translation job.

Type: String

Required: No

OutputDataConfig

The output configuration properties that were specified when the job was requested.

Type: [OutputDataConfig](#) object

Required: No

ParallelDataNames

A list containing the names of the parallel data resources applied to the translation job.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: No

Settings

Settings that modify the translation output.

Type: [TranslationSettings](#) object

Required: No

SourceLanguageCode

The language code of the language of the source text. The language must be a language supported by Amazon Translate.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

SubmittedTime

The time at which the translation job was submitted.

Type: Timestamp

Required: No

TargetLanguageCodes

The language code of the language of the target text. The language must be a language supported by Amazon Translate.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 2. Maximum length of 5.

Required: No

TerminologyNames

A list containing the names of the terminologies applied to a translation job. Only one terminology can be applied per [StartTextTranslationJob](#) request at this time.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[A-Za-z0-9-]_?)+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TranslatedDocument

The translated content.

Contents

Content

The document containing the translated content.

Type: Base64-encoded binary data object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TranslationSettings

Settings to configure your translation output. You can configure the following options:

- **Brevity:** reduces the length of the translation output for most translations. Available for `TranslateText` only.
- **Formality:** sets the formality level of the translation output.
- **Profanity:** masks profane words and phrases in the translation output.

Contents

Brevity

When you turn on brevity, Amazon Translate reduces the length of the translation output for most translations (when compared with the same translation with brevity turned off). By default, brevity is turned off.

If you turn on brevity for a translation request with an unsupported language pair, the translation proceeds with the brevity setting turned off.

For the language pairs that brevity supports, see [Using brevity](#) in the Amazon Translate Developer Guide.

Type: String

Valid Values: ON

Required: No

Formality

You can specify the desired level of formality for translations to supported target languages. The formality setting controls the level of formal language usage (also known as [register](#)) in the translation output. You can set the value to informal or formal. If you don't specify a value for formality, or if the target language doesn't support formality, the translation will ignore the formality setting.

If you specify multiple target languages for the job, translate ignores the formality setting for any unsupported target language.

For a list of target languages that support formality, see [Supported languages](#) in the Amazon Translate Developer Guide.

Type: String

Valid Values: FORMAL | INFORMAL

Required: No

Profanity

You can enable the profanity setting if you want to mask profane words and phrases in your translation output.

To mask profane words and phrases, Amazon Translate replaces them with the gawlix string “? \$#@\$”. This 5-character sequence is used for each profane word or phrase, regardless of the length or number of words.

Amazon Translate doesn't detect profanity in all of its supported languages. For languages that don't support profanity detection, see [Unsupported languages](#) in the Amazon Translate Developer Guide.

If you specify multiple target languages for the job, all the target languages must support profanity masking. If any of the target languages don't support profanity masking, the translation job won't mask profanity for any target language.

Type: String

Valid Values: MASK

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400